Emilie Olié

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/806240/publications.pdf

Version: 2024-02-01

63 2,943 26 51 papers citations h-index g-index

66 66 3386
all docs docs citations times ranked citing authors

#	Article	IF	CITATIONS
1	Violent suicide attempt history in elderly patients with bipolar disorder: The role of sex, abdominal obesity, and verbal memory: Results from the FACE-BD cohort (FondaMental Advanced center of) Tj ETQq1 1 0.78	8 4&1 4 rgBT	「 ∮ Overloc <mark>k</mark> 」
2	Null effect of vortioxetine augmentation with celecoxib should not be generalized to other antidepressants. European Neuropsychopharmacology, 2022, 55, 84-85.	0.7	2
3	Clinical Dimensions Associated With Psychological Pain in Suicidal Patients. Journal of Clinical Psychiatry, 2022, 83, .	2.2	5
4	The effect of early trauma on suicidal vulnerability depends on fronto-insular sulcation. Cerebral Cortex, 2022, , .	2.9	1
5	Ketamine and esketamine for crisis management in patients with depression: Why, whom, and how?. European Neuropsychopharmacology, 2022, 57, 88-104.	0.7	10
6	Selenium deficiency is associated with disease severity, disrupted reward processing, and increased suicide risk in patients with Anorexia Nervosa. Psychoneuroendocrinology, 2022, 140, 105723.	2.7	7
7	Characterization of suicidal depression: A 1 year prospective study. European Psychiatry, 2022, 65, 1-40.	0.2	6
8	Characterization of depressed bipolar patients with current suicidal ideation. Australian and New Zealand Journal of Psychiatry, 2021, 55, 289-304.	2.3	12
9	Clinical predictors of recurrences in bipolar disorders type 1 and 2: A FACE-BD longitudinal study. Journal of Psychiatric Research, 2021, 134, 129-137.	3.1	10
10	Longitudinal relationships between cognition and functioning over 2 years in euthymic patients with bipolar disorder: a cross-lagged panel model approach with the FACE-BD cohort. British Journal of Psychiatry, 2021, 218, 80-87.	2.8	23
11	Biological bases of suicidal behaviours: A narrative review. European Journal of Neuroscience, 2021, 53, 330-351.	2.6	37
12	How Does COVID-19 Affect the Neurobiology of Suicide?. Current Psychiatry Reports, 2021, 23, 16.	4.5	14
13	Euthanasia and assisted suicide in psychiatric patients: A systematic review of the literature. Journal of Psychiatric Research, 2021, 135, 153-173.	3.1	40
14	Prevalence and impact of patient suicide in psychiatrists: Results from a national French web-based survey. L'Encephale, 2021, 47, 507-513.	0.9	4
15	Psilocybin, a Naturally Occurring Indoleamine Compound, Could Be Useful to Prevent Suicidal Behaviors. Pharmaceuticals, 2021, 14, 1213.	3.8	15
16	French experiences with the online courses on suicidal behaviour, their main features, requests of participants and the opportunities to foster suicide prevention. European Psychiatry, 2021, 64, S60-S61.	0.2	0
17	Psychological state of a sample of patients with mood disorders during the first French COVID-19 lockdown. Scientific Reports, 2021, 11, 23711.	3.3	17
18	Interest of neuroimaging of social exclusion in suicide. Journal of Neuroscience Research, 2020, 98, 581-587.	2.9	8

#	Article	IF	CITATIONS
19	Atypical processing of social anticipation and feedback in borderline personality disorder. Neurolmage: Clinical, 2020, 25, 102126.	2.7	7
20	Improved functioning following computerized working memory training (COGMED®) in euthymic patients with bipolar disorder and cognitive complaints: An exploratory study. Journal of Affective Disorders, 2020, 262, 414-421.	4.1	13
21	Suicide and Self-inflicted Injury in Diabetes: A Balancing Act. Journal of Diabetes Science and Technology, 2020, 14, 1010-1016.	2.2	16
22	The Role of Opiates in Social Pain and Suicidal Behavior. Current Topics in Behavioral Neurosciences, 2020, 46, 197-210.	1.7	10
23	Prefrontal activation in suicide attempters during decision making with emotional feedback. Translational Psychiatry, 2020, 10, 313.	4.8	11
24	"Nothing Hurts Less Than Being Dead― Psychological Pain in Case Descriptions of Psychiatric Euthanasia and Assisted Suicide from the Netherlands: « Rien ne fait moins mal qu'être mort »: La douleur psychologique dans les descriptions de cas d'euthanasie et de suicide assisté psychiatrique aux Pays-Bas. Canadian Journal of Psychiatry, 2020, 65, 612-620.	1.9	9
25	An Intolerable Burden: Suicide, Intended Self-Injury and Diabetes. Canadian Journal of Diabetes, 2020, 44, 541-544.	0.8	6
26	Neutrophil-to-lymphocyte ratio: A potential new peripheral biomarker of suicidal behavior. European Psychiatry, 2020, 63, e14.	0.2	51
27	Neurobiology of suicidal behavior and social stress. Journal of Neuroscience Research, 2020, 98, 579-580.	2.9	8
28	Euthanasia: Should psychiatric patients be systematically excluded?. French Journal of Psychiatry, 2020, 2-4, 55-57.	0.1	0
29	Reconsideration of the factorial structure of the Barratt Impulsiveness Scale (BIS-11): Assessment of impulsivity in a large population of euthymic bipolar patients. Journal of Affective Disorders, 2019, 253, 203-209.	4.1	11
30	Decision-Making Skills Moderate the Relationship between Psychological and Physical Pain with Suicidal Behavior in Depressed Patients. Psychotherapy and Psychosomatics, 2019, 88, 190-191.	8.8	6
31	Suicide Has Many Faces, So Does Ketamine: a Narrative Review on Ketamine's Antisuicidal Actions. Current Psychiatry Reports, 2019, 21, 132.	4.5	19
32	Suicidal thoughts and behaviors and social isolation: A narrative review of the literature. Journal of Affective Disorders, 2019, 245, 653-667.	4.1	359
33	Association between baseline pro-inflammatory cytokines and brain activation during social exclusion in patients with vulnerability to suicide and depressive disorder. Psychoneuroendocrinology, 2019, 99, 236-242.	2.7	31
34	Psychological Pain, Depression, and Suicide: Recent Evidences and Future Directions. Current Psychiatry Reports, 2018, 20, 33.	4.5	101
35	Serotonin transporter gene expression predicts the worsening of suicidal ideation and suicide attempts along a long-term follow-up of a Major Depressive Episode. European Neuropsychopharmacology, 2018, 28, 401-414.	0.7	18
36	Tianeptine is associated with lower risk of suicidal ideation worsening during the first weeks of treatment onset compared with other antidepressants: A naturalistic study. Journal of Psychiatric Research, 2018, 96, 167-170.	3.1	12

#	Article	IF	CITATIONS
37	Anhedonia is associated with suicidal ideation independently of depression: A meta-analysis. Depression and Anxiety, 2018, 35, 382-392.	4.1	147
38	Physical pain recruits the nucleus accumbens during social distress in borderline personality disorder. Social Cognitive and Affective Neuroscience, 2018, 13, 1071-1080.	3.0	13
39	A Complex Relationship Between Suicide, Dementia, and Amyloid: A Narrative Review. Frontiers in Neuroscience, 2018, 12, 371.	2.8	41
40	Acceptance and Commitment Therapy for the Management of Suicidal Patients: A Randomized Controlled Trial. Psychotherapy and Psychosomatics, 2018, 87, 211-222.	8.8	48
41	Psychological Pain in Suicidality. Journal of Clinical Psychiatry, 2018, 79, .	2.2	79
42	Impact of child maltreatment on meaning in life in psychiatric patients. Psychiatry Research, 2017, 251, 204-211.	3.3	16
43	The experience of social exclusion in women with a history of suicidal acts: a neuroimaging study. Scientific Reports, 2017, 7, 89.	3.3	93
44	Suicidal Ideation and Suicide Attempts in the Elderly Associated with Opioid Use and Pain Sensitivity. Psychotherapy and Psychosomatics, 2017, 86, 373-375.	8.8	11
45	Effect of early trauma on the sleep quality of euthymic bipolar patients. Journal of Affective Disorders, 2016, 206, 261-267.	4.1	12
46	The Controversial Issue of Euthanasia in Patients With Psychiatric Illness. JAMA - Journal of the American Medical Association, 2016, 316, 656.	7.4	33
47	Corpus callosum integrity is affected by mood disorders and also by the suicide attempt history: A diffusion tensor imaging study. Journal of Affective Disorders, 2016, 206, 115-124.	4.1	38
48	Whole-genome epigenetic changes genome regarding childhood maltreatment in patients with borderline personality disorder or depression. European Psychiatry, 2016, 33, S31-S31.	0.2	1
49	Decision-making in unipolar or bipolar suicide attempters. Journal of Affective Disorders, 2016, 190, 128-136.	4.1	56
50	Neuroinflammation in suicide: Toward a comprehensive model. World Journal of Biological Psychiatry, 2016, 17, 564-586.	2.6	104
51	The Need to Assess Suicidal Risk in the Checklist for Prescribing Opioids. Journal of Clinical Psychiatry, 2016, 77, 1719-1719.	2.2	2
52	Prefrontal cortex markers of suicidal vulnerability in mood disorders: a model-based structural neuroimaging study with a translational perspective. Translational Psychiatry, 2015, 5, e516-e516.	4.8	98
53	Increased CRP levels may be a trait marker of suicidal attempt. European Neuropsychopharmacology, 2015, 25, 1824-1831.	0.7	69
54	Increased risk of suicide attempt in bipolar patients with severe tobacco dependence. Journal of Affective Disorders, 2015, 183, 113-118.	4.1	35

EMILIE OLIé

#	Article	IF	CITATIONS
55	Processing of decision-making and social threat in patients with history of suicidal attempt: A neuroimaging replication study. Psychiatry Research - Neuroimaging, 2015, 234, 369-377.	1.8	97
56	ENVIEÂ: le premier programme français de psychoéducation dans la dépression unipolaire. European Psychiatry, 2015, 30, S37-S38.	0.2	0
57	A meta-analysis of cytokines in suicidal behavior. Brain, Behavior, and Immunity, 2015, 46, 203-211.	4.1	94
58	Acceptance and Commitment Therapy for Management of Suicidal Patients: A Pilot Study. Psychotherapy and Psychosomatics, 2014, 83, 374-376.	8.8	53
59	Feasibility and validity of ecological momentary assessment in the investigation of suicide risk. Psychiatry Research, 2014, 220, 564-570.	3.3	104
60	Distinct alterations in value-based decision-making and cognitive control in suicide attempters: Toward a dual neurocognitive model. Journal of Affective Disorders, 2013, 151, 1120-1124.	4.1	44
61	The suicidal mind and brain: A review of neuropsychological and neuroimaging studies. World Journal of Biological Psychiatry, 2011, 12, 319-339.	2.6	310
62	Higher psychological pain during a major depressive episode may be a factor of vulnerability to suicidal ideation and act. Journal of Affective Disorders, 2010, 120, 226-230.	4.1	129
63	Decreased activation of lateral orbitofrontal cortex during risky choices under uncertainty is associated with disadvantageous decision-making and suicidal behavior. NeuroImage, 2010, 51, 1275-1281.	4.2	266