Paul R H Robson

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/8062786/paul-r-h-robson-publications-by-year.pdf

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

18 41 1,392 37 g-index h-index citations papers 1,673 42 4.43 5.5 L-index avg, IF ext. papers ext. citations

#	Paper	IF	Citations
41	Controlled comparisons between soil and hydroponic systems reveal increased water use efficiency and higher lycopene and Earotene contents in hydroponically grown tomatoes. <i>Scientia Horticulturae</i> , 2021 , 279, 109896	4.1	7
40	Linkage mapping evidence for a syntenic QTL associated with flowering time in perennial C rhizomatous grasses and switchgrass. <i>GCB Bioenergy</i> , 2021 , 13, 98-111	5.6	1
39	Seasonal Dynamics of Dry Matter Accumulation and Nutrients in a Mature Miscanthus Igiganteus Stand in the Lower Silesia Region of Poland. <i>Agronomy</i> , 2021 , 11, 1679	3.6	O
38	Wild Miscanthus Germplasm in a Drought-Affected Area: Physiology and Agronomy Appraisals. <i>Agronomy</i> , 2020 , 10, 679	3.6	5
37	Using a Taguchi DOE to investigate factors and interactions affecting germination in Miscanthus sinensis. <i>Scientific Reports</i> , 2020 , 10, 1602	4.9	2
36	Allelopathic and intraspecific growth competition effects establishment of direct sown. <i>GCB Bioenergy</i> , 2020 , 12, 396-409	5.6	1
35	The Effects of Moderate and Severe Salinity on Composition and Physiology in the Biomass Crop. <i>Plants</i> , 2020 , 9,	4.5	3
34	Morphological and Physiological Traits that Explain Yield Response to Drought Stress in Miscanthus. <i>Agronomy</i> , 2020 , 10, 1194	3.6	5
33	Measured and modelled effect of land-use change from temperate grassland to on soil carbon stocks after 12 years. <i>GCB Bioenergy</i> , 2019 , 11, 1173-1186	5.6	7
32	Novel Miscanthus genotypes selected for different drought tolerance phenotypes show enhanced tolerance across combinations of salinity and drought treatments. <i>Annals of Botany</i> , 2019 , 124, 653-674	4.1	16
31	Stem growth characteristics of high yielding correlate with yield, development and intraspecific competition within plots. <i>GCB Bioenergy</i> , 2019 , 11, 1075-1085	5.6	2
30	Breeding Strategies to Improve Miscanthus as a Sustainable Source of Biomass for Bioenergy and Biorenewable Products. <i>Agronomy</i> , 2019 , 9, 673	3.6	14
29	Genomic index selection provides a pragmatic framework for setting and refining multi-objective breeding targets in Miscanthus. <i>Annals of Botany</i> , 2019 , 124, 521-530	4.1	7
28	Characterization of phenology, physiology, morphology and biomass traits across a broad Euro-Mediterranean ecotypic panel of the lignocellulosic feedstock Arundo donax. <i>GCB Bioenergy</i> , 2019 , 11, 152-170	5.6	16
27	Breeding progress and preparedness for mass-scale deployment of perennial lignocellulosic biomass crops switchgrass, miscanthus, willow and poplar. <i>GCB Bioenergy</i> , 2019 , 11, 118-151	5.6	68
26	Assessing seed priming, sowing date, and mulch film to improve the germination and survival of direct-sown in the United Kingdom. <i>GCB Bioenergy</i> , 2018 , 10, 612-627	5.6	15
25	Can the optimisation of pop-up agriculture in remote communities help feed the world?. <i>Global Food Security</i> , 2018 , 18, 35-43	8.3	15

(2013-2018)

24	Using -NN to analyse images of diverse germination phenotypes and detect single seed germination in. <i>Plant Methods</i> , 2018 , 14, 5	5.8	5
23	Genes and gene clusters related to genotype and drought-induced variation in saccharification potential, lignin content and wood anatomical traits in Populus nigra. <i>Tree Physiology</i> , 2018 , 38, 320-339	9 ^{4.2}	24
22	Environmental costs and benefits of growing for bioenergy in the UK. GCB Bioenergy, 2017, 9, 489-507	5.6	131
21	The impact of soil salinity on the yield, composition and physiology of the bioenergy grass Miscanthus Igiganteus. <i>GCB Bioenergy</i> , 2017 , 9, 92-104	5.6	70
20	Phenomics analysis of drought responses in Miscanthus collected from different geographical locations. <i>GCB Bioenergy</i> , 2017 , 9, 78-91	5.6	18
19	Progress in upscaling Miscanthus biomass production for the European bio-economy with seed-based hybrids. <i>GCB Bioenergy</i> , 2017 , 9, 6-17	5.6	102
18	Genetic relationships between spring emergence, canopy phenology, and biomass yield increase the accuracy of genomic prediction in Miscanthus. <i>Journal of Experimental Botany</i> , 2017 , 68, 5093-5102	7	9
17	Towards combustion quality improvement: the role of flowering and senescence. <i>GCB Bioenergy</i> , 2017 , 9, 891-908	5.6	18
16	Review: Improving the Impact of Plant Science on Urban Planning and Design. <i>Buildings</i> , 2016 , 6, 48	3.2	16
15	Land use change from C3 grassland to C4 Miscanthus: effects on soil carbon content and estimated mitigation benefit after six years. <i>GCB Bioenergy</i> , 2014 , 6, 360-370	5.6	67
14	Genome-wide association studies and prediction of 17 traits related to phenology, biomass and cell wall composition in the energy grass Miscanthus sinensis. <i>New Phytologist</i> , 2014 , 201, 1227-1239	9.8	80
13	Screening for potential co-products in a Miscanthus sinensis mapping family by liquid chromatography with mass spectrometry detection. <i>Phytochemistry</i> , 2014 , 105, 186-96	4	8
12	Breeding Miscanthus for Bioenergy 2013 , 67-81		6
11	Contrasting geographic patterns of genetic variation for molecular markers vs. phenotypic traits in the energy grass Miscanthus sinensis. <i>GCB Bioenergy</i> , 2013 , 5, 562-571	5.6	25
10	Accelerating the domestication of a bioenergy crop: identifying and modelling morphological targets for sustainable yield increase in Miscanthus. <i>Journal of Experimental Botany</i> , 2013 , 64, 4143-55	7	57
9	Flowering induction in the bioenergy grass Miscanthus sacchariflorus is a quantitative short-day response, whilst delayed flowering under long days increases biomass accumulation. <i>Journal of Experimental Botany</i> , 2013 , 64, 541-52	7	41
8	Physiological and growth responses to water deficit in the bioenergy crop Miscanthus x giganteus. <i>Frontiers in Plant Science</i> , 2013 , 4, 468	6.2	57
7	Variation in canopy duration in the perennial biofuel crop Miscanthus reveals complex associations with yield. <i>Journal of Experimental Botany</i> , 2013 , 64, 2373-83	7	32

6	Phenotypic Variation in Senescence in Miscanthus: Towards Optimising Biomass Quality and Quantity. <i>Bioenergy Research</i> , 2012 , 5, 95-105	3.1	54
5	Food vs. fuel: the use of land for lignocellulosic Elext generation Lenergy crops that minimize competition with primary food production. <i>GCB Bioenergy</i> , 2012 , 4, 1-19	5.6	196
4	Thermal requirements for seed germination in Miscanthus compared with Switchgrass (Panicum virgatum), Reed canary grass (Phalaris arundinaceae), Maize (Zea mays) and perennial ryegrass (Lolium perenne). GCB Bioenergy, 2011, 3, 375-386	5.6	27
3	A flexible quantitative methodology for the analysis of gene-flow between conventionally bred maize populations using microsatellite markers. <i>Theoretical and Applied Genetics</i> , 2011 , 122, 819-29	6	
2	Bioinformatics in the orphan crops. <i>Briefings in Bioinformatics</i> , 2009 , 10, 645-53	13.4	27
1	Transgene-mediated auxin overproduction in Arabidopsis: hypocotyl elongation phenotype and interactions with the hy6-1 hypocotyl elongation and axr1 auxin-resistant mutants. <i>Plant Molecular Biology</i> , 1995 , 27, 1071-83	4.6	138