

Kazuo Eguchi

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8062938/publications.pdf>

Version: 2024-02-01

206
papers

7,394
citations

57631

44
h-index

69108

77
g-index

206
all docs

206
docs citations

206
times ranked

6490
citing authors

#	ARTICLE	IF	CITATIONS
1	Prognostic Effect of the Nocturnal Blood Pressure Fall in Hypertensive Patients. <i>Hypertension</i> , 2016, 67, 693-700.	1.3	399
2	Prognostic impact from clinic, daytime, and night-time systolic blood pressure in nine cohorts of 13,844 patients with hypertension. <i>Journal of Hypertension</i> , 2014, 32, 2332-2340.	0.3	222
3	U-curve relationship between orthostatic blood pressure change and silent cerebrovascular disease in elderly hypertensives. <i>Journal of the American College of Cardiology</i> , 2002, 40, 133-141.	1.2	215
4	Masked Hypertension: A Review. <i>Hypertension Research</i> , 2007, 30, 479-488.	1.5	194
5	Ambulatory Blood Pressure Is a Better Marker Than Clinic Blood Pressure in Predicting Cardiovascular Events in Patients With/Without Type 2 Diabetes. <i>American Journal of Hypertension</i> , 2008, 21, 443-450.	1.0	182
6	Differential Effects Between a Calcium Channel Blocker and a Diuretic When Used in Combination With Angiotensin II Receptor Blocker on Central Aortic Pressure in Hypertensive Patients. <i>Hypertension</i> , 2009, 54, 716-723.	1.3	181
7	Morning Hypertension: The Strongest Independent Risk Factor for Stroke in Elderly Hypertensive Patients. <i>Hypertension Research</i> , 2006, 29, 581-587.	1.5	166
8	Morning and Evening Home Blood Pressure and Risks of Incident Stroke and Coronary Artery Disease in the Japanese General Practice Population. <i>Hypertension</i> , 2016, 68, 54-61.	1.3	166
9	Association Between Diabetes Mellitus and Left Ventricular Hypertrophy in a Multiethnic Population. <i>American Journal of Cardiology</i> , 2008, 101, 1787-1791.	0.7	165
10	Added Predictive Value of Night-Time Blood Pressure Variability for Cardiovascular Events and Mortality. <i>Hypertension</i> , 2014, 64, 487-493.	1.3	156
11	Morning blood pressure surge and hypertensive cerebrovascular disease*1 Role of the alpha adrenergic sympathetic nervous system. <i>American Journal of Hypertension</i> , 2004, 17, 668-675.	1.0	153
12	Reproducibility of Arterial Stiffness Indices (Pulse Wave Velocity and Augmentation Index) Simultaneously Assessed by Automated Pulse Wave Analysis and Their Associated Risk Factors in Essential Hypertensive Patients. <i>Hypertension Research</i> , 2004, 27, 851-857.	1.5	141
13	Night Time Blood Pressure Variability Is a Strong Predictor for Cardiovascular Events in Patients With Type 2 Diabetes. <i>American Journal of Hypertension</i> , 2009, 22, 46-51.	1.0	141
14	Maximum Value of Home Blood Pressure. <i>Hypertension</i> , 2011, 57, 1087-1093.	1.3	125
15	Visit-to-Visit and Ambulatory Blood Pressure Variability as Predictors of Incident Cardiovascular Events in Patients With Hypertension. <i>American Journal of Hypertension</i> , 2012, 25, 962-968.	1.0	125
16	Relationship Between Extreme Dippers and Orthostatic Hypertension in Elderly Hypertensive Patients. <i>Hypertension</i> , 1998, 31, 77-82.	1.3	115
17	Short Sleep Duration as an Independent Predictor of Cardiovascular Events in Japanese Patients With Hypertension. <i>Archives of Internal Medicine</i> , 2008, 168, 2225.	4.3	114
18	Effect of Standard vs Intensive Blood Pressure Control on the Risk of Recurrent Stroke. <i>JAMA Neurology</i> , 2019, 76, 1309.	4.5	109

#	ARTICLE	IF	CITATIONS
19	Nighttime Home Blood Pressure and the Risk of Hypertensive Target Organ Damage. <i>Hypertension</i> , 2012, 60, 921-928.	1.3	108
20	The Misdiagnosis of Hypertension. <i>Archives of Internal Medicine</i> , 2008, 168, 2459.	4.3	105
21	Effect of dosing time of angiotensin II receptor blockade titrated by self-measured blood pressure recordings on cardiorenal protection in hypertensives: the Japan Morning Surge-Target Organ Protection (J-TOP) study. <i>Journal of Hypertension</i> , 2010, 28, 1574-1583.	0.3	104
22	Consistency of Blood Pressure Differences Between the Left and Right Arms. <i>Archives of Internal Medicine</i> , 2007, 167, 388.	4.3	94
23	Greater Impact of Coexistence of Hypertension and Diabetes on Silent Cerebral Infarcts. <i>Stroke</i> , 2003, 34, 2471-2474.	1.0	89
24	Greater Change of Orthostatic Blood Pressure Is Related to Silent Cerebral Infarct and Cardiac Overload in Hypertensive Subjects. <i>Hypertension Research</i> , 2004, 27, 235-241.	1.5	86
25	Comparison of valsartan and amlodipine on ambulatory and morning blood pressure in hypertensive patients. <i>American Journal of Hypertension</i> , 2004, 17, 112-117.	1.0	73
26	Predictive value of night-time heart rate for cardiovascular events in hypertension. The ABP-International study. <i>International Journal of Cardiology</i> , 2013, 168, 1490-1495.	0.8	73
27	Nocturnal nondipping of heart rate predicts cardiovascular events in hypertensive patients. <i>Journal of Hypertension</i> , 2009, 27, 2265-2270.	0.3	72
28	An β_1 -adrenergic blocker titrated by self-measured blood pressure recordings lowered blood pressure and microalbuminuria in patients with morning hypertension: the Japan Morning Surge-1 Study. <i>Journal of Hypertension</i> , 2008, 26, 1257-1265.	0.3	71
29	Short sleep duration is an independent predictor of stroke events in elderly hypertensive patients. <i>Journal of the American Society of Hypertension</i> , 2010, 4, 255-262.	2.3	71
30	Association of Morning and Evening Blood Pressure at Home With Asymptomatic Organ Damage in the J-HOP Study. <i>American Journal of Hypertension</i> , 2014, 27, 939-947.	1.0	71
31	Sleep Blood Pressure Self-Measured at Home as a Novel Determinant of Organ Damage: Japan Morning Surge Home Blood Pressure (J-HOP) Study. <i>Journal of Clinical Hypertension</i> , 2015, 17, 340-348.	1.0	67
32	Low-Grade Inflammation Is a Risk Factor for Clinical Stroke Events in Addition to Silent Cerebral Infarcts in Japanese Older Hypertensives. <i>Stroke</i> , 2007, 38, 911-917.	1.0	65
33	Determinants of Exaggerated Difference in Morning and Evening Blood Pressure Measured by Self-measured Blood Pressure Monitoring in Medicated Hypertensive Patients: Jichi Morning Hypertension Research (J-MORE) Study. <i>American Journal of Hypertension</i> , 2005, 18, 958-965.	1.0	64
34	Glomerular hyperfiltration is a predictor of adverse cardiovascular outcomes. <i>Kidney International</i> , 2018, 93, 195-203.	2.6	64
35	Nocturnal Blood Pressure Elevation Predicts Progression of Albuminuria in Elderly People With Type 2 Diabetes. <i>Journal of Clinical Hypertension</i> , 2008, 10, 12-20.	1.0	63
36	Masked Nocturnal Hypertension and Target Organ Damage in Hypertensives with Well-Controlled Self-Measured Home Blood Pressure. <i>Hypertension Research</i> , 2007, 30, 143-149.	1.5	62

#	ARTICLE	IF	CITATIONS
37	Differential Impacts of Adiponectin on Low-Grade Albuminuria Between Obese and Nonobese Persons Without Diabetes. <i>Journal of Clinical Hypertension</i> , 2007, 9, 775-782.	1.0	62
38	Subclinical Arterial Damage in Untreated Masked Hypertensive Subjects Detected by Home Blood Pressure Measurement. <i>American Journal of Hypertension</i> , 2007, 20, 385-391.	1.0	62
39	Febuxostat does not delay progression of carotid atherosclerosis in patients with asymptomatic hyperuricemia: A randomized, controlled trial. <i>PLoS Medicine</i> , 2020, 17, e1003095.	3.9	57
40	Diabetic Brain Damage in Hypertension. <i>Hypertension</i> , 2005, 45, 887-893.	1.3	52
41	The first multicenter, randomized, controlled trial of home telemonitoring for Japanese patients with heart failure: home telemonitoring study for patients with heart failure (HOMES-HF). <i>Heart and Vessels</i> , 2018, 33, 866-876.	0.5	48
42	Early morning surge in blood pressure. <i>Blood Pressure Monitoring</i> , 2001, 6, 349-353.	0.4	47
43	Regular Alcohol Drinking Is a Determinant of Masked Morning Hypertension Detected by Home Blood Pressure Monitoring in Medicated Hypertensive Patients with Well-Controlled Clinic Blood Pressure: The Jichi Morning Hypertension Research (J-MORE) Study. <i>Hypertension Research</i> , 2006, 29, 679-686.	1.5	47
44	Reproducibility of ambulatory blood pressure in treated and untreated hypertensive patients. <i>Journal of Hypertension</i> , 2010, 28, 918-924.	0.3	47
45	Riser Pattern Is a Novel Predictor of Adverse Events in Heart Failure Patients With Preserved Ejection Fraction. <i>Circulation Journal</i> , 2017, 81, 220-226.	0.7	47
46	Nocturnal Hypoxia Is Associated With Silent Cerebrovascular Disease in a High-Risk Japanese Community-Dwelling Population. <i>American Journal of Hypertension</i> , 2005, 18, 1489-1495.	1.0	45
47	Additional impact of morning haemostatic risk factors and morning blood pressure surge on stroke risk in older Japanese hypertensive patients. <i>European Heart Journal</i> , 2011, 32, 574-580.	1.0	45
48	Masked Hypertension in Diabetes Mellitus: A Potential Risk. <i>Journal of Clinical Hypertension</i> , 2007, 9, 601-607.	1.0	44
49	Collagen Metabolism in Extracellular Matrix May Be Involved in Arterial Stiffness in Older Hypertensive Patients with Left Ventricular Hypertrophy. <i>Hypertension Research</i> , 2005, 28, 995-1001.	1.5	43
50	Comparison of wrist-type and arm-type 24-h blood pressure monitoring devices for ambulatory use. <i>Blood Pressure Monitoring</i> , 2013, 18, 57-62.	0.4	42
51	Orthostatic Hypertension Detected by Self-Measured Home Blood Pressure Monitoring: A New Cardiovascular Risk Factor for Elderly Hypertensives. <i>Hypertension Research</i> , 2008, 31, 1509-1516.	1.5	41
52	What is the optimal interval between successive home blood pressure readings using an automated oscillometric device?. <i>Journal of Hypertension</i> , 2009, 27, 1172-1177.	0.3	41
53	Comparison of the Effects of Cilnidipine and Amlidipine on Ambulatory Blood Pressure. <i>Hypertension Research</i> , 2005, 28, 1003-1008.	1.5	38
54	Validation of an oscillometric home blood pressure monitor in an end-stage renal disease population and the effect of arterial stiffness on its accuracy. <i>Blood Pressure Monitoring</i> , 2007, 12, 227-232.	0.4	38

#	ARTICLE	IF	CITATIONS
55	Increased low-grade inflammation and plasminogen-activator inhibitor-1 level in nondippers with sleep apnea syndrome. <i>Journal of Hypertension</i> , 2008, 26, 1181-1187.	0.3	38
56	Association between the morning-evening difference in home blood pressure and cardiac damage in untreated hypertensive patients. <i>Journal of Hypertension</i> , 2009, 27, 712-720.	0.3	38
57	The Effect of Pulse Rate and Blood Pressure Dipping Status on the Risk of Stroke and Cardiovascular Disease in Japanese Hypertensive Patients. <i>American Journal of Hypertension</i> , 2010, 23, 749-755.	1.0	38
58	Association of Extreme Nocturnal Dipping With Cardiovascular Events Strongly Depends on Age. <i>Hypertension</i> , 2020, 75, 324-330.	1.3	38
59	Comparison of candesartan with lisinopril on ambulatory blood pressure and morning surge in patients with systemic hypertension. <i>American Journal of Cardiology</i> , 2003, 92, 621-624.	0.7	36
60	Comparison of the Effects of Pioglitazone and Metformin on Insulin Resistance and Hormonal Markers in Patients with Impaired Glucose Tolerance and Early Diabetes. <i>Hypertension Research</i> , 2007, 30, 23-30.	1.5	36
61	Smoking and Antihypertensive Medication: Interaction between Blood Pressure Reduction and Arterial Stiffness. <i>Hypertension Research</i> , 2005, 28, 631-638.	1.5	34
62	Rationale and design of a randomized trial to test the safety and non-inferiority of canagliflozin in patients with diabetes with chronic heart failure: the CANDLE trial. <i>Cardiovascular Diabetology</i> , 2016, 15, 57.	2.7	34
63	Clarithromycin Associated With Torsades de Pointes. <i>Japanese Circulation Journal</i> , 1999, 63, 421-422.	1.0	33
64	Effects of New Calcium Channel Blocker, Azelnidipine, and Amlodipine on Baroreflex Sensitivity and Ambulatory Blood Pressure. <i>Journal of Cardiovascular Pharmacology</i> , 2007, 49, 394-400.	0.8	33
65	Smoking is Associated with Silent Cerebrovascular Disease in a High-Risk Japanese Community-Dwelling Population. <i>Hypertension Research</i> , 2004, 27, 747-754.	1.5	32
66	Riser Pattern: Another Determinant of Heart Failure With Preserved Ejection Fraction. <i>Journal of Clinical Hypertension</i> , 2016, 18, 994-999.	1.0	32
67	Riser Blood Pressure Pattern Is Associated With Mild Cognitive Impairment in Heart Failure Patients. <i>American Journal of Hypertension</i> , 2016, 29, 194-201.	1.0	31
68	Increased heart rate variability during sleep is a predictor for future cardiovascular events in patients with type 2 diabetes. <i>Hypertension Research</i> , 2010, 33, 737-742.	1.5	30
69	Differential impact of left ventricular mass and relative wall thickness on cardiovascular prognosis in diabetic and nondiabetic hypertensive subjects. <i>American Heart Journal</i> , 2007, 154, 79.e9-79.e15.	1.2	29
70	Altered Aortic Properties in Elderly Orthostatic Hypertension. <i>Hypertension Research</i> , 2005, 28, 15-19.	1.5	28
71	Type 2 diabetes is associated with left ventricular concentric remodeling in hypertensive patients. <i>American Journal of Hypertension</i> , 2005, 18, 23-29.	1.0	28
72	Prediction of strokes versus cardiac events by ambulatory monitoring of blood pressure: results from an international database. <i>Blood Pressure Monitoring</i> , 2007, 12, 397-399.	0.4	28

#	ARTICLE	IF	CITATIONS
73	Relationship Between Morning Hypertension Identified by Home Blood Pressure Monitoring and Brain Natriuretic Peptide and Estimated Glomerular Filtration Rate: The Japan Morning Surge 1 (JMS-1) Study. <i>Journal of Clinical Hypertension</i> , 2008, 10, 34-42.	1.0	28
74	Gestational hypertension as a subclinical preeclampsia in view of serum levels of angiogenesis-related factors. <i>Hypertension Research</i> , 2011, 34, 212-217.	1.5	28
75	Orthostatic hypertension: home blood pressure monitoring for detection and assessment of treatment with doxazosin. <i>Hypertension Research</i> , 2012, 35, 100-106.	1.5	28
76	Rationale and design of a multicenter randomized study for evaluating vascular function under uric acid control using the xanthine oxidase inhibitor, febuxostat: the PRIZE study. <i>Cardiovascular Diabetology</i> , 2016, 15, 87.	2.7	28
77	Differential Effects of a Long-Acting Angiotensin Converting Enzyme Inhibitor (Temocapril) and a Long-Acting Calcium Antagonist (Amlodipine) on Ventricular Ectopic Beats in Older Hypertensive Patients.. <i>Hypertension Research</i> , 2002, 25, 329-333.	1.5	27
78	Effect of Intensive Salt Restriction Education on Clinic, Home, and Ambulatory Blood Pressure Levels in Treated Hypertensive Patients During a 3-Month Education Period. <i>Journal of Clinical Hypertension</i> , 2016, 18, 385-392.	1.0	27
79	Sleep pulse pressure and awake mean pressure as independent predictors for stroke in older hypertensive patients. <i>American Journal of Hypertension</i> , 2004, 17, 439-445.	1.0	26
80	Cardiovascular Risks of Dipping Status and Chronic Kidney Disease in Elderly Japanese Hypertensive Patients. <i>Journal of Clinical Hypertension</i> , 2008, 10, 787-794.	1.0	25
81	Association between aldosterone induced by antihypertensive medication and arterial stiffness reduction: The J-CORE study. <i>Atherosclerosis</i> , 2011, 215, 184-188.	0.4	25
82	Urinary Albumin Excretion During Angiotensin II Receptor Blockade: Comparison of Combination Treatment With a Diuretic or a Calcium-Channel Blocker. <i>American Journal of Hypertension</i> , 2011, 24, 466-473.	1.0	25
83	Is home blood pressure variability itself an interventional target beyond lowering mean home blood pressure during anti-hypertensive treatment?. <i>Hypertension Research</i> , 2012, 35, 862-866.	1.5	25
84	The Effects of the L-Type Calcium Channel Blocker (Cilnidipine) on Sympathetic Hyperactive Morning Hypertension: Results From ACHIEVE-ONE*. <i>Journal of Clinical Hypertension</i> , 2013, 15, 133-142.	1.0	25
85	Morning Hypertension Assessed by Home Monitoring Is a Strong Predictor of Concentric Left Ventricular Hypertrophy in Patients With Untreated Hypertension. <i>Journal of Clinical Hypertension</i> , 2010, 12, 776-783.	1.0	23
86	Association of Home and Ambulatory Blood Pressure Changes With Changes in Cardiovascular Biomarkers During Antihypertensive Treatment. <i>American Journal of Hypertension</i> , 2012, 25, 306-312.	1.0	23
87	Effects of Celiprolol and Bisoprolol on Blood Pressure, Vascular Stiffness, and Baroreflex Sensitivity. <i>American Journal of Hypertension</i> , 2015, 28, 858-867.	1.0	23
88	Prognostic impact of sex-specific ambulatory blood pressure interactions in 10 cohorts of 17,312 patients diagnosed with hypertension. <i>Journal of Hypertension</i> , 2015, 33, 212-220.	0.3	23
89	The Japan Morning Surge-1 (JMS-1) Study: Protocol Description. <i>Hypertension Research</i> , 2006, 29, 153-159.	1.5	22
90	Association of an Abnormal Blood Glucose Level and Morning Blood Pressure Surge in Elderly Subjects With Hypertension. <i>American Journal of Hypertension</i> , 2009, 22, 611-616.	1.0	22

#	ARTICLE	IF	CITATIONS
91	Soluble Tumor Necrosis Factor Receptor 1 Level Is Associated With Left Ventricular Hypertrophy: The Northern Manhattan Study. <i>American Journal of Hypertension</i> , 2009, 22, 763-769.	1.0	22
92	Impact of arterial stiffness reduction on urinary albumin excretion during antihypertensive treatment: the Japan morning Surge-1 study. <i>Journal of Hypertension</i> , 2010, 28, 1752-1760.	0.3	22
93	Aggressive Blood Pressure "Lowering Therapy Guided by Home Blood Pressure Monitoring Improves Target Organ Damage in Hypertensive Patients With Type 2 Diabetes/Prediabetes. <i>Journal of Clinical Hypertension</i> , 2012, 14, 422-428.	1.0	22
94	Effect of a Novel Calcium Channel Blocker on Abnormal Nocturnal Blood Pressure in Hypertensive Patients. <i>Journal of Clinical Hypertension</i> , 2013, 15, 465-472.	1.0	22
95	Rationale and design of a multicenter randomized controlled study to evaluate the preventive effect of ipragliflozin on carotid atherosclerosis: the PROTECT study. <i>Cardiovascular Diabetology</i> , 2016, 15, 133.	2.7	22
96	Masked tachycardia. A predictor of adverse outcome in hypertension. <i>Journal of Hypertension</i> , 2017, 35, 487-492.	0.3	22
97	The time course of flow-mediated vasodilation and endothelial dysfunction in patients with a cardiovascular risk factor. <i>Journal of the American Society of Hypertension</i> , 2012, 6, 109-116.	2.3	21
98	Two Cases of Malignant Hypertension with Reversible Diffuse Leukoencephalopathy Exhibiting a Reversible Nocturnal Blood Pressure "Riser" Pattern.. <i>Hypertension Research</i> , 2002, 25, 467-473.	1.5	20
99	Factors Associated with Baroreflex Sensitivity: Association with Morning Blood Pressure. <i>Hypertension Research</i> , 2007, 30, 723-728.	1.5	20
100	Ambulatory Blood Pressure Monitoring in Diabetes and Obesity "A Review. <i>International Journal of Hypertension</i> , 2011, 2011, 1-8.	0.5	20
101	A Bedtime Dose of ARB Was Better than a Morning Dose in Improving Baroreflex Sensitivity and Urinary Albumin Excretion "The J-TOP Study. <i>Clinical and Experimental Hypertension</i> , 2012, 34, 488-492.	0.5	20
102	Effect of doxazosin on the left ventricular structure and function in morning hypertensive patients: the Japan Morning Surge 1 study. <i>Journal of Hypertension</i> , 2008, 26, 1463-1471.	0.3	19
103	High Salt Intake Is Independently Associated With Hypertensive Target Organ Damage. <i>Journal of Clinical Hypertension</i> , 2016, 18, 315-321.	1.0	19
104	Effects of Antihypertensive Therapy on Blood Pressure Variability. <i>Current Hypertension Reports</i> , 2016, 18, 75.	1.5	18
105	Add "On Use of Eplerenone Is Effective for Lowering Home and Ambulatory Blood Pressure in Drug "Resistant Hypertension. <i>Journal of Clinical Hypertension</i> , 2016, 18, 1250-1257.	1.0	18
106	Coexistence of PM _{2.5} and low temperature is associated with morning hypertension in hypertensives. <i>Clinical and Experimental Hypertension</i> , 2015, 37, 468-472.	0.5	17
107	Association between nondipper pulse rate and measures of cardiac overload: The J "HOP Study. <i>Journal of Clinical Hypertension</i> , 2017, 19, 402-409.	1.0	17
108	Why Is Blood Pressure So Hard to Control in Patients With Type 2 Diabetes?. <i>Journal of the Cardiometabolic Syndrome</i> , 2007, 2, 114-118.	1.7	16

#	ARTICLE	IF	CITATIONS
109	The Influence of Wave Reflection on Left Ventricular Hypertrophy in Hypertensive Patients Is Modified by Age and Gender. <i>Hypertension Research</i> , 2008, 31, 649-656.	1.5	16
110	Factors Associated with Incident Ischemic Stroke in Hospitalized Heart Failure Patients: A Pilot Study. <i>Hypertension Research</i> , 2008, 31, 289-294.	1.5	16
111	Cardiovascular prognosis of sustained and white-coat hypertension in patients with type 2 diabetes mellitus. <i>Blood Pressure Monitoring</i> , 2008, 13, 15-20.	0.4	16
112	Is very low dose hydrochlorothiazide combined with candesartan effective in uncontrolled hypertensive patients?. <i>Blood Pressure Monitoring</i> , 2010, 15, 308-311.	0.4	16
113	Masked Hypertension Defined by Ambulatory Blood Pressure Monitoring Is Associated With an Increased Serum Glucose Level and Urinary Albuminâ€Creatinine Ratio. <i>Journal of Clinical Hypertension</i> , 2010, 12, 578-587.	1.0	16
114	Impaired Flow-Mediated Vasodilatation Is Associated With Increased Left Ventricular Mass in a Multiethnic Population. The Northern Manhattan Study. <i>American Journal of Hypertension</i> , 2010, 23, 413-419.	1.0	16
115	Correlations between different measures of clinic, home, and ambulatory blood pressure in hypertensive patients. <i>Blood Pressure Monitoring</i> , 2011, 16, 142-148.	0.4	16
116	New-onset Takayasu's Arteritis as Acute Myocardial Infarction. <i>Internal Medicine</i> , 2018, 57, 1415-1420.	0.3	16
117	Short telomere length is associated with renal impairment in Japanese subjects with cardiovascular risk. <i>PLoS ONE</i> , 2017, 12, e0176138.	1.1	16
118	An increased visceralâ€subcutaneous adipose tissue ratio is associated with difficult-to-treat hypertension in men. <i>Journal of Hypertension</i> , 2010, 28, 1140-1146.	0.3	15
119	Controlling Evening BP As Well As Morning BP Is Important in Hypertensive Patients With Prediabetes/Diabetes: The JMS-1 Study. <i>American Journal of Hypertension</i> , 2010, 23, 522-527.	1.0	15
120	Association between asleep blood pressure and brain natriuretic peptide during antihypertensive treatment. <i>Journal of Hypertension</i> , 2012, 30, 1015-1021.	0.3	15
121	An Adverse Pregnancy-associated Outcome due to Overlooked Primary Aldosteronism. <i>Internal Medicine</i> , 2014, 53, 2499-2504.	0.3	15
122	Increase Trend in Home Blood Pressure on a Single Occasion Is Associated With B-Type Natriuretic Peptide and the Estimated Glomerular Filtration Rate. <i>American Journal of Hypertension</i> , 2015, 28, 1098-1105.	1.0	15
123	CIRCADIAN VARIATION OF BLOOD PRESSURE AND NEUROHUMORAL FACTORS DURING THE ACUTE PHASE OF STROKE. <i>Clinical and Experimental Hypertension</i> , 2002, 24, 109-114.	0.5	14
124	Adrenergic blockade improved insulin resistance in patients with morning hypertension: the Japan Morning Surge-1 study. <i>Journal of Hypertension</i> , 2009, 27, 1252-1257.	0.3	14
125	Home <sc>BP</sc> Monitoring Using a Telemonitoring System is Effective for Controlling <sc>BP</sc> in a Remote Island in Japan. <i>Journal of Clinical Hypertension</i> , 2014, 16, 814-819.	1.0	14
126	High central blood pressure is associated with incident cardiovascular events in treated hypertensives: the ABC-J II Study. <i>Hypertension Research</i> , 2018, 41, 947-956.	1.5	14

#	ARTICLE	IF	CITATIONS
127	Short sleep duration and type 2 diabetes enhance the risk of cardiovascular events in hypertensive patients. <i>Diabetes Research and Clinical Practice</i> , 2012, 98, 518-523.	1.1	13
128	Home telemonitoring study for Japanese patients with heart failure (HOMES-HF): protocol for a multicentre randomised controlled trial. <i>BMJ Open</i> , 2013, 3, e002972.	0.8	13
129	Correlation of Central Blood Pressure to Hypertensive Target Organ Damages During Antihypertensive Treatment: The J-TOP Study. <i>American Journal of Hypertension</i> , 2015, 28, 980-986.	1.0	13
130	Differential effect of a xanthine oxidase inhibitor on arterial stiffness and carotid atherosclerosis: a subanalysis of the PRIZE study. <i>Hypertension Research</i> , 2022, 45, 602-611.	1.5	13
131	Differential effects of strict blood pressure lowering by losartan/hydrochlorothiazide combination therapy and high-dose amlodipine monotherapy on microalbuminuria: the ALPHABET study. <i>Journal of the American Society of Hypertension</i> , 2012, 6, 73-82.	2.3	12
132	Change in High-Sensitive Cardiac Troponin T on Hypertensive Treatment. <i>Clinical and Experimental Hypertension</i> , 2013, 35, 40-44.	0.5	12
133	Masked Hypertension Defined by Home Blood Pressure Monitoring Is Associated With Impaired Flow-Mediated Vasodilatation in Patients With Cardiovascular Risk Factors. <i>Journal of Clinical Hypertension</i> , 2013, 15, 630-636.	1.0	12
134	Lung Disease and Hypertension. <i>Pulse</i> , 2014, 2, 103-112.	0.9	12
135	Exaggerated blood pressure variability is associated with memory impairment in very elderly patients. <i>Journal of Clinical Hypertension</i> , 2018, 20, 637-644.	1.0	12
136	Cognitive Dysfunction and Physical Disability Are Associated with Mortality in Extremely Elderly Patients. <i>Hypertension Research</i> , 2008, 31, 1331-1338.	1.5	11
137	Determinants of Negative White-Coat Effect In Treated Hypertensive Patients: The Jichi Morning Hypertension Research (J-MORE) Study. <i>American Journal of Hypertension</i> , 2009, 22, 35-40.	1.0	11
138	A Home Blood Pressure Monitor Equipped With a Graphic Function Facilitates Faster Blood Pressure Control than the Conventional Home Blood Pressure Monitor. <i>Journal of Clinical Hypertension</i> , 2009, 11, 422-425.	1.0	11
139	A novel and simple protocol for the validation of home blood pressure monitors in clinical practice. <i>Blood Pressure Monitoring</i> , 2012, 17, 210-213.	0.4	11
140	Exaggerated Blood Pressure Variability in Patients With Pneumoconiosis: A Pilot Study. <i>American Journal of Hypertension</i> , 2014, 27, 1456-1463.	1.0	11
141	Comparison of valsartan and amlodipine on ambulatory blood pressure variability in hypertensive patients. <i>Clinical and Experimental Hypertension</i> , 2016, 38, 721-724.	0.5	11
142	Changes in Self-Monitored Pulse Pressure Correlate With Improvements in B-Type Natriuretic Peptide and Urinary Albumin in Treated Hypertensive Patients. <i>American Journal of Hypertension</i> , 2007, 20, 1268-1275.	1.0	10
143	Usefulness of Fasting Blood Glucose to Predict Vascular Outcomes Among Individuals Without Diabetes Mellitus (from the Northern Manhattan Study). <i>American Journal of Cardiology</i> , 2007, 100, 1404-1409.	0.7	10
144	Plasma B-type natriuretic peptide is a useful tool for assessing coronary heart disease risk in a Japanese general population. <i>Hypertension Research</i> , 2015, 38, 74-79.	1.5	10

#	ARTICLE	IF	CITATIONS
145	Why the radial augmentation index is low in patients with diabetes: The J-HOP study. <i>Atherosclerosis</i> , 2016, 246, 338-343.	0.4	10
146	Effect of febuxostat on left ventricular diastolic function in patients with asymptomatic hyperuricemia: a sub analysis of the PRIZE Study. <i>Hypertension Research</i> , 2022, 45, 106-115.	1.5	10
147	A Case of Vertebral Artery Dissection Associated with Morning Blood Pressure Surge. <i>Hypertension Research</i> , 2005, 28, 847-851.	1.5	9
148	Metabolic Syndrome Less Strongly Associated With Target Organ Damage Than Syndrome Components in a Healthy, Working Population. <i>Journal of Clinical Hypertension</i> , 2007, 9, 337-344.	1.0	9
149	Added predictive value of high uric acid for cardiovascular events in the Ambulatory Blood Pressure International Study. <i>Journal of Clinical Hypertension</i> , 2019, 21, 966-974.	1.0	9
150	Impact of Blood Pressure vs. Glycemic Factors on Target Organ Damage in Patients With Type 2 Diabetes Mellitus. <i>Journal of Clinical Hypertension</i> , 2006, 8, 404-410.	1.0	8
151	MYOFIBROBLASTS IN FIBROUS TUMORS AND FIBROSIS IN VARIOUS ORGANS. <i>Pathology International</i> , 1981, 31, 423-437.	0.6	7
152	Plasma Tissue Inhibitor of Matrix Metalloproteinase-1 Level Is Increased in Normotensive Non-Dippers in Association with Impaired Glucose Metabolism. <i>Hypertension Research</i> , 2008, 31, 2045-2051.	1.5	7
153	Tom Pickering as a clinical scientist: masked hypertension. <i>Blood Pressure Monitoring</i> , 2010, 15, 85-89.	0.4	7
154	Association of High-Sensitivity Cardiac Troponin T and N-Terminal Pro-Brain-Type Natriuretic Peptide With Left Ventricular Structure: J-HOP Study. <i>Journal of Clinical Hypertension</i> , 2014, 16, 354-361.	1.0	6
155	Prognostic Value of Ambulatory Blood Pressure in the Obese: The Ambulatory Blood Pressure International Study. <i>Journal of Clinical Hypertension</i> , 2016, 18, 111-118.	1.0	6
156	Cardiac sarcoidosis, the complete atrioventricular block of which was completely recovered by intravenous steroid pulse therapy. <i>Journal of Cardiology Cases</i> , 2016, 13, 21-24.	0.2	5
157	Target home morning SBP be below 125 mmHg in type 2 diabetes patients. <i>Journal of Hypertension</i> , 2018, 36, 1284-1290.	0.3	5
158	Long-Term Effect of Febuxostat on Endothelial Function in Patients With Asymptomatic Hyperuricemia: A Sub-Analysis of the PRIZE Study. <i>Frontiers in Cardiovascular Medicine</i> , 2022, 9, 882821.	1.1	5
159	Monitoring of the central pulse pressure is useful for detecting cardiac overload during antiadrenergic treatment: the Japan Morning Surge 1 study. <i>Journal of Hypertension</i> , 2008, 26, 1928-1934.	0.3	4
160	Evening Heart Rate Measured at Home is Associated With Visceral Obesity and Abnormal Fat Distribution in Patients With Hypertension. <i>American Journal of Hypertension</i> , 2011, 24, 783-788.	1.0	4
161	Low-Grade Inflammation and Ambulatory Blood Pressure Response to Antihypertensive Treatment: The ALPHABET Study. <i>American Journal of Hypertension</i> , 2013, 26, 784-792.	1.0	4
162	Left ventricular diastolic function evaluated by the E/e TM ratio is impaired in patients with masked uncontrolled hypertension. <i>Clinical and Experimental Hypertension</i> , 2014, 36, 538-544.	0.5	4

#	ARTICLE	IF	CITATIONS
163	Differences in Effects of Age and Blood Pressure on Augmentation Index. <i>American Journal of Hypertension</i> , 2014, 27, 1479-1485.	1.0	4
164	Blood Pressure Management in Patients with Type 2 Diabetes. <i>Internal Medicine</i> , 2015, 54, 2285-2289.	0.3	4
165	The measurement of orthostatic blood pressure as a screening tool for masked hypertension with abnormal circadian blood pressure rhythm. <i>Hypertension Research</i> , 2016, 39, 631-632.	1.5	4
166	Locomotive syndrome is associated with large blood pressure variability in elderly hypertensives: the Japan Ambulatory Blood Pressure Prospective (JAMP) substudy. <i>Journal of Clinical Hypertension</i> , 2017, 19, 388-394.	1.0	4
167	Association between decreased respiratory function and increased blood pressure variability. <i>Blood Pressure Monitoring</i> , 2018, 23, 79-84.	0.4	4
168	Age-Specific Impact of Self-Monitored Pulse Pressure on Hypertensive Target Organ Damage in Treated Hypertensive Patients. <i>Journal of Clinical Hypertension</i> , 2007, 9, 522-529.	1.0	3
169	Contribution of the ABP-International study to the definition of night-time tachycardia. <i>Journal of Hypertension</i> , 2014, 32, 2099-2100.	0.3	3
170	A New Proposal for the Target Value for Home BP in Type 2 Diabetes Patients: The J-HOP Study. <i>American Journal of Hypertension</i> , 2015, 28, 971-979.	1.0	3
171	Changes in Central Hemodynamics in Women With Hypertensive Pregnancy Between Before and After Delivery. <i>Journal of Clinical Hypertension</i> , 2016, 18, 329-336.	1.0	3
172	Elevated pulse amplification in hypertensive patients with advanced kidney disease. <i>Hypertension Research</i> , 2018, 41, 299-307.	1.5	3
173	Can Ischemic Stroke Be Caused by Acute Reduction of Blood Pressure in the Acute Phase of Cardiovascular Disease?. <i>Journal of Clinical Hypertension</i> , 2008, 10, 195-200.	1.0	2
174	Determinants of Self-Measured Pulse Rate Profile in Medicated Hypertensives: The Jichi Morning Surge ¹ (JMS-1) Study. <i>Clinical and Experimental Hypertension</i> , 2008, 30, 255-265.	0.5	2
175	Poor Blood Pressure and Urinary Albumin Excretion Responses to Home Blood Pressure-Based Antihypertensive Therapy in Depressive Hypertensive Patients. <i>Journal of Clinical Hypertension</i> , 2010, 12, 345-349.	1.0	2
176	Is Nondipping Harmful in Normotensive, Healthy Subjects?. <i>American Journal of Hypertension</i> , 2010, 23, 222-223.	1.0	2
177	A Case of Syncope Induced in the Supine Position. <i>International Journal of Hypertension</i> , 2011, 2011, 1-3.	0.5	2
178	Relationship between the change in left ventricular hypertrophy and asleep blood pressure after sodium restriction and/or diuretic treatment. <i>Blood Pressure Monitoring</i> , 2011, 16, 172-179.	0.4	2
179	A call for wider use of ambulatory blood pressure monitoring in patients with diabetes. <i>Hypertension Research</i> , 2011, 34, 1171-1172.	1.5	2
180	Ambulatory Versus Home Versus Clinic Blood Pressure. <i>Hypertension</i> , 2012, 59, e25; author reply e26.	1.3	2

#	ARTICLE	IF	CITATIONS
181	Cardiac Positron Emission Tomography as a Prognostic Indicator of Cardiac Sarcoidosis. Journal of the American College of Cardiology, 2014, 63, 2589-2590.	1.2	2
182	Relationship Between Endothelial Dysfunction and Kidney Disease. Journal of Clinical Hypertension, 2014, 16, 156-156.	1.0	2
183	Life- and limb-saving endovascular therapy in a patient with acute abdominal aortic occlusion. Cardiovascular Intervention and Therapeutics, 2017, 32, 190-195.	1.2	2
184	Maximum home blood pressure readings are associated with left atrial diameter in essential hypertensives. Journal of Human Hypertension, 2018, 32, 432-439.	1.0	2
185	An $\hat{\pm}$ -glucosidase inhibitor could reduce T-wave alternans in type 2 diabetes patients. Journal of Electrocardiology, 2018, 51, 21-26.	0.4	2
186	Carcinomatous Lymphangitis Mimicking Pulmonary Thromboembolism. Japanese Circulation Journal, 2001, 65, 683-684.	1.0	1
187	The Morning $\hat{\wedge}$ Evening Difference in Self-Measured Blood Pressure: A Potential Predictor of Cardiovascular Disease. Hypertension Research, 2007, 30, 877-878.	1.5	1
188	Impact of White-Coat Hypertension on Microvascular Complications in Type 2 Diabetes: Response to Kramer et al.. Diabetes Care, 2009, 32, e24-e24.	4.3	1
189	Evaluation of day-by-day variability of home blood pressure using a home blood pressure telemonitoring system. Blood Pressure Monitoring, 2016, 21, 184-188.	0.4	1
190	Electron Microscopy of Contact Between a Monocyte and a Multinucleated Giant Cell in Cardiac Sarcoidosis. Canadian Journal of Cardiology, 2016, 32, 1577.e19-1577.e20.	0.8	1
191	Daytime blood pressure surges following hypoxic episodes in a case of pneumoconiosis with lacunar stroke recurrences. Blood Pressure Monitoring, 2017, 22, 175-177.	0.4	1
192	Night Time Blood Pressure Variability Is a Strong Predictor for Cardiovascular Events in Patients With Type 2 Diabetes. , 0, .		1
193	Is High Central BP but Normal Office Brachial BP a risk?-The ABC-J II Study-. Vascular Failure, 2018, 2, 66-73.	0.2	1
194	Commentary. Evidence-based Cardiovascular Medicine, 2004, 8, 308-309.	0.0	0
195	Morning BP reduction: which drug can lower most?. American Journal of Hypertension, 2004, 17, S104.	1.0	0
196	Effect of angiotensin-receptor blockade on reduced cerebrovascular reserve and neuronal mass in diabetic hypertensives. American Journal of Hypertension, 2004, 17, S155-S156.	1.0	0
197	Gender-related difference in the association between C-reactive protein and ambulatory blood pressure in japanese hypertensive patients. American Journal of Hypertension, 2004, 17, S243.	1.0	0
198	Doxazosin and heart failure: to be or not to be. Journal of Hypertension, 2009, 27, 434-435.	0.3	0

#	ARTICLE	IF	CITATIONS
199	Primary Aldosteronism Complicated by Severe Hypokalemic Myopathy. , 2010, 20, 298-300.		0
200	Masked Hypertension and Diabetes. Current Hypertension Reviews, 2011, 7, 1-4.	0.5	0
201	Clinical Implications of the Change in Glomerular Filtration Rate with Adrenergic Blockers in Patients with Morning Hypertension: The Japan Morning Surge-1 Study. International Journal of Hypertension, 2013, 2013, 1-7.	0.5	0
202	New Insight into Effects of β -Blockers on Arterial Functions. Pulse, 2016, 3, 190-194.	0.9	0
203	Recent clinical trial of central hemodynamics. Vascular Failure, 2017, 1, 9-14.	0.2	0
204	Regarding the article "Clinical implication of visit-to-visit blood pressure variability". Hypertension Research, 2019, 42, 1089-1089.	1.5	0
205	Ambulatory blood pressure variability increases over a 19-year follow-up in a clinic on a solitary island. Blood Pressure Monitoring, 2018, 23, 283-287.	0.4	0
206	Peripheral and central pulse pressure are not useful in predicting cardiovascular prognosis. Vascular Failure, 2020, 3, 37-42.	0.2	0