

Ph Gorwood

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/8064682/ph-gorwood-publications-by-year.pdf>

Version: 2023-09-24

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

318
papers

10,181
citations

50
h-index

88
g-index

389
ext. papers

12,201
ext. citations

5.1
avg, IF

6.64
L-index

#	Paper	IF	Citations
318	Skin conductance while facing emotional pictures at day 7 helps predicting antidepressant response at three months in patients with a major depressive episode.. <i>Psychiatry Research</i> , 2022 , 309, 114401	9.9	0
317	Experiencing eight psychotherapy approaches devoted to eating disorders in a single-day workshop increases insight and motivation to engage in care: a pilot study.. <i>Eating and Weight Disorders</i> , 2022 , 1	3.6	
316	The role of neurotrophin genes involved in the vulnerability to gambling disorder.. <i>Scientific Reports</i> , 2022 , 12, 6925	4.9	0
315	Mortality in people with schizophrenia: a systematic review and meta-analysis of relative risk and aggravating or attenuating factors.. <i>World Psychiatry</i> , 2022 , 21, 248-271	14.4	8
314	Methodological considerations for ghrelin isoforms assay in clinical evaluation in anorexia nervosa. <i>Comprehensive Psychoneuroendocrinology</i> , 2022 , 11, 100140	1.1	
313	Recovery-Oriented Psychopharmacological Interventions in Schizophrenia. <i>Comprehensive Approach To Psychiatry</i> , 2022 , 131-151	0.7	1
312	Spatial hand representation in anorexia nervosa: a controlled pilot study. <i>Scientific Reports</i> , 2021 , 11, 19724	4.9	0
311	Association Between the A118G Polymorphism of the Gene and Suicidal Depression in a Large Cohort of Outpatients with Depression. <i>Neuropsychiatric Disease and Treatment</i> , 2021 , 17, 3109-3118	3.1	0
310	Mindfulness-based cognitive therapy added to usual care improves eating behaviors in patients with bulimia nervosa and binge eating disorder by decreasing the cognitive load of words related to body shape, weight, and food. <i>European Psychiatry</i> , 2021 , 64, e67	6	0
309	Auto-qPCR; a python-based web app for automated and reproducible analysis of qPCR data. <i>Scientific Reports</i> , 2021 , 11, 21293	4.9	1
308	The clinical effectiveness of using a predictive algorithm to guide antidepressant treatment in primary care (PReDicT): an open-label, randomised controlled trial. <i>Neuropsychopharmacology</i> , 2021 , 46, 1307-1314	8.7	11
307	Physical exercise-related endophenotypes in anorexia nervosa. <i>International Journal of Eating Disorders</i> , 2021 , 54, 1181-1188	6.3	2
306	Depressive-, Cognitive- or Stroke-Related Risk Factors of Post-Stroke Depression: Which One Could Better Help Clinicians and Patients?. <i>Neuropsychiatric Disease and Treatment</i> , 2021 , 17, 1243-1251	3.1	1
305	Increased cognitive flexibility mediates the improvement of eating disorders symptoms, depressive symptoms and level of daily life functioning in patients with anorexia nervosa treated in specialised centres. <i>European Eating Disorders Review</i> , 2021 , 29, 600-610	5.3	3
304	Lower leptin level at discharge in acute anorexia nervosa is associated with early weight-loss. <i>European Eating Disorders Review</i> , 2021 , 29, 634-644	5.3	2
303	Anorexia nervosa and gut microbiota: A systematic review and quantitative synthesis of pooled microbiological data. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2021 , 106, 110114	5.5	16
302	The safety of agomelatine in standard medical practice in depressed patients: A 26-week international multicentre cohort study. <i>Human Psychopharmacology</i> , 2021 , 36, 1-11	2.3	3

301	What distinguish patients with compulsory treatment for severely undernourished anorexia nervosa. <i>European Eating Disorders Review</i> , 2021 , 29, 144-151	5.3	1
300	Identification and management of cardiometabolic risk in subjects with schizophrenia spectrum disorders: A Delphi expert consensus study. <i>European Psychiatry</i> , 2021 , 64, e7	6	3
299	Racism and mental health and the role of mental health professionals. <i>European Psychiatry</i> , 2021 , 64, e42	6	6
298	Mental health services during the first wave of the COVID-19 pandemic in Europe: Results from the EPA Ambassadors Survey and implications for clinical practice. <i>European Psychiatry</i> , 2021 , 64, e41	6	10
297	The impact of duration of illness on treatment nonresponse and drop-out: Exploring the relevance of enduring eating disorder concept. <i>European Eating Disorders Review</i> , 2021 , 29, 499-513	5.3	10
296	Characteristics and treatment outcome of suicidal depression: Two large naturalistic cohorts of depressed outpatients. <i>Australian and New Zealand Journal of Psychiatry</i> , 2021 , 48674211025697	2.6	4
295	Exploring the Mechanisms of Recovery in Anorexia Nervosa through a Translational Approach: From Original Ecological Measurements in Human to Brain Tissue Analyses in Mice. <i>Nutrients</i> , 2021 , 13,	6.7	1
294	Common Genetic Variation And Age at Onset Of Anorexia Nervosa. <i>Biological Psychiatry Global Open Science</i> , 2021 ,		3
293	Mindfulness-based cognitive therapy efficacy in reducing physiological response to emotional stimuli in patients with bipolar I disorder and the intermediate role of cognitive reactivity. <i>Journal of Clinical Psychology</i> , 2021 , 77, 2442-2454	2.8	
292	Investigating the pathophysiology of anorexia nervosa using induced pluripotent stem cells: background, current trends, and perspectives 2021 , 293-323		
291	One year after the COVID-19: What have we learnt, what shall we do next?. <i>European Psychiatry</i> , 2021 , 64, e15	6	17
290	The identification, assessment and management of difficult-to-treat depression: An international consensus statement. <i>Journal of Affective Disorders</i> , 2020 , 267, 264-282	6.6	64
289	Polygenic Risk Scores Shed Light on the Relationship between Schizophrenia and Cognitive Functioning: Review and Meta-Analysis. <i>Journal of Clinical Medicine</i> , 2020 , 9,	5.1	10
288	Cholinergic dysfunction in the dorsal striatum promotes habit formation and maladaptive eating. <i>Journal of Clinical Investigation</i> , 2020 , 130, 6616-6630	15.9	8
287	Evidence for the association of the nicotinic acetylcholine receptor CHRNA5/A3/B4 gene cluster and nicotine dependence in a young population of students. <i>French Journal of Psychiatry</i> , 2020 , 2-4, 49-53 ¹		
286	A meta-analysis of poststroke depression risk factors comparing depressive-related factors versus others. <i>International Psychogeriatrics</i> , 2020 , 32, 1331-1344	3.4	7
285	De novo deleterious variants that may alter the dopaminergic reward pathway are associated with anorexia nervosa. <i>Eating and Weight Disorders</i> , 2020 , 25, 1643-1650	3.6	5
284	The relationship between moderate to vigorous physical activity and cognitive rigidity in anorexia nervosa. <i>Psychiatry Research</i> , 2020 , 284, 112703	9.9	4

283	Does physical activity associated with chronic food restriction alleviate anxiety like behaviour, in female mice?. <i>Hormones and Behavior</i> , 2020 , 124, 104807	3.7	4
282	Corticotropin releasing hormone receptor CRHR1 gene is associated with tianeptine antidepressant response in a large sample of outpatients from real-life settings. <i>Translational Psychiatry</i> , 2020 , 10, 378	8.6	2
281	Brain Stimulation in Eating Disorders: State of the Art and Future Perspectives. <i>Journal of Clinical Medicine</i> , 2020 , 9,	5.1	8
280	Unexpected Association of Desacyl-Ghrelin with Physical Activity and Chronic Food Restriction: A Translational Study on Anorexia Nervosa. <i>Journal of Clinical Medicine</i> , 2020 , 9,	5.1	4
279	Polymorphisms of stress pathway genes and emergence of suicidal ideation at antidepressant treatment onset. <i>Translational Psychiatry</i> , 2020 , 10, 320	8.6	2
278	Activation syndrome induced by the antidepressant tianeptine and suicidal ideation: Evidence from a large depressed outpatient sample. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2020 , 97, 109762	5.5	3
277	Induced Pluripotent Stem Cells; New Tools for Investigating Molecular Mechanisms in Anorexia Nervosa. <i>Frontiers in Nutrition</i> , 2019 , 6, 118	6.2	4
276	Clinical insight in anorexia nervosa: Associated and predictive factors. <i>Psychiatry Research</i> , 2019 , 281, 112561	9.9	13
275	Predictive factors of functional remission in patients with early to mid-stage schizophrenia treated by long acting antipsychotics and the specific role of clinical remission. <i>Psychiatry Research</i> , 2019 , 281, 112560	9.9	8
274	FKBP5 gene variants and borderline personality disorder. <i>Journal of Affective Disorders</i> , 2019 , 248, 26-286.6		12
273	The psychometrics of the Hospital Anxiety and Depression Scale supports a shorter -12 item-version. <i>Psychiatry Research</i> , 2019 , 274, 372-376	9.9	1
272	Polymorphism A118G of opioid receptor mu 1 (OPRM1) is associated with emergence of suicidal ideation at antidepressant onset in a large naturalistic cohort of depressed outpatients. <i>Scientific Reports</i> , 2019 , 9, 2569	4.9	15
271	Increased expression of BDNF mRNA in the frontal cortex of autistic patients. <i>Behavioural Brain Research</i> , 2019 , 359, 903-909	3.4	9
270	Exome sequencing in a familial form of anorexia nervosa supports multigenic etiology. <i>Journal of Neural Transmission</i> , 2019 , 126, 1505-1511	4.3	7
269	Major Depressive Disorder (MDD) and Schizophrenia- Addressing Unmet Needs With Partial Agonists at the D2 Receptor: A Review. <i>International Journal of Neuropsychopharmacology</i> , 2019 , 22, 651-664	5.8	5
268	Genome-wide association study identifies eight risk loci and implicates metabo-psychiatric origins for anorexia nervosa. <i>Nature Genetics</i> , 2019 , 51, 1207-1214	36.3	303
267	A Metabolic Perspective on Reward Abnormalities in Anorexia Nervosa. <i>Trends in Endocrinology and Metabolism</i> , 2019 , 30, 915-928	8.8	17
266	Ce que signifie le debut des problemes d'alcool en tant que jeune adulte 2019 , 205-212		

265	Anorexia nervosa is associated with Neuronatin variants. <i>Psychiatric Genetics</i> , 2019 , 29, 103-110	2.9	10
264	Reward systems and cognitions in Major Depressive Disorder. <i>CNS Spectrums</i> , 2019 , 24, 64-77	1.8	18
263	Expert Consensus on Screening and Assessment of Cognition in Psychiatry. <i>CNS Spectrums</i> , 2019 , 24, 154-162	1.8	9
262	Which sports are more at risk of physical exercise addiction: A systematic review. <i>Addictive Behaviors</i> , 2019 , 93, 257-262	4.2	38
261	Medial prefrontal disengagement during self-focus in formerly depressed patients prone to rumination. <i>Journal of Affective Disorders</i> , 2019 , 247, 36-44	6.6	11
260	Burnout in medical students before residency: A systematic review and meta-analysis. <i>European Psychiatry</i> , 2019 , 55, 36-42	6	112
259	A systematic review on the relationship between mental health, radicalization and mass violence. <i>European Psychiatry</i> , 2019 , 56, 51-59	6	40
258	5-HT2A Receptors in Eating Disorders 2018 , 353-373		1
257	Letter: Long-Term Follow-up Study of MRI-Guided Bilateral Anterior Capsulotomy in Patients With Refractory Anorexia Nervosa. <i>Neurosurgery</i> , 2018 , 83, E39-E40	3.2	1
256	Netrin G1: its downregulation in the nucleus accumbens of cocaine-conditioned mice and genetic association in human cocaine dependence. <i>Addiction Biology</i> , 2018 , 23, 448-460	4.6	3
255	Attention-deficit/hyperactivity disorder symptoms and psychological comorbidity in eating disorder patients. <i>Eating and Weight Disorders</i> , 2018 , 23, 513-519	3.6	9
254	Validation of a four items version of the Functional Remission of General Schizophrenia scale (the mini-FROGS) to capture the functional benefits of clinical remission. <i>European Psychiatry</i> , 2018 , 47, 35-41	6	7
253	Tianeptine is associated with lower risk of suicidal ideation worsening during the first weeks of treatment onset compared with other antidepressants: A naturalistic study. <i>Journal of Psychiatric Research</i> , 2018 , 96, 167-170	5.2	10
252	Functional remission in schizophrenia: A FROGS-based definition and its convergent validity. <i>Psychiatry Research</i> , 2018 , 268, 94-101	9.9	6
251	Apports récents des neurosciences dans la compréhension de l'anorexie mentale: génétique, épigénétique, neurocognition et circuit de la récompense. <i>Cahiers De Nutrition Et De Dietetique</i> , 2018 , 53, 136-140	0.2	
250	Psychopathological characteristics and adverse childhood events are differentially associated with suicidal ideation and suicidal acts in mood disorders. <i>European Psychiatry</i> , 2018 , 53, 31-36	6	26
249	Fréquence de rémission fonctionnelle dans une cohorte française de patients atteints de schizophrénie initiant un traitement par un antipsychotique injectable à action prolongée. <i>French Journal of Psychiatry</i> , 2018 , 1, S170-S171	0.1	
248	The effect of interactions between genetics and cannabis use on neurocognition. A review. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2018 , 82, 95-106	5.5	15

247	Stability of the diagnosis of seasonal affective disorder in a long-term prospective study. <i>Journal of Affective Disorders</i> , 2018 , 227, 353-357	6.6	8
246	Investigation of common, low-frequency and rare genome-wide variation in anorexia nervosa. <i>Molecular Psychiatry</i> , 2018 , 23, 1169-1180	15.1	24
245	What do childhood attention deficit/hyperactivity symptoms in depressed adults tell us about the bipolar spectrum?. <i>Psychiatry Research</i> , 2017 , 249, 244-251	9.9	4
244	Heavy cannabis use prior psychosis in schizophrenia: clinical, cognitive and neurological evidences for a new endophenotype?. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2017 , 267, 629-638	5.1	17
243	Self-Reported Long-Term Benefits of Mindfulness-Based Cognitive Therapy in Patients with Bipolar Disorder. <i>Journal of Alternative and Complementary Medicine</i> , 2017 , 23, 534-540	2.4	10
242	Significant Locus and Metabolic Genetic Correlations Revealed in Genome-Wide Association Study of Anorexia Nervosa. <i>American Journal of Psychiatry</i> , 2017 , 174, 850-858	11.9	276
241	Determinants of Blood Brain-Derived Neurotrophic Factor Blood Levels in Patients with Alcohol Use Disorder. <i>Alcoholism: Clinical and Experimental Research</i> , 2017 , 41, 1280-1287	3.7	13
240	Progress in Elucidating Biomarkers of Antidepressant Pharmacological Treatment Response: A Systematic Review and Meta-analysis of the Last 15 Years. <i>Drugs</i> , 2017 , 77, 1967-1986	12.1	15
239	Impact of DRD2/ANKK1 and COMT Polymorphisms on Attention and Cognitive Functions in Schizophrenia. <i>PLoS ONE</i> , 2017 , 12, e0170147	3.7	17
238	The effects of using the PRedICT Test to guide the antidepressant treatment of depressed patients: study protocol for a randomised controlled trial. <i>Trials</i> , 2017 , 18, 558	2.8	20
237	Epigenetics in the Remission of Anorexia Nervosa: A Follow-up Study of Whole-genome Methylation Profiles. <i>European Psychiatry</i> , 2017 , 41, S102-S102	6	2
236	A French psychoeducational audio-visual tool for adult patients with eating disorders. <i>European Psychiatry</i> , 2017 , 41, S546-S547	6	0
235	A simple attention test in the acute phase of a major depressive episode is predictive of later functional remission. <i>Depression and Anxiety</i> , 2017 , 34, 159-170	8.4	14
234	Comment valuer l'apport de la mindfulness (MBCT) dans la prévention des rechutes thymiques ?. <i>Annales Medico-Psychologiques</i> , 2017 , 175, 789-792	0.2	
233	L'anorexie une nouvelle addiction ? 2017 , N° 86, 30-36		
232	Genetics of addictive behavior: the example of nicotine dependence. <i>Dialogues in Clinical Neuroscience</i> , 2017 , 19, 237-245	5.7	11
231	Is the Noradrenergic Symptom Cluster a Valid Construct in Adjunctive Treatment of Major Depressive Disorder?. <i>Journal of Clinical Psychiatry</i> , 2017 , 78, 317-323	4.6	3
230	Differences in symptom expression between unipolar and bipolar spectrum depression: Results from a nationally representative sample using item response theory (IRT). <i>Journal of Affective Disorders</i> , 2016 , 204, 24-31	6.6	6

229	Gene-Tailored Treatments for Brain Disorders: Challenges and Opportunities. <i>Public Health Genomics</i> , 2016 , 19, 170-7	1.9	2
228	The age-dependent plasticity highlights the conceptual interface between borderline personality disorder and PTSD. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2016 , 266, 373-5	5.1	7
227	Telephone-administered psychotherapy in combination with antidepressant medication for the acute treatment of major depressive disorder. <i>Journal of Affective Disorders</i> , 2016 , 190, 6-11	6.6	11
226	Balneotherapy Together with a Psychoeducation Program for Benzodiazepine Withdrawal: A Feasibility Study. <i>Evidence-based Complementary and Alternative Medicine</i> , 2016 , 2016, 8961709	2.3	4
225	Drug Addictions and Genetics of the Dopamine Pathway 2016 , 176-182		1
224	New Insights in Anorexia Nervosa. <i>Frontiers in Neuroscience</i> , 2016 , 10, 256	5.1	73
223	SUICIDAL DEPRESSED PATIENTS RESPOND LESS WELL TO ANTIDEPRESSANTS IN THE SHORT TERM. <i>Depression and Anxiety</i> , 2016 , 33, 483-94	8.4	21
222	Higher reward value of starvation imagery in anorexia nervosa and association with the Val66Met BDNF polymorphism. <i>Translational Psychiatry</i> , 2016 , 6, e829	8.6	31
221	Neurotrophin Genes and Antidepressant-Worsening Suicidal Ideation: A Prospective Case-Control Study. <i>International Journal of Neuropsychopharmacology</i> , 2016 , 19,	5.8	10
220	Efficacy and safety of agomelatine over one year. A French prospective observational study of depressed patients followed-up in medical practice. <i>European Neuropsychopharmacology</i> , 2016 , 26, S456-S457 ^{1,2}		1
219	The appropriate pharmacological management of recent-onset schizophrenia: an international panel study using the RAND/UCLA methodology. <i>European Neuropsychopharmacology</i> , 2016 , 26, S547-S548 ^{1,2}		
218	The number of past manic episodes is the best predictor of antidepressant-emergent manic switch in a cohort of bipolar depressed patients. <i>Psychiatry Research</i> , 2016 , 240, 288-294	9.9	6
217	Structural correlates of COMT Val158Met polymorphism in childhood ADHD: a voxel-based morphometry study. <i>World Journal of Biological Psychiatry</i> , 2015 , 16, 190-9	3.8	12
216	No evidence in favor of a more deleterious impact of a major depressive episode on verbal memory in older patients with antidepressant response. <i>International Psychogeriatrics</i> , 2015 , 27, 1477-84	3.4	
215	An increase in joy after two weeks is more specific of later antidepressant response than a decrease in sadness. <i>Journal of Affective Disorders</i> , 2015 , 185, 97-103	6.6	7
214	Progress in mind: focus on alcohol use disorders, an elsevier resource centre. <i>Psychiatry Research</i> , 2015 , 226, 513-4	9.9	6
213	Mindfulness-Based Cognitive Therapy (MBCT) et boulimie & Binge Eating Disorder. <i>European Psychiatry</i> , 2015 , 30, S103-S104	6	
212	C.02.02 Augmentation therapies in MDD [what are the unmet needs?]. <i>European Neuropsychopharmacology</i> , 2015 , 25, S662-S663	1.2	

211	Les trouble des conduites alimentaires compulsifs : actualité et principes de prise en charge. <i>European Psychiatry</i> , 2015 , 30, S45-S46	6	
210	Impaired decision-making in symptomatic anorexia and bulimia nervosa patients: a meta-analysis. <i>Psychological Medicine</i> , 2015 , 45, 3377-91	6.9	49
209	Early Symptom Improvement as a Predictor of Response to Extended Release Quetiapine in Major Depressive Disorder. <i>Journal of Clinical Psychopharmacology</i> , 2015 , 35, 706-10	1.7	9
208	Association study between reward dependence and a functional BDNF polymorphism in adult women offspring of alcohol-dependent probands. <i>Psychiatric Genetics</i> , 2015 , 25, 208-11	2.9	7
207	The ability of early changes in motivation to predict later antidepressant treatment response. <i>Neuropsychiatric Disease and Treatment</i> , 2015 , 11, 2875-82	3.1	10
206	Cognitive control and schizophrenia: The greatest reliability of the Stroop task. <i>Psychiatry Research</i> , 2015 , 227, 10-6	9.9	17
205	Efficacité d'une démarche de psychoéducation sur l'insight de patients bipolaires I résistants. <i>European Psychiatry</i> , 2015 , 30, S156-S157	6	
204	Nurses' perceptions of medication adherence in schizophrenia: results of the ADHES cross-sectional questionnaire survey. <i>Therapeutic Advances in Psychopharmacology</i> , 2015 , 5, 339-50	4.9	9
203	Paliperidone palmitate versus oral antipsychotics in recently diagnosed schizophrenia. <i>Schizophrenia Research</i> , 2015 , 169, 393-399	3.6	92
202	Psychoéducation et TCC. <i>Annales Medico-Psychologiques</i> , 2015 , 173, 85-91	0.2	4
201	Morningness-eveningness and treatment response in major depressive disorder. <i>Chronobiology International</i> , 2014 , 31, 283-9	3.6	28
200	Étude pilote : follow-up d'un groupe de consolidation MBCT pour des patients bipolaires. Impact sur le taux de rechute. <i>European Psychiatry</i> , 2014 , 29, 650-650	6	
199	L'écriture pour les nuls. <i>European Psychiatry</i> , 2014 , 29, 549-549	6	
198	E.04.02 Factors explaining suicidal behaviour and mortality in alcohol dependence. <i>European Neuropsychopharmacology</i> , 2014 , 24, S149	1.2	
197	Poor response to antidepressants predicts new suicidal ideas and behavior in depressed outpatients. <i>European Neuropsychopharmacology</i> , 2014 , 24, 1650-8	1.2	25
196	Adult attention-deficit/hyperactivity disorder in major depressed and bipolar subjects: role of personality traits and clinical implications. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2014 , 264, 391-400	5.1	19
195	A genome-wide association study of anorexia nervosa. <i>Molecular Psychiatry</i> , 2014 , 19, 1085-94	15.1	224
194	Depression symptom clusters and their predictive value for treatment outcomes: results from an individual patient data meta-analysis of duloxetine trials. <i>Journal of Psychiatric Research</i> , 2014 , 53, 54-61	5.2	10

193	EPA guidance on tobacco dependence and strategies for smoking cessation in people with mental illness. <i>European Psychiatry</i> , 2014 , 29, 65-82	6	92
192	Distorsions cognitives des joueurs de jeux de hasard et d'argent hors ligne et mixtes. <i>Drogues, Santé Et Société</i> , 2014 , 13, 19-37	0.1	
191	A shorter and multidimensional version of the Gambling Attitudes and Beliefs Survey (GABS-23). <i>Journal of Gambling Studies</i> , 2014 , 30, 349-67	3	21
190	Homicide and Klinefelter syndrome: a complex interaction. <i>Revista Brasileira De Psiquiatria</i> , 2014 , 36, 153-6	2.6	
189	Towards a framework for treatment effectiveness in schizophrenia. <i>Neuropsychiatric Disease and Treatment</i> , 2014 , 10, 1867-78	3.1	12
188	New developments in human neurocognition: clinical, genetic, and brain imaging correlates of impulsivity and compulsivity. <i>CNS Spectrums</i> , 2014 , 19, 69-89	1.8	294
187	The multimodal connectivity of the hippocampal complex in auditory and visual hallucinations. <i>Molecular Psychiatry</i> , 2014 , 19, 184-91	15.1	102
186	Psychomotor retardation is a scar of past depressive episodes, revealed by simple cognitive tests. <i>European Neuropsychopharmacology</i> , 2014 , 24, 1630-40	1.2	35
185	Genetics of borderline personality disorder: systematic review and proposal of an integrative model. <i>Neuroscience and Biobehavioral Reviews</i> , 2014 , 40, 6-19	9	107
184	Do clinical trials of treatment of alcohol dependence adequately enroll participants with co-occurring independent mood and anxiety disorders? An analysis of data from the National Epidemiologic Survey on Alcohol and Related Conditions (NESARC). <i>Journal of Clinical Psychiatry</i> , 2014 , 75, 231-7	4.6	19
183	Intérêt de la pharmacogénétique en psychiatrie 2014 , 35-53		
182	Psychiatrists' perceptions of the clinical importance, assessment and management of patient functioning in schizophrenia in Europe, the Middle East and Africa. <i>Annals of General Psychiatry</i> , 2013 , 12, 8	3.4	10
181	Memory deficits in late-onset schizophrenia. <i>Schizophrenia Research</i> , 2013 , 151, 85-90	3.6	9
180	Le baclofène pour les nuls. <i>European Psychiatry</i> , 2013 , 28, 1-1	6	
179	Improving treatment adherence in your patients with schizophrenia: the STAY initiative. <i>Clinical Drug Investigation</i> , 2013 , 33, 97-107	3.2	33
178	Cannabis et schizophrénie : approche clinique, cognitive et neurologique dans la définition d'un nouveau phénotype. <i>European Psychiatry</i> , 2013 , 28, 7-8	6	31
177	C.03.01 How confidently can we predict response in patients with MDD?. <i>European Neuropsychopharmacology</i> , 2013 , 23, S631	1.2	
176	Trouble déficitaire d'attention avec ou sans hyperactivité chez des adultes souffrant d'un trouble de l'humeur : le rôle des dimensions de la personnalité. <i>European Psychiatry</i> , 2013 , 28, 47-47	6	

175	The role of CBT in explicit memory bias in bipolar I patients. <i>Journal of Behavior Therapy and Experimental Psychiatry</i> , 2013 , 44, 307-11	2.6	9
174	Is it worth assessing progress as early as week 2 to adapt antidepressive treatment strategy? Results from a study on agomelatine and a global meta-analysis. <i>European Psychiatry</i> , 2013 , 28, 362-71	6	24
173	Why does the lifetime prevalence of major depressive disorder in the elderly appear to be lower than in younger adults? Results from a national representative sample. <i>Journal of Affective Disorders</i> , 2013 , 149, 160-5	6.6	16
172	Brain-derived neurotrophic factor (BDNF) Val66Met polymorphism and its implication in executive functions in adult offspring of alcohol-dependent probands. <i>Alcohol</i> , 2013 , 47, 271-4	2.7	17
171	Novel routes to bipolar disorder drug discovery. <i>Expert Opinion on Drug Discovery</i> , 2013 , 8, 907-18	6.2	18
170	Psychiatrists' awareness of adherence to antipsychotic medication in patients with schizophrenia: results from a survey conducted across Europe, the Middle East, and Africa. <i>Patient Preference and Adherence</i> , 2013 , 7, 121-32	2.4	20
169	Conceptualising the neurobiology of fatigue. <i>Australian and New Zealand Journal of Psychiatry</i> , 2013 , 47, 312-6	2.6	14
168	Fatigue and occupational functioning in major depressive disorder. <i>Australian and New Zealand Journal of Psychiatry</i> , 2013 , 47, 989-91	2.6	13
167	Anorexia nervosa and estrogen receptors. <i>Vitamins and Hormones</i> , 2013 , 92, 141-63	2.5	7
166	Prevalence of subthreshold hypomania and impact on internal validity of RCTs for major depressive disorder: results from a national epidemiological sample. <i>PLoS ONE</i> , 2013 , 8, e55448	3.7	21
165	P.2.c.018 Morningness and eveningness changes after agomelatine treatment in major depression. <i>European Neuropsychopharmacology</i> , 2012 , 22, S260-S261	1.2	
164	Setting new standards in schizophrenia outcomes: symptomatic remission 3 years before versus after the Andreasen criteria. <i>European Psychiatry</i> , 2012 , 27, 170-5	6	14
163	Employment and its relationship with functionality and quality of life in patients with schizophrenia: EGOFOR Study. <i>European Psychiatry</i> , 2012 , 27, 422-5	6	42
162	How are we assessing functioning in schizophrenia? A need for a consensus approach. <i>European Psychiatry</i> , 2012 , 27, 391-5	6	23
161	Time-stability of the "Functional Remission of General Schizophrenia" (FROGS) scale. <i>European Psychiatry</i> , 2012 , 27, 437-41	6	11
160	Estimated cost of a factitious disorder with 6-year follow-up. <i>Psychiatry Research</i> , 2012 , 200, 1077-8	9.9	11
159	Body dissatisfaction is improved but the ideal silhouette is unchanged during weight recovery in anorexia nervosa female inpatients. <i>Eating and Weight Disorders</i> , 2012 , 17, e109-15	3.6	18
158	Gh̃tique des hallucinations: des voix pas sans gh̃e'. <i>Information Psychiatrique</i> , 2012 , 88, 799		

157	Cognitive dysfunction in psychiatric disorders: characteristics, causes and the quest for improved therapy. <i>Nature Reviews Drug Discovery</i> , 2012 , 11, 141-68	64.1	728
156	Genetics of dopamine receptors and drug addiction. <i>Human Genetics</i> , 2012 , 131, 803-22	6.3	70
155	Frequency of gambling problems among parents of pathological, versus nonpathological, casino gamblers using slot machines. <i>American Journal on Addictions</i> , 2012 , 21, 86-95	3.7	4
154	Suicidal behaviours in affective disorders: a deficit of cognitive inhibition?. <i>Canadian Journal of Psychiatry</i> , 2012 , 57, 254-62	4.8	39
153	A French adaptation of the Gambling-Related Cognitions Scale (GRCS): a useful tool for assessment of irrational thoughts among gamblers. <i>Journal of Gambling Issues</i> , 2012 ,	1	22
152	Place des facteurs g�n�tiques dans la vuln�rabilit� au jeu pathologique 2012 , 107-112		
151	The level of associated depression and anxiety traits improves during weight regain in eating disorder patients. <i>Eating and Weight Disorders</i> , 2011 , 16, e280-4	3.6	14
150	Presence of co-morbid substance use disorder in bipolar patients worsens their social functioning to the level observed in patients with schizophrenia. <i>Psychiatry Research</i> , 2011 , 185, 129-34	9.9	26
149	Parental alcohol dependence, socioeconomic disadvantage and alcohol and cannabis dependence among young adults in the community. <i>European Psychiatry</i> , 2011 , 26, 13-7	6	22
148	Factors associated with hospitalisation of patients with schizophrenia in four European countries. <i>European Psychiatry</i> , 2011 , 26, 224-30	6	11
147	Hazardous drinking is associated with a lower risk of coronary heart disease: results from a national representative sample. <i>American Journal on Addictions</i> , 2011 , 20, 257-63	3.7	3
146	The executive control of attention differentiates patients with schizophrenia, their first-degree relatives and healthy controls. <i>Neuropsychologia</i> , 2011 , 49, 203-8	3.2	52
145	DSM bereavement exclusion for major depression and objective cognitive impairment. <i>Journal of Affective Disorders</i> , 2011 , 130, 113-7	6.6	14
144	Massively multiplayer online role-playing games: comparing characteristics of addict vs non-addict online recruited gamers in a French adult population. <i>BMC Psychiatry</i> , 2011 , 11, 144	4.2	100
143	Cognitive appraisal and life stress moderate the effects of the 5-HTTLPR polymorphism on amygdala reactivity. <i>Human Brain Mapping</i> , 2011 , 32, 1856-67	5.9	37
142	Neurobiology of attention deficit/hyperactivity disorder. <i>Pediatric Research</i> , 2011 , 69, 69R-76R	3.2	72
141	Negative affectivity, self-referential processing and the cortical midline structures. <i>Social Cognitive and Affective Neuroscience</i> , 2011 , 6, 426-33	4	84
140	Is DSM-IV bereavement exclusion for major depression relevant to treatment response? A case-control, prospective study. <i>Journal of Clinical Psychiatry</i> , 2011 , 72, 898-902	4.6	22

139	Clinical Consequences of the Role of Glutamate and Neuroplasticity in Depressive Disorder 2011 , 57-68		2
138	SMARCA2 and other genome-wide supported schizophrenia-associated genes: regulation by REST/NRSF, network organization and primate-specific evolution. <i>Human Molecular Genetics</i> , 2010 , 19, 2841-57	5.6	70
137	Restoring circadian rhythms: a new way to successfully manage depression. <i>Journal of Psychopharmacology</i> , 2010 , 24, 15-9	4.6	31
136	In alcohol-dependent drinkers, what does the presence of nicotine dependence tell us about psychiatric and addictive disorders comorbidity?. <i>Alcohol and Alcoholism</i> , 2010 , 45, 167-72	3.5	34
135	Estrogen receptor 1 gene (ESR1) is associated with restrictive anorexia nervosa. <i>Neuropsychopharmacology</i> , 2010 , 35, 1818-25	8.7	32
134	Coalitional affiliation rather than religiosity might explain the heritability of church attendance. <i>American Journal of Psychiatry</i> , 2010 , 167, 215-6	11.9	
133	Temperament and character dimensions associated with clinical characteristics and treatment outcome in attention-deficit/hyperactivity disorder boys. <i>Comprehensive Psychiatry</i> , 2010 , 51, 286-92	7.3	36
132	A new definition of early age at onset in alcohol dependence. <i>Drug and Alcohol Dependence</i> , 2010 , 108, 43-8	4.9	25
131	A genetic schizophrenia-susceptibility region located between the ANKK1 and DRD2 genes. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2010 , 34, 492-9	5.5	34
130	S.14.01 Shared and specific vulnerability in substance abuse. <i>European Neuropsychopharmacology</i> , 2010 , 20, S182-S183	1.2	1
129	Influence of the serotonin transporter gene polymorphism, cannabis and childhood sexual abuse on phenotype of bipolar disorder: a preliminary study. <i>European Psychiatry</i> , 2010 , 25, 323-7	6	22
128	Primate-accelerated evolutionary genes: novel routes to drug discovery in psychiatric disorders. <i>Current Medicinal Chemistry</i> , 2010 , 17, 1300-16	4.3	9
127	Association of DISC1 gene with schizophrenia in families from two distinct French and Algerian populations. <i>Psychiatric Genetics</i> , 2010 , 20, 298-303	2.9	15
126	Treatment response in major depression: effects of personality dysfunction and prior depression. <i>British Journal of Psychiatry</i> , 2010 , 196, 139-42	5.4	51
125	Role of the neurotrophin network in eating disorders' subphenotypes: body mass index and age at onset of the disease. <i>Journal of Psychiatric Research</i> , 2010 , 44, 834-40	5.2	7
124	5-HT1A gene promoter polymorphism and [18F]MPPF binding potential in healthy subjects: a PET study. <i>Behavioral and Brain Functions</i> , 2010 , 6, 37	4.1	7
123	Psychoeducation for patients with bipolar disorder receiving lithium: short and long term impact on locus of control and knowledge about lithium. <i>Journal of Affective Disorders</i> , 2010 , 123, 299-302	6.6	12
122	DYRK1A interacts with the REST/NRSF-SWI/SNF chromatin remodelling complex to deregulate gene clusters involved in the neuronal phenotypic traits of Down syndrome. <i>Human Molecular Genetics</i> , 2009 , 18, 1405-14	5.6	98

121	French University Psychiatry and Research. <i>International Journal of Mental Health</i> , 2009 , 38, 77-87	1.4	3
120	A haplotype of the norepinephrine transporter (Net) gene Slc6a2 is associated with clinical response to atomoxetine in attention-deficit hyperactivity disorder (ADHD). <i>Neuropsychopharmacology</i> , 2009 , 34, 2135-42	8.7	43
119	Psychometric properties of a French version of the junior temperament and character inventory. <i>European Child and Adolescent Psychiatry</i> , 2009 , 18, 144-53	5.5	27
118	First positive reactions to cannabis constitute a priority risk factor for cannabis dependence. <i>Addiction</i> , 2009 , 104, 1710-7	4.6	33
117	Genetics and personality affect visual perspective in autobiographical memory. <i>Consciousness and Cognition</i> , 2009 , 18, 823-30	2.6	27
116	The TaqI A DRD2 polymorphism in type II alcohol dependence: a marker of age at onset or of a familial disease?. <i>Alcohol</i> , 2009 , 43, 271-5	2.7	18
115	Differential effects of free versus imposed motor activity on alcohol consumption in C57BL/6J versus DBA/2J mice. <i>Alcohol</i> , 2009 , 43, 593-601	2.7	11
114	The "Functional Remission of General Schizophrenia" (FROGS) scale: development and validation of a new questionnaire. <i>Schizophrenia Research</i> , 2009 , 113, 218-25	3.6	73
113	Association between triallelic polymorphism of the serotonin transporter and [18F]MPPF binding potential at 5-HT1A receptors in healthy subjects. <i>NeuroImage</i> , 2009 , 47, 482-92	7.9	23
112	S.3.01 Gene-Environment interactions in neuropsychopharmacology. <i>European Neuropsychopharmacology</i> , 2009 , 19, S61-S62	1.2	
111	Genetics of dopamine receptors and drug addiction: a comprehensive review. <i>Behavioural Pharmacology</i> , 2009 , 20, 1-17	2.4	305
110	The role of genes involved in neuroplasticity and neurogenesis in the observation of a gene-environment interaction (GxE) in schizophrenia. <i>Current Molecular Medicine</i> , 2009 , 9, 506-18	2.5	51
109	The role of brief motivational intervention on self-efficacy and abstinence in a cohort of patients with alcohol dependence. <i>International Journal of Psychiatry in Medicine</i> , 2009 , 39, 313-23	1	13
108	Is DSM-IV bereavement exclusion for major depressive episode relevant to severity and pattern of symptoms? A case-control, cross-sectional study. <i>Journal of Clinical Psychiatry</i> , 2009 , 70, 1091-7	4.6	32
107	SLC25A12 expression is associated with neurite outgrowth and is upregulated in the prefrontal cortex of autistic subjects. <i>Molecular Psychiatry</i> , 2008 , 13, 385-97	15.1	67
106	A haplotype of the DRD1 gene is associated with alcohol dependence. <i>Alcoholism: Clinical and Experimental Research</i> , 2008 , 32, 567-72	3.7	63
105	Does lower response to alcohol explain the high co-morbidity between bipolar disorder and alcohol dependence?. <i>Medical Hypotheses</i> , 2008 , 71, 81-4	3.8	7
104	The CNR1 gene as a pharmacogenetic factor for antipsychotics rather than a susceptibility gene for schizophrenia. <i>European Neuropsychopharmacology</i> , 2008 , 18, 34-40	1.2	55

103	Association of NTRK3 and its interaction with NGF suggest an altered cross-regulation of the neurotrophin signaling pathway in eating disorders. <i>Human Molecular Genetics</i> , 2008 , 17, 1234-44	5.6	42
102	The short allele of the serotonin transporter promoter polymorphism influences relapse in alcohol dependence. <i>Alcohol and Alcoholism</i> , 2008 , 43, 398-400	3.5	37
101	Molecular genetics of alcohol dependence and related endophenotypes. <i>Current Genomics</i> , 2008 , 9, 444-51	5.6	27
100	Toxic effects of depression on brain function: impairment of delayed recall and the cumulative length of depressive disorder in a large sample of depressed outpatients. <i>American Journal of Psychiatry</i> , 2008 , 165, 731-9	11.9	167
99	Convergent evidence identifying MAP/microtubule affinity-regulating kinase 1 (MARK1) as a susceptibility gene for autism. <i>Human Molecular Genetics</i> , 2008 , 17, 2541-51	5.6	61
98	The etiology of behavioral problems and competencies in very young twins. <i>Journal of Abnormal Psychology</i> , 2008 , 117, 48-62	7	32
97	Nrxn3 upregulation in the globus pallidus of mice developing cocaine addiction. <i>NeuroReport</i> , 2008 , 19, 751-5	1.7	23
96	Polymorphisms of coding trinucleotide repeats of homeogenes in neurodevelopmental psychiatric disorders. <i>Psychiatric Genetics</i> , 2008 , 18, 295-301	2.9	17
95	The 3' part of the dopamine transporter gene DAT1/SLC6A3 is associated with withdrawal seizures in patients with alcohol dependence. <i>Alcoholism: Clinical and Experimental Research</i> , 2008 , 32, 27-35	3.7	32
94	Excess of transmission of the G allele of the -1438A/G polymorphism of the 5-HT2A receptor gene in patients with schizophrenia responsive to antipsychotics. <i>BMC Psychiatry</i> , 2008 , 8, 40	4.2	24
93	Lack of association of the dopamine transporter gene in a French ADHD sample. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2008 , 147B, 1509-10	3.5	14
92	Pharmacogenetics of methylphenidate response in attention deficit/hyperactivity disorder: association with the dopamine transporter gene (SLC6A3). <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2008 , 147B, 1425-30	3.5	37
91	The impact of individual and methodological factors in the variability of response to methylphenidate in ADHD pharmacogenetic studies from four different continents. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2008 , 147B, 1419-24	3.5	20
90	Association between age of onset and symptom profiles of late-life depression. <i>Acta Psychiatrica Scandinavica</i> , 2008 , 118, 389-94	6.5	29
89	Neurobiological mechanisms of anhedonia. <i>Dialogues in Clinical Neuroscience</i> , 2008 , 10, 291-9	5.7	160
88	El cambio al subtipo atracñ/purga de la anorexia nerviosa con frecuencia se asocia con intentos de suicidio. <i>European Psychiatry (Ed Española)</i> , 2008 , 15, 90-97		
87	Eating disorders: an overview of treatment responses and the potential impact of vulnerability genes and endophenotypes. <i>Expert Opinion on Pharmacotherapy</i> , 2007 , 8, 2029-44	4	24
86	Escitalopram prevents relapse in older patients with major depressive disorder. <i>American Journal of Geriatric Psychiatry</i> , 2007 , 15, 581-93	6.5	59

85	Family trios analysis of common polymorphisms in the obestatin/ghrelin, BDNF and AGRP genes in patients with Anorexia nervosa: association with subtype, body-mass index, severity and age of onset. <i>Psychoneuroendocrinology</i> , 2007 , 32, 106-13	5	95
84	Predictors of diagnostic delay in a clinical sample of French children with attention-deficit/hyperactivity disorder. <i>European Child and Adolescent Psychiatry</i> , 2007 , 16, 505-9	5.5	13
83	Nrsf silencing induces molecular and subcellular changes linked to neuronal plasticity. <i>NeuroReport</i> , 2007 , 18, 441-6	1.7	13
82	Gene-environment interactions in addictive disorders: epidemiological and methodological aspects. <i>Comptes Rendus - Biologies</i> , 2007 , 330, 329-38	1.4	16
81	Paternal ages below or above 35 years old are associated with a different risk of schizophrenia in the offspring. <i>European Psychiatry</i> , 2007 , 22, 22-6	6	58
80	Switching to the bingeing/purging subtype of anorexia nervosa is frequently associated with suicidal attempts. <i>European Psychiatry</i> , 2007 , 22, 513-9	6	33
79	Genetic and Pharmacogenetic Aspects of Alcohol-Dependence. <i>Current Pharmacogenomics and Personalized Medicine: the International Journal for Expert Reviews in Pharmacogenomics</i> , 2006 , 4, 19-32		
78	Meeting everyday challenges: antipsychotic therapy in the real world. <i>European Neuropsychopharmacology</i> , 2006 , 16 Suppl 3, S156-62	1.2	25
77	Life events exposure before a treated major depressive episode depends on the number of past episodes. <i>European Psychiatry</i> , 2006 , 21, 364-6	6	5
76	Lifetime positive symptoms in patients with schizophrenia and cannabis abuse are partially explained by co-morbid addiction. <i>Schizophrenia Research</i> , 2006 , 86, 284-90	3.6	63
75	Case-control and combined family trios analysis of three polymorphisms in the ghrelin gene in European patients with anorexia and bulimia nervosa. <i>Psychiatric Genetics</i> , 2006 , 16, 51-2	2.9	37
74	Introduction on psychopharmacogenetics 2006 , 1-24		2
73	Pharmacogenetics of alcohol-dependence 2006 , 177-201		4
72	Association between dopamine receptor D3 gene Ball polymorphism and cognitive impulsiveness in alcohol-dependent men. <i>European Psychiatry</i> , 2005 , 20, 304-6	6	36
71	Negative symptoms of schizophrenia could explain discrepant data on the association between the 5-HT2A receptor gene and response to antipsychotics. <i>Neuroscience Letters</i> , 2005 , 377, 69-74	3.3	35
70	Family-based association study of the 5-HT transporter gene and schizophrenia. <i>International Journal of Neuropsychopharmacology</i> , 2005 , 8, 87-92	5.8	20
69	Meta-analysis of family-based association studies between the dopamine transporter gene and attention deficit hyperactivity disorder. <i>Psychiatric Genetics</i> , 2005 , 15, 53-9	2.9	81
68	Association of BDNF with restricting anorexia nervosa and minimum body mass index: a family-based association study of eight European populations. <i>European Journal of Human Genetics</i> , 2005 , 13, 428-34	5.3	115

67	Support for the association between the rare functional variant I425V of the serotonin transporter gene and susceptibility to obsessive compulsive disorder. <i>Molecular Psychiatry</i> , 2005 , 10, 1059-61	15.1	43
66	Male-specific association between the 5-HTTLPR S allele and suicide attempts in alcohol-dependent subjects. <i>Journal of Psychiatric Research</i> , 2005 , 39, 179-82	5.2	24
65	Association of BDNF with anorexia, bulimia and age of onset of weight loss in six European populations. <i>Human Molecular Genetics</i> , 2004 , 13, 1205-12	5.6	168
64	Clinical and etiopathogenic specificities of the French concept of psychose hallucinatoire chronique compared to schizophrenia. <i>Schizophrenia Bulletin</i> , 2004 , 30, 173-84	1.3	3
63	Family-based association studies between 5-HT5A receptor gene and schizophrenia. <i>Journal of Psychiatric Research</i> , 2004 , 38, 371-6	5.2	19
62	Family-based association study of the serotonin-6 receptor gene (C267T polymorphism) in schizophrenia 2004 , 126B, 10-5		5
61	Eating disorders, serotonin transporter polymorphisms and potential treatment response. <i>Molecular Diagnosis and Therapy</i> , 2004 , 4, 9-17		44
60	Rheumatoid arthritis and schizophrenia: a negative association at a dimensional level. <i>Schizophrenia Research</i> , 2004 , 66, 21-9	3.6	54
59	The 3' region of the DRD2 gene is involved in genetic susceptibility to schizophrenia. <i>Schizophrenia Research</i> , 2004 , 67, 75-85	3.6	107
58	Génétique des pathologies psychiatriques de l'enfant et de l'adolescent. <i>EMC - Psychiatrie</i> , 2004 , 1, 4-14		5
57	The A9 allele of the dopamine transporter gene increases the risk of visual hallucinations during alcohol withdrawal in alcohol-dependent women. <i>Neuroscience Letters</i> , 2004 , 362, 91-4	3.3	36
56	Personnalité, tempérament et anorexie mentale. <i>Annales Medico-Psychologiques</i> , 2004 , 162, 180-188	0.2	2
55	Generalized anxiety disorder and major depressive disorder comorbidity: an example of genetic pleiotropy?. <i>European Psychiatry</i> , 2004 , 19, 27-33	6	81
54	Comorbilidad del trastorno de ansiedad generalizada y el trastorno depresivo mayor: ¿un ejemplo de pleiotropía genética?. <i>European Psychiatry (Ed Española)</i> , 2004 , 11, 170-177		
53	Impulsiveness as the intermediate link between the dopamine receptor D2 gene and alcohol dependence. <i>Psychiatric Genetics</i> , 2003 , 13, 127-9	2.9	41
52	. <i>Psychiatric Genetics</i> , 2003 , 13, 127-129	2.9	41
51	The human genetics of anorexia nervosa. <i>European Journal of Pharmacology</i> , 2003 , 480, 163-70	5.3	87
50	Association between dopamine receptor D1 gene Ddel polymorphism and sensation seeking in alcohol-dependent men. <i>Alcoholism: Clinical and Experimental Research</i> , 2003 , 27, 1226-8	3.7	32

49	The A9 allele of the dopamine transporter gene is associated with delirium tremens and alcohol-withdrawal seizure. <i>Biological Psychiatry</i> , 2003 , 53, 85-92	7.9	73
48	Clinical assessment in psychiatric genetics. <i>Methods in Molecular Medicine</i> , 2003 , 77, 99-126		
47	Male limited association of the dopamine receptor D2 gene TaqI a polymorphism and alcohol dependence. <i>American Journal of Medical Genetics Part A</i> , 2002 , 112, 343-6		30
46	The 5-HT(2A) -1438G/A polymorphism in anorexia nervosa: a combined analysis of 316 trios from six European centres. <i>Molecular Psychiatry</i> , 2002 , 7, 90-4	15.1	73
45	Association of 5-HT(2A) receptor gene polymorphism with major affective disorders: the case of a subgroup of bipolar disorder with low suicide risk. <i>Biological Psychiatry</i> , 2002 , 51, 762-5	7.9	51
44	5-HT(2A) gene promoter polymorphism as a modifying rather than a vulnerability factor in anorexia nervosa. <i>European Psychiatry</i> , 2002 , 17, 227-9	6	32
43	Reappraisal of the serotonin 5-HT(1B) receptor gene in alcoholism: of mice and men. <i>Brain Research Bulletin</i> , 2002 , 57, 103-7	3.9	27
42	Marcadores biológicos para la conducta suicida en la dependencia del alcohol. <i>European Psychiatry (Ed Española)</i> , 2002 , 9, 79-89		
41	Association and excess of transmission of a DRD2 haplotype in a sample of French schizophrenic patients. <i>Schizophrenia Research</i> , 2001 , 49, 203-12	3.6	34
40	Clinical characteristics of familial versus sporadic alcoholism in a sample of male and female patients. <i>European Psychiatry</i> , 2001 , 16, 151-6	6	10
39	Biological markers for suicidal behavior in alcohol dependence. <i>European Psychiatry</i> , 2001 , 16, 410-7	6	29
38	The genetics of addiction: alcohol-dependence and D3 dopamine receptor gene. <i>Pathologie Et Biologie</i> , 2001 , 49, 710-7		21
37	Anorexie mentale et obsession: continuité ou contiguïté?. <i>Annales Medico-Psychologiques</i> , 2001 , 159, 560-575	0.2	2
36	The French concept of "psychose hallucinatoire chronique" -a preliminary form of schizophrenia? The role of late-life psychosis in the anticipation hypothesis of schizophrenia. <i>Dialogues in Clinical Neuroscience</i> , 2001 , 3, 296-303	5.7	1
35	Características clínicas del alcoholismo familiar frente al esporádico en una muestra de pacientes masculinos y femeninos. <i>European Psychiatry (Ed Española)</i> , 2001 , 8, 318-323		
34	Relationships between antisocial personality and alcoholism: genetic hypotheses. <i>European Psychiatry</i> , 2000 , 15, 123-8	6	4
33	The DRD2 gene and the risk for alcohol dependence in bipolar patients. <i>European Psychiatry</i> , 2000 , 15, 103-8	6	16
32	Reappraisal of the association between the DRD2 gene, alcoholism and addiction. <i>European Psychiatry</i> , 2000 , 15, 90-6	6	33

31	P01.151 A controlled study comparing psychosis hallucinatoire chronique with two matched groups of schizophrenia is consistent with the independency of the two diagnosis. <i>European Psychiatry</i> , 2000 , 15, 360s-360s	6	
30	Serotonin transporter gene polymorphisms, alcoholism, and suicidal behavior. <i>Biological Psychiatry</i> , 2000 , 48, 259-64	7.9	164
29	Relaciones entre la personalidad antisocial y el alcoholismo: hipótesis genéticas. <i>European Psychiatry (Ed Española)</i> , 2000 , 7, 365-371		
28	Nueva apreciación de la asociación entre el gen del DRD2, el alcoholismo y la adicción. <i>European Psychiatry (Ed Española)</i> , 2000 , 7, 431-438		
27	El gen de DRD2 y el riesgo de dependencia de alcohol en pacientes bipolares. <i>European Psychiatry (Ed Española)</i> , 2000 , 7, 440-445		
26	Genetic factors in anorexia nervosa. <i>European Psychiatry</i> , 1999 , 14, 189-98	6	36
25	Homozygosity at the dopamine D3 receptor gene is associated with opiate dependence. <i>Molecular Psychiatry</i> , 1998 , 3, 333-6	15.1	95
24	Meta-analysis of DRD3 gene and schizophrenia: ethnic heterogeneity and significant association in Caucasians. <i>American Journal of Medical Genetics Part A</i> , 1998 , 81, 318-22		83
23	Lack of association between anorexia nervosa and D3 dopamine receptor gene. <i>Biological Psychiatry</i> , 1998 , 43, 76-8	7.9	44
22	Anorexia nervosa in one monozygotic twin. <i>American Journal of Psychiatry</i> , 1998 , 155, 708	11.9	2
21	Genetics and anorexia nervosa: a review of candidate genes. <i>Psychiatric Genetics</i> , 1998 , 8, 1-12	2.9	44
20	Un estudio de la prevalencia anual de la esquizofrenia en la Isla Reunión. <i>European Psychiatry (Ed Española)</i> , 1998 , 5, 50-54		
19	The impact of oestradiol on ages at onset in schizophrenia reevaluated through Klinefelter syndrome. <i>Schizophrenia Research</i> , 1997 , 23, 269-70	3.6	6
18	A one year prevalence study of schizophrenia on Reunion Island. <i>European Psychiatry</i> , 1997 , 12, 284-8	6	5
17	Further epidemiological evidence for anticipation in schizophrenia. <i>Biomedicine and Pharmacotherapy</i> , 1997 , 51, 376-80	7.5	12
16	Anticipation in schizophrenia: new light on a controversial problem. <i>American Journal of Psychiatry</i> , 1996 , 153, 1173-7	11.9	46
15	Cross-cultural study of schizophrenia. <i>Psychopathology</i> , 1996 , 29, 85-94	3.4	9
14	Gender and age at onset in schizophrenia: impact of family history. <i>American Journal of Psychiatry</i> , 1995 , 152, 208-12	11.9	74

13	Lack of association between alcohol-dependence and D3 dopamine receptor gene in three independent samples. <i>American Journal of Medical Genetics Part A</i> , 1995 , 60, 529-31		31
12	Are genes coding for dopamine receptors implicated in alcoholism?. <i>European Psychiatry</i> , 1994 , 9, 63-69	6	27
11	Genetic study of dopamine D1, D2, and D4 receptors in schizophrenia. <i>Psychiatry Research</i> , 1994 , 51, 215-30	9.9	49
10	Pseudoautosomal region in schizophrenia: linkage analysis of seven loci by sib-pair and lod-score methods. <i>Psychiatry Research</i> , 1994 , 52, 135-47	9.9	13
9	Neural symptoms induced by tricyclic antidepressants: phenomenology and pathophysiology. <i>Acta Psychiatrica Scandinavica</i> , 1992 , 85, 249-56	6.5	24
8	Evidence for a pseudoautosomal locus for schizophrenia. II: Replication of a non-random segregation of alleles at the DXYS14 locus. <i>British Journal of Psychiatry</i> , 1992 , 161, 59-62	5.4	47
7	Failure to replicate linkage between chromosome 5q11-q13 markers and schizophrenia in 28 families. <i>Psychiatry Research</i> , 1992 , 44, 171-9	9.9	6
6	Relationship of HLA to schizophrenia not supported in multiplex families. <i>Psychiatry Research</i> , 1992 , 41, 99-105	9.9	10
5	Evidence for a pseudoautosomal locus for schizophrenia. I: A replication study using phenotype analysis. <i>British Journal of Psychiatry</i> , 1992 , 161, 55-8	5.4	26
4	Cytogenetic studies of familial schizophrenics. <i>Biological Psychiatry</i> , 1991 , 29, 624-5	7.9	8
3	The 5-HT2A μ 438G/A polymorphism in anorexia nervosa: a combined analysis of 316 trios from six European centres		6
2	Cognition and biomarkers in major depressive disorder: endophenotype or epiphenomenon?145-159		1
1	Are cognitive deficits in major depressive disorder progressive?110-124		2