Francesca Saladini

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8065222/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	CYP1A2 genotype modifies the association between coffee intake and the risk of hypertension. Journal of Hypertension, 2009, 27, 1594-1601.	0.5	174
2	Lancet Commission on Hypertension group position statement on the global improvement of accuracy standards for devices that measure blood pressure. Journal of Hypertension, 2020, 38, 21-29.	0.5	93
3	Arterial stiffness, central hemodynamics, and cardiovascular risk in hypertension. Vascular Health and Risk Management, 2011, 7, 725.	2.3	86
4	Predictive value of night-time heart rate for cardiovascular events in hypertension. The ABP-International study. International Journal of Cardiology, 2013, 168, 1490-1495.	1.7	73
5	Glomerular hyperfiltration is a predictor of adverse cardiovascular outcomes. Kidney International, 2018, 93, 195-203.	5.2	64
6	Isolated systolic hypertension in the young. Journal of Hypertension, 2018, 36, 1222-1236.	0.5	61
7	Validation of the Microlife WatchBP O3 device for clinic, home, and ambulatory blood pressure measurement, according to the International Protocol. Blood Pressure Monitoring, 2010, 15, 59-62.	0.8	55
8	Accuracy of a single rigid conical cuff with standard-size bladder coupled to an automatic oscillometric device over a wide range of arm circumferences. Hypertension Research, 2010, 33, 1186-1191.	2.7	52
9	Isolated systolic hypertension of young-to-middle-age individuals implies a relatively low risk of developing hypertension needing treatment when central blood pressure is low. Journal of Hypertension, 2011, 29, 1311-1319.	0.5	51
10	Rectangular cuffs may overestimate blood pressure in individuals with large conical arms. Journal of Hypertension, 2012, 30, 530-536.	0.5	50
11	Association of Extreme Nocturnal Dipping With Cardiovascular Events Strongly Depends on Age. Hypertension, 2020, 75, 324-330.	2.7	38
12	Effects of smoking on central blood pressure and pressure amplification in hypertension of the young. Vascular Medicine, 2016, 21, 422-428.	1.5	37
13	Short-term blood pressure variability outweighs average 24-h blood pressure in the prediction of cardiovascular events in hypertension of the young. Journal of Hypertension, 2019, 37, 1419-1426.	0.5	37
14	Factors Associated With Glomerular Hyperfiltration in the Early Stage of Hypertension. American Journal of Hypertension, 2012, 25, 1011-1016.	2.0	36
15	Premenopausal Women Have Increased Risk of Hypertensive Target Organ Damage Compared with Men of Similar Age. Journal of Women's Health, 2011, 20, 1175-1181.	3.3	35
16	Office Pulse Pressure Is a Predictor of Favorable Outcome in Young- to Middle-Aged Subjects With Stage 1 Hypertension. Hypertension, 2017, 70, 537-542.	2.7	34
17	Natural History of Hypertension Subtypes in Young and Middle-Age Adults. American Journal of Hypertension, 2009, 22, 531-537.	2.0	32
18	Resting Heart Rate as a Predictor of Body Weight Gain in the Early Stage of Hypertension. Obesity, 2011, 19, 618-623	3.0	31

FRANCESCA SALADINI

#	Article	IF	CITATIONS
19	Coffee consumption and risk of cardiovascular events in hypertensive patients. Results from the HARVEST. International Journal of Cardiology, 2016, 212, 131-137.	1.7	26
20	Only troncoconical cuffs can provide accurate blood pressure measurements in people with severe obesity. Journal of Hypertension, 2019, 37, 37-41.	0.5	26
21	Diagnosis and treatment of hypertensive emergencies and urgencies among Italian emergency and intensive care departments. Results from an Italian survey: Progetto GEAR (Gestione dell'Emergenza e) Tj ETQq1	1 0.7 8431	l4 2g BT /Over
22	Regular physical activity attenuates the blood pressure response to public speaking and delays the development of hypertension. Journal of Hypertension, 2010, 28, 1186-1193.	0.5	21
23	Regular physical activity prevents development of hypertension in young people with hyperuricemia. Journal of Hypertension, 2017, 35, 994-1001.	0.5	19
24	Arterial Distensibility, Physical Activity, and the Metabolic Syndrome. Current Hypertension Reports, 2018, 20, 39.	3.5	19
25	Isolated Systolic Hypertension in Young Individuals: Pathophysiological Mechanisms, Prognostic Significance, and Clinical Implications. High Blood Pressure and Cardiovascular Prevention, 2017, 24, 133-139.	2.2	18
26	Accuracy of Microlife WatchBP Office ABI monitor assessed according to the 2002 European Society of Hypertension protocol and the British Hypertension Society protocol. Blood Pressure Monitoring, 2011, 16, 258-261.	0.8	17
27	Low night-time heart rate is longitudinally associated with lower augmentation index and central systolic blood pressure in hypertension. European Journal of Applied Physiology, 2018, 118, 543-550.	2.5	17
28	Accuracy of the Microlife large–extra large-sized cuff (32–52 cm) coupled to an automatic oscillometric device. Blood Pressure Monitoring, 2011, 16, 99-102.	0.8	16
29	BP reactivity to public speaking in stage 1 hypertension: Influence of different task scenarios. Blood Pressure, 2011, 20, 290-295.	1.5	16
30	Regular physical activity is associated with improved small artery distensibility in young to middle-age stage 1 hypertensives. Vascular Medicine, 2014, 19, 458-464.	1.5	16
31	Relationship between GFR and Albuminuria in Stage 1 Hypertension. Clinical Journal of the American Society of Nephrology: CJASN, 2013, 8, 59-66.	4.5	15
32	Clinical characteristics and risk of hypertension needing treatment in young patients with systolic hypertension identified with ambulatory monitoring. Journal of Hypertension, 2018, 36, 1810-1815.	0.5	15
33	Blood Pressure Hyperreactivity to Standing: a Predictor of Adverse Outcome in Young Hypertensive Patients. Hypertension, 2022, 79, 984-992.	2.7	15
34	Obesity is a strong determinant of hypertensive target organ damage in young-to-middle-age patients. International Journal of Obesity, 2013, 37, 224-229.	3.4	14
35	Alcohol Intake More than Doubles the Risk of Early Cardiovascular Events in Young Hypertensive Smokers. American Journal of Medicine, 2017, 130, 967-974.e1.	1.5	14
36	Dipping pattern and short-term blood pressure variability are stronger predictors of cardiovascular events than average 24-h blood pressure in young hypertensive subjects. European Journal of Preventive Cardiology, 2022, 29, 1377-1386.	1.8	14

FRANCESCA SALADINI

#	Article	IF	CITATIONS
37	Automated â€~oscillometric' blood pressure measuring devices: how they work and what they measure. Journal of Human Hypertension, 2023, 37, 93-100.	2.2	10
38	Does home blood pressure allow for a better assessment of the white-coat effect than ambulatory blood pressure?. Journal of Hypertension, 2012, 30, 2118-2124.	0.5	9
39	Autonomic Dysfunction: How to Identify and When to Treat?. High Blood Pressure and Cardiovascular Prevention, 2016, 23, 237-243.	2.2	9
40	Added predictive value of high uric acid for cardiovascular events in the Ambulatory Blood Pressure International Study. Journal of Clinical Hypertension, 2019, 21, 966-974.	2.0	9
41	Short-Term but not Long-Term Blood Pressure Variability Is a Predictor of Adverse Cardiovascular Outcomes in Young Untreated Hypertensives. American Journal of Hypertension, 2020, 33, 1030-1037.	2.0	9
42	Accuracy of the visomat handy wrist blood pressure measuring device according to the International Protocol. Blood Pressure Monitoring, 2010, 15, 281-284.	0.8	8
43	Risk stratification and prognostic assessment by myocardial perfusion-gated SPECT in patients with left bundle-branch block and low-intermediate cardiac risk. Annals of Nuclear Medicine, 2012, 26, 559-570.	2.2	8
44	Central blood pressure is an independent predictor of future hypertension in young to middle-aged stage 1 hypertensives. Blood Pressure, 2013, 22, 9-16.	1.5	7
45	Diagnosis of primary aldosteronism in the hypertension specialist centers in Italy: a national survey. Journal of Human Hypertension, 2018, 32, 745-751.	2.2	7
46	Effect of the shape of the cuff on blood pressure measurement in people with large arms. Blood Pressure, 2020, 29, 241-246.	1.5	6
47	Use of Anthropometric Indices to Identify Appropriate Cuff Shapes for Blood Pressure Measurement: Normative Data for Adults. American Journal of Hypertension, 2022, 35, 526-532.	2.0	6
48	Validation of the Visomat Comfort form device for home blood pressure measurement according to the International Protocol. Blood Pressure Monitoring, 2010, 15, 63-66.	0.8	5
49	Diagnostic and prognostic value of gated myocardial perfusion single-photon emission computed tomography in low-risk patients with left bundle-branch block. Nuclear Medicine Communications, 2012, 33, 491-497.	1.1	5
50	Validation of the visocor HM40 wrist blood pressure measuring device according to the International Protocol. Blood Pressure Monitoring, 2009, 14, 83-86.	0.8	4
51	Prognostic value of myocardial perfusion scintigraphy in elderly patients with hypertension: a 10-year follow-up analysis. European Journal of Nuclear Medicine and Molecular Imaging, 2012, 39, 1570-1580.	6.4	3
52	Validation of the A&D BP UB-542 wrist device for home blood pressure measurement according to the European Society of Hypertension International Protocol revision 2010. Blood Pressure Monitoring, 2013, 18, 219-222.	0.8	3
53	In search of the optimal cuff for blood pressure measurement in people with severe obesity. Hypertension Research, 2021, 44, 477-479.	2.7	3
54	Carotid elasticity is impaired in stage 1 hypertensive patients with well-controlled blood pressure levels. Journal of Human Hypertension, 2022, 36, 898-903.	2.2	3

FRANCESCA SALADINI

#	Article	IF	CITATIONS
55	Isolated systolic hypertension in the young: a heterogeneous condition. Minerva Medica, 2022, 113, .	0.9	3
56	Differences in Diagnosis and Management of Hypertensive Urgencies and Emergencies According to Italian Doctors from Different Departments Who Deal With Acute Increase in Blood Pressure—Data from Gear (Gestione Dell'emergenza e Urgenza in ARea Critica) Study. Journal of Clinical Medicine, 2022, 11, 2986.	2.4	3
57	Phosducin rs12402521 polymorphism predicts development of hypertension in young subjects with overweight or obesity. Nutrition, Metabolism and Cardiovascular Diseases, 2013, 23, 323-329.	2.6	2
58	Management of stable coronary artery disease: from evidence to clinical practice. Italian Journal of Medicine, 2017, 11, 114.	0.3	1
59	Evaluation of Unattended Automated Office, Conventional Office and Ambulatory Blood Pressure Measurements and Their Correlation with Target Organ Damage in an Outpatient Population of Hypertensives: Study Design and Methodological Aspects. High Blood Pressure and Cardiovascular Prevention. 2019. 26. 493-499.	2.2	1
60	OS 13-02 ASSOCIATION BETWEEN URIC ACID, METABOLIC VARIABLES AND ARTERIAL STIFFNESS IN THE EARLY PHASE OF HYPERTENSION Journal of Hypertension, 2016, 34, e208.	0.5	0
61	PS 14-82 COFFEE CONSUMPTION IS A PREDICTOR OF PREDIABETES AND CARDIOVASCULAR EVENTS IN YOUNG STAGE I HYPERTENSIVES. Journal of Hypertension, 2016, 34, e456-e457.	0.5	0
62	A3205 Different role of elevated pulse pressure according to gender in a cohort of young to middle age stage I hypertensives. Journal of Hypertension, 2018, 36, e115.	0.5	0