

Francesca Saladini

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8065222/publications.pdf>

Version: 2024-02-01

62
papers

1,487
citations

331259

21
h-index

344852

36
g-index

64
all docs

64
docs citations

64
times ranked

2084
citing authors

#	ARTICLE	IF	CITATIONS
1	Automated "oscillometric"™ blood pressure measuring devices: how they work and what they measure. <i>Journal of Human Hypertension</i> , 2023, 37, 93-100.	1.0	10
2	Carotid elasticity is impaired in stage 1 hypertensive patients with well-controlled blood pressure levels. <i>Journal of Human Hypertension</i> , 2022, 36, 898-903.	1.0	3
3	Isolated systolic hypertension in the young: a heterogeneous condition. <i>Minerva Medica</i> , 2022, 113, .	0.3	3
4	Use of Anthropometric Indices to Identify Appropriate Cuff Shapes for Blood Pressure Measurement: Normative Data for Adults. <i>American Journal of Hypertension</i> , 2022, 35, 526-532.	1.0	6
5	Dipping pattern and short-term blood pressure variability are stronger predictors of cardiovascular events than average 24-h blood pressure in young hypertensive subjects. <i>European Journal of Preventive Cardiology</i> , 2022, 29, 1377-1386.	0.8	14
6	Blood Pressure Hyperreactivity to Standing: a Predictor of Adverse Outcome in Young Hypertensive Patients. <i>Hypertension</i> , 2022, 79, 984-992.	1.3	15
7	Differences in Diagnosis and Management of Hypertensive Urgencies and Emergencies According to Italian Doctors from Different Departments Who Deal With Acute Increase in Blood Pressure" Data from Gear (Gestione Dell'emergenza e Urgenza in ARea Critica) Study. <i>Journal of Clinical Medicine</i> , 2022, 11, 2986.	1.0	3
8	In search of the optimal cuff for blood pressure measurement in people with severe obesity. <i>Hypertension Research</i> , 2021, 44, 477-479.	1.5	3
9	Diagnosis and treatment of hypertensive emergencies and urgencies among Italian emergency and intensive care departments. Results from an Italian survey: Progetto GEAR (Gestione dell'Emergenza e) Tj ETQq1 1 0.084314zgBT /Ov		
10	Lancet Commission on Hypertension group position statement on the global improvement of accuracy standards for devices that measure blood pressure. <i>Journal of Hypertension</i> , 2020, 38, 21-29.	0.3	93
11	Association of Extreme Nocturnal Dipping With Cardiovascular Events Strongly Depends on Age. <i>Hypertension</i> , 2020, 75, 324-330.	1.3	38
12	Short-Term but not Long-Term Blood Pressure Variability Is a Predictor of Adverse Cardiovascular Outcomes in Young Untreated Hypertensives. <i>American Journal of Hypertension</i> , 2020, 33, 1030-1037.	1.0	9
13	Effect of the shape of the cuff on blood pressure measurement in people with large arms. <i>Blood Pressure</i> , 2020, 29, 241-246.	0.7	6
14	Evaluation of Unattended Automated Office, Conventional Office and Ambulatory Blood Pressure Measurements and Their Correlation with Target Organ Damage in an Outpatient Population of Hypertensives: Study Design and Methodological Aspects. <i>High Blood Pressure and Cardiovascular Prevention</i> , 2019, 26, 493-499.	1.0	1
15	Added predictive value of high uric acid for cardiovascular events in the Ambulatory Blood Pressure International Study. <i>Journal of Clinical Hypertension</i> , 2019, 21, 966-974.	1.0	9
16	Only troncoconical cuffs can provide accurate blood pressure measurements in people with severe obesity. <i>Journal of Hypertension</i> , 2019, 37, 37-41.	0.3	26
17	Short-term blood pressure variability outweighs average 24-h blood pressure in the prediction of cardiovascular events in hypertension of the young. <i>Journal of Hypertension</i> , 2019, 37, 1419-1426.	0.3	37
18	Low night-time heart rate is longitudinally associated with lower augmentation index and central systolic blood pressure in hypertension. <i>European Journal of Applied Physiology</i> , 2018, 118, 543-550.	1.2	17

#	ARTICLE	IF	CITATIONS
19	Arterial Distensibility, Physical Activity, and the Metabolic Syndrome. <i>Current Hypertension Reports</i> , 2018, 20, 39.	1.5	19
20	Isolated systolic hypertension in the young. <i>Journal of Hypertension</i> , 2018, 36, 1222-1236.	0.3	61
21	Glomerular hyperfiltration is a predictor of adverse cardiovascular outcomes. <i>Kidney International</i> , 2018, 93, 195-203.	2.6	64
22	A3205 Different role of elevated pulse pressure according to gender in a cohort of young to middle age stage I hypertensives. <i>Journal of Hypertension</i> , 2018, 36, e115.	0.3	0
23	Diagnosis of primary aldosteronism in the hypertension specialist centers in Italy: a national survey. <i>Journal of Human Hypertension</i> , 2018, 32, 745-751.	1.0	7
24	Clinical characteristics and risk of hypertension needing treatment in young patients with systolic hypertension identified with ambulatory monitoring. <i>Journal of Hypertension</i> , 2018, 36, 1810-1815.	0.3	15
25	Regular physical activity prevents development of hypertension in young people with hyperuricemia. <i>Journal of Hypertension</i> , 2017, 35, 994-1001.	0.3	19
26	Alcohol Intake More than Doubles the Risk of Early Cardiovascular Events in Young Hypertensive Smokers. <i>American Journal of Medicine</i> , 2017, 130, 967-974.e1.	0.6	14
27	Isolated Systolic Hypertension in Young Individuals: Pathophysiological Mechanisms, Prognostic Significance, and Clinical Implications. <i>High Blood Pressure and Cardiovascular Prevention</i> , 2017, 24, 133-139.	1.0	18
28	Office Pulse Pressure Is a Predictor of Favorable Outcome in Young- to Middle-Aged Subjects With Stage 1 Hypertension. <i>Hypertension</i> , 2017, 70, 537-542.	1.3	34
29	Management of stable coronary artery disease: from evidence to clinical practice. <i>Italian Journal of Medicine</i> , 2017, 11, 114.	0.2	1
30	Effects of smoking on central blood pressure and pressure amplification in hypertension of the young. <i>Vascular Medicine</i> , 2016, 21, 422-428.	0.8	37
31	OS 13-02 ASSOCIATION BETWEEN URIC ACID, METABOLIC VARIABLES AND ARTERIAL STIFFNESS IN THE EARLY PHASE OF HYPERTENSION.. <i>Journal of Hypertension</i> , 2016, 34, e208.	0.3	0
32	PS 14-82 COFFEE CONSUMPTION IS A PREDICTOR OF PREDIABETES AND CARDIOVASCULAR EVENTS IN YOUNG STAGE I HYPERTENSIVES. <i>Journal of Hypertension</i> , 2016, 34, e456-e457.	0.3	0
33	Autonomic Dysfunction: How to Identify and When to Treat?. <i>High Blood Pressure and Cardiovascular Prevention</i> , 2016, 23, 237-243.	1.0	9
34	Coffee consumption and risk of cardiovascular events in hypertensive patients. Results from the HARVEST. <i>International Journal of Cardiology</i> , 2016, 212, 131-137.	0.8	26
35	Regular physical activity is associated with improved small artery distensibility in young to middle-age stage 1 hypertensives. <i>Vascular Medicine</i> , 2014, 19, 458-464.	0.8	16
36	Relationship between GFR and Albuminuria in Stage 1 Hypertension. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2013, 8, 59-66.	2.2	15

#	ARTICLE	IF	CITATIONS
37	Phosducin rs12402521 polymorphism predicts development of hypertension in young subjects with overweight or obesity. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2013, 23, 323-329.	1.1	2
38	Predictive value of night-time heart rate for cardiovascular events in hypertension. The ABP-International study. <i>International Journal of Cardiology</i> , 2013, 168, 1490-1495.	0.8	73
39	Validation of the A&D BP UB-542 wrist device for home blood pressure measurement according to the European Society of Hypertension International Protocol revision 2010. <i>Blood Pressure Monitoring</i> , 2013, 18, 219-222.	0.4	3
40	Central blood pressure is an independent predictor of future hypertension in young to middle-aged stage 1 hypertensives. <i>Blood Pressure</i> , 2013, 22, 9-16.	0.7	7
41	Obesity is a strong determinant of hypertensive target organ damage in young-to-middle-age patients. <i>International Journal of Obesity</i> , 2013, 37, 224-229.	1.6	14
42	Factors Associated With Glomerular Hyperfiltration in the Early Stage of Hypertension. <i>American Journal of Hypertension</i> , 2012, 25, 1011-1016.	1.0	36
43	Rectangular cuffs may overestimate blood pressure in individuals with large conical arms. <i>Journal of Hypertension</i> , 2012, 30, 530-536.	0.3	50
44	Does home blood pressure allow for a better assessment of the white-coat effect than ambulatory blood pressure?. <i>Journal of Hypertension</i> , 2012, 30, 2118-2124.	0.3	9
45	Diagnostic and prognostic value of gated myocardial perfusion single-photon emission computed tomography in low-risk patients with left bundle-branch block. <i>Nuclear Medicine Communications</i> , 2012, 33, 491-497.	0.5	5
46	Risk stratification and prognostic assessment by myocardial perfusion-gated SPECT in patients with left bundle-branch block and low-intermediate cardiac risk. <i>Annals of Nuclear Medicine</i> , 2012, 26, 559-570.	1.2	8
47	Prognostic value of myocardial perfusion scintigraphy in elderly patients with hypertension: a 10-year follow-up analysis. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2012, 39, 1570-1580.	3.3	3
48	Isolated systolic hypertension of young-to-middle-age individuals implies a relatively low risk of developing hypertension needing treatment when central blood pressure is low. <i>Journal of Hypertension</i> , 2011, 29, 1311-1319.	0.3	51
49	Arterial stiffness, central hemodynamics, and cardiovascular risk in hypertension. <i>Vascular Health and Risk Management</i> , 2011, 7, 725.	1.0	86
50	Accuracy of Microlife WatchBP Office ABI monitor assessed according to the 2002 European Society of Hypertension protocol and the British Hypertension Society protocol. <i>Blood Pressure Monitoring</i> , 2011, 16, 258-261.	0.4	17
51	Accuracy of the Microlife large&extra large-sized cuff (32&52 cm) coupled to an automatic oscillometric device. <i>Blood Pressure Monitoring</i> , 2011, 16, 99-102.	0.4	16
52	Resting Heart Rate as a Predictor of Body Weight Gain in the Early Stage of Hypertension. <i>Obesity</i> , 2011, 19, 618-623.	1.5	31
53	Pre-menopausal Women Have Increased Risk of Hypertensive Target Organ Damage Compared with Men of Similar Age. <i>Journal of Women's Health</i> , 2011, 20, 1175-1181.	1.5	35
54	BP reactivity to public speaking in stage 1 hypertension: Influence of different task scenarios. <i>Blood Pressure</i> , 2011, 20, 290-295.	0.7	16

#	ARTICLE	IF	CITATIONS
55	Validation of the Visomat Comfort form device for home blood pressure measurement according to the International Protocol. <i>Blood Pressure Monitoring</i> , 2010, 15, 63-66.	0.4	5
56	Accuracy of the visomat handy wrist blood pressure measuring device according to the International Protocol. <i>Blood Pressure Monitoring</i> , 2010, 15, 281-284.	0.4	8
57	Validation of the Microlife WatchBP O3 device for clinic, home, and ambulatory blood pressure measurement, according to the International Protocol. <i>Blood Pressure Monitoring</i> , 2010, 15, 59-62.	0.4	55
58	Regular physical activity attenuates the blood pressure response to public speaking and delays the development of hypertension. <i>Journal of Hypertension</i> , 2010, 28, 1186-1193.	0.3	21
59	Accuracy of a single rigid conical cuff with standard-size bladder coupled to an automatic oscillometric device over a wide range of arm circumferences. <i>Hypertension Research</i> , 2010, 33, 1186-1191.	1.5	52
60	Natural History of Hypertension Subtypes in Young and Middle-Age Adults. <i>American Journal of Hypertension</i> , 2009, 22, 531-537.	1.0	32
61	Validation of the visocor HM40 wrist blood pressure measuring device according to the International Protocol. <i>Blood Pressure Monitoring</i> , 2009, 14, 83-86.	0.4	4
62	CYP1A2 genotype modifies the association between coffee intake and the risk of hypertension. <i>Journal of Hypertension</i> , 2009, 27, 1594-1601.	0.3	174