

# Valgerdur Steinhorsdottir

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8065283/publications.pdf>

Version: 2024-02-01

94  
papers

43,694  
citations

15466

65  
h-index

33814

99  
g-index

109  
all docs

109  
docs citations

109  
times ranked

43244  
citing authors

#	ARTICLE	IF	CITATIONS
1	Genetic studies of body mass index yield new insights for obesity biology. <i>Nature</i> , 2015, 518, 197-206.	13.7	3,823
2	Association analyses of 249,796 individuals reveal 18 new loci associated with body mass index. <i>Nature Genetics</i> , 2010, 42, 937-948.	9.4	2,634
3	New genetic loci implicated in fasting glucose homeostasis and their impact on type 2 diabetes risk. <i>Nature Genetics</i> , 2010, 42, 105-116.	9.4	1,982
4	Defining the role of common variation in the genomic and biological architecture of adult human height. <i>Nature Genetics</i> , 2014, 46, 1173-1186.	9.4	1,818
5	Hundreds of variants clustered in genomic loci and biological pathways affect human height. <i>Nature</i> , 2010, 467, 832-838.	13.7	1,789
6	Large-scale association analysis provides insights into the genetic architecture and pathophysiology of type 2 diabetes. <i>Nature Genetics</i> , 2012, 44, 981-990.	9.4	1,748
7	Meta-analysis of genome-wide association data and large-scale replication identifies additional susceptibility loci for type 2 diabetes. <i>Nature Genetics</i> , 2008, 40, 638-645.	9.4	1,683
8	Twelve type 2 diabetes susceptibility loci identified through large-scale association analysis. <i>Nature Genetics</i> , 2010, 42, 579-589.	9.4	1,631
9	Neuregulin 1 and Susceptibility to Schizophrenia. <i>American Journal of Human Genetics</i> , 2002, 71, 877-892.	2.6	1,550
10	Fine-mapping type 2 diabetes loci to single-variant resolution using high-density imputation and islet-specific epigenome maps. <i>Nature Genetics</i> , 2018, 50, 1505-1513.	9.4	1,331
11	New genetic loci link adipose and insulin biology to body fat distribution. <i>Nature</i> , 2015, 518, 187-196.	13.7	1,328
12	Genome-wide association yields new sequence variants at seven loci that associate with measures of obesity. <i>Nature Genetics</i> , 2009, 41, 18-24.	9.4	1,247
13	Genetics of gene expression and its effect on disease. <i>Nature</i> , 2008, 452, 423-428.	13.7	1,209
14	A variant in CDKAL1 influences insulin response and risk of type 2 diabetes. <i>Nature Genetics</i> , 2007, 39, 770-775.	9.4	966
15	Genome-wide trans-ancestry meta-analysis provides insight into the genetic architecture of type 2 diabetes susceptibility. <i>Nature Genetics</i> , 2014, 46, 234-244.	9.4	959
16	Meta-analysis identifies 13 new loci associated with waist-hip ratio and reveals sexual dimorphism in the genetic basis of fat distribution. <i>Nature Genetics</i> , 2010, 42, 949-960.	9.4	836
17	A common inversion under selection in Europeans. <i>Nature Genetics</i> , 2005, 37, 129-137.	9.4	747
18	Sequence variants affecting eosinophil numbers associate with asthma and myocardial infarction. <i>Nature Genetics</i> , 2009, 41, 342-347.	9.4	709

#	ARTICLE	IF	CITATIONS
19	Two variants on chromosome 17 confer prostate cancer risk, and the one in TCF2 protects against type 2 diabetes. <i>Nature Genetics</i> , 2007, 39, 977-983.	9.4	670
20	The same sequence variant on 9p21 associates with myocardial infarction, abdominal aortic aneurysm and intracranial aneurysm. <i>Nature Genetics</i> , 2008, 40, 217-224.	9.4	668
21	Variants in MTNR1B influence fasting glucose levels. <i>Nature Genetics</i> , 2009, 41, 77-81.	9.4	662
22	Many sequence variants affecting diversity of adult human height. <i>Nature Genetics</i> , 2008, 40, 609-615.	9.4	615
23	An Expanded Genome-Wide Association Study of Type 2 Diabetes in Europeans. <i>Diabetes</i> , 2017, 66, 2888-2902.	0.3	615
24	Genetic variation in GIPR influences the glucose and insulin responses to an oral glucose challenge. <i>Nature Genetics</i> , 2010, 42, 142-148.	9.4	591
25	Genome-wide meta-analysis identifies 11 new loci for anthropometric traits and provides insights into genetic architecture. <i>Nature Genetics</i> , 2013, 45, 501-512.	9.4	578
26	Rare and low-frequency coding variants alter human adult height. <i>Nature</i> , 2017, 542, 186-190.	13.7	544
27	Parental origin of sequence variants associated with complex diseases. <i>Nature</i> , 2009, 462, 868-874.	13.7	521
28	Association of Neuregulin 1 with Schizophrenia Confirmed in a Scottish Population. <i>American Journal of Human Genetics</i> , 2003, 72, 83-87.	2.6	518
29	Genome-Wide Association Scan Meta-Analysis Identifies Three Loci Influencing Adiposity and Fat Distribution. <i>PLoS Genetics</i> , 2009, 5, e1000508.	1.5	453
30	Loss-of-function mutations in SLC30A8 protect against type 2 diabetes. <i>Nature Genetics</i> , 2014, 46, 357-363.	9.4	428
31	Novel Loci for Adiponectin Levels and Their Influence on Type 2 Diabetes and Metabolic Traits: A Multi-Ethnic Meta-Analysis of 45,891 Individuals. <i>PLoS Genetics</i> , 2012, 8, e1002607.	1.5	419
32	Common Variants at 10 Genomic Loci Influence Hemoglobin A1C Levels via Glycemic and Nonglycemic Pathways. <i>Diabetes</i> , 2010, 59, 3229-3239.	0.3	387
33	FTO genotype is associated with phenotypic variability of body mass index. <i>Nature</i> , 2012, 490, 267-272.	13.7	383
34	Sex-stratified Genome-wide Association Studies Including 270,000 Individuals Show Sexual Dimorphism in Genetic Loci for Anthropometric Traits. <i>PLoS Genetics</i> , 2013, 9, e1003500.	1.5	371
35	Genetic fine mapping and genomic annotation defines causal mechanisms at type 2 diabetes susceptibility loci. <i>Nature Genetics</i> , 2015, 47, 1415-1425.	9.4	365
36	Refining the accuracy of validated target identification through coding variant fine-mapping in type 2 diabetes. <i>Nature Genetics</i> , 2018, 50, 559-571.	9.4	356

#	ARTICLE	IF	CITATIONS
37	Large-scale integration of the plasma proteome with genetics and disease. <i>Nature Genetics</i> , 2021, 53, 1712-1721.	9.4	340
38	The Influence of Age and Sex on Genetic Associations with Adult Body Size and Shape: A Large-Scale Genome-Wide Interaction Study. <i>PLoS Genetics</i> , 2015, 11, e1005378.	1.5	331
39	The impact of low-frequency and rare variants on lipid levels. <i>Nature Genetics</i> , 2015, 47, 589-597.	9.4	310
40	New common variants affecting susceptibility to basal cell carcinoma. <i>Nature Genetics</i> , 2009, 41, 909-914.	9.4	303
41	Identification of low-frequency and rare sequence variants associated with elevated or reduced risk of type 2 diabetes. <i>Nature Genetics</i> , 2014, 46, 294-298.	9.4	294
42	Protein-altering variants associated with body mass index implicate pathways that control energy intake and expenditure in obesity. <i>Nature Genetics</i> , 2018, 50, 26-41.	9.4	286
43	The epidemiology of pituitary adenomas in Iceland, 1955–2012: a nationwide population-based study. <i>European Journal of Endocrinology</i> , 2015, 173, 655-664.	1.9	255
44	A germline variant in the TP53 polyadenylation signal confers cancer susceptibility. <i>Nature Genetics</i> , 2011, 43, 1098-1103.	9.4	251
45	Multi-ancestry genetic study of type 2 diabetes highlights the power of diverse populations for discovery and translation. <i>Nature Genetics</i> , 2022, 54, 560-572.	9.4	250
46	Meta-analysis identifies five novel loci associated with endometriosis highlighting key genes involved in hormone metabolism. <i>Nature Communications</i> , 2017, 8, 15539.	5.8	230
47	Variants with large effects on blood lipids and the role of cholesterol and triglycerides in coronary disease. <i>Nature Genetics</i> , 2016, 48, 634-639.	9.4	214
48	Variants in the fetal genome near FLT1 are associated with risk of preeclampsia. <i>Nature Genetics</i> , 2017, 49, 1255-1260.	9.4	205
49	Genome-wide association study identifies sequence variants on 6q21 associated with age at menarche. <i>Nature Genetics</i> , 2009, 41, 734-738.	9.4	199
50	A Genome-Wide Association Search for Type 2 Diabetes Genes in African Americans. <i>PLoS ONE</i> , 2012, 7, e29202.	1.1	197
51	Stratifying Type 2 Diabetes Cases by BMI Identifies Genetic Risk Variants in LAMA1 and Enrichment for Risk Variants in Lean Compared to Obese Cases. <i>PLoS Genetics</i> , 2012, 8, e1002741.	1.5	190
52	Genome-wide association study identifies a sequence variant within the DAB2IP gene conferring susceptibility to abdominal aortic aneurysm. <i>Nature Genetics</i> , 2010, 42, 692-697.	9.4	181
53	The Role of Adiposity in Cardiometabolic Traits: A Mendelian Randomization Analysis. <i>PLoS Medicine</i> , 2013, 10, e1001474.	3.9	178
54	Genetic evidence that raised sex hormone binding globulin (SHBG) levels reduce the risk of type 2 diabetes. <i>Human Molecular Genetics</i> , 2010, 19, 535-544.	1.4	176

#	ARTICLE	IF	CITATIONS
55	Multiple novel transcription initiation sites for NRG1. <i>Gene</i> , 2004, 342, 97-105.	1.0	139
56	Variant <i>ASGR1</i> Associated with a Reduced Risk of Coronary Artery Disease. <i>New England Journal of Medicine</i> , 2016, 374, 2131-2141.	13.9	137
57	Lipoprotein(a) Concentration and Risks of Cardiovascular Disease and Diabetes. <i>Journal of the American College of Cardiology</i> , 2019, 74, 2982-2994.	1.2	127
58	Neuregulin 1 and schizophrenia. <i>Annals of Medicine</i> , 2004, 36, 62-71.	1.5	119
59	Leveraging Cross-Species Transcription Factor Binding Site Patterns: From Diabetes Risk Loci to Disease Mechanisms. <i>Cell</i> , 2014, 156, 343-358.	13.5	113
60	Genetic Architecture of Vitamin B12 and Folate Levels Uncovered Applying Deeply Sequenced Large Datasets. <i>PLoS Genetics</i> , 2013, 9, e1003530.	1.5	112
61	Genetic predisposition to hypertension is associated with preeclampsia in European and Central Asian women. <i>Nature Communications</i> , 2020, 11, 5976.	5.8	102
62	Genetic inactivation of <i>ANGPTL4</i> improves glucose homeostasis and is associated with reduced risk of diabetes. <i>Nature Communications</i> , 2018, 9, 2252.	5.8	99
63	Genome-wide analysis yields new loci associating with aortic valve stenosis. <i>Nature Communications</i> , 2018, 9, 987.	5.8	91
64	Protein-coding variants implicate novel genes related to lipid homeostasis contributing to body-fat distribution. <i>Nature Genetics</i> , 2019, 51, 452-469.	9.4	89
65	Discovery and Fine-Mapping of Glycaemic and Obesity-Related Trait Loci Using High-Density Imputation. <i>PLoS Genetics</i> , 2015, 11, e1005230.	1.5	77
66	A principal component meta-analysis on multiple anthropometric traits identifies novel loci for body shape. <i>Nature Communications</i> , 2016, 7, 13357.	5.8	74
67	Variants associating with uterine leiomyoma highlight genetic background shared by various cancers and hormone-related traits. <i>Nature Communications</i> , 2018, 9, 3636.	5.8	74
68	<i>Clostridium perfringens</i> beta-toxin forms multimeric transmembrane pores in human endothelial cells. <i>Microbial Pathogenesis</i> , 2000, 28, 45-50.	1.3	72
69	Recurrence of hypertensive disorder in second pregnancy. <i>American Journal of Obstetrics and Gynecology</i> , 2006, 194, 916-920.	0.7	66
70	Genetic variability in the absorption of dietary sterols affects the risk of coronary artery disease. <i>European Heart Journal</i> , 2020, 41, 2618-2628.	1.0	61
71	Multi-ancestry genome-wide association study of gestational diabetes mellitus highlights genetic links with type 2 diabetes. <i>Human Molecular Genetics</i> , 2022, 31, 3377-3391.	1.4	47
72	Site-directed mutagenesis of <i>Clostridium perfringens</i> beta-toxin: expression of wild-type and mutant toxins in <i>Bacillus subtilis</i> . <i>FEMS Microbiology Letters</i> , 1998, 158, 17-23.	0.7	41

#	ARTICLE	IF	CITATIONS
73	Distinction between the effects of parental and fetal genomes on fetal growth. <i>Nature Genetics</i> , 2021, 53, 1135-1142.	9.4	41
74	Complementation of enteric adenovirus type 40 for lytic growth in tissue culture by E1B 55K function of adenovirus types 5 and 12. <i>Virology</i> , 1989, 171, 619-622.	1.1	34
75	Common variants upstream of KDR encoding VEGFR2 and in TTC39B associate with endometriosis. <i>Nature Communications</i> , 2016, 7, 12350.	5.8	31
76	The T-381C SNP in BNP gene may be modestly associated with type 2 diabetes: an updated meta-analysis in 49 279 subjects. <i>Human Molecular Genetics</i> , 2009, 18, 2495-2501.	1.4	30
77	Sequence variants associating with urinary biomarkers. <i>Human Molecular Genetics</i> , 2019, 28, 1199-1211.	1.4	28
78	A Splice Region Variant in LDLR Lowers Non-high Density Lipoprotein Cholesterol and Protects against Coronary Artery Disease. <i>PLoS Genetics</i> , 2015, 11, e1005379.	1.5	24
79	Association Analysis of 29,956 Individuals Confirms That a Low-Frequency Variant at <i>CCND2</i> Halves the Risk of Type 2 Diabetes by Enhancing Insulin Secretion. <i>Diabetes</i> , 2015, 64, 2279-2285.	0.3	24
80	Effect of sequence variants on variance in glucose levels predicts type 2 diabetes risk and accounts for heritability. <i>Nature Genetics</i> , 2017, 49, 1398-1402.	9.4	20
81	Genome-wide association identifies seven loci for pelvic organ prolapse in Iceland and the UK Biobank. <i>Communications Biology</i> , 2020, 3, 129.	2.0	20
82	Paternity Change and the Recurrence Risk in Familial Hypertensive Disorder in Pregnancy. <i>Hypertension in Pregnancy</i> , 2004, 23, 219-225.	0.5	19
83	Genetic overlap analysis of endometriosis and asthma identifies shared loci implicating sex hormones and thyroid signalling pathways. <i>Human Reproduction</i> , 2022, 37, 366-383.	0.4	19
84	Genetic analyses of gynecological disease identify genetic relationships between uterine fibroids and endometrial cancer, and a novel endometrial cancer genetic risk region at the WNT4 1p36.12 locus. <i>Human Genetics</i> , 2021, 140, 1353-1365.	1.8	18
85	Analysis of potential protein-modifying variants in 9000 endometriosis patients and 150000 controls of European ancestry. <i>Scientific Reports</i> , 2017, 7, 11380.	1.6	16
86	Large-Scale Screening for Monogenic and Clinically Defined Familial Hypercholesterolemia in Iceland. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2021, 41, 2616-2628.	1.1	16
87	Loss-of-Function Variants in the Tumor-Suppressor Gene <i>PTPN14</i> Confer Increased Cancer Risk. <i>Cancer Research</i> , 2021, 81, 1954-1964.	0.4	15
88	Enteric adenovirus type 40: E1B transcription map and identification of novel E1A-E1B cotranscripts in lytically infected cells. <i>Virology</i> , 1991, 181, 139-149.	1.1	13
89	InterPregGen:genetic studies of pre-eclampsia in three continents. <i>Norsk Epidemiologi</i> , 2014, 24, 141-146.	0.2	12
90	Properties of the Adenovirus Type 40 E1B Promoter That Contribute to Its Low Transcriptional Activity. <i>Virology</i> , 1999, 265, 10-19.	1.1	11

#	ARTICLE	IF	CITATIONS
91	A PRPH splice-donor variant associates with reduced sural nerve amplitude and risk of peripheral neuropathy. <i>Nature Communications</i> , 2019, 10, 1777.	5.8	7
92	Evaluating differences in linkage disequilibrium between populations. <i>Annals of Human Genetics</i> , 2010, 74, 233-247.	0.3	3
93	Genetic propensities for verbal and spatial ability have opposite effects on body mass index and risk of schizophrenia. <i>Intelligence</i> , 2021, 88, 101565.	1.6	2
94	Abstract 2318: The Type 2 Diabetes Gene <i>CDKAL1</i> Discovered by Genome-wide Association is Expressed in Beta Cells and Modulated by Glucose Concentration. <i>Circulation</i> , 2007, 116, .	1.6	1