

Murat Kazim Ersanli

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8065628/publications.pdf>

Version: 2024-02-01

60
papers

5,909
citations

257357

24
h-index

161767

54
g-index

63
all docs

63
docs citations

63
times ranked

7647
citing authors

#	ARTICLE	IF	CITATIONS
1	Alirocumab and Cardiovascular Outcomes after Acute Coronary Syndrome. <i>New England Journal of Medicine</i> , 2018, 379, 2097-2107.	13.9	2,211
2	Long-Term Use of Ticagrelor in Patients with Prior Myocardial Infarction. <i>New England Journal of Medicine</i> , 2015, 372, 1791-1800.	13.9	1,585
3	Two-year outcomes of patients with newly diagnosed atrial fibrillation: results from GARFIELD-AF. <i>European Heart Journal</i> , 2016, 37, 2882-2889.	1.0	222
4	Effects of alirocumab on cardiovascular and metabolic outcomes after acute coronary syndrome in patients with or without diabetes: a prespecified analysis of the ODYSSEY OUTCOMES randomised controlled trial. <i>Lancet Diabetes and Endocrinology</i> , 2019, 7, 618-628.	5.5	207
5	Evolving antithrombotic treatment patterns for patients with newly diagnosed atrial fibrillation. <i>Heart</i> , 2017, 103, 307-314.	1.2	205
6	Alirocumab in Patients With Polyvascular Disease and Recent Acute Coronary Syndrome. <i>Journal of the American College of Cardiology</i> , 2019, 74, 1167-1176.	1.2	154
7	Alirocumab Reduces Total Nonfatal Cardiovascular and Fatal Events. <i>Journal of the American College of Cardiology</i> , 2019, 73, 387-396.	1.2	131
8	Quality of Vitamin K Antagonist Control and 1-Year Outcomes in Patients with Atrial Fibrillation: A Global Perspective from the GARFIELD-AF Registry. <i>PLoS ONE</i> , 2016, 11, e0164076.	1.1	118
9	Effect of Alirocumab on Mortality After Acute Coronary Syndromes. <i>Circulation</i> , 2019, 140, 103-112.	1.6	107
10	Improved risk stratification of patients with atrial fibrillation: an integrated GARFIELD-AF tool for the prediction of mortality, stroke and bleed in patients with and without anticoagulation. <i>BMJ Open</i> , 2017, 7, e017157.	0.8	92
11	Risk factors for death, stroke, and bleeding in 28,628 patients from the GARFIELD-AF registry: Rationale for comprehensive management of atrial fibrillation. <i>PLoS ONE</i> , 2018, 13, e0191592.	1.1	80
12	Does Sex Affect Anticoagulant Use for Stroke Prevention in Nonvalvular Atrial Fibrillation?. <i>Circulation: Cardiovascular Quality and Outcomes</i> , 2015, 8, S12-20.	0.9	74
13	Vitamin K antagonist control in patients with atrial fibrillation in Asia compared with other regions of the world: Real-world data from the GARFIELD-AF registry. <i>International Journal of Cardiology</i> , 2016, 223, 543-547.	0.8	71
14	Early Risks of Death, Stroke/Systemic Embolism, and Major Bleeding in Patients With Newly Diagnosed Atrial Fibrillation. <i>Circulation</i> , 2019, 139, 787-798.	1.6	60
15	Effects of alirocumab on types of myocardial infarction: insights from the ODYSSEY OUTCOMES trial. <i>European Heart Journal</i> , 2019, 40, 2801-2809.	1.0	45
16	Predictors of NOAC versus VKA use for stroke prevention in patients with newly diagnosed atrial fibrillation: Results from GARFIELD-AF. <i>American Heart Journal</i> , 2019, 213, 35-46.	1.2	45
17	The Relationship Between Chronic Kidney Disease and SYNTAX Score. <i>Angiology</i> , 2011, 62, 504-508.	0.8	44
18	Management and 1-Year Outcomes of Patients With Newly Diagnosed Atrial Fibrillation and Chronic Kidney Disease: Results From the Prospective GARFIELD-AF Registry. <i>Journal of the American Heart Association</i> , 2019, 8, e010510.	1.6	44

#	ARTICLE	IF	CITATIONS
19	Platelet-to-Lymphocyte Ratio Predicts Contrast-Induced Nephropathy in Patients With Non-ST-Segment Elevation Acute Coronary Syndrome. <i>Angiology</i> , 2015, 66, 964-968.	0.8	35
20	Long-Term Follow-Up of Patients at High Risk for Nephropathy After Contrast Exposure. <i>Angiology</i> , 2015, 66, 514-518.	0.8	33
21	N-acetylcysteine versus N-acetylcysteine + theophylline for the prevention of contrast nephropathy. <i>European Journal of Clinical Investigation</i> , 2009, 39, 793-799.	1.7	31
22	Impact of gender on event rates at 1-year in patients with newly diagnosed non-valvular atrial fibrillation: contemporary perspective from the GARFIELD-AF registry. <i>BMJ Open</i> , 2017, 7, e014579.	0.8	30
23	Characteristics of patients with atrial fibrillation prescribed antiplatelet monotherapy compared with those on anticoagulants: insights from the GARFIELD-AF registry. <i>European Heart Journal</i> , 2018, 39, 464-473.	1.0	28
24	Evolving quality standards for large-scale registries: the GARFIELD-AF experience. <i>European Heart Journal Quality of Care & Clinical Outcomes</i> , 2016, 3, qcw058.	1.8	27
25	Analysis of Outcomes in Ischemic vs Nonischemic Cardiomyopathy in Patients With Atrial Fibrillation. <i>JAMA Cardiology</i> , 2019, 4, 526.	3.0	26
26	The Effect of Exercise to P Wave Dispersion and Its Evaluation as a Predictor of Atrial Fibrillation. <i>Annals of Noninvasive Electrocardiology</i> , 2003, 8, 308-312.	0.5	18
27	Risk profiles and one-year outcomes of patients with newly diagnosed atrial fibrillation in India: Insights from the GARFIELD-AF Registry. <i>Indian Heart Journal</i> , 2018, 70, 828-835.	0.2	16
28	Treatment patterns in anticoagulant therapy in patients with newly diagnosed atrial fibrillation in Belgium: results from the GARFIELD-AF registry. <i>Acta Cardiologica</i> , 2019, 74, 309-318.	0.3	16
29	Chronic Kidney Disease as a Predictor of Coronary Lesion Morphology. <i>Angiology</i> , 2010, 61, 344-349.	0.8	15
30	Why are outcomes different for registry patients enrolled prospectively and retrospectively? Insights from the global anticoagulant registry in the FIELD-Atrial Fibrillation (GARFIELD-AF). <i>European Heart Journal Quality of Care & Clinical Outcomes</i> , 2018, 4, 27-35.	1.8	15
31	Comparison of international normalized ratio audit parameters in patients enrolled in GARFIELD-AF and treated with vitamin K antagonists. <i>British Journal of Haematology</i> , 2016, 174, 610-623.	1.2	13
32	Risk Profile and 1-Year Outcome of Newly Diagnosed Atrial Fibrillation in Japan - Insights From GARFIELD-AF. <i>Circulation Journal</i> , 2018, 83, 67-74.	0.7	12
33	Impact of continuation of metformin prior to elective coronary angiography on acute contrast nephropathy in patients with normal or mildly impaired renal functions. <i>Anatolian Journal of Cardiology</i> , 2017, 18, 334-339.	0.5	12
34	Percutaneous coronary intervention vs. optimal medical therapy - the other side of the coin: medication adherence. <i>Journal of Clinical Pharmacy and Therapeutics</i> , 2013, 38, 476-479.	0.7	11
35	The role of media on statin adherence. <i>International Journal of Cardiology</i> , 2015, 201, 139.	0.8	8
36	Relationship between serum endothelin-1 level and spontaneous reperfusion in patients with acute myocardial infarction. <i>Coronary Artery Disease</i> , 2015, 26, 37-41.	0.3	7

#	ARTICLE	IF	CITATIONS
37	Impact of statin non-adherence on in-stent restenosis following bare-metal stent implantation. <i>International Journal of Cardiology</i> , 2016, 203, 529-531.	0.8	7
38	Antithrombotic treatment patterns and stroke prevention in patients with atrial fibrillation in TURKEY: inferences from GARFIELD-AF registry. <i>Anatolian Journal of Cardiology</i> , 2019, 21, 272-280.	0.5	7
39	Increased secretion of insulin during oral glucose tolerance test can be a predictor of stent restenosis in nondiabetic patients. <i>Catheterization and Cardiovascular Interventions</i> , 2003, 58, 306-312.	0.7	6
40	Admission Hyperglycemia and TIMI Frame Count in Primary Percutaneous Coronary Intervention. <i>Angiology</i> , 2012, 63, 325-329.	0.8	6
41	Admission Hyperglycemia Is Associated with Failed Reperfusion Following Fibrinolytic Therapy in Patients with STEMI: Results of a Retrospective Study. <i>American Journal of Cardiovascular Drugs</i> , 2015, 15, 35-42.	1.0	6
42	A Patient With Bicuspid Aorta and Intercoronary Continuity A Rare Variant of Coronary Circulation. <i>International Heart Journal</i> , 2004, 45, 153-155.	0.6	6
43	Comparison of Long-Term Outcomes in Real-World Patients Between Resolute Zotarilimus-Eluting and Paclitaxel-Eluting Stents in Small Vessel. <i>Angiology</i> , 2016, 67, 490-495.	0.8	3
44	P-wave dispersion and its relationship with the severity of the disease in patients with stable coronary artery disease. <i>Åstanbul Kuzey Klinikleri</i> , 2014, 1, 65-70.	0.1	3
45	Middle East Treatment Strategies and Clinical Outcomes in Patients with Atrial Fibrillation: One-Year Follow-up Data from Garfield-AF Study. <i>Advances in Therapy</i> , 2021, 38, 2391-2405.	1.3	2
46	A case of renal artery embolism treated by selective intra-arterial infusion of tissue plasminogen activator. <i>Turk Kardiyoloji Dernegi Arsivi</i> , 2013, 41, 534-536.	0.6	2
47	Relationship between myocardial performance index and severity of coronary artery disease in patients with non-ST-segment elevation acute coronary syndrome. <i>Cardiovascular Journal of Africa</i> , 2017, 28, 4-7.	0.2	2
48	Validation of SYNTAX and clinical SYNTAX scores in predicting atrial fibrillation following on-pump coronary artery bypass grafting. <i>Turkish Journal of Thoracic and Cardiovascular Surgery</i> , 2017, 25, 333-339.	0.2	2
49	DÅ¼nya Pulmoner Hipertansiyon Kongresi Yeni Pulmoner Hipertansiyon TanÄ±mlamasÄ±n Pre-kapiller Pulmoner Hipertansiyon PrevalansÄ±na Etkisi. <i>Turk Kardiyoloji Dernegi Arsivi</i> , 2019, 47, 594-598.	0.6	2
50	A young patient with acute myocardial infarction due to Bonsai treated with glycoprotein IIb/IIIa inhibitor. <i>Anatolian Journal of Cardiology</i> , 2020, 25, 352-354.	0.5	2
51	Pentraxin-3 a novel biomarker for predicting coronary artery disease. <i>European Heart Journal</i> , 2013, 34, P3108-P3108.	1.0	1
52	Contrast-induced acute kidney injury in patients with non-ST-segment elevation myocardial infarction undergoing early versus delayed invasive strategy. <i>International Journal of Cardiology</i> , 2016, 203, 638-639.	0.8	1
53	Revascularization of chronic coronary artery conclusions using laser debulking followed by stent implantation. <i>Acta Cardiologica</i> , 2003, 58, 149-153.	0.3	1
54	The association of neutrophil to lymphocyte ratio and TIMI frame count in primary percutaneous coronary intervention. <i>Minerva Cardioangiologica</i> , 2019, 67, 471-476.	1.2	1

#	ARTICLE	IF	CITATIONS
55	OP-090 THE EFFECT OF ELECTROCARDIOGRAPHIC ISCHEMIA GRADE ON REPERFUSION IN ST-ELEVATION MYOCARDIAL INFARCTION. International Journal of Cardiology, 2010, 140, S26.	0.8	0
56	OP-109 P WAVE DISPERSION IN PATIENTS WITH STABLE CORONARY ARTERY DISEASE AND TO DETERMINE ITS RELATIONSHIP WITH THE SEVERITY OF THE DISEASE. International Journal of Cardiology, 2010, 140, S31.	0.8	0
57	PCI vs Optimal Medical Therapy - The Other Side of the Coin: Medication Adherence. Journal of the American College of Cardiology, 2013, 62, C22.	1.2	0
58	Cardiac Tamponade due to Left Ventricular Pseudoaneurysm After Aortic Valve Replacement. Heart Surgery Forum, 2013, 16, 49.	0.2	0
59	Does Tight Glucose Control During the First 24 hours of Hospitalization Reduce Scintigraphic Infarct Size in STEMI Patients?. International Journal of Cardiovascular Sciences, 2020, , .	0.0	0
60	Author`s Reply. Anatolian Journal of Cardiology, 2018, 19, 155-156.	0.5	0