

Murat Kazim Ersanli

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/8065628/murat-kazim-ersanli-publications-by-year.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

55
papers

3,969
citations

23
h-index

63
g-index

63
ext. papers

5,072
ext. citations

5.8
avg, IF

4.6
L-index

#	Paper	IF	Citations
55	A young patient with acute myocardial infarction due to bonsai treated with glycoprotein IIb/IIIa inhibitor. <i>Anatolian Journal of Cardiology</i> , 2021 , 25, 352-354	0.8	1
54	Middle East Treatment Strategies and Clinical Outcomes in Patients with Atrial Fibrillation: One-Year Follow-up Data from Garfield-AF Study. <i>Advances in Therapy</i> , 2021 , 38, 2391-2405	4.1	1
53	Effects of alirocumab on types of myocardial infarction: insights from the ODYSSEY OUTCOMES trial. <i>European Heart Journal</i> , 2019 , 40, 2801-2809	9.5	27
52	Effect of Alirocumab on Mortality After Acute Coronary Syndromes. <i>Circulation</i> , 2019 , 140, 103-112	16.7	72
51	Analysis of Outcomes in Ischemic vs Nonischemic Cardiomyopathy in Patients With Atrial Fibrillation: A Report From the GARFIELD-AF Registry. <i>JAMA Cardiology</i> , 2019 , 4, 526-548	16.2	13
50	Predictors of NOAC versus VKA use for stroke prevention in patients with newly diagnosed atrial fibrillation: Results from GARFIELD-AF. <i>American Heart Journal</i> , 2019 , 213, 35-46	4.9	28
49	Management and 1-Year Outcomes of Patients With Newly Diagnosed Atrial Fibrillation and Chronic Kidney Disease: Results From the Prospective GARFIELD - AF Registry. <i>Journal of the American Heart Association</i> , 2019 , 8, e010510	6	24
48	Alirocumab in Patients With Polyvascular Disease and Recent Acute Coronary Syndrome: ODYSSEY OUTCOMES Trial. <i>Journal of the American College of Cardiology</i> , 2019 , 74, 1167-1176	15.1	87
47	Effects of alirocumab on cardiovascular and metabolic outcomes after acute coronary syndrome in patients with or without diabetes: a prespecified analysis of the ODYSSEY OUTCOMES randomised controlled trial. <i>Lancet Diabetes and Endocrinology</i> , 2019 , 7, 618-628	18.1	120
46	The impact of the new World Symposium on Pulmonary Hypertension definition of pulmonary hypertension on the prevalence of pre-capillary pulmonary hypertension. <i>Turk Kardiyoloji Dernegi Arsivi</i> , 2019 , 47, 594-598	0.3	2
45	Antithrombotic treatment patterns and stroke prevention in patients with atrial fibrillation in TURKEY: inferences from GARFIELD-AF registry. <i>Anatolian Journal of Cardiology</i> , 2019 , 21, 272-280	0.8	5
44	The association of neutrophil to lymphocyte ratio and TIMI frame count in primary percutaneous coronary intervention. <i>Minerva Cardioangiologica</i> , 2019 , 67, 471-476	1.1	
43	Treatment patterns in anticoagulant therapy in patients with newly diagnosed atrial fibrillation in Belgium: results from the GARFIELD-AF registry. <i>Acta Cardiologica</i> , 2019 , 74, 309-318	0.9	11
42	Alirocumab Reduces Total Nonfatal Cardiovascular and Fatal Events: The ODYSSEY OUTCOMES Trial. <i>Journal of the American College of Cardiology</i> , 2019 , 73, 387-396	15.1	96
41	Early Risks of Death, Stroke/Systemic Embolism, and Major Bleeding in Patients With Newly Diagnosed Atrial Fibrillation. <i>Circulation</i> , 2019 , 139, 787-798	16.7	39
40	Characteristics of patients with atrial fibrillation prescribed antiplatelet monotherapy compared with those on anticoagulants: insights from the GARFIELD-AF registry. <i>European Heart Journal</i> , 2018 , 39, 464-473	9.5	25
39	Risk factors for death, stroke, and bleeding in 28,628 patients from the GARFIELD-AF registry: Rationale for comprehensive management of atrial fibrillation. <i>PLoS ONE</i> , 2018 , 13, e0191592	3.7	53

38	Author's Reply. <i>Anatolian Journal of Cardiology</i> , 2018 , 19, 155-156	0.8	
37	Alirocumab and Cardiovascular Outcomes after Acute Coronary Syndrome. <i>New England Journal of Medicine</i> , 2018 , 379, 2097-2107	59.2	1277
36	Risk Profile and 1-Year Outcome of Newly Diagnosed Atrial Fibrillation in Japan - Insights From GARFIELD-AF. <i>Circulation Journal</i> , 2018 , 83, 67-74	2.9	9
35	Risk profiles and one-year outcomes of patients with newly diagnosed atrial fibrillation in India: Insights from the GARFIELD-AF Registry. <i>Indian Heart Journal</i> , 2018 , 70, 828-835	1.6	10
34	Why are outcomes different for registry patients enrolled prospectively and retrospectively? Insights from the global anticoagulant registry in the FIELD-Atrial Fibrillation (GARFIELD-AF). <i>European Heart Journal Quality of Care & Clinical Outcomes</i> , 2018 , 4, 27-35	4.6	8
33	Evolving antithrombotic treatment patterns for patients with newly diagnosed atrial fibrillation. <i>Heart</i> , 2017 , 103, 307-314	5.1	163
32	Impact of gender on event rates at 1 year in patients with newly diagnosed non-valvular atrial fibrillation: contemporary perspective from the GARFIELD-AF registry. <i>BMJ Open</i> , 2017 , 7, e014579	3	22
31	Improved risk stratification of patients with atrial fibrillation: an integrated GARFIELD-AF tool for the prediction of mortality, stroke and bleed in patients with and without anticoagulation. <i>BMJ Open</i> , 2017 , 7, e017157	3	58
30	Impact of continuation of metformin prior to elective coronary angiography on acute contrast nephropathy in patients with normal or mildly impaired renal functions. <i>Anatolian Journal of Cardiology</i> , 2017 , 18, 334-339	0.8	8
29	Relationship between myocardial performance index and severity of coronary artery disease in patients with non-ST-segment elevation acute coronary syndrome. <i>Cardiovascular Journal of Africa</i> , 2017 , 28, 4-7	0.7	
28	Evolving quality standards for large-scale registries: the GARFIELD-AF experience. <i>European Heart Journal Quality of Care & Clinical Outcomes</i> , 2017 , 3, 114-122	4.6	23
27	Vitamin K antagonist control in patients with atrial fibrillation in Asia compared with other regions of the world: Real-world data from the GARFIELD-AF registry. <i>International Journal of Cardiology</i> , 2016 , 223, 543-547	3.2	62
26	Comparison of international normalized ratio audit parameters in patients enrolled in GARFIELD-AF and treated with vitamin K antagonists. <i>British Journal of Haematology</i> , 2016 , 174, 610-23	4.5	8
25	Comparison of Long-Term Outcomes in Real-World Patients Between Resolute Zotarilumus-Eluting and Paclitaxel-Eluting Stents in Small Vessel. <i>Angiology</i> , 2016 , 67, 490-5	2.1	1
24	Impact of statin non-adherence on in-stent restenosis following bare-metal stent implantation. <i>International Journal of Cardiology</i> , 2016 , 203, 529-31	3.2	6
23	Quality of Vitamin K Antagonist Control and 1-Year Outcomes in Patients with Atrial Fibrillation: A Global Perspective from the GARFIELD-AF Registry. <i>PLoS ONE</i> , 2016 , 11, e0164076	3.7	90
22	Two-year outcomes of patients with newly diagnosed atrial fibrillation: results from GARFIELD-AF. <i>European Heart Journal</i> , 2016 , 37, 2882-2889	9.5	167
21	Contrast-induced acute kidney injury in patients with non-ST-segment elevation myocardial infarction undergoing early versus delayed invasive strategy. <i>International Journal of Cardiology</i> , 2016 , 203, 638-9	3.2	1

20	Does sex affect anticoagulant use for stroke prevention in nonvalvular atrial fibrillation? The prospective global anticoagulant registry in the FIELD-Atrial Fibrillation. <i>Circulation: Cardiovascular Quality and Outcomes</i> , 2015 , 8, S12-20	5.8	63
19	Platelet-to-Lymphocyte Ratio Predicts Contrast-Induced Nephropathy in Patients With Non-ST-Segment Elevation Acute Coronary Syndrome. <i>Angiology</i> , 2015 , 66, 964-8	2.1	30
18	Long-term use of ticagrelor in patients with prior myocardial infarction. <i>New England Journal of Medicine</i> , 2015 , 372, 1791-800	59.2	1193
17	Relationship between serum endothelin-1 level and spontaneous reperfusion in patients with acute myocardial infarction. <i>Coronary Artery Disease</i> , 2015 , 26, 37-41	1.4	7
16	The role of media on statin adherence. <i>International Journal of Cardiology</i> , 2015 , 201, 139	3.2	7
15	Long-Term Follow-Up of Patients at High Risk for Nephropathy After Contrast Exposure. <i>Angiology</i> , 2015 , 66, 514-8	2.1	31
14	Admission hyperglycemia is associated with failed reperfusion following fibrinolytic therapy in patients with STEMI: results of a retrospective study. <i>American Journal of Cardiovascular Drugs</i> , 2015 , 15, 35-42	4	4
13	P-wave dispersion and its relationship with the severity of the disease in patients with stable coronary artery disease. <i>İstanbul Kuzey Klinikleri</i> , 2014 , 1, 65-70	0.8	2
12	Pentraxin-3 a novel biomarker for predicting coronary artery disease. <i>European Heart Journal</i> , 2013 , 34, P3108-P3108	9.5	1
11	Percutaneous coronary intervention vs. optimal medical therapy--the other side of the coin: medication adherence. <i>Journal of Clinical Pharmacy and Therapeutics</i> , 2013 , 38, 476-9	2.2	9
10	A case of renal artery embolism treated by selective intra-arterial infusion of tissue plasminogen activator. <i>Türk Kardiyoloji Dernegi Arsivi</i> , 2013 , 41, 534-6		1
9	Cardiac tamponade due to left ventricular pseudoaneurysm after aortic valve replacement. <i>Heart Surgery Forum</i> , 2013 , 16, E49-51	0.7	
8	Admission hyperglycemia and TIMI frame count in primary percutaneous coronary intervention. <i>Angiology</i> , 2012 , 63, 325-9	2.1	6
7	The relationship between chronic kidney disease and SYNTAX score. <i>Angiology</i> , 2011 , 62, 504-8	2.1	31
6	Chronic kidney disease as a predictor of coronary lesion morphology. <i>Angiology</i> , 2010 , 61, 344-9	2.1	13
5	N-acetylcysteine versus N-acetylcysteine + theophylline for the prevention of contrast nephropathy. <i>European Journal of Clinical Investigation</i> , 2009 , 39, 793-9	4.6	25
4	A patient with bicuspid aorta and intercoronary continuity: a rare and variant of coronary circulation. <i>International Heart Journal</i> , 2004 , 45, 153-5		6
3	Increased secretion of insulin during oral glucose tolerance test can be a predictor of stent restenosis in nondiabetic patients. <i>Catheterization and Cardiovascular Interventions</i> , 2003 , 58, 306-12	2.7	4

- | | | | |
|---|--|-----|----|
| 2 | The effect of exercise to P wave dispersion and its evaluation as a predictor of atrial fibrillation. <i>Annals of Noninvasive Electrocardiology</i> , 2003 , 8, 308-12 | 1.5 | 17 |
| 1 | Revascularization of chronic coronary artery occlusions using laser debulking followed by stent implantation. <i>Acta Cardiologica</i> , 2003 , 58, 149-53 | 0.9 | 1 |