Olaf Heilmayer

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8066508/publications.pdf

Version: 2024-02-01

331259 414034 1,089 33 21 32 citations h-index g-index papers 33 33 33 1404 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	Energetic changes throughout early ontogeny of the brooding Antarctic sea star Rhopiella hirsuta (Koehler, 1920). Polar Biology, 2018, 41, 1297-1306.	0.5	3
2	Testing stress responses of the bivalveProtothaca thacato El Niño–La Niña thermal conditions. Marine Biology Research, 2012, 8, 654-661.	0.3	14
3	Physiological capacity of Cancer setosus larvae — Adaptation to El Niño Southern Oscillation conditions. Journal of Experimental Marine Biology and Ecology, 2012, 413, 100-105.	0.7	10
4	Environmental stress and parasitism as drivers of population dynamics of Mesodesma donacium at its northern biogeographic range. ICES Journal of Marine Science, 2011, 68, 823-833.	1.2	23
5	Biodiversity change after climate-induced ice-shelf collapse in the Antarctic. Deep-Sea Research Part II: Topical Studies in Oceanography, 2011, 58, 74-83.	0.6	142
6	Metabolic rate and growth in the temperate bivalve Mercenaria mercenaria at a biogeographical limit, from the English Channelâ€"ERRATUM. Journal of the Marine Biological Association of the United Kingdom, 2011, 91, 1719-1719.	0.4	0
7	Succession and seasonal onset of colonization in subtidal hardâ€bottom communities off northern Chile. Marine Ecology, 2011, 32, 75-87.	0.4	26
8	Functional diversity of marine macrobenthic communities from sublittoral soft-sediment habitats off northern Chile. Helgoland Marine Research, 2011, 65, 413-424.	1.3	75
9	Metabolic rate and growth in the temperate bivalve <i>Mercenaria mercenaria </i> at a biogeographical limit, from the English Channel. Journal of the Marine Biological Association of the United Kingdom, 2010, 90, 1019-1023.	0.4	5
10	Growth and Energy Budget Models of the Bivalve <i>Arctica islandica</i> at Six Different Sites in the Northeast Atlantic Realm. Journal of Shellfish Research, 2010, 29, 107-115.	0.3	39
11	Temperature effects on zoeal morphometric traits and intraspecific variability in the hairy crab Cancer setosus across latitude. Helgoland Marine Research, 2010, 64, 125-133.	1.3	21
12	Biogeochemistry of a low-activity cold seep in the Larsen B area, western Weddell Sea, Antarctica. Biogeosciences, 2009, 6, 2383-2395.	1.3	58
13	Influence of temperature on the larval development of the edible crab, <i>Cancer pagurus</i> . Journal of the Marine Biological Association of the United Kingdom, 2009, 89, 753-759.	0.4	21
14	Influence of temperature on the zoeal development and elemental composition of the cancrid crab, Cancer setosus Molina, 1782 from Pacific South America. Journal of Experimental Marine Biology and Ecology, 2009, 376, 48-54.	0.7	28
15	Growth and reproduction in the Antarctic brooding bivalve Adacnarca nitens (Philobryidae) from the Ross Sea. Marine Biology, 2009, 156, 1073-1081.	0.7	20
16	A Metabolic Model for the Ocean Quahog <i>Arctica islandica</i> â€"Effects of Animal Mass and Age, Temperature, Salinity, and Geography on Respiration Rate. Journal of Shellfish Research, 2009, 28, 533-539.	0.3	42
17	Long-term parasitic association between the boring polychaete Polydora bioccipitalis and Mesodesma donacium. Diseases of Aquatic Organisms, 2009, 85, 209-215.	0.5	8
18	Thriving and declining: climate variability shaping life-history and population persistence of Mesodesma donacium in the Humboldt Upwelling System. Marine Ecology - Progress Series, 2009, 385, 151-163.	0.9	47

#	Article	IF	CITATIONS
19	Changes in biomass and elemental composition during early ontogeny of the Antarctic isopod crustacean Ceratoserolis trilobitoides. Polar Biology, 2008, 31, 1325-1331.	0.5	10
20	Population dynamics of the tropical bivalve Cardita affinis from Málaga Bay, Colombian Pacific related to La Niña 1999–2000. Helgoland Marine Research, 2008, 62, 63-71.	1.3	15
21	Climate variability and El Niñ0 Southern Oscillation: implications for natural coastal resources and management. Helgoland Marine Research, 2008, 62, 5-14.	1.3	30
22	Stress tolerance of a subtropical Crassostrea virginica population to the combined effects of temperature and salinity. Estuarine, Coastal and Shelf Science, 2008, 79, 179-185.	0.9	48
23	Infestation of the surf clam Mesodesma donacium by the spionid polychaete Polydora bioccipitalis. Journal of Sea Research, 2008, 59, 217-227.	0.6	35
24	SUITABILITY OF THREE STAINS TO MARK SHELLS OF CONCHOLEPAS CONCHOLEPAS (GASTROPODA) AND MESODESMA DONACIUM (BIVALVIA). Journal of Shellfish Research, 2007, 26, 43-49.	0.3	47
25	Understanding El Niño — The importance of Grey Literature in Coastal Ecosystem Research and Management. Marine Policy, 2007, 31, 85-93.	1.5	9
26	Distribution and composition of macrozoobenthic communities along a Victoria-Land Transect (Ross) Tj ETQq0	0 OzgBT /(Overlock 10 Tr
27	Physiological ageing in a temperate and a polar swimming scallop. Marine Ecology - Progress Series, 2006, 307, 187-198.	0.9	36
28	Temperature effects on summer growth rates in the Antarctic scallop, Adamussium colbecki. Polar Biology, 2005, 28, 523-527.	0.5	42
29	Constraints and trade-offs in climate-dependent adaptation: energy budgets and growth in a latitudinal cline. Scientia Marina, 2005, 69, 271-285.	0.3	80
30	Population dynamics and metabolism of Aequipecten opercularis (L.) from the western English Channel (Roscoff, France). Journal of Sea Research, 2004, 52, 33-44.	0.6	22
31	Antarctic scallop (Adamussium colbecki) annual growth rate at Terra Nova Bay. Polar Biology, 2003, 26, 416-419.	0.5	22
32	In vitro protein synthesis capacities in a cold stenothermal and a temperate eurythermal pectinid. Journal of Comparative Physiology B: Biochemical, Systemic, and Environmental Physiology, 2003, 173, 611-620.	0.7	25
33	Age and productivity of the Antarctic scallop, Adamussium colbecki, in Terra Nova Bay (Ross Sea,) Tj ETQq1 1 0.	.784314 rg	gBT /Overlock