

Sam Riahi

List of Publications by Citations

Source: <https://exaly.com/author-pdf/8066879/sam-riahi-publications-by-citations.pdf>

Version: 2024-04-29

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

106
papers

1,964
citations

24
h-index

41
g-index

135
ext. papers

2,596
ext. citations

4.1
avg, IF

4.42
L-index

#	Paper	IF	Citations
106	2019 ESC Guidelines for the management of patients with supraventricular tachycardiaThe Task Force for the management of patients with supraventricular tachycardia of the European Society of Cardiology (ESC). <i>European Heart Journal</i> , 2020 , 41, 655-720	9.5	267
105	Validity of the diagnoses atrial fibrillation and atrial flutter in a Danish patient registry. <i>Scandinavian Cardiovascular Journal</i> , 2012 , 46, 149-53	2	144
104	The atrial fibrillation ablation pilot study: a European Survey on Methodology and results of catheter ablation for atrial fibrillation conducted by the European Heart Rhythm Association. <i>European Heart Journal</i> , 2014 , 35, 1466-78	9.5	141
103	Cardiac Resynchronization Therapy With Wireless Left Ventricular Endocardial Pacing: TheSELECT-LV Study. <i>Journal of the American College of Cardiology</i> , 2017 , 69, 2119-2129	15.1	122
102	ESC-EURObservational Research Programme: the Atrial Fibrillation Ablation Pilot Study, conducted by the European Heart Rhythm Association. <i>Europace</i> , 2012 , 14, 1094-103	3.9	97
101	Risk of device malfunction in cancer patients with implantable cardiac device undergoing radiotherapy: a population-based cohort study. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2015 , 38, 343-56	1.6	60
100	Radiotherapy in patients with pacemakers and implantable cardioverter defibrillators: a literature review. <i>Europace</i> , 2016 , 18, 479-91	3.9	49
99	Mortality and appropriate and inappropriate therapy in patients with ischaemic heart disease and implanted cardioverter-defibrillators for primary prevention: data from the Danish ICD Register. <i>Europace</i> , 2013 , 15, 1150-7	3.9	47
98	Atrial fibrillation in patients with sick sinus syndrome: the association with PQ-interval and percentage of ventricular pacing. <i>Europace</i> , 2012 , 14, 682-9	3.9	45
97	Atrial flutter and thromboembolic risk: a systematic review. <i>Heart</i> , 2015 , 101, 1446-55	5.1	41
96	Initial clinical experience with a remote magnetic catheter navigation system for ablation of cavotricuspid isthmus-dependent right atrial flutter. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2008 , 31, 597-603	1.6	40
95	The effect of radiotherapy beam energy on modern cardiac devices: an in vitro study. <i>Europace</i> , 2014 , 16, 612-6	3.9	38
94	Heart failure in patients with sick sinus syndrome treated with single lead atrial or dual-chamber pacing: no association with pacing mode or right ventricular pacing site. <i>Europace</i> , 2012 , 14, 1475-82	3.9	38
93	n-3 Fatty acids and ventricular arrhythmias in patients with ischaemic heart disease and implantable cardioverter defibrillators. <i>Europace</i> , 2005 , 7, 338-44	3.9	34
92	Impact of body mass index on the outcome of catheter ablation of atrial fibrillation. <i>Heart</i> , 2019 , 105, 244-250	5.1	34
91	Steerable sheath catheter navigation for ablation of atrial fibrillation: a case-control study. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2008 , 31, 863-73	1.6	33
90	A U-shaped association between consumption of marine n-3 fatty acids and development of atrial fibrillation/atrial flutter-a Danish cohort study. <i>Europace</i> , 2014 , 16, 1554-61	3.9	31

89	The impact of co-morbidity burden on appropriate implantable cardioverter defibrillator therapy and all-cause mortality: insight from Danish nationwide clinical registers. <i>European Journal of Heart Failure</i> , 2017 , 19, 377-386	12.3	30
88	Computed tomography model-based treatment of atrial fibrillation and atrial macro-re-entrant tachycardia. <i>Europace</i> , 2008 , 10, 939-48	3.9	29
87	Marine n-3 fatty acids: basic features and background. <i>Lipids</i> , 2001 , 36 Suppl, S65-8	1.6	29
86	Association between antithrombotic treatment and outcomes at 1-year follow-up in patients with atrial fibrillation: the EORP-AF General Long-Term Registry. <i>Europace</i> , 2019 , 21, 1013-1022	3.9	28
85	Liraglutide treatment reduced interleukin-6 in adults with type 1 diabetes but did not improve established autonomic or polyneuropathy. <i>British Journal of Clinical Pharmacology</i> , 2019 , 85, 2512-2523	3.8	28
84	Real-world experience of leadless left ventricular endocardial cardiac resynchronization therapy: A multicenter international registry of the WiSE-CRT pacing system. <i>Heart Rhythm</i> , 2020 , 17, 1291-1297	6.7	25
83	Use of lipid-lowering drugs during 1991-98 in Northern Jutland, Denmark. <i>British Journal of Clinical Pharmacology</i> , 2001 , 52, 307-11	3.8	25
82	Changes to oral anticoagulant therapy and risk of death over a 3-year follow-up of a contemporary cohort of European patients with atrial fibrillation final report of the EURObservational Research Programme on Atrial Fibrillation (EORP-AF) pilot general registry. <i>International Journal of Cardiology</i> , 2018 , 271, 68-74	3.2	23
81	HMG-CoA reductase inhibitors improve heart rate variability in patients with a previous myocardial infarction. <i>Pharmacological Research</i> , 2002 , 45, 479-83	10.2	21
80	Cardiac vagal tone, a non-invasive measure of parasympathetic tone, is a clinically relevant tool in Type 1 diabetes mellitus. <i>Diabetic Medicine</i> , 2017 , 34, 1428-1434	3.5	20
79	The impact of drug discontinuation in patients treated with temporary pacemaker due to atrioventricular block. <i>Journal of Cardiovascular Electrophysiology</i> , 2013 , 24, 1255-8	2.7	18
78	Incidence of heart failure after pacemaker implantation: a nationwide Danish Registry-based follow-up study. <i>European Heart Journal</i> , 2019 , 40, 3641-3648	9.5	17
77	Nationwide fluoroscopic screening of recalled Riata defibrillator leads in Denmark. <i>Heart Rhythm</i> , 2013 , 10, 821-7	6.7	17
76	Marine n-3 fatty acids in adipose tissue and development of atrial fibrillation: a Danish cohort study. <i>Heart</i> , 2013 , 99, 1519-24	5.1	17
75	Importance of beta-blocker dose in prevention of ventricular tachyarrhythmias, heart failure hospitalizations, and death in primary prevention implantable cardioverter-defibrillator recipients: a Danish nationwide cohort study. <i>Europace</i> , 2018 , 20, f217-f224	3.9	13
74	Atrial fibrillation in patients with severe mental disorders and the risk of stroke, fatal thromboembolic events and bleeding: a nationwide cohort study. <i>BMJ Open</i> , 2017 , 7, e018209	3	13
73	Attitudes towards implantable cardioverter-defibrillator therapy: a national survey in Danish health-care professionals. <i>Europace</i> , 2011 , 13, 663-7	3.9	13
72	The effect of atorvastatin on heart rate variability and lipoproteins in patients treated with coronary bypass surgery. <i>International Journal of Cardiology</i> , 2006 , 111, 436-41	3.2	12

71	Mortality and risk of cardiac complications among immediate survivors of accidental electric shock: a Danish nationwide cohort study. <i>BMJ Open</i> , 2017 , 7, e015967	3	12
70	Associations between socioeconomic status, atrial fibrillation, and outcomes: a systematic review. <i>Expert Review of Cardiovascular Therapy</i> , 2018 , 16, 857-873	2.5	12
69	Regional differences in referral, procedures, and outcome after ablation for atrial fibrillation in Europe: a report from the Atrial Fibrillation Ablation Pilot Registry of the European Society of Cardiology. <i>Europace</i> , 2016 , 18, 191-200	3.9	11
68	Does atrial pacing lead to atrial fibrillation in patients with sick sinus syndrome? Insights from the DANPACE trial. <i>Europace</i> , 2014 , 16, 241-5	3.9	11
67	Effects of high-dose radiotherapy on implantable cardioverter defibrillators: an in vivo porcine study. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2013 , 36, 1558-63	1.6	11
66	Statins, ventricular arrhythmias and heart rate variability in patients with implantable cardioverter defibrillators and coronary heart disease. <i>Cardiology</i> , 2005 , 104, 210-4	1.6	11
65	Effects of Marine -3 Polyunsaturated Fatty Acids on Heart Rate Variability and Heart Rate in Patients on Chronic Dialysis: A Randomized Controlled Trial. <i>Nutrients</i> , 2018 , 10,	6.7	10
64	Risk factors of cardiac device infection: Glove contamination during device procedures. <i>American Journal of Infection Control</i> , 2017 , 45, 866-871	3.8	9
63	Socioeconomic differences in outcomes after hospital admission for atrial fibrillation or flutter. <i>European Heart Journal Quality of Care & Clinical Outcomes</i> , 2021 , 7, 295-303	4.6	9
62	Incidence of appropriate implantable cardioverter-defibrillator therapy and mortality after implantable cardioverter-defibrillator generator replacement: results from a real-world nationwide cohort. <i>Europace</i> , 2019 , 21, 1211-1219	3.9	8
61	Incidence of Stroke After Pneumonectomy and Lobectomy. <i>Stroke</i> , 2019 , 50, 1052-1059	6.7	8
60	Long pacing pulses reduce phrenic nerve stimulation in left ventricular pacing. <i>Journal of Cardiovascular Electrophysiology</i> , 2014 , 25, 485-490	2.7	8
59	Socioeconomic position and risk of atrial fibrillation: a nationwide Danish cohort study. <i>Journal of Epidemiology and Community Health</i> , 2020 , 74, 7-13	5.1	8
58	Leadless left ventricular endocardial pacing in nonresponders to conventional cardiac resynchronization therapy. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2020 , 43, 966-973	1.6	7
57	An anterior left ventricular lead position is associated with increased mortality and non-response in cardiac resynchronization therapy. <i>International Journal of Cardiology</i> , 2016 , 222, 157-162	3.2	7
56	Study Design and Cohort Description of DEFIB-WOMEN: A National Danish Study in Patients with an ICD. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2016 , 39, 1261-1268	1.6	7
55	Death and thrombo-embolic risk after ablation of atrial flutter compared with atrial fibrillation: a nationwide cohort study. <i>Europace</i> , 2017 , 19, 838-842	3.9	7
54	Rare cause of ventricular tachycardia: Pheochromocytoma. <i>Journal of Cardiology Cases</i> , 2015 , 11, 62-65	0.6	7

53	No effect of high-dose atorvastatin on leukotriene B ₂ formation from neutrophils in patients treated with coronary bypass surgery: a randomized placebo-controlled double-blinded trial with a crossover design. <i>Prostaglandins Leukotrienes and Essential Fatty Acids</i> , 2012 , 87, 185-8	2.8	7
52	ERCP complicated by a retroperitoneal abscess caused by <i>Haemophilus influenzae</i> and <i>Haemophilus parainfluenzae</i> . <i>Gastrointestinal Endoscopy</i> , 1998 , 47, 417-8	5.2	7
51	Short and long-term outcome in diabetic patients with acute myocardial infarction in the invasive era. <i>Scandinavian Cardiovascular Journal</i> , 2007 , 41, 19-24	2	7
50	Disease progression after ablation for atrial flutter compared with atrial fibrillation: A nationwide cohort study. <i>International Journal of Clinical Practice</i> , 2018 , 72, e13258	2.9	7
49	Effect of patient education and physical training on quality of life and physical exercise capacity in patients with paroxysmal or persistent atrial fibrillation: A randomized study. <i>Journal of Rehabilitation Medicine</i> , 2019 , 51, 442-450	3.4	6
48	Health economic evaluation of single-lead atrial pacing vs. dual-chamber pacing in sick sinus syndrome. <i>Europace</i> , 2014 , 16, 866-72	3.9	6
47	High-dose radiotherapy exposure to cardiac pacemakers may be safe in selected patients. <i>Radiotherapy and Oncology</i> , 2010 , 95, 133-4	5.3	6
46	Arrhythmias in Patients on Maintenance Dialysis: A Cross-sectional Study. <i>American Journal of Kidney Diseases</i> , 2020 , 75, 214-224	7.4	6
45	Circulating Inflammatory Markers Are Inversely Associated with Heart Rate Variability Measures in Type 1 Diabetes. <i>Mediators of Inflammation</i> , 2020 , 2020, 3590389	4.3	6
44	The use of a portable three-lead ECG monitor to detect atrial fibrillation in general practice. <i>Scandinavian Journal of Primary Health Care</i> , 2016 , 34, 304-308	2.7	6
43	Recurrent atrial flutter ablation and incidence of atrial fibrillation ablation after first-time ablation for typical atrial flutter: A nation-wide Danish cohort study. <i>International Journal of Cardiology</i> , 2020 , 298, 44-51	3.2	6
42	Percutaneous versus thoracoscopic ablation of symptomatic paroxysmal atrial fibrillation: a randomised controlled trial - the FAST II study. <i>Journal of Cardiothoracic Surgery</i> , 2018 , 13, 101	1.6	6
41	New strict left bundle branch block criteria reflect left ventricular activation differences. <i>Journal of Electrocardiology</i> , 2015 , 48, 758-62	1.4	5
40	The patient perspective on the Riata defibrillator lead advisory: a Danish nationwide study. <i>Heart Rhythm</i> , 2014 , 11, 2148-55	6.7	5
39	Clinical outcome in patients with implantable cardioverter-defibrillator and cancer: a nationwide study. <i>Europace</i> , 2019 , 21, 465-474	3.9	4
38	Association between right ventricular lead position and clinical outcomes in patients with cardiac resynchronization therapy. <i>Europace</i> , 2018 , 20, 629-635	3.9	4
37	The use of guideline recommended beta-blocker therapy in primary prevention implantable cardioverter defibrillator patients: insight from Danish nationwide registers. <i>Europace</i> , 2018 , 20, 301-307	3.9	4
36	Socioeconomic inequality in oral anticoagulation therapy initiation in patients with atrial fibrillation with high risk of stroke: a register-based observational study. <i>BMJ Open</i> , 2021 , 11, e048839	3	4

35	New onset anxiety and depression in patients with an implantable cardioverter defibrillator during 24 months of follow-up (data from the national DEFIB-WOMEN study). <i>General Hospital Psychiatry</i> , 2021 , 72, 59-65	5.6	4
34	Premature atrial complexes in an ischemic stroke population and risk of recurrent stroke: a systematic review. <i>Expert Review of Cardiovascular Therapy</i> , 2017 , 15, 447-455	2.5	3
33	Influence of socioeconomic status on the referral process to cardiac rehabilitation following acute coronary syndrome: a cross-sectional study. <i>BMJ Open</i> , 2020 , 10, e036088	3	3
32	Association between implantable cardioverter-defibrillator therapy and different lead positions in patients with cardiac resynchronization therapy. <i>Europace</i> , 2018 , 20, e133-e139	3.9	3
31	Effectiveness of a comprehensive interactive eHealth intervention on patient-reported and clinical outcomes in patients with an implantable cardioverter defibrillator [ACQUIRE-ICD trial]: study protocol of a national Danish randomised controlled trial. <i>BMC Cardiovascular Disorders</i> , 2018 , 18, 136	2.3	3
30	Adenosine sensitivity of retrograde fast pathway conduction in patients with slow-fast atrioventricular nodal reentrant tachycardia: a prospective study. <i>Heart Rhythm</i> , 2014 , 11, 871-6	6.7	3
29	Implanted cardiac devices are reliably detected by commercially available metal detectors. <i>Scandinavian Cardiovascular Journal</i> , 2013 , 47, 271-4	2	3
28	Cardiac vagal tone as a novel screening tool to recognize asymptomatic cardiovascular autonomic neuropathy: Aspects of utility in type 1 diabetes. <i>Diabetes Research and Clinical Practice</i> , 2020 , 170, 108517	7.4	3
27	Association between the diagnosis of atrial fibrillation and aspects of health status: a Danish cross-sectional study. <i>Scandinavian Journal of Caring Sciences</i> , 2016 , 30, 507-17	2.3	3
26	Leadless left ventricular endocardial pacing for CRT upgrades in previously failed and high-risk patients in comparison with coronary sinus CRT upgrades. <i>Europace</i> , 2021 , 23, 1577-1585	3.9	3
25	Marine n-3 PUFA, heart rate variability and ventricular arrhythmias in patients on chronic dialysis: a cross-sectional study. <i>British Journal of Nutrition</i> , 2018 , 120, 317-325	3.6	3
24	Groin hematoma after electrophysiological procedures-incidence and predisposing factors. <i>Scandinavian Cardiovascular Journal</i> , 2014 , 48, 311-6	2	2
23	Heart rate variability is associated with haptoglobin phenotype in patients with coronary artery disease. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2005 , 12, 221-5		2
22	The prevalence of atrial fibrillation in Greenland: a register-based cross-sectional study based on disease classifications and prescriptions of oral anticoagulants.. <i>International Journal of Circumpolar Health</i> , 2022 , 81, 2030522	1.7	2
21	A Year in the Life of a Person Recently Diagnosed with Atrial Fibrillation: a Danish Single-Case Study.. <i>International Journal of Person Centered Medicine</i> , 2015 , 5, 166-181		2
20	Risk of atrial fibrillation after pacemaker implantation: A nationwide Danish registry-based follow-up study. <i>Journal of Electrocardiology</i> , 2020 , 63, 153-158	1.4	2
19	Anxiety and depression symptoms in Danish patients with an implantable cardioverter-defibrillator: prevalence and association with indication and sex up to 2 years of follow-up (data from the national DEFIB-WOMEN study). <i>Europace</i> , 2020 , 22, 1830-1840	3.9	2
18	Discontinuation of oral anticoagulation and risk of stroke and death after ablation for typical atrial flutter: A nation-wide Danish cohort study. <i>International Journal of Cardiology</i> , 2021 , 333, 110-116	3.2	2

17	Long-term follow-up of abandoned transvenous defibrillator leads: a nationwide cohort study. <i>Europace</i> , 2020 , 22, 1097-1102	3.9	1
16	Validation of defibrillator lead performance registry data: insight from the Danish Pacemaker and ICD Register. <i>Europace</i> , 2017 , 19, 1187-1192	3.9	1
15	Left Ventricular Endocardial Pacing With a Novel Wireless CRT System Pacing Threshold Trend: Medium Term 2-Year Data. <i>JACC: Clinical Electrophysiology</i> , 2019 , 5, 635-636	4.6	1
14	Index of contractile asymmetry improves patient selection for CRT: a proof-of-concept study. <i>Cardiovascular Ultrasound</i> , 2019 , 17, 19	2.4	1
13	High dose atorvastatin therapy and QTc interval in patients treated with coronary bypass surgery. <i>International Journal of Cardiology</i> , 2013 , 168, 1526-8	3.2	1
12	Elevated levels of interleukin-12/23p40 may serve as a potential indicator of dysfunctional heart rate variability in type 2 diabetes.. <i>Cardiovascular Diabetology</i> , 2022 , 21, 5	8.7	1
11	Mortality and ventricular arrhythmia after acute myocarditis: a nationwide registry-based follow-up study. <i>Open Heart</i> , 2021 , 8,	3	1
10	Driving following defibrillator implantation: a nationwide register-linked survey study. <i>European Heart Journal</i> , 2021 , 42, 3529-3537	9.5	1
9	Temporal Incidence of Appropriate and Inappropriate Therapy and Mortality in Secondary Prevention ICD Patients by Cardiac Diagnosis. <i>JACC: Clinical Electrophysiology</i> , 2021 , 7, 781-792	4.6	1
8	Omega-3 fatty acids in adipose tissue and risk of atrial fibrillation. <i>European Journal of Clinical Investigation</i> , 2021 , e13649	4.6	1
7	Single and dual coil shock efficacy and predictors of shock failure in patients with modern implantable cardioverter defibrillators-a single-center paired randomized study. <i>Journal of Interventional Cardiac Electrophysiology</i> , 2019 , 54, 65-72	2.4	1
6	Safety and efficacy of direct oral anticoagulants (DOAC) in patients with anaemia and atrial fibrillation: an observationalnation-wide Danish cohort study.. <i>European Heart Journal Quality of Care & Clinical Outcomes</i> , 2021 ,	4.6	1
5	Attitudes toward Catheter Ablation for Atrial Fibrillation: A Nationwide Survey among Danish Cardiologists. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2015 , 38, 1166-72	1.6	
4	Non-Persistence with Medication as a Mediator for the Social Inequality in Risk of Major Adverse Cardiovascular Events in Patients with Incident Acute Coronary Syndrome: A Nationwide Cohort Study. <i>Clinical Epidemiology</i> , 2021 , 13, 1071-1083	5.9	
3	Perception of pharmacological prevention and subsequent non-adherence to medication in patients with ischaemic heart disease: a population-based cohort study.. <i>BMJ Open</i> , 2022 , 12, e054362	3	
2	1072The destiny of abandoned transvenous ICD leads. <i>Europace</i> , 2018 , 20, i199-i199	3.9	
1	Periprocedural complications and one-year outcomes after catheter ablation for treatment of atrial fibrillation in elderly patients: a nationwide Danish cohort study.. <i>Journal of Geriatric Cardiology</i> , 2021 , 18, 897-907	1.7	