

Ji Woong Choi

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/8067099/ji-woong-choi-publications-by-year.pdf>

Version: 2024-04-24

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

43
papers

2,100
citations

19
h-index

45
g-index

47
ext. papers

2,441
ext. citations

5.9
avg, IF

5.05
L-index

#	Paper	IF	Citations
43	Role of extracellular signal-regulated kinase in rubrofusarin-enhanced cognitive functions and neurite outgrowth.. <i>Biomedicine and Pharmacotherapy</i> , 2022 , 147, 112663	7.5	0
42	Oleanolic Acid Provides Neuroprotection against Ischemic Stroke through the Inhibition of Microglial Activation and NLRP3 Inflammasome Activation. <i>Biomolecules and Therapeutics</i> , 2021 ,	4.2	1
41	Potential Therapeutic Approaches through Modulating the Autophagy Process for Skin Barrier Dysfunction. <i>International Journal of Molecular Sciences</i> , 2021 , 22,	6.3	4
40	Akt and calcium-permeable AMPA receptor are involved in the effect of pinoresinol on amyloid β -induced synaptic plasticity and memory deficits. <i>Biochemical Pharmacology</i> , 2021 , 184, 114366	6	2
39	Sphingosine 1-Phosphate Receptors in Cerebral Ischemia. <i>NeuroMolecular Medicine</i> , 2021 , 23, 211-223	4.6	8
38	Receptor for Advanced Glycation End Products Is Involved in LPA-Mediated Brain Damage after a Transient Ischemic Stroke. <i>Life</i> , 2021 , 11,	3	1
37	Role of Nitric Oxide and Protein S-Nitrosylation in Ischemia-Reperfusion Injury.. <i>Antioxidants</i> , 2021 , 11,	7.1	4
36	BMS-986020, a Specific LPA Antagonist, Provides Neuroprotection against Ischemic Stroke in Mice. <i>Antioxidants</i> , 2020 , 9,	7.1	7
35	Lysophosphatidic Acid Receptor 5 Plays a Pathogenic Role in Brain Damage after Focal Cerebral Ischemia by Modulating Neuroinflammatory Responses. <i>Cells</i> , 2020 , 9,	7.9	13
34	Dracocephalum moldavica attenuates scopolamine-induced cognitive impairment through activation of hippocampal ERK-CREB signaling in mice. <i>Journal of Ethnopharmacology</i> , 2020 , 253, 112651 ⁵	5	5
33	Inhibition of LPA Activity Provides Long-Term Neuroprotection in Mice with Brain Ischemic Stroke. <i>Biomolecules and Therapeutics</i> , 2020 , 28, 512-518	4.2	2
32	Roles of GABA receptor β subunit on locomotion and working memory in transient forebrain ischemia in mice. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2020 , 102, 109962	5.5	2
31	NLRP3 Inflammasome Activation Is Involved in LPA-Mediated Brain Injury after Transient Focal Cerebral Ischemia. <i>International Journal of Molecular Sciences</i> , 2020 , 21,	6.3	5
30	Lysophosphatidic Acid Receptor 5 Contributes to Imiquimod-Induced Psoriasis-Like Lesions through NLRP3 Inflammasome Activation in Macrophages. <i>Cells</i> , 2020 , 9,	7.9	10
29	Brain energy metabolism and multiple sclerosis: progress and prospects. <i>Archives of Pharmacal Research</i> , 2020 , 43, 1017-1030	6.1	4
28	REDD1 Is Involved in Amyloid β -Induced Synaptic Dysfunction and Memory Impairment. <i>International Journal of Molecular Sciences</i> , 2020 , 21,	6.3	1
27	Danshensu attenuates scopolamine and amyloid- β -induced cognitive impairments through the activation of PKA-CREB signaling in mice. <i>Neurochemistry International</i> , 2019 , 131, 104537	4.4	12

26	S1P contributes to microglial activation and M1 polarization following cerebral ischemia through ERK1/2 and JNK. <i>Scientific Reports</i> , 2019 , 9, 12106	4.9	28
25	Lysophosphatidic acid receptor 1 (LPA) plays critical roles in microglial activation and brain damage after transient focal cerebral ischemia. <i>Journal of Neuroinflammation</i> , 2019 , 16, 170	10.1	25
24	Neuroprotective Effects of 6-Shogaol and Its Metabolite, 6-Paradol, in a Mouse Model of Multiple Sclerosis. <i>Biomolecules and Therapeutics</i> , 2019 , 27, 152-159	4.2	13
23	S1P Regulates M1/M2 Polarization toward Brain Injury after Transient Focal Cerebral Ischemia. <i>Biomolecules and Therapeutics</i> , 2019 , 522-529	4.2	23
22	Activation of Glucagon-Like Peptide-1 Receptor Promotes Neuroprotection in Experimental Autoimmune Encephalomyelitis by Reducing Neuroinflammatory Responses. <i>Molecular Neurobiology</i> , 2018 , 55, 3007-3020	6.2	51
21	Identification of Sphingosine 1-Phosphate Receptor Subtype 1 (S1P) as a Pathogenic Factor in Transient Focal Cerebral Ischemia. <i>Molecular Neurobiology</i> , 2018 , 55, 2320-2332	6.2	43
20	Identifying lysophosphatidic acid receptor subtype 1 (LPA) as a novel factor to modulate microglial activation and their TNF- α production by activating ERK1/2. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 2018 , 1863, 1237-1245	5	23
19	Sphingosine 1-phosphate receptor subtype 3 (S1P) contributes to brain injury after transient focal cerebral ischemia via modulating microglial activation and their M1 polarization. <i>Journal of Neuroinflammation</i> , 2018 , 15, 284	10.1	59
18	Eupatilin exerts neuroprotective effects in mice with transient focal cerebral ischemia by reducing microglial activation. <i>PLoS ONE</i> , 2017 , 12, e0171479	3.7	40
17	Regulation of neuroinflammation by matrix metalloproteinase-8 inhibitor derivatives in activated microglia and astrocytes. <i>Oncotarget</i> , 2017 , 8, 78677-78690	3.3	10
16	Matrix Metalloproteinase-8 is a Novel Pathogenetic Factor in Focal Cerebral Ischemia. <i>Molecular Neurobiology</i> , 2016 , 53, 231-239	6.2	22
15	Proteinase 3 Induces Neuronal Cell Death Through Microglial Activation. <i>Neurochemical Research</i> , 2015 , 40, 2242-51	4.6	9
14	Neuroprotective effect of 6-paradol in focal cerebral ischemia involves the attenuation of neuroinflammatory responses in activated microglia. <i>PLoS ONE</i> , 2015 , 10, e0120203	3.7	58
13	Exogenous S1P Exposure Potentiates Ischemic Stroke Damage That Is Reduced Possibly by Inhibiting S1P Receptor Signaling. <i>Mediators of Inflammation</i> , 2015 , 2015, 492659	4.3	31
12	Matrix metalloproteinase-8 plays a pivotal role in neuroinflammation by modulating TNF- α activation. <i>Journal of Immunology</i> , 2014 , 193, 2384-93	5.3	50
11	The complex morphology of reactive astrocytes controlled by fibroblast growth factor signaling. <i>Glia</i> , 2014 , 62, 1328-44	9	46
10	Lysophospholipids and their receptors in the central nervous system. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 2013 , 1831, 20-32	5	185
9	Control of JNK for an activation of NADPH oxidase in LPS-stimulated BV2 microglia. <i>Archives of Pharmacal Research</i> , 2012 , 35, 709-15	6.1	15

8	FTY720 (fingolimod) efficacy in an animal model of multiple sclerosis requires astrocyte sphingosine 1-phosphate receptor 1 (S1P1) modulation. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2011 , 108, 751-6	11.5	446
7	LPA receptors: subtypes and biological actions. <i>Annual Review of Pharmacology and Toxicology</i> , 2010 , 50, 157-86	17.9	633
6	Neurological S1P signaling as an emerging mechanism of action of oral FTY720 (fingolimod) in multiple sclerosis. <i>Archives of Pharmacal Research</i> , 2010 , 33, 1567-74	6.1	47
5	Biological roles of lysophospholipid receptors revealed by genetic null mice: an update. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 2008 , 1781, 531-9	5	103
4	Uridine protects cortical neurons from glucose deprivation-induced death: possible role of uridine phosphorylase. <i>Journal of Neurotrauma</i> , 2008 , 25, 695-707	5.4	23
3	Uridine prevents the glucose deprivation-induced death of immunostimulated astrocytes via the action of uridine phosphorylase. <i>Neuroscience Research</i> , 2006 , 56, 111-8	2.9	9
2	Adenosine and purine nucleosides prevent the disruption of mitochondrial transmembrane potential by peroxynitrite in rat primary astrocytes. <i>Archives of Pharmacal Research</i> , 2005 , 28, 810-5	6.1	8
1	Glucose deprivation increases hydrogen peroxide level in immunostimulated rat primary astrocytes. <i>Journal of Neuroscience Research</i> , 2004 , 75, 722-31	4.4	17