

M. Rosa Bragulat

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8068471/publications.pdf>

Version: 2024-02-01

68
papers

3,259
citations

186265

28
h-index

149698

56
g-index

69
all docs

69
docs citations

69
times ranked

2346
citing authors

#	ARTICLE	IF	CITATIONS
1	Ochratoxin A production by strains of <i>Aspergillus niger</i> var. <i>niger</i> . <i>Applied and Environmental Microbiology</i> , 1994, 60, 2650-2652.	3.1	340
2	An easy screening method for fungi producing ochratoxin A in pure culture. <i>International Journal of Food Microbiology</i> , 2001, 71, 139-144.	4.7	304
3	What is the source of ochratoxin A in wine?. <i>International Journal of Food Microbiology</i> , 2002, 79, 213-215.	4.7	259
4	<i>Aspergillus carbonarius</i> as the Main Source of Ochratoxin A Contamination in Dried Vine Fruits from the Spanish Market. <i>Journal of Food Protection</i> , 2003, 66, 504-506.	1.7	214
5	Current Importance of Ochratoxin A-Producing <i>Aspergillus</i> spp.. <i>Journal of Food Protection</i> , 2001, 64, 903-906.	1.7	158
6	Ochratoxigenic species from Spanish wine grapes. <i>International Journal of Food Microbiology</i> , 2005, 98, 125-130.	4.7	130
7	Importance of Resolving Fungal Nomenclature: the Case of Multiple Pathogenic Species in the <i>Cryptococcus</i> Genus. <i>MSphere</i> , 2017, 2, .	2.9	124
8	Effects of temperature and incubation time on production of ochratoxin A by black aspergilli. <i>Research in Microbiology</i> , 2004, 155, 861-866.	2.1	114
9	Ochratoxin A Producing Species in the Genus <i>Penicillium</i> . <i>Toxins</i> , 2010, 2, 1111-1120.	3.4	97
10	Dermatophytes isolated from domestic animals in Barcelona, Spain. <i>Mycopathologia</i> , 1997, 137, 107-113.	3.1	90
11	Surveillance of Fumonisin in Maize-Based Feeds and Cereals from Spain. <i>Journal of Agricultural and Food Chemistry</i> , 1999, 47, 4707-4710.	5.2	76
12	Mycoflora and Aflatoxin-Producing Strains in Animal Mixed Feeds. <i>Journal of Food Protection</i> , 1994, 57, 256-258.	1.7	69
13	Mycobiota and ochratoxin A producing fungi from Spanish wine grapes. <i>International Journal of Food Microbiology</i> , 2006, 111, S40-S45.	4.7	68
14	Effect of water activity on ochratoxin A production by <i>Aspergillus niger</i> aggregate species. <i>International Journal of Food Microbiology</i> , 2006, 108, 188-195.	4.7	62
15	Effect of water activity, temperature and incubation time on growth and ochratoxin A production by <i>Aspergillus niger</i> and <i>Aspergillus carbonarius</i> on maize kernels. <i>International Journal of Food Microbiology</i> , 2011, 147, 53-57.	4.7	61
16	Ochratoxin A and citrinin producing species of the genus <i>Penicillium</i> from feedstuffs. <i>International Journal of Food Microbiology</i> , 2008, 126, 43-48.	4.7	59
17	Seasonal study of the fungal biota of the fur of dogs. <i>Mycopathologia</i> , 1996, 133, 1-7.	3.1	56
18	Study of the effect of water activity and temperature on ochratoxin A production by <i>Aspergillus carbonarius</i> . <i>Food Microbiology</i> , 2006, 23, 634-640.	4.2	54

#	ARTICLE	IF	CITATIONS
19	Malachite green agar, a new selective medium for <i>Fusarium</i> spp. <i>Mycopathologia</i> , 1997, 137, 173-178.	3.1	53
20	Ochratoxin A-producing fungi from grapes intended for liqueur wine production. <i>Food Microbiology</i> , 2006, 23, 541-545.	4.2	45
21	Occurrence of <i>Penicillium verrucosum</i> in retail wheat flours from the Spanish market. <i>Food Microbiology</i> , 2008, 25, 642-647.	4.2	44
22	New lipid-dependent <i>Malassezia</i> species from parrots. <i>Revista Iberoamericana De Micologia</i> , 2016, 33, 92-99.	0.9	44
23	Mycobiota and mycotoxin contamination of maize flours and popcorn kernels for human consumption commercialized in Spain. <i>Food Microbiology</i> , 2012, 32, 97-103.	4.2	41
24	RFLP characterization of <i>Aspergillus niger</i> aggregate species from grapes from Europe and Israel. <i>International Journal of Food Microbiology</i> , 2006, 111, S18-S21.	4.7	36
25	New Ochratoxigenic Species in the Genus <i>Aspergillus</i> . <i>Journal of Food Protection</i> , 1997, 60, 1580-1582.	1.7	35
26	Dyes as fungal inhibitors: effect on colony diameter. <i>Applied and Environmental Microbiology</i> , 1991, 57, 2777-2780.	3.1	34
27	Low occurrence of patulin- and citrinin-producing species isolated from grapes. <i>Letters in Applied Microbiology</i> , 2008, 47, 286-289.	2.2	33
28	Black aspergilli and ochratoxin A-producing species in foods. <i>Current Opinion in Food Science</i> , 2018, 23, 1-10.	8.0	30
29	Selective Efficacy of Culture Media Recommended for Isolation and Enumeration of <i>Fusarium</i> spp.. <i>Journal of Food Protection</i> , 2004, 67, 207-211.	1.7	29
30	Impact of some environmental factors on growth and ochratoxin A production by <i>Aspergillus niger</i> and <i>Aspergillus welwitschiae</i> . <i>International Journal of Food Microbiology</i> , 2019, 291, 10-16.	4.7	27
31	A mycological survey on mixed poultry feeds and mixed rabbit feeds. <i>Journal of the Science of Food and Agriculture</i> , 1995, 67, 215-220.	3.5	26
32	Fumonisin Production by <i>Fusarium</i> Species Isolated from Cereals and Feeds in Spain. <i>Journal of Food Protection</i> , 1999, 62, 811-813.	1.7	26
33	Influence of pH and Incubation Time on Ochratoxin A Production by <i>Aspergillus carbonarius</i> in Culture Media. <i>Journal of Food Protection</i> , 2005, 68, 1435-1440.	1.7	24
34	Early discrimination of fungal species responsible of ochratoxin A contamination of wine and other grape products using an electronic nose. <i>Mycotoxin Research</i> , 2009, 25, 187-192.	2.3	23
35	DNA-based characterization of ochratoxin-A-producing and non-producing <i>Aspergillus carbonarius</i> strains from grapes. <i>Research in Microbiology</i> , 2005, 156, 375-381.	2.1	22
36	Characterization of nonochratoxigenic strains of <i>Aspergillus carbonarius</i> from grapes. <i>Food Microbiology</i> , 2013, 36, 135-141.	4.2	22

#	ARTICLE	IF	CITATIONS
37	Characterization of the species <i>Malassezia pachydermatis</i> and re-evaluation of its lipid dependence using a synthetic agar medium. <i>PLoS ONE</i> , 2017, 12, e0179148.	2.5	22
38	Thiabendazole resistance and mutations in the β -tubulin gene of <i>Penicillium expansum</i> strains isolated from apples and pears with blue mold decay. <i>FEMS Microbiology Letters</i> , 2009, 297, 189-195.	1.8	21
39	Comparison of some screening methods for aflatoxigenic moulds. <i>Mycopathologia</i> , 1988, 104, 75-79.	3.1	19
40	In vitro activity of imazalil against <i>Penicillium expansum</i> : Comparison of the CLSI M38-A broth microdilution method with traditional techniques. <i>International Journal of Food Microbiology</i> , 2009, 129, 26-29.	4.7	19
41	Dyes as fungal inhibitors: effect on colony enumeration. <i>Journal of Applied Bacteriology</i> , 1995, 79, 578-582.	1.1	17
42	Mycoflora and fumonisin-producing strains of <i>Fusarium moniliforme</i> in mixed poultry feeds and component raw material. <i>Mycopathologia</i> , 1996, 133, 181-184.	3.1	16
43	Effect of pH on ochratoxin A production by <i>Aspergillus niger</i> aggregate species. <i>Food Additives and Contaminants</i> , 2006, 23, 616-622.	2.0	15
44	Rapid genome resequencing of an atoxigenic strain of <i>Aspergillus carbonarius</i> . <i>Scientific Reports</i> , 2015, 5, 9086.	3.3	15
45	Cryptococcosis in a cat seropositive for feline immunodeficiency virus. <i>Mycoses</i> , 1995, 38, 131-133.	4.0	13
46	<i>Hortaea werneckii</i> isolated from silicone scuba diving equipment in Spain. <i>Medical Mycology</i> , 2012, 50, 852-857.	0.7	13
47	A new in vitro method to detect growth and ochratoxin A-producing ability of multiple fungal species commonly found in food commodities. <i>Food Microbiology</i> , 2014, 44, 243-248.	4.2	12
48	Genomic diversity in ochratoxigenic and non ochratoxigenic strains of <i>Aspergillus carbonarius</i> . <i>Scientific Reports</i> , 2018, 8, 5439.	3.3	12
49	Ochratoxin A producing fungi from Spanish vineyards. <i>Advances in Experimental Medicine and Biology</i> , 2006, 571, 173-179.	1.6	11
50	Comparison of two selective culture media for the detection of <i>Fusarium</i> infection in conventional and transgenic maize kernels. <i>Letters in Applied Microbiology</i> , 2010, 50, 270-275.	2.2	10
51	Real time quantitative expression study of a polyketide synthase gene related to ochratoxin A biosynthesis in <i>Aspergillus niger</i> . <i>Food Control</i> , 2015, 53, 147-150.	5.5	10
52	<i>Pneumocystis carinii</i> pneumonia in a Yorkshire terrier dog. <i>Medical Mycology</i> , 2000, 38, 451-453.	0.7	10
53	Temperature and incubation time effects on growth and ochratoxin A production by <i>Aspergillus sclerotioniger</i> and <i>Aspergillus lacticoffeatus</i> on culture media. <i>Letters in Applied Microbiology</i> , 2011, 52, 208-212.	2.2	9
54	Phenotypic and genetic diversity of <i>Malassezia furfur</i> from domestic and zoo animals. <i>Medical Mycology</i> , 2018, 56, 941-949.	0.7	7

#	ARTICLE	IF	CITATIONS
55	Study on the presence of ochratoxin A in cultures of ochratoxigenic and non-ochratoxigenic strains of <i>Aspergillus carbonarius</i> . PLoS ONE, 2017, 12, e0185986.	2.5	7
56	Sensitivity of some strains of the genus <i>Epidermophyton</i> to different antifungal agents. Mycopathologia, 1989, 105, 153-156.	3.1	6
57	Comparison of methods to detect resistance of <i>Penicillium expansum</i> to thiabendazole. Letters in Applied Microbiology, 2009, 48, 241-246.	2.2	6
58	Transcriptome analysis of non-ochratoxigenic <i>Aspergillus carbonarius</i> strains and interactions between some black aspergilli species. International Journal of Food Microbiology, 2020, 317, 108498.	4.7	6
59	The growth of <i>Epidermophyton floccosum</i> and <i>E. stockdaleae</i> at different temperatures. Mycopathologia, 1990, 112, 157-163.	3.1	5
60	Characterization and phylogenetic analysis of a <i>Cunninghamella bertholletiae</i> isolate from a bottlenose dolphin (<i>Tursiops truncatus</i>). Revista Iberoamericana De Micologia, 2017, 34, 215-219.	0.9	4
61	Intraspecific variability of growth and ochratoxin A production by <i>Aspergillus carbonarius</i> from different foods and geographical areas. International Journal of Food Microbiology, 2019, 306, 108273.	4.7	4
62	Further observations on the keratinolytic activity of strains of the genus <i>Epidermophyton</i> . Mycopathologia, 1987, 98, 41-43.	3.1	3
63	External ear canal mycobiome of some rabbit breeds. Medical Mycology, 2021, 59, 683-693.	0.7	3
64	Experimental dermatophytoses produced by <i>E. floccosum</i> in guinea pigs. Mycopathologia, 1987, 98, 45-47.	3.1	2
65	Sodium chloride tolerance in strains of <i>Epidermophyton floccosum</i> and <i>Epidermophyton stockdaleae</i> . Mycopathologia, 1993, 124, 153-156.	3.1	2
66	Effect of gentian violet on the growth of the N and T RFLP types of the <i>Aspergillus niger</i> aggregate. Journal of Microbiological Methods, 2008, 75, 81-85.	1.6	2
67	Occurrence of <i>Fusarium</i> Species and Fumonisin in Some Animal Feeds and Raw Materials. Cereal Research Communications, 1997, 25, 355-356.	1.6	1
68	Study of the variation of the <i>Malassezia</i> load in the interdigital fold of dogs with pododermatitis. Veterinary Research Communications, 0, , .	1.6	0