

Rodrigo Caldas Menezes

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8068555/publications.pdf>

Version: 2024-02-01

108
papers

1,317
citations

394286

19
h-index

477173

29
g-index

112
all docs

112
docs citations

112
times ranked

1363
citing authors

#	ARTICLE	IF	CITATIONS
1	COVID-19 and zoonoses in Brazil: Environmental scan of one health preparedness and response. <i>One Health</i> , 2022, 14, 100400.	1.5	4
2	Global distribution of animal sporotrichosis: A systematic review of <i>Sporothrix</i> sp. identified using molecular tools. <i>Current Research in Microbial Sciences</i> , 2022, 3, 100140.	1.4	5
3	The outcomes of polyparasitism in stray cats from Brazilian Midwest assessed by epidemiological, hematological and pathological data. <i>Brazilian Journal of Veterinary Parasitology</i> , 2022, 31, .	0.2	1
4	Advances and challenges in the management of feline sporotrichosis. <i>Revista Iberoamericana De Micologia</i> , 2022, 39, 61-67.	0.4	4
5	Genetic and histopathological characterization of <i>Toxoplasma gondii</i> genotypes isolated from free-range chickens reared in the metropolitan region of Rio de Janeiro state, Brazil. <i>Parasitology Research</i> , 2021, 120, 665-677.	0.6	5
6	Frequency of co-seropositivities for certain pathogens and their relationship with clinical and histopathological changes and parasite load in dogs infected with <i>Leishmania infantum</i> . <i>PLoS ONE</i> , 2021, 16, e0247560.	1.1	8
7	Investigation of SARS-CoV-2 infection in dogs and cats of humans diagnosed with COVID-19 in Rio de Janeiro, Brazil. <i>PLoS ONE</i> , 2021, 16, e0250853.	1.1	116
8	Skin Immune Response of Immunocompetent and Immunosuppressed C57BL/6 Mice After Experimental Subcutaneous Infection Caused by <i>Purpureocillium lilacinum</i> . <i>Frontiers in Microbiology</i> , 2021, 12, 615383.	1.5	0
9	Frequency of detection and load of amastigotes in the pancreas of <i>Leishmania infantum</i> -seropositive dogs: clinical signs and histological changes. <i>Parasites and Vectors</i> , 2021, 14, 321.	1.0	6
10	Malnutrition Aggravates Alterations Observed in the Gut Structure and Immune Response of Mice Infected with <i>Leishmania infantum</i> . <i>Microorganisms</i> , 2021, 9, 1270.	1.6	3
11	Anti- <i>Brucella canis</i> antibodies in dogs naturally infected with <i>Leishmania infantum</i> and associated histological alterations in the genital tract. <i>Anais Da Academia Brasileira De Ciencias</i> , 2021, 93, e20201682.	0.3	1
12	Nested PCR for the Diagnosis of Feline Sporotrichosis From Formalin-Fixed and Paraffin-Embedded Samples Using Different DNA Extraction Protocols. <i>Frontiers in Veterinary Science</i> , 2021, 8, 755897.	0.9	4
13	Clinical and Anatomopathological Evaluation of BALB/c Murine Models Infected with Isolates of Seven Pathogenic <i>Sporothrix</i> Species. <i>Pathogens</i> , 2021, 10, 1647.	1.2	5
14	Tregs in the immune response of BALB/c mice experimentally infected with species of the <i>Sporothrix</i> genus. <i>Future Microbiology</i> , 2020, 15, 1217-1225.	1.0	2
15	Frequency, active infection and load of <i>Leishmania infantum</i> and associated histological alterations in the genital tract of male and female dogs. <i>PLoS ONE</i> , 2020, 15, e0238188.	1.1	8
16	Detection of amastigotes and histopathological alterations in the thymus of <i>Leishmania infantum</i> -infected dogs. <i>Immunity, Inflammation and Disease</i> , 2020, 8, 127-139.	1.3	9
17	Title is missing!. , 2020, 15, e0238188.		0
18	Title is missing!. , 2020, 15, e0238188.		0

#	ARTICLE	IF	CITATIONS
19	Title is missing!. , 2020, 15, e0238188.		0
20	Title is missing!. , 2020, 15, e0238188.		0
21	Cutaneous Leishmaniosis caused by <i>Leishmania martiniquensis</i> in a Horse in Florida. <i>Journal of Comparative Pathology</i> , 2019, 173, 13-18.	0.1	5
22	Pro-Cellular Exhaustion Markers are Associated with Splenic Microarchitecture Disorganization and Parasite Load in Dogs with Visceral Leishmaniasis. <i>Scientific Reports</i> , 2019, 9, 12962.	1.6	11
23	First description of parasite load and clinicopathological and anatomopathological changes in a dog naturally coinfecting with <i>Diocotophyme renale</i> and <i>Leishmania infantum</i> in Brazil. <i>Veterinary Parasitology: Regional Studies and Reports</i> , 2019, 18, 100351.	0.3	4
24	A case of sporotrichosis caused by different <i>Sporothrix brasiliensis</i> strains: mycological, molecular, and virulence analyses. <i>Memorias Do Instituto Oswaldo Cruz</i> , 2019, 114, e190260.	0.8	10
25	Accidental and late parasitological diagnosis of <i>Leishmania</i> sp. in a dog from a low disease transmission area of Brazil: A case report. <i>Austral Journal of Veterinary Sciences</i> , 2019, 51, 131-134.	0.2	1
26	First parasitological, histopathological and molecular characterization of <i>Echinococcus vogeli</i> Rausch and Bernstein, 1972 from <i>Cuniculus paca</i> Linnaeus, 1766 in the Cerrado biome (Mato Grosso do Tj ETQq00.0 rgBT /@verlock 1	0.0	0
27	Comparison of the Sensitivity of Three Methods for the Early Diagnosis of Sporotrichosis in Cats. <i>Journal of Comparative Pathology</i> , 2018, 160, 72-78.	0.1	13
28	<i>Philometra saltatrix</i> (Nematoda: Philometridae) in the ovary of the bluefish, <i>Pomatomus saltatrix</i> (Linnaeus, 1766), off the coast of the state of Rio de Janeiro, Brazil. <i>Journal of Helminthology</i> , 2018, 92, 210-215.	0.4	1
29	O Ensino da Patologia e Sua Influência na Atuação de Patologistas e Infectologistas no Rio de Janeiro. <i>Revista Brasileira De Educacao Medica</i> , 2018, 42, 216-225.	0.0	1
30	Co-infection with feline retrovirus is related to changes in immunological parameters of cats with sporotrichosis. <i>PLoS ONE</i> , 2018, 13, e0207644.	1.1	18
31	Hepatic and Renal Lesions in Free Ranging Black Caimans (<i>Melanosuchus niger</i>) in the Brazilian Amazon for Human Consumption. <i>Acta Scientiae Veterinariae</i> , 2018, 46, 5.	0.2	0
32	Validation of the Dual-path Platform chromatographic immunoassay (DPP® CVL rapid test) for the serodiagnosis of canine visceral leishmaniasis. <i>Memorias Do Instituto Oswaldo Cruz</i> , 2018, 113, e180260.	0.8	23
33	<i>Toxoplasma gondii</i> molecular and immunological identification and risk factors associated with infection in chicken slaughtered at Triângulo Mineiro region, Minas Gerais, Brazil. <i>Brazilian Journal of Veterinary Research and Animal Science</i> , 2018, 55, e144252.	0.2	0
34	Morphophysiological changes in the splenic extracellular matrix of <i>Leishmania infantum</i> -naturally infected dogs is associated with alterations in lymphoid niches and the CD4+ T cell frequency in spleens. <i>PLoS Neglected Tropical Diseases</i> , 2018, 12, e0006445.	1.3	17
35	Monitoring Fungal Burden and Viability of <i>Sporothrix</i> spp. in Skin Lesions of Cats for Predicting Antifungal Treatment Response. <i>Journal of Fungi (Basel, Switzerland)</i> , 2018, 4, 92.	1.5	25
36	Clinical features, fungal load, coinfections, histological skin changes, and itraconazole treatment response of cats with sporotrichosis caused by <i>Sporothrix brasiliensis</i> . <i>Scientific Reports</i> , 2018, 8, 9074.	1.6	44

#	ARTICLE	IF	CITATIONS
37	Spontaneous telangiectatic osteosarcoma in a rhesus macaque (<i>Macaca mulatta</i>). Journal of Medical Primatology, 2017, 46, 51-55.	0.3	2
38	Histopathological changes induced by <i>Hysterothylacium deardorffoverstretorum</i> larvae (Nematoda): Tj ETQq0 0 0 rgBT /Overlock 10 TF Veterinary Parasitology, 2017, 26, 239-242.	0.2	3
39	Experimental Hyalohyphomycosis by <i>Purpureocillium lilacinum</i> : Outcome of the Infection in C57BL/6 Murine Models. Frontiers in Microbiology, 2017, 8, 1617.	1.5	18
40	Occurrence of <i>Leishmania infantum</i> in the central nervous system of naturally infected dogs: Parasite load, viability, co-infections and histological alterations. PLoS ONE, 2017, 12, e0175588.	1.1	23
41	IDENTIFICATION OF CANINE VISCERAL LEISHMANIASIS IN A PREVIOUSLY UNAFFECTED AREA BY CONVENTIONAL DIAGNOSTIC TECHNIQUES AND CELL-BLOCK FIXATION. Revista Do Instituto De Medicina Tropical De Sao Paulo, 2016, 58, 3.	0.5	11
42	Avaliaço da confiabilidade entre dois observadores em exames citopatolgico e imunocitoqumico de aspirado de medula ssea no diagnstico da leishmaniose visceral canina. Arquivo Brasileiro De Medicina Veterinaria E Zootecnia, 2016, 68, 821-824.	0.1	2
43	<i>Hepatozoon canis</i> and <i>Leishmania</i> spp. coinfection in dogs diagnosed with visceral leishmaniasis. Brazilian Journal of Veterinary Parasitology, 2016, 25, 450-458.	0.2	12
44	Occurrence of <i>Leishmania infantum</i> and associated histological alterations in the genital tract and mammary glands of naturally infected dogs. Parasitology Research, 2016, 115, 2371-2379.	0.6	26
45	Cell-block Immunohistochemistry of Bone Marrow Aspirates: a Novel Tool to Improve the Diagnosis of <i>Leishmania</i> Infection in Dogs. Journal of Comparative Pathology, 2016, 154, 157-160.	0.1	11
46	Mapping of the environmental contamination of <i>Toxoplasma gondii</i> by georeferencing isolates from chickens in an endemic area in Southeast Rio de Janeiro State, Brazil. Geospatial Health, 2015, 10, 311.	0.3	9
47	Comparative study of in situ hybridization, immunohistochemistry and parasitological culture for the diagnosis of canine leishmaniosis. Parasites and Vectors, 2015, 8, 620.	1.0	7
48	Diagnostic accuracy assessment of cytopathological examination of feline sporotrichosis. Medical Mycology, 2015, 53, 880-884.	0.3	26
49	Feline sporotrichosis: epidemiological and clinical aspects. Medical Mycology, 2015, 53, 15-21.	0.3	112
50	Sporotrichosis in Animals: Zoonotic Transmission. , 2015, , 83-102.		10
51	Leses pulmonares associadas ao parasitismo por <i>Sebekia oxycephala</i> (Pentastomida) em jacars-asu (<i>Melanosuchus niger</i> Spix, 1825) oriundos de vida livre na Amaznia brasileira. Pesquisa Veterinaria Brasileira, 2014, 34, 1002-1006.	0.5	2
52	Sensitivity and specificity of serological tests, histopathology and immunohistochemistry for detection of <i>Toxoplasma gondii</i> infection in domestic chickens. Veterinary Parasitology, 2014, 204, 346-351.	0.7	47
53	T-Cell Populations and Cytokine Expression Are Impaired in Thymus and Spleen of Protein Malnourished BALB/c Mice Infected with <i>Leishmania infantum</i> . PLoS ONE, 2014, 9, e114584.	1.1	42
54	Gastric Lesions in Free-Ranging Black Caimans (<i>Melanosuchus niger</i>) Associated With <i>Brevimulticaecum</i> Species. Veterinary Pathology, 2013, 50, 582-584.	0.8	11

#	ARTICLE	IF	CITATIONS
55	Sensitivity and Specificity of <i>In Situ</i> Hybridization for Diagnosis of Cutaneous Infection by <i>Leishmania infantum</i> in Dogs. <i>Journal of Clinical Microbiology</i> , 2013, 51, 206-211.	1.8	30
56	An anatomopathological study of hepatic coccidiosis (<i>Calyptospora</i> sp.) in the <i>Acarajá</i> -pixuna, <i>Aequidens plagiozonatus</i> Kullander, 1984 from the Brazilian state of Pará. <i>Arquivo Brasileiro De Medicina Veterinaria E Zootecnia</i> , 2013, 65, 91-94.	0.1	4
57	Anatomopathological study of parrot pufferfish <i>Colomesus psittacus</i> parasitized by the aspidogastrea <i>Rohdella</i> sp.. <i>Brazilian Journal of Veterinary Parasitology</i> , 2013, 22, 29-33.	0.2	2
58	Potassium iodide capsule treatment of feline sporotrichosis. <i>Journal of Feline Medicine and Surgery</i> , 2012, 14, 399-404.	0.6	39
59	Prevalência da infecção por <i>Toxoplasma gondii</i> em galinhas criadas extensivamente em Rio Bonito, Rio de Janeiro. <i>Arquivo Brasileiro De Medicina Veterinaria E Zootecnia</i> , 2012, 64, 1398-1401.	0.1	5
60	Morphology and histopathology of <i>Calyptospora</i> sp. (Apicomplexa: Calyptosporidae) in speckled peacock bass, <i>Cichla temensis</i> Humboldt, 1821 (Perciformes: Cichlidae), from the Marajó River, Marajó Island, Brazil. <i>Parasitology Research</i> , 2012, 110, 2569-2572.	0.6	5
61	Caracterização das lesões por <i>Cysticercus bovis</i> , na inspeção post mortem de bovinos, pelos exames macroscópico, histopatológico e pela reação em cadeia da polimerase (PCR). <i>Pesquisa Veterinaria Brasileira</i> , 2012, 32, 477-484.	0.5	13
62	Caracterização histopatológica de tumores mamários espontâneos de gatas (<i>Felis catus</i>) atendidas no Hospital Veterinário da UFRPE (Recife, Pernambuco, Brasil). <i>Revista Brasileira De Ciência Veterinária</i> , 2012, 19, 203-205.	0.0	0
63	Sensitivity of cytopathological examination in the diagnosis of feline sporotrichosis. <i>Journal of Feline Medicine and Surgery</i> , 2011, 13, 220-223.	0.6	40
64	Tissue alterations in the pirarucu, <i>Arapaima gigas</i> , infected by <i>Goezia spinulosa</i> (Nematoda). <i>Brazilian Journal of Veterinary Parasitology</i> , 2011, 20, 207-209.	0.2	11
65	Occurrence of anti- <i>Toxoplasma gondii</i> antibodies in cattle and pigs slaughtered, State of Rio de Janeiro. <i>Brazilian Journal of Veterinary Parasitology</i> , 2011, 20, 351-353.	0.2	20
66	Soroepidemiologia da toxoplasmose em caprinos e ovinos de três municípios do estado do Rio de Janeiro. <i>Pesquisa Veterinaria Brasileira</i> , 2011, 31, 569-574.	0.5	18
67	Helmintos oxiuridae parasitos de Iguana iguana (Squamata, Lacertilia, Iguanidae) procedentes do Brasil. <i>Arquivo Brasileiro De Medicina Veterinaria E Zootecnia</i> , 2011, 63, 1574-1578.	0.1	7
68	Characteristics of <i>Paecilomyces lilacinus</i> infection comparing immunocompetent with immunosuppressed murine model. <i>Mycoses</i> , 2011, 54, e513-21.	1.8	6
69	Evaluation of immunohistochemistry for the diagnosis of sporotrichosis in dogs. <i>Veterinary Journal</i> , 2011, 190, 408-411.	0.6	16
70	Comparative Histopathological Study of Sporotrichosis and American Tegumentary Leishmaniasis in Dogs from Rio de Janeiro. <i>Journal of Comparative Pathology</i> , 2010, 143, 1-7.	0.1	9
71	Efficacy of an indirect immunofluorescence test in the diagnosis of canine leishmaniasis. <i>Veterinary Journal</i> , 2010, 186, 123-124.	0.6	14
72	Neoplasias espontâneas em camundongos de um centro de criação de animais de laboratório. <i>Arquivo Brasileiro De Medicina Veterinaria E Zootecnia</i> , 2010, 62, 827-836.	0.1	2

#	ARTICLE	IF	CITATIONS
73	Histopathology of Canine Sporotrichosis: A Morphological Study of 86 Cases from Rio de Janeiro (2001-2007). <i>Mycopathologia</i> , 2009, 168, 79-87.	1.3	21
74	First record in South America of <i>Koellikerioides internogastricus</i> (Digenea, Didymozoidae) with new host record and pathological alterations. <i>Veterinary Parasitology</i> , 2009, 161, 158-161.	0.7	7
75	Larvae of <i>Hysterothylacium</i> sp. (Nematoda: Anisakidae) in the sole fish <i>Paralichthys isosceles</i> Jordan, 1890 (Pisces: Teleostei) from the littoral of the state of Rio de Janeiro, Brazil. <i>Veterinary Parasitology</i> , 2009, 166, 175-177.	0.7	21
76	Histopatologia e imuno-histoquímica de camundongos C57BL/6 infectados por <i>Toxoplasma gondii</i> cepa ME-49 e alimentados com micotoxinas. <i>Revista Brasileira De Ciência Veterinária</i> , 2009, 16, 27-32.	0.0	3
77	First report of natural infection of a bush dog (<i>Speothos venaticus</i>) with <i>Leishmania</i> (<i>Leishmania</i>) chagasi in Brazil. <i>Transactions of the Royal Society of Tropical Medicine and Hygiene</i> , 2008, 102, 200-201.	0.7	26
78	Two cestode species in Brazilian turkeys, <i>Meleagris gallopavo</i> (Galliformes, Phasianidae): pathology induced by <i>Hymenolepis cantaniana</i> and occurrence of <i>Raillietina tetragona</i> . <i>Parasitologia Latinoamericana</i> , 2008, 63, .	0.2	0
79	First record in South America of <i>Didymosulcus palati</i> and <i>Didymosulcus philobranthiarca</i> (Digenea,) <i>Tj ETQq1 1 0.784314 rgBT /Overl</i> <i>Cruz</i> , 2008, 103, 207-210.	0.8	7
80	Capillariid nematodes in Brazilian turkeys, <i>Meleagris gallopavo</i> (Galliformes, Phasianidae): pathology induced by <i>Baruscapillaria obsignata</i> and <i>Eucoleus annulatus</i> (Trichinelloidea, Capillariidae). <i>Memorias Do Instituto Oswaldo Cruz</i> , 2008, 103, 295-297.	0.8	9
81	Prevalência e aspectos anatomopatológicos da mineralização metastática em coelhos provenientes de biotérios e criação comercial do Estado do Rio de Janeiro, Brasil. <i>Ciencia Rural</i> , 2008, 38, 155-160.	0.3	1
82	Histopatologia de lesões tumoriformes presentes na cavidade nasal de eqüídeos do Brasil. <i>Ciencia Rural</i> , 2008, 38, 2535-2539.	0.3	3
83	Prevalência de helmintos em patos domésticos <i>Cairina moschata</i> dom. (Linnaeus) (Anseriformes, Anatidae,) <i>Tj ETQq1 1 0.784314 rgB</i> <i>Brasileira De Ciência Veterinária</i> , 2008, 15, 140-142.	0.0	4
84	Neoplasias espontâneas em ratos Wistar de um centro de criação de animais de laboratório do Estado do Rio de Janeiro, Brasil. <i>Ciencia Rural</i> , 2008, 38, 2545-2551.	0.3	1
85	First report of the digenetic trematode <i>Psilochasmus oxyurus</i> (Creplin) in the domestic goose, <i>Anser anser</i> (Linnaeus) in South America. <i>Revista Brasileira De Zoologia</i> , 2007, 24, 520-522.	0.5	5
86	Endoparasitos em cobaias (<i>Cavia porcellus</i>) (Mammalia, Rodentia, Caviidae) provenientes de biotérios de criação e experimentação do município do Rio de Janeiro, Brasil. <i>Ciencia Rural</i> , 2007, 37, 1380-1386.	0.3	1
87	Malária de galinhas-d'angola (<i>Numida meleagris</i> , L. 1758) em criações extensivas no estado do Rio de Janeiro. <i>Revista Brasileira De Ciência Veterinária</i> , 2007, 14, 159-162.	0.0	0
88	Prevalence and pathology of the nematode <i>Heterakis gallinarum</i> , the trematode <i>Paratanaisia bragai</i> , and the protozoan <i>Histomonas meleagridis</i> in the turkey, <i>Meleagris gallopavo</i> . <i>Memorias Do Instituto Oswaldo Cruz</i> , 2006, 101, 677-681.	0.8	21
89	<i>Camallanus cotti</i> Fujita, 1927 (Nematoda, Camallanoidea) in ornamental aquarium fishes: pathology and morphology. <i>Memorias Do Instituto Oswaldo Cruz</i> , 2006, 101, 683-687.	0.8	17
90	The chromosomes of <i>Rodentolepis nana</i> (Siebold, 1852) Spasskii, 1954 obtained from naturally infected mice conventionally maintained in a Brazilian laboratory animal house. <i>Parasite</i> , 2006, 13, 75-77.	0.8	2

#	ARTICLE	IF	CITATIONS
91	Pathology and first occurrence of the kidney trematode <i>Paratanaisia bragai</i> (Santos, 1934) Freitas, 1959 (Digenea: Eucotylidae) in <i>Phasianus colchicus</i> L., 1758, from Brazil. <i>Memorias Do Instituto Oswaldo Cruz</i> , 2005, 100, 285-288.	0.8	17
92	Pathology and first report of natural infections of the eye trematode <i>Philophthalmus lachrymosus</i> Braun, 1902 (Digenea, Philophthalmidae) in a non-human mammalian host. <i>Memorias Do Instituto Oswaldo Cruz</i> , 2005, 100, 579-583.	0.8	21
93	First report of a natural helminth infection in the Japanese quail <i>Coturnix japonica</i> Temminck & Schlegel (Aves, Phasianidae, Galliformes) in the neotropical region. <i>Revista Brasileira De Zoologia</i> , 2005, 22, 836-838.	0.5	3
94	Lesões causadas por alguns helmintos em galinhas-d'angola (<i>Numida meleagris</i> , L.) procedentes do estado do Rio de Janeiro. <i>Revista Brasileira De Ciência Veterinária</i> , 2005, 12, 118-123.	0.0	2
95	Aspectos clínicos e de laboratório de cães soropositivos para leishmaniose. <i>Arquivo Brasileiro De Medicina Veterinaria E Zootecnia</i> , 2004, 56, 119-122.	0.1	12
96	Trichurid nematodes in ring-necked pheasants from backyard flocks of the State of Rio de Janeiro, Brazil: frequency and pathology. <i>Memorias Do Instituto Oswaldo Cruz</i> , 2004, 99, 721-726.	0.8	9
97	Helminths of rabbits (<i>Lagomorpha</i> , <i>Leporidae</i>) deposited in the Helminthological Collection of the Oswaldo Cruz Institute. <i>Revista Brasileira De Zoologia</i> , 2004, 21, 599-604.	0.5	9
98	Systematic and pathologic study of <i>Paratanaisia bragai</i> (Santos, 1934) Freitas, 1959 (Digenea, Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 46 <i>Brasileiro De Medicina Veterinaria E Zootecnia</i> , 2004, 56, 472-479.	0.1	22
99	New morphological data on <i>Cheilospirura hamulosa</i> (Nematoda, Acuarioidea) by means of bright-field and scanning electron microscopy. <i>Parasitology Research</i> , 2004, 92, 225-231.	0.6	10
100	First report of five nematode species in <i>Phasianus colchicus</i> Linnaeus (Aves, Galliformes, Phasianidae) in Brazil. <i>Revista Brasileira De Zoologia</i> , 2004, 21, 961-970.	0.5	11
101	Alterações patológicas causadas por nematoides parasitas de jararaca (<i>Bothrops jararaca</i> Wied, 1824) criadas em cativeiro. <i>Revista Brasileira De Ciência Veterinária</i> , 2004, 11, 5-8.	0.0	0
102	Pathology and frequency of <i>Cheilospirura hamulosa</i> (Nematoda, Acuarioidea) in Galliformes hosts from backyard flocks. <i>Avian Pathology</i> , 2003, 32, 151-156.	0.8	11
103	Nodular typhlitis associated with the nematodes <i>Heterakis gallinarum</i> and <i>Heterakis isolonche</i> in pheasants: frequency and pathology with evidence of neoplasia. <i>Memorias Do Instituto Oswaldo Cruz</i> , 2003, 98, 1011-1016.	0.8	20
104	First natural helminth infection in the mongolian gerbil <i>Meriones unguiculatus</i> (Rodentia, Muridae), parasitized with <i>Dentostomella translucida</i> (Nematoda, Heteroxyematidae) in the neotropical region. <i>Brazilian Journal of Biology</i> , 2003, 63, 173-175.	0.4	6
105	Trematodes of free range reared guinea fowls (<i>Numida meleagris</i> Linnaeus, 1758) in the state of Rio de Janeiro, Brazil: Morphology and pathology. <i>Avian Pathology</i> , 2001, 30, 209-214.	0.8	22
106	Freqüência e patologia das infecções causadas por nematoides e cestoides em galinhas-d'angola (<i>Numida meleagris</i> Linnaeus, 1758) criadas extensivamente no estado do Rio de Janeiro, Brasil. <i>Revista Brasileira De Ciência Veterinária</i> , 2001, 8, 35-39.	0.0	6
107	A eficácia de diferentes soluções saturadas empregando-se a técnica de Gordon & Whitlock modificada no diagnóstico coproparasitológico de galinhas domésticas. <i>Revista Brasileira De Ciência Veterinária</i> , 1999, 6, 14-17.	0.0	0
108	Anatomopatológica and immunohistochemical analyses of the spleen and lymph node of dogs seropositives for leishmaniasis in serological tests. <i>Ciencia Animal Brasileira</i> , 0, 22, .	0.3	0