

# Faith M Gunning

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8069303/publications.pdf>

Version: 2024-02-01

63  
papers

4,327  
citations

218677

26  
h-index

118850

62  
g-index

67  
all docs

67  
docs citations

67  
times ranked

6304  
citing authors

#	ARTICLE	IF	CITATIONS
1	The Structural and Functional Neuroanatomy of Post-Stroke Depression and Executive Dysfunction: A Review of Neuroimaging Findings and Implications for Treatment. <i>Journal of Geriatric Psychiatry and Neurology</i> , 2022, 35, 3-11.	2.3	16
2	Late-life depression accentuates cognitive weaknesses in older adults with small vessel disease. <i>Neuropsychopharmacology</i> , 2022, 47, 580-587.	5.4	12
3	Estimated Regional White Matter Hyperintensity Burden, Resting State Functional Connectivity, and Cognitive Functions in Older Adults. <i>American Journal of Geriatric Psychiatry</i> , 2022, 30, 269-280.	1.2	3
4	Seed-based dual regression: An illustration of the impact of dual regression's inherent filtering of global signal. <i>Journal of Neuroscience Methods</i> , 2022, 366, 109410.	2.5	1
5	<scp>CopeNYP</scp>: a brief remote psychological intervention reduces health care workersâ€™ depression and anxiety symptoms during <scp>COVID</scp>â€™19 pandemic. <i>World Psychiatry</i> , 2022, 21, 155-156.	10.4	9
6	Strategies to Promote Cognitive Health in Aging: Recent Evidence and Innovations. <i>Current Psychiatry Reports</i> , 2022, 24, 441-450.	4.5	5
7	Modifiable predictors of nonresponse to psychotherapies for late-life depression with executive dysfunction: a machine learning approach. <i>Molecular Psychiatry</i> , 2021, 26, 5190-5198.	7.9	17
8	Cortical Thickness of the Salience Network and Change in Apathy Following Antidepressant Treatment for Late-Life Depression. <i>American Journal of Geriatric Psychiatry</i> , 2021, 29, 241-248.	1.2	7
9	Accelerated brain aging predicts impulsivity and symptom severity in depression. <i>Neuropsychopharmacology</i> , 2021, 46, 911-919.	5.4	32
10	Frequency and profile of objective cognitive deficits in hospitalized patients recovering from COVID-19. <i>Neuropsychopharmacology</i> , 2021, 46, 2235-2240.	5.4	157
11	Smartphone apps for depression and anxiety: a systematic review and meta-analysis of techniques to increase engagement. <i>Npj Digital Medicine</i> , 2021, 4, 20.	10.9	80
12	Brain markers predicting response to cognitiveâ€behavioral therapy for social anxiety disorder: an independent replication of Whitfield-Gabrieli et al. 2015. <i>Translational Psychiatry</i> , 2021, 11, 260.	4.8	5
13	A digital intervention targeting cognitive control network dysfunction in middle age and older adults with major depression. <i>Translational Psychiatry</i> , 2021, 11, 269.	4.8	16
14	Mood Disorders and Outcomes of COVID-19 Hospitalizations. <i>American Journal of Psychiatry</i> , 2021, 178, 541-547.	7.2	18
15	Brain-based mechanisms of late-life depression: Implications for novel interventions. <i>Seminars in Cell and Developmental Biology</i> , 2021, 116, 169-179.	5.0	15
16	The CopeNYP program: A model for brief treatment of psychological distress among healthcare workers and hospital staff. <i>General Hospital Psychiatry</i> , 2021, 73, 24-29.	2.4	10
17	Subgroups Defined by the Montreal Cognitive Assessment Differ in Functional Gain During Acute Inpatient Stroke Rehabilitation. <i>Archives of Physical Medicine and Rehabilitation</i> , 2020, 101, 220-226.	0.9	14
18	Cognitive Control Network Homogeneity and Executive Functions in Late-Life Depression. <i>Biological Psychiatry: Cognitive Neuroscience and Neuroimaging</i> , 2020, 5, 213-221.	1.5	23

#	ARTICLE	IF	CITATIONS
19	Neuroanatomical Abnormalities in Older Depressed Adults With Apathy: A Systematic Review. <i>Journal of Geriatric Psychiatry and Neurology</i> , 2020, 33, 289-303.	2.3	15
20	Rapid Precision Functional Mapping of Individuals Using Multi-Echo fMRI. <i>Cell Reports</i> , 2020, 33, 108540.	6.4	96
21	Resting State Functional Connectivity and Outcomes of Psychotherapies for Late-Life Depression. <i>American Journal of Geriatric Psychiatry</i> , 2020, 28, 859-868.	1.2	15
22	Targeting Cognitive Control Deficits With Neuroplasticity-Based Computerized Cognitive Remediation in Patients With Geriatric Major Depression: A Randomized, Double-Blind, Controlled Trial. <i>American Journal of Geriatric Psychiatry</i> , 2020, 28, 971-980.	1.2	28
23	Causes and Consequences of Diagnostic Heterogeneity in Depression: Paths to Discovering Novel Biological Depression Subtypes. <i>Biological Psychiatry</i> , 2020, 88, 83-94.	1.3	84
24	Functional and Optogenetic Approaches to Discovering Stable Subtype-Specific Circuit Mechanisms in Depression. <i>Biological Psychiatry: Cognitive Neuroscience and Neuroimaging</i> , 2019, 4, 554-566.	1.5	23
25	Omission of temporal nuisance regressors from dual regression can improve accuracy of fMRI functional connectivity maps. <i>Human Brain Mapping</i> , 2019, 40, 4005-4025.	3.6	2
26	The impact of white matter hyperintensities on the structural connectome in late-life depression: Relationship to executive functions. <i>NeuroImage: Clinical</i> , 2019, 23, 101852.	2.7	44
27	Training the Next Generation of Geriatric-Focused Clinical Neuroscientists. <i>American Journal of Geriatric Psychiatry</i> , 2019, 27, 720-727.	1.2	2
28	Changes in Functional Connectivity Following Treatment With Emotion Regulation Therapy. <i>Frontiers in Behavioral Neuroscience</i> , 2019, 13, 10.	2.0	33
29	A double-blind pilot dosing study of low field magnetic stimulation (LFMS) for treatment-resistant depression (TRD). <i>Journal of Affective Disorders</i> , 2019, 249, 286-293.	4.1	12
30	Effects of Left Versus Right Dorsolateral Prefrontal Cortex Repetitive Transcranial Magnetic Stimulation on Affective Flexibility in Healthy Women: A Pilot Study. <i>Cognitive and Behavioral Neurology</i> , 2019, 32, 69-75.	0.9	9
31	Engagement in Socially and Interpersonally Rewarding Activities as a Predictor of Outcome in "Engage" Behavioral Activation Therapy for Late-Life Depression. <i>American Journal of Geriatric Psychiatry</i> , 2019, 27, 571-578.	1.2	76
32	White matter abnormalities predict residual negative self-referential thinking following treatment of late-life depression with escitalopram: A preliminary study. <i>Journal of Affective Disorders</i> , 2019, 243, 62-69.	4.1	7
33	The diagnostic accuracy of the Montreal Cognitive Assessment in inpatient stroke rehabilitation. <i>Neuropsychological Rehabilitation</i> , 2019, 29, 1163-1176.	1.6	14
34	The clinical utility of a 30-minute neuropsychological assessment battery in inpatient stroke rehabilitation. <i>Journal of the Neurological Sciences</i> , 2018, 390, 54-62.	0.6	21
35	Reward learning impairment and avoidance and rumination responses at the end of Engage therapy of late-life depression. <i>International Journal of Geriatric Psychiatry</i> , 2018, 33, 948-955.	2.7	5
36	Age-Related Repetitive Transcranial Magnetic Stimulation Effects on Executive Function in Depression: A Systematic Review. <i>American Journal of Geriatric Psychiatry</i> , 2018, 26, 334-346.	1.2	27

#	ARTICLE	IF	CITATIONS
37	Improving late life depression and cognitive control through the use of therapeutic video game technology: A proof-of-concept randomized trial. <i>Depression and Anxiety</i> , 2017, 34, 508-517.	4.1	79
38	Resting-state connectivity biomarkers define neurophysiological subtypes of depression. <i>Nature Medicine</i> , 2017, 23, 28-38.	30.7	1,554
39	Effects of Transcranial Magnetic Stimulation on the Cognitive Control of Emotion. <i>Journal of ECT</i> , 2017, 33, 73-80.	0.6	40
40	Network-Guided Transcranial Magnetic Stimulation for Depression. <i>Current Behavioral Neuroscience Reports</i> , 2017, 4, 70-77.	1.3	23
41	Functional connectivity of the left DLPFC to striatum predicts treatment response of depression to TMS. <i>Brain Stimulation</i> , 2017, 10, 919-925.	1.6	104
42	Advocating for well-defined and validated procedures: Comment on Griffanti et al., <i>Neuroimage</i> 154:188-205. <i>Journal of Neuroscience Methods</i> , 2017, 290, 24-26.	2.5	2
43	Executive Dysfunction Predicts Treatment Response to Neuroplasticity-Based Computerized Cognitive Remediation (nCCR-GD) in Elderly Patients with Major Depression. <i>American Journal of Geriatric Psychiatry</i> , 2016, 24, 816-820.	1.2	31
44	The Neurocognitive Profile of an Anti-N-Methyl-D-Aspartate Receptor Encephalitis Patient Presenting With Neuropsychiatric Symptoms. <i>Journal of Neuropsychiatry and Clinical Neurosciences</i> , 2016, 28, 255-256.	1.8	4
45	Engage Therapy: Behavioral Activation and Improvement of Late-Life Major Depression. <i>American Journal of Geriatric Psychiatry</i> , 2016, 24, 320-326.	1.2	60
46	Apathy in Late-Life Depression: Common, Persistent, and Disabling. <i>American Journal of Geriatric Psychiatry</i> , 2015, 23, 488-494.	1.2	63
47	Ventromedial Syndrome With Normal Cognitive Functioning in Vascular Depression. <i>American Journal of Psychiatry</i> , 2014, 171, 1337-1338.	7.2	2
48	Neuroanatomical correlates of apathy in late-life depression and antidepressant treatment response. <i>Journal of Affective Disorders</i> , 2014, 166, 179-186.	4.1	58
49	Executive Functioning in Late-Life Depression. <i>Psychiatric Annals</i> , 2014, 44, 143-146.	0.1	6
50	Functional connectivity in apathy of late-life depression: A preliminary study. <i>Journal of Affective Disorders</i> , 2013, 149, 398-405.	4.1	98
51	Semantic organizational strategy predicts verbal memory and remission rate of geriatric depression. <i>International Journal of Geriatric Psychiatry</i> , 2012, 27, 506-512.	2.7	37
52	Functional connectivity in the cognitive control network and the default mode network in late-life depression. <i>Journal of Affective Disorders</i> , 2012, 139, 56-65.	4.1	357
53	Hippocampal Volumes and the Brain-Derived Neurotrophic Factor val66met Polymorphism in Geriatric Major Depression. <i>American Journal of Geriatric Psychiatry</i> , 2011, 19, 13-22.	1.2	73
54	Executive Function and Short-Term Remission of Geriatric Depression: The Role of Semantic Strategy. <i>American Journal of Geriatric Psychiatry</i> , 2011, 19, 115-122.	1.2	50

#	ARTICLE	IF	CITATIONS
55	Functional Neuroimaging in Geriatric Depression. <i>Psychiatric Clinics of North America</i> , 2011, 34, 403-422.	1.3	17
56	BDNF Val66met polymorphism, white matter abnormalities and remission of geriatric depression. <i>Journal of Affective Disorders</i> , 2010, 125, 262-268.	4.1	93
57	MRI signal hyperintensities and treatment remission of geriatric depression. <i>Journal of Affective Disorders</i> , 2010, 126, 395-401.	4.1	77
58	Visual inspection of independent components: Defining a procedure for artifact removal from fMRI data. <i>Journal of Neuroscience Methods</i> , 2010, 189, 233-245.	2.5	320
59	Hybrid ICA-Seed-Based Methods for fMRI Functional Connectivity Assessment: A Feasibility Study. <i>International Journal of Biomedical Imaging</i> , 2010, 2010, 1-24.	3.9	24
60	Anterior cingulate cortical volumes and treatment remission of geriatric depression. <i>International Journal of Geriatric Psychiatry</i> , 2009, 24, 829-836.	2.7	100
61	Executive Dysfunction in Elderly Bipolar Manic Patients. <i>American Journal of Geriatric Psychiatry</i> , 2008, 16, 506-512.	1.2	28
62	Macromolecular White Matter Abnormalities in Geriatric Depression: A Magnetization Transfer Imaging Study. <i>American Journal of Geriatric Psychiatry</i> , 2008, 16, 255-262.	1.2	52
63	Increasing pressure to be thin: 19 years of diet products in television commercials. <i>Eating Disorders</i> , 1993, 1, 52-61.	3.0	13