# Nguyen Xuan Cuong

List of Publications by Year
in descending order



| | | | |
|---|---|---|---|
| 167 papers | 2,202 citations | 236925 25 h-index | 395702 33 g-index |
| 174 all docs | 174 docs citations | 174 times ranked | 2303 citing authors |

| # | Article | IF | Citations |
|---|---|---|---|
| 1 | Chemical constituents from the branches and leaves ofAlchornea annamica. Natural Product Research, 2022, 36, 2349-2355. | 1.8 | 7 |
| 2 | Polyhydroxylated steroid derivatives from the starfish Pentaceraster regulus. Natural Product Research, 2022, 36, 2223-2229. | 1.8 | 1 |
| 3 | Dammarane-type triterpenoid saponins from the flower buds of Panax pseudoginseng with cytotoxic activity. Natural Product Research, 2022, 36, 4343-4351. | 1.8 | 4 |
| 4 | Six new iridoid glucosides from Myxopyrum smilacifolium (Wall.) Blume. Magnetic Resonance in Chemistry, 2022, 60, 247-254. | 1.9 | 0 |
| 5 | Secondary metabolites from a peanut-associated fungus Aspergillus niger IMBC-NMTP01 with cytotoxic, anti-inflammatory, and antimicrobial activities. Natural Product Research, 2022, 36, 1215-1223. | 1.8 | 11 |
| 6 | Aplydactylonins A-C, three new sesquiterpenes from the Vietnamese sea hare Aplysia dactylomela and their cytotoxicity. Journal of Natural Medicines, 2022, 76, 210-219. | 2.3 | 9 |
| 7 | Cytotoxic metabolites from the leaves of the mangrove Rhizophora apiculata. Phytochemistry Letters, 2022, 47, 51-55. | 1.2 | 0 |
| 8 | Anti-neuroinflammatory effect of oxaline, isorhodoptilometrin, and 5-hydroxy-7-(2â€²-hydroxypropyl)-2-methyl-chromone obtained from the marine fungal strain Penicillium oxalicum CLC-MF05. Archives of Pharmacal Research, 2022, 45, 90-104. | 6.3 | 6 |
| 9 | Cytotoxic and nitric oxide inhibitory activities of triterpenoids from Lycopodium clavatum L.. Natural Product Research, 2022, 36, 6232-6239. | 1.8 | 3 |
| 10 | Two new eudesmane sesquiterpene glucosides from the aerial parts of Artemisia vulgaris. Natural Product Research, 2022, , 1-6. | 1.8 | 2 |
| 11 | Cembranoids from the Vietnamese soft coral Sarcophyton ehrenbergi. Natural Product Research, 2022, 36, 5517-5523. | 1.8 | 2 |
| 12 | Sulfated Naphthopyrones and Anthraquinones from the Vietnamese Crinoid <i>Comanthus delicata</i>. Chemical and Pharmaceutical Bulletin, 2022, 70, 408-412. | 1.3 | 2 |
| 13 | Triterpene Tetraglycosides From Stichopus Herrmanni Semper, 1868. Natural Product Communications, 2022, 17, 1934578X2211053. | 0.5 | 1 |
| 14 | Cytotoxic monoterpenoid indole alkaloids from the leaves and twigs of Tabernaemontana bovina. Phytochemistry Letters, 2022, 51, 18-22. | 1.2 | 2 |
| 15 | Sulphated flavones and pregnane-type steroids from Helicteres viscida. Natural Product Research, 2021, 35, 3390-3395. | 1.8 | 3 |
| 16 | Cytotoxic and immunomodulatory phenol derivatives from a marine sponge-derived fungus Ascomycota sp. VK12. Natural Product Research, 2021, 35, 5153-5159. | 1.8 | 14 |
| 17 | Cytotoxic constituents from Isotrema tadungense. Journal of Asian Natural Products Research, 2021, 23, 491-497. | 1.4 | 8 |
| 18 | Sesquiterpenoids from Saussurea costus. Natural Product Research, 2021, 35, 1399-1405. | 1.8 | 14 |

| # | Article | IF | Citations |
|---|---|---|---|
| 19 | Bicyclic lactones from the octocoral Dendronephthya mucronata. Natural Product Research, 2021, 35, 1134-1138. | 1.8 | 4 |
| 20 | Chemical Constituents from the Branches and Leaves of <i>Alchornea trewioides</i>. Chemical and Pharmaceutical Bulletin, 2021, 69, 150-154. | 1.3 | 3 |
| 21 | Saurobacciosides A - C: three new glycosides from Sauropus bacciformis with their cytotoxic activity. Natural Product Research, 2021, , 1-15. | 1.8 | 4 |
| 22 | Chemical constituents of Blumea balsamifera. Phytochemistry Letters, 2021, 43, 35-39. | 1.2 | 6 |
| 23 | Cytotoxic phenolic glycosides from the seeds of Senna tora. Phytochemistry Letters, 2021, 45, 190-194. | 1.2 | 4 |
| 24 | Bioactive secondary metabolites from a soybean-derived fungus Aspergillus versicolor IMBC-NMTP02. Phytochemistry Letters, 2021, 45, 93-99. | 1.2 | 4 |
| 25 | Naphthopyrone and anthraquinone derivatives from Comanthus delicata. Phytochemistry Letters, 2021, 46, 129-135. | 1.2 | 1 |
| 26 | Polyhydroxylated steroids from the Vietnamese soft coral Sarcophyton ehrenbergi. Steroids, 2021, 176, 108932. | 1.8 | 9 |
| 27 | One new phenylpropanoid glycoside from Myxopyrum smilacifolium with Î±-glucosidase inhibitory activity. Journal of Asian Natural Products Research, 2021, , 1-7. | 1.4 | 0 |
| 28 | Structure elucidation of two new diterpenes from Vietnamese mangrove Ceriops decandra. Magnetic Resonance in Chemistry, 2021, 59, 74-79. | 1.9 | 5 |
| 29 | A new [7.7]paracyclophane from Vietnamese marine snail Planaxis sulcatus (Born, 1780). Natural Product Research, 2020, 34, 261-268. | 1.8 | 5 |
| 30 | Dendrodoristerol, a cytotoxic C20 steroid from the Vietnamese nudibranch mollusk Dendrodoris fumata. Journal of Asian Natural Products Research, 2020, 22, 193-200. | 1.4 | 6 |
| 31 | Triterpene glycosides from the Vietnamese sea cucumber Holothuria edulis. Natural Product Research, 2020, 34, 1061-1067. | 1.8 | 13 |
| 32 | Briarane-type diterpenoids from the Vietnamese gorgonian Junceella fragilis. Natural Product Research, 2020, 34, 385-389. | 1.8 | 7 |
| 33 | Acylated flavonoid glycosides from Barringtonia racemosa. Natural Product Research, 2020, 34, 1276-1281. | 1.8 | 16 |
| 34 | Metabolites from Excoecaria cochinchinensis Lour.. Phytochemistry Letters, 2020, 37, 116-120. | 1.2 | 1 |
| 35 | Andropaniosides A and B, two new ent-labdane diterpenoid glucosides from Andrographis paniculata. Phytochemistry Letters, 2020, 35, 37-40. | 1.2 | 14 |
| 36 | Diterpenoids and Flavonoids from <i>Andrographis paniculata</i>. Chemical and Pharmaceutical Bulletin, 2020, 68, 96-99. | 1.3 | 21 |

| # | Article | IF | Citations |
|---|---|---|---|
| 37 | Oroxindols A and B, two novel secoabietane diterpenoids from Oroxylum indicum. Phytochemistry Letters, 2020, 40, 101-104. | 1.2 | 2 |
| 38 | Phenolic glycosides from Oroxylum indicum. Natural Product Research, 2020, , 1-5. | 1.8 | 3 |
| 39 | Polyacetylene and phenolic constituents from the roots of Codonopsis javanica. Natural Product Research, 2020, , 1-7. | 1.8 | 10 |
| 40 | Synthesis of Fe2O3/TiO2/graphene aerogel composite as an efficient Fenton-photocatalyst for removal of methylene blue from aqueous solution. Vietnam Journal of Chemistry, 2020, 58, 697-704. | 0.8 | 11 |
| 41 | Iridoid glucosides and phenylethanoid glycosides from Plantago major. Phytochemistry Letters, 2020, 39, 111-115. | 1.2 | 3 |
| 42 | Enantiomeric chromene derivatives with anticancer effects from Mallotus apelta. Bioorganic Chemistry, 2020, 104, 104268. | 4.1 | 9 |
| 43 | Cytotoxic phenanthrenes and phenolic constituents from the tubers of Dioscorea persimilis. Phytochemistry Letters, 2020, 40, 139-143. | 1.2 | 22 |
| 44 | Limonoids From Choerospondias axillaris. Natural Product Communications, 2020, 15, 1934578X2094836. | 0.5 | 0 |
| 45 | Novel ANO1 Inhibitor from Mallotus apelta Extract Exerts Anticancer Activity through Downregulation of ANO1. International Journal of Molecular Sciences, 2020, 21, 6470. | 4.1 | 9 |
| 46 | Codojavanosides A-C, three new sesquiterpenoid glycosides from the roots of Codonopsis javanica. Phytochemistry Letters, 2020, 40, 166-170. | 1.2 | 5 |
| 47 | Nanoliposomal Cercodemasoide A and Its Improved Activities Against NTERA-2 Cancer Stem Cells. Natural Product Communications, 2020, 15, 1934578X2098210. | 0.5 | 1 |
| 48 | Steroids from Dendronephthya mucronata and Their Inhibitory Effects on Lipopolysaccharide-Induced No Formation in RAW264.7 Cells. Chemistry of Natural Compounds, 2019, 55, 1090-1093. | 0.8 | 4 |
| 49 | Chemical constituents from Vietnamese mangrove Calophyllum inophyllum and their anti-inflammatory effects. Bioorganic Chemistry, 2019, 88, 102921. | 4.1 | 18 |
| 50 | Triterpenoid derivatives from Barringtonia racemosa. Vietnam Journal of Chemistry, 2019, 57, 96-100. | 0.8 | 3 |
| 51 | The chemical constituents and biological activity of some sponges in Northern Vietnam: A review. Vietnam Journal of Chemistry, 2019, 57, 261-271. | 0.8 | 8 |
| 52 | Ursane- and oleane-type triterpene glycosides fromIlex godajam. Vietnam Journal of Chemistry, 2019, 57, 562-567. | 0.8 | 1 |
| 53 | Chemical constituents from the soft coralSinularia digitata. Vietnam Journal of Chemistry, 2019, 57, 636-640. | 0.8 | 1 |
| 54 | Scutebarbatolides A-C, new neo-clerodane diterpenoids from Scutellaria barbata D. Don with cytotoxic activity. Phytochemistry Letters, 2019, 29, 65-69. | 1.2 | 9 |

| # | Article | IF | Citations |
|---|---|---|---|
| 55 | Cytotoxic triterpene saponins from the mangrove Aegiceras corniculatum. Natural Product Research, 2019, 33, 628-634. | 1.8 | 15 |
| 56 | Crinane, augustamine, and Î² -carboline alkaloids from Crinum latifolium. Phytochemistry Letters, 2018, 24, 27-30. | 1.2 | 16 |
| 57 | Engineering co-culture system for production of apigetrin in Escherichia coli. Journal of Industrial Microbiology and Biotechnology, 2018, 45, 175-185. | 3.0 | 47 |
| 58 | Excoecarins L and O from the mangrove plant Excoecaria agallocha L.. Phytochemistry Letters, 2018, 25, 52-55. | 1.2 | 6 |
| 59 | Polar steroid derivatives from the Vietnamese starfish Astropecten polyacanthus. Natural Product Research, 2018, 32, 54-59. | 1.8 | 5 |
| 60 | Two new guaiane sesquiterpene lactones from the aerial parts of Artemisia vulgaris. Journal of Asian Natural Products Research, 2018, 20, 752-756. | 1.4 | 4 |
| 61 | Triterpene tetraglycosides from the sea cucumber Stichopus horrens. Natural Product Research, 2018, 32, 1039-1043. | 1.8 | 9 |
| 62 | Eudesmane and aromadendrane sesquiterpenoids from the Vietnamese soft coral Sinularia erecta. Natural Product Research, 2018, 32, 1798-1802. | 1.8 | 10 |
| 63 | A new rearranged abietane diterpene from Clerodendrum inerme with antioxidant and cytotoxic activities. Natural Product Research, 2018, 32, 2001-2007. | 1.8 | 21 |
| 64 | Triterpene tetraglycosides from the Vietnamese sea cucumber Holothuria impatiens. Vietnam Journal of Chemistry, 2018, 56, 612-616. | 0.8 | 0 |
| 65 | Structural elucidation of four flavonoid glycosides from Barringtonia acutangula. Vietnam Journal of Chemistry, 2018, 56, 187-190. | 0.8 | 3 |
| 66 | Sesquiterpenoids from the rhizomes of Curcuma aeruginosa. Vietnam Journal of Chemistry, 2018, 56, 721-725. | 0.8 | 2 |
| 67 | Escherichia coli modular coculture system for resveratrol glucosides production. World Journal of Microbiology and Biotechnology, 2018, 34, 75. | 3.6 | 26 |
| 68 | Cytotoxic steroids from the Vietnamese gorgonian Verrucella corona. Steroids, 2018, 138, 57-63. | 1.8 | 18 |
| 69 | Äiá»ƒm láº¡i cÃ¡c nghiÃªn cá»©u hÃ³a há»c vÃ hoáº¡t tÃnh sinh há»c má»™t sá»‘ loÃi sinh váºt biá»ƒn Viá»‡t Nam trong giai Ä‘oáº¡n 20 | 0.8 | 4 |
| 70 | Anthraquinone and Butenolide Constituents from the Crinoid <i>Capillaster multiradiatus</i>. Chemical and Pharmaceutical Bulletin, 2018, 66, 1023-1026. | 1.3 | 8 |
| 71 | CHOLESTANE-TYPE STEROIDS FROM THE OCTOCORAL Verrucella corona. Science and Technology, 2018, 56, 279. | 0.2 | 1 |
| 72 | Sesquiterpene constituents from the soft coral Sinularia nanolobata. Natural Product Research, 2017, 31, 1799-1804. | 1.8 | 15 |

| # | Article | IF | Citations |
|---|---|---|---|
| 73 | Cytotoxic steroid derivatives from the Vietnamese soft coral Sinularia brassica. Journal of Asian Natural Products Research, 2017, 19, 1183-1190. | 1.4 | 21 |
| 74 | Cytotoxic triterpene diglycosides from the sea cucumber Stichopus horrens. Bioorganic and Medicinal Chemistry Letters, 2017, 27, 2939-2942. | 2.2 | 28 |
| 75 | Pregnane steroids from the Vietnamese octocoral Carijoa riisei. Natural Product Research, 2017, 31, 2435-2440. | 1.8 | 10 |
| 76 | Triterpene saponins and megastigmane glucosides from Camellia bugiamapensis. Bioorganic and Medicinal Chemistry Letters, 2017, 27, 557-561. | 2.2 | 9 |
| 77 | Flavonoid glycosides from Barringtonia acutangula. Bioorganic and Medicinal Chemistry Letters, 2017, 27, 3776-3781. | 2.2 | 12 |
| 78 | Steroid glycosides from the starfish Pentaceraster gracilis. Journal of Asian Natural Products Research, 2017, 19, 474-480. | 1.4 | 9 |
| 79 | Cytotoxic Steroids from the Vietnamese Soft Coral <i>Sinularia conferta</i>. Chemical and Pharmaceutical Bulletin, 2017, 65, 300-305. | 1.3 | 18 |
| 80 | Cytotoxic Steroids from the Vietnamese Soft Coral <i>Sinularia leptoclados</i>. Chemical and Pharmaceutical Bulletin, 2017, 65, 593-597. | 1.3 | 18 |
| 81 | Cytotoxic Constituents of the Vietnamese Sea Snail Monodonta labio (Linnaeus, 1758). Letters in Organic Chemistry, 2017, 14, . | 0.5 | 1 |
| 82 | Bis-sesquiterpene from the Marine Sponge Dysidea fragilis. Natural Product Communications, 2016, 11, 1934578X1601100. | 0.5 | 4 |
| 83 | Guaiane Sesquiterpenoids from the Gorgonian Menella woodin. Natural Product Communications, 2016, 11, 1934578X1601100. | 0.5 | 2 |
| 84 | New Phenolic Glycosides from Physalis angulata. Natural Product Communications, 2016, 11, 1934578X1601101. | 0.5 | 1 |
| 85 | 7-Methoxy-(9H-Î²-Carbolin-1-il)-(E)-1-Propenoic Acid, a Î²-Carboline Alkaloid FromEurycoma longifolia, Exhibits Anti-Inflammatory Effects by Activating the Nrf2/Heme Oxygenase-1 Pathway. Journal of Cellular Biochemistry, 2016, 117, 659-670. | 2.6 | 37 |
| 86 | Pyrrole Oligoglycosides from the Starfish <i>Acanthaster planci</i> Suppress Lipopolysaccharide-Induced Nitric Oxide Production in RAW264.7 Macrophages. Chemical and Pharmaceutical Bulletin, 2016, 64, 1654-1657. | 1.3 | 15 |
| 87 | Steroid constituents from the soft coral Sinularia microspiculata. Journal of Asian Natural Products Research, 2016, 18, 938-944. | 1.4 | 19 |
| 88 | Steroid Constituents from the Soft Coral <i>Sinularia nanolobata</i>. Chemical and Pharmaceutical Bulletin, 2016, 64, 1417-1419. | 1.3 | 24 |
| 89 | Further Highly Hydroxylated Steroids from the Vietnamese Starfish <i>Archaster typicus</i>. Chemical and Pharmaceutical Bulletin, 2016, 64, 1523-1527. | 1.3 | 3 |
| 90 | Two new simple iridoids from the ant-plant Myrmecodia tuberosa and their antimicrobial effects. Natural Product Research, 2016, 30, 2071-2076. | 1.8 | 9 |

| # | Article | IF | Citations |
|---|---|---|---|
| 91 | In vitroanti-inflammatory components isolated from the carnivorous plantNepenthes mirabilis(Lour.) Rafarin. Pharmaceutical Biology, 2016, 54, 588-594. | 2.9 | 18 |
| 92 | Anti-inflammatory Tirucallane Saponins from <i>Paramignya scandens</i>. Chemical and Pharmaceutical Bulletin, 2015, 63, 558-564. | 1.3 | 6 |
| 93 | Cytotoxic Biscembranoids from the Soft Coral <i>Sarcophyton pauciplicatum</i>. Chemical and Pharmaceutical Bulletin, 2015, 63, 636-640. | 1.3 | 13 |
| 94 | <sup>1</sup>H and <sup>13</sup>C NMR assignments of sesquiterpenes from <scp>Dysidea fragilis</scp>. Magnetic Resonance in Chemistry, 2015, 53, 1057-1060. | 1.9 | 6 |
| 95 | Sesquiterpenes from the Vietnamese Marine Sponge Dysidea Fragilis. Natural Product Communications, 2015, 10, 1934578X1501000. | 0.5 | 6 |
| 96 | Asterosaponins and glycosylated polyhydroxysteroids from the starfishCulcita novaeguineaeand their cytotoxic activities. Journal of Asian Natural Products Research, 2015, 17, 1010-1017. | 1.4 | 19 |
| 97 | Oleanane- type saponins from Glochidion glomerulatum and their cytotoxic activities. Phytochemistry, 2015, 116, 213-220. | 2.9 | 21 |
| 98 | Chemical constituents from Kandelia candel with their inhibitory effects on pro-inflammatory cytokines production in LPS-stimulated bone marrow-derived dendritic cells (BMDCs). Bioorganic and Medicinal Chemistry Letters, 2015, 25, 1412-1416. | 2.2 | 16 |
| 99 | Naphthoquinone and flavonoid constituents from the carnivorous plant Nepenthes mirabilis and their anti-osteoporotic and antioxidant activities. Phytochemistry Letters, 2015, 11, 254-259. | 1.2 | 16 |
| 100 | Two new naphthalene glucosides and other bioactive compounds from the carnivorous plant Nepenthes mirabilis. Archives of Pharmacal Research, 2015, 38, 1774-1782. | 6.3 | 16 |
| 101 | Cytotoxic triterpene saponins from Cercodemas anceps. Bioorganic and Medicinal Chemistry Letters, 2015, 25, 3151-3156. | 2.2 | 30 |
| 102 | Anti-inflammatory components of the Vietnamese starfish Protoreaster nodosus. Biological Research, 2015, 48, 12. | 3.4 | 11 |
| 103 | Synthesis of Chromonylthiazolidines and Their Cytotoxicity to Human Cancer Cell Lines. Molecules, 2015, 20, 1151-1160. | 3.8 | 26 |
| 104 | Structures and absolute stereochemistry of guaiane sesquiterpenoids from the gorgonian Menella woodin. Tetrahedron Letters, 2015, 56, 7001-7004. | 1.4 | 17 |
| 105 | In vitro evaluation of the antioxidant and cytotoxic activities of constituents of the mangrove Lumnitzera racemosa Willd.. Archives of Pharmacal Research, 2015, 38, 446-455. | 6.3 | 18 |
| 106 | Steroidal Constituents from the Edible Sea UrchinDiadema savignyiMichelin Induce Apoptosis in Human Cancer Cells. Journal of Medicinal Food, 2015, 18, 45-53. | 1.5 | 16 |
| 107 | Peroxisome proliferator-activated receptor transactivational effects in HepG2 cells of cembranoids from the soft coral Lobophytum crassum Von Marenzeller. Archives of Pharmacal Research, 2015, 38, 769-775. | 6.3 | 7 |
| 108 | Triterpene Saponins from the Sea Cucumber Stichopus chloronotus. Natural Product Communications, 2014, 9, 1934578X1400900. | 0.5 | 2 |

| # | Article | IF | Citations |
|---|---|---|---|
| 109 | A New Cycloartane Glucoside from Rhizophora stylosa. Natural Product Communications, 2014, 9, 1934578X1400900. | 0.5 | 6 |
| 110 | Two Novel Iridoids from Morinda longifolia. Natural Product Communications, 2014, 9, 1934578X1400900. | 0.5 | 4 |
| 111 | New anti-inflammatory cembranoid diterpenoids from the Vietnamese soft coral Lobophytum crassum. Bioorganic and Medicinal Chemistry Letters, 2014, 24, 228-232. | 2.2 | 40 |
| 112 | Inhibition of NF-ÎºB transcriptional activation in HepG2 cells by diterpenoids from the soft coral Sinularia maxima. Archives of Pharmacal Research, 2014, 37, 706-712. | 6.3 | 13 |
| 113 | NF-ÎºB inhibitory activity of polyoxygenated steroids from the Vietnamese soft coral Sarcophyton pauciplicatum. Bioorganic and Medicinal Chemistry Letters, 2014, 24, 2834-2838. | 2.2 | 15 |
| 114 | Triterpenoid saponins from the roots of Rosa rugosa Thunb. as rat intestinal sucrase inhibitors. Archives of Pharmacal Research, 2014, 37, 1280-1285. | 6.3 | 13 |
| 115 | Two tirucallane derivatives from Paramignya scandens and their cytotoxic activity. Phytochemistry Letters, 2014, 9, 78-81. | 1.2 | 10 |
| 116 | Two new neoclerodane diterpenoids from Scutellaria barbata D. Don growing in Vietnam. Journal of Asian Natural Products Research, 2014, 16, 364-369. | 1.4 | 30 |
| 117 | A new flavone sulfonic acid from Phyllanthus urinaria. Phytochemistry Letters, 2014, 7, 182-185. | 1.2 | 7 |
| 118 | Rat intestinal sucrase inhibition of constituents from the roots of Rosa rugosa Thunb.. Bioorganic and Medicinal Chemistry Letters, 2014, 24, 1192-1196. | 2.2 | 25 |
| 119 | Secondary Metabolites from Vietnamese Marine Invertebrates with Activity against Trypanosoma brucei and T. cruzi. Molecules, 2014, 19, 7869-7880. | 3.8 | 20 |
| 120 | Asterosaponins from the Starfish <i>Astropecten monacanthus</i> Suppress Growth and Induce Apoptosis in HL-60, PC-3, and SNU-C5 Human Cancer Cell Lines. Biological and Pharmaceutical Bulletin, 2014, 37, 315-321. | 1.4 | 25 |
| 121 | Cembranoid Diterpenes from the Soft Coral <i>Lobophytum crassum</i> and Their Anti-inflammatory Activities. Chemical and Pharmaceutical Bulletin, 2014, 62, 203-208. | 1.3 | 20 |
| 122 | Triterpene saponins from the sea cucumber Stichopus chloronotus. Natural Product Communications, 2014, 9, 615-8. | 0.5 | 4 |
| 123 | Anti-inflammatory Asterosaponins from the Starfish Astropecten monacanthus. Journal of Natural Products, 2013, 76, 1764-1770. | 3.0 | 37 |
| 124 | Anti-inflammatory norditerpenoids from the soft coral Sinularia maxima. Bioorganic and Medicinal Chemistry Letters, 2013, 23, 228-231. | 2.2 | 38 |
| 125 | Two new 11-noriridoids from the aerial parts of Morinda umbellata. Phytochemistry Letters, 2013, 6, 267-269. | 1.2 | 17 |
| 126 | Pyrrole and furan oligoglycosides from the starfish Asterina batheri and their inhibitory effect on the production of pro-inflammatory cytokines in lipopolysaccharide-stimulated bone marrow-derived dendritic cells. Bioorganic and Medicinal Chemistry Letters, 2013, 23, 1823-1827. | 2.2 | 16 |

| # | Article | IF | Citations |
|---|---|---|---|
| 127 | Steroidal Constituents from the Starfish Astropecten polyacanthus and Their Anticancer Effects. Chemical and Pharmaceutical Bulletin, 2013, 61, 1044-1051. | 1.3 | 24 |
| 128 | New Butenolide and Pentenolide from Dysidea cinerea. Natural Product Communications, 2013, 8, 1934578X1300801. | 0.5 | 0 |
| 129 | Anti-Inflammatory Components of the Starfish Astropecten polyacanthus. Marine Drugs, 2013, 11, 2917-2926. | 4.6 | 28 |
| 130 | New butenolide and pentenolide from Dysidea cinerea. Natural Product Communications, 2013, 8, 1751-2. | 0.5 | 3 |
| 131 | Diterpenoids from the Soft Coral <i>Sinularia maxima</i> and Their Inhibitory Effects on Lipopolysaccharide-Stimulated Production of Pro-inflammatory Cytokines in Bone Marrow-Derived Dendritic Cells. Chemical and Pharmaceutical Bulletin, 2012, 60, 1581-1589. | 1.3 | 31 |
| 132 | A new prenylated aurone from Artocarpus altilis. Journal of Asian Natural Products Research, 2012, 14, 923-928. | 1.4 | 17 |
| 133 | Inhibitory effect on TNF-Î±-induced IL-8 secretion in HT-29 cell line by glyceroglycolipids from the leaves of Ficus microcarpa. Archives of Pharmacal Research, 2012, 35, 2135-2142. | 6.3 | 18 |
| 134 | Inhibition of Nuclear Transcription Factor-ÎºB and Activation of Peroxisome Proliferator-Activated Receptors in HepG2 Cells by Cucurbitane-Type Triterpene Glycosides from Momordica charantia. Journal of Medicinal Food, 2012, 15, 369-377. | 1.5 | 23 |
| 135 | Cytotoxic oleane-type triterpene saponins from Glochidion eriocarpum. Archives of Pharmacal Research, 2012, 35, 19-26. | 6.3 | 21 |
| 136 | Chemical Constituents of the Ficus elastica Leaves and Their Antioxidant Activities. Bulletin of the Korean Chemical Society, 2012, 33, 3461-3464. | 1.9 | 19 |
| 137 | Chemical Constituents and Antioxidant Activity of Ficus callosa. Natural Product Communications, 2011, 6, 1934578X1100600. | 0.5 | 1 |
| 138 | Chemical constituents of Mallotus macrostachyus growing in Vietnam and cytotoxic activity of some cycloartane derivatives. Phytochemistry Letters, 2011, , . | 1.2 | 3 |
| 139 | Inhibitory activity of Plantago major L. on angiotensin I-converting enzyme. Archives of Pharmacal Research, 2011, 34, 419-423. | 6.3 | 12 |
| 140 | Antioxidant activity of a new C-glycosylflavone from the leaves of Ficus microcarpa. Bioorganic and Medicinal Chemistry Letters, 2011, 21, 633-637. | 2.2 | 28 |
| 141 | Cytotoxic and antioxidant activities of diterpenes and sterols from the Vietnamese soft coral Lobophytum compactum. Bioorganic and Medicinal Chemistry Letters, 2011, 21, 2155-2159. | 2.2 | 24 |
| 142 | A New Monoterpenoid Glycoside from Myrica esculenta and the Inhibition of Angiotensin I-Converting Enzyme. Chemical and Pharmaceutical Bulletin, 2010, 58, 1408-1410. | 1.3 | 23 |
| 143 | α-Glucosidase Inhibition Properties of Cucurbitane-Type Triterpene Glycosides from the Fruits of <i>Momordica charantia</i>. Chemical and Pharmaceutical Bulletin, 2010, 58, 720-724. | 1.3 | 72 |
| 144 | Two new c-glucosyl benzoic acids and flavonoids from Mallotus nanus and their antioxidant activity. Archives of Pharmacal Research, 2010, 33, 203-208. | 6.3 | 25 |

| # | Article | IF | Citations |
|---|---|---|---|
| 145 | Chemical components from the Vietnamese soft coral Lobophytum sp.. Archives of Pharmacal Research, 2010, 33, 503-508. | 6.3 | 23 |
| 146 | Aporphine alkaloids, clerodane diterpenes, and other constituents from Tinospora cordifolia. FÃ¬toterapÃ¬Ã¢, 2010, 81, 485-489. | 2.2 | 47 |
| 147 | Cucurbitaneâ€type triterpene glycosides from the fruits of Momordica charantia. Magnetic Resonance in Chemistry, 2010, 48, 392-396. | 1.9 | 11 |
| 148 | Dammarane-type saponins from Gynostemma pentaphyllum. Phytochemistry, 2010, 71, 994-1001. | 2.9 | 37 |
| 149 | Inhibitors of osteoclastogenesis from Lawsonia inermis leaves. Bioorganic and Medicinal Chemistry Letters, 2010, 20, 4782-4784. | 2.2 | 31 |
| 150 | Triterpenoids from Aerial Parts of Glochidion eriocarpum. Natural Product Communications, 2010, 5, 1934578X1000500. | 0.5 | 1 |
| 151 | Two New Sesquiterpenes from Sarcandra Glabra. Natural Product Communications, 2010, 5, 1934578X1000501. | 0.5 | 2 |
| 152 | A New Lignan Dimer from Mallotus philippensis. Natural Product Communications, 2010, 5, 1934578X1000500. | 0.5 | 2 |
| 153 | Triterpenoids from aerial parts of Glochidion eriocarpum. Natural Product Communications, 2010, 5, 361-4. | 0.5 | 4 |
| 154 | Two New Megastigmane Sulphonoglucosides from Mallotus anisopodus. Natural Product Communications, 2009, 4, 1934578X0900400. | 0.5 | 2 |
| 155 | A New Rearranged Abietane Diterpene and other Constituents from Clerodendrum Philipinum. Natural Product Communications, 2009, 4, 1934578X0900400. | 0.5 | 3 |
| 156 | Dibenzocyclooctadiene Lignans and Lanostane Derivatives from the Roots ofKadsura coccineaand their Protective Effects on Primary Rat Hepatocyte Injury Induced byt-Butyl Hydroperoxide. Planta Medica, 2009, 75, 1253-1257. | 1.3 | 30 |
| 157 | Phenylpropanoid glycosides from Heterosmilax erythrantha and their antioxidant activity. Archives of Pharmacal Research, 2009, 32, 1373-1377. | 6.3 | 16 |
| 158 | A new C29-sterol with a cyclopropane ring at C-25 and 26 from the Vietnamese marine sponge Ianthella sp.. Archives of Pharmacal Research, 2009, 32, 1695-1698. | 6.3 | 3 |
| 159 | Inhibitors of Osteoclast Formation from Rhizomes of Cibotium barometz. Journal of Natural Products, 2009, 72, 1673-1677. | 3.0 | 32 |
| 160 | New Triterpenoid Saponins from Glochidion eriocarpum and Their Cytotoxic Activity. Chemical and Pharmaceutical Bulletin, 2009, 57, 102-105. | 1.3 | 27 |
| 161 | Chemical constituents of Acanthus ilicifolius L. and effect on osteoblastic MC3T3E1 cells. Archives of Pharmacal Research, 2008, 31, 823-829. | 6.3 | 24 |
| 162 | New phenylpropanoid esters of sucrose from Polygonum hydropiper and their antioxidant activity. Archives of Pharmacal Research, 2008, 31, 1477-1482. | 6.3 | 34 |

| # | Article | IF | Citations |
|---|---|---|---|
| 163 | New monoterpene glycosides from Paeonia lactiflora. FÃ¬toterapÃ¬Ã¢, 2008, 79, 117-120. | 2.2 | 42 |
| 164 | Chemical Constituents from the Leaves of Manglietia phuthoensis and Their Effects on Osteoblastic MC3T3-E1 Cells. Chemical and Pharmaceutical Bulletin, 2008, 56, 1270-1275. | 1.3 | 30 |
| 165 | New Cembranoid Diterpenes from the Vietnamese Soft Coral Sarcophyton mililatensis Stimulate Osteoblastic Differentiation in MC3T3-E1 Cells. Chemical and Pharmaceutical Bulletin, 2008, 56, 988-992. | 1.3 | 40 |
| 166 | A New Triterpene Glycoside from the Sea Cucumber Holothuria Scabra Collected in Vietnam. ASEAN Journal on Science and Technology for Development, 2008, 23, . | 0.5 | 2 |
| 167 | A New 9,11-Secosterol from the Vietnamese Sea Soft Coral, Sarcophyton Mililatensis, Increases the Function of Osteoblastic MC3T3-E1 Cells. Natural Product Communications, 2007, 2, 1934578X0700201. | 0.5 | 1 |