

Maria Carla Bosco

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8070605/publications.pdf>

Version: 2024-02-01

69
papers

2,973
citations

159525

30
h-index

168321

53
g-index

72
all docs

72
docs citations

72
times ranked

4555
citing authors

#	ARTICLE	IF	CITATIONS
1	Mesenchymal Stem Cell-Derived Extracellular Vesicles as Mediators of Anti-Inflammatory Effects: Endorsement of Macrophage Polarization. <i>Stem Cells Translational Medicine</i> , 2017, 6, 1018-1028.	1.6	399
2	Hypoxia downregulates the expression of activating receptors involved in cell-mediated target cell killing without affecting ADCC. <i>European Journal of Immunology</i> , 2013, 43, 2756-2764.	1.6	210
3	Regulation of Human Macrophage M1-M2 Polarization Balance by Hypoxia and the Triggering Receptor Expressed on Myeloid Cells-1. <i>Frontiers in Immunology</i> , 2017, 8, 1097.	2.2	208
4	Hypoxia Modifies the Transcriptome of Primary Human Monocytes: Modulation of Novel Immune-Related Genes and Identification Of CC-Chemokine Ligand 20 as a New Hypoxia-Inducible Gene. <i>Journal of Immunology</i> , 2006, 177, 1941-1955.	0.4	189
5	Monocytes and dendritic cells in a hypoxic environment: Spotlights on chemotaxis and migration. <i>Immunobiology</i> , 2008, 213, 733-749.	0.8	138
6	Hypoxia modulates the gene expression profile of immunoregulatory receptors in human mature dendritic cells: identification of TREM-1 as a novel hypoxic marker in vitro and in vivo. <i>Blood</i> , 2011, 117, 2625-2639.	0.6	119
7	The Tryptophan Catabolite Picolinic Acid Selectively Induces the Chemokines Macrophage Inflammatory Protein-1 α and -1 β in Macrophages. <i>Journal of Immunology</i> , 2000, 164, 3283-3291.	0.4	108
8	Hypoxia Modifies the Transcriptome of Human NK Cells, Modulates Their Immunoregulatory Profile, and Influences NK Cell Subset Migration. <i>Frontiers in Immunology</i> , 2018, 9, 2358.	2.2	104
9	Inhibition of tumor growth and enhancement of metastasis after transfection of the β -interferon gene. <i>International Journal of Cancer</i> , 1993, 55, 320-329.	2.3	89
10	Hypoxia Selectively Inhibits Monocyte Chemoattractant Protein-1 Production by Macrophages. <i>Journal of Immunology</i> , 2004, 172, 1681-1690.	0.4	84
11	Interleukin-2 and human monocyte activation. <i>Journal of Leukocyte Biology</i> , 1995, 57, 13-19.	1.5	76
12	Topotecan inhibits vascular endothelial growth factor production and angiogenic activity induced by hypoxia in human neuroblastoma by targeting hypoxia-inducible factor-1 α and -2 α . <i>Molecular Cancer Therapeutics</i> , 2008, 7, 1974-1984.	1.9	73
13	The hypoxic environment reprograms the cytokine/chemokine expression profile of human mature dendritic cells. <i>Immunobiology</i> , 2013, 218, 76-89.	0.8	59
14	Hypoxia inhibits the expression of the CCR5 chemokine receptor in macrophages. <i>Cellular Immunology</i> , 2004, 228, 1-7.	1.4	57
15	The human amniotic fluid stem cell secretome effectively counteracts doxorubicin-induced cardiotoxicity. <i>Scientific Reports</i> , 2016, 6, 29994.	1.6	52
16	Disruption by interferon-alpha of an autocrine interleukin-6 growth loop in IL-6-dependent U266 myeloma cells by homologous and heterologous down-regulation of the IL-6 receptor alpha- and beta-chains.. <i>Journal of Clinical Investigation</i> , 1994, 94, 2317-2325.	3.9	52
17	Engineering of Macrophages to Produce IFN- β in Response to Hypoxia. <i>Journal of Immunology</i> , 2001, 166, 5374-5380.	0.4	49
18	Chronic hypoxia reprograms human immature dendritic cells by inducing a proinflammatory phenotype and TREM-1 expression. <i>European Journal of Immunology</i> , 2013, 43, 949-966.	1.6	49

#	ARTICLE	IF	CITATIONS
19	Hypoxia transcriptionally induces macrophage-inflammatory protein-3 β /CCL-20 in primary human mononuclear phagocytes through nuclear factor (NF)- κ B. <i>Journal of Leukocyte Biology</i> , 2008, 83, 648-662.	1.5	46
20	Flavopiridol inhibits vascular endothelial growth factor production induced by hypoxia or picolinic acid in human neuroblastoma. <i>International Journal of Cancer</i> , 2002, 99, 658-664.	2.3	45
21	Exosomal microRNAs from Longitudinal Liquid Biopsies for the Prediction of Response to Induction Chemotherapy in High-Risk Neuroblastoma Patients: A Proof of Concept SIOPEX Study. <i>Cancers</i> , 2019, 11, 1476.	1.7	43
22	Macrophage polarization: Reaching across the aisle?. <i>Journal of Allergy and Clinical Immunology</i> , 2019, 143, 1348-1350.	1.5	42
23	Targeting hypoxia in tumor: a new promising therapeutic strategy. <i>Journal of Experimental and Clinical Cancer Research</i> , 2020, 39, 8.	3.5	38
24	Hypoxia Predicts Poor Prognosis in Neuroblastoma Patients and Associates with Biological Mechanisms Involved in Telomerase Activation and Tumor Microenvironment Reprogramming. <i>Cancers</i> , 2020, 12, 2343.	1.7	36
25	Therapeutic Potential of Targeting TREM-1 in Inflammatory Diseases and Cancer. <i>Current Pharmaceutical Design</i> , 2016, 22, 6209-6233.	0.9	36
26	Hypoxic synovial environment and expression of macrophage inflammatory protein 3 β /CCL20 in juvenile idiopathic arthritis. <i>Arthritis and Rheumatism</i> , 2008, 58, 1833-1838.	6.7	35
27	The Antineoplastic Agent Bryostatins Induces Proinflammatory Cytokine Production in Human Monocytes: Synergy With Interleukin-2 and Modulation of Interleukin-2R β Chain Expression. <i>Blood</i> , 1997, 89, 3402-3411.	0.6	34
28	Macrophage Activating Properties of The Tryptophan Catabolite Picolinic Acid. <i>Advances in Experimental Medicine and Biology</i> , 2003, 527, 55-65.	0.8	33
29	Ultrastructural evidence of the mechanisms responsible for interleukin-4 α -activated rejection of a spontaneous murine adenocarcinoma. <i>International Journal of Cancer</i> , 1993, 53, 988-993.	2.3	33
30	Dendritic cell reprogramming by the hypoxic environment. <i>Immunobiology</i> , 2012, 217, 1241-1249.	0.8	32
31	Artificial neural network classifier predicts neuroblastoma patients' outcome. <i>BMC Bioinformatics</i> , 2016, 17, 347.	1.2	32
32	The Hypoxic Synovial Environment Regulates Expression of Vascular Endothelial Growth Factor and Osteopontin in Juvenile Idiopathic Arthritis. <i>Journal of Rheumatology</i> , 2009, 36, 1318-1329.	1.0	31
33	Identification of CD300a as a new hypoxia-inducible gene and a regulator of CCL20 and VEGF production by human monocytes and macrophages. <i>Innate Immunity</i> , 2014, 20, 721-734.	1.1	23
34	IL-2 Signaling in Human Monocytes Involves the Phosphorylation and Activation of p59 ^{hck} . <i>Journal of Immunology</i> , 2000, 164, 4575-4585.	0.4	21
35	Development of hepatocellular adenomas and carcinomas in mice with liver-specific G6Pase-1 α deficiency. <i>DMM Disease Models and Mechanisms</i> , 2014, 7, 1083-1091.	1.2	20
36	Generation of high-titer retroviral vector-producing macrophages as vehicles for in vivo gene transfer. <i>Gene Therapy</i> , 2001, 8, 431-441.	2.3	19

#	ARTICLE	IF	CITATIONS
37	Induction of Apoptosis by Flavopiridol in Human Neuroblastoma Cells Is Enhanced under Hypoxia and Associated With N-myc Proto-oncogene Down-Regulation. <i>Clinical Cancer Research</i> , 2004, 10, 8704-8719.	3.2	17
38	Macrophage-inflammatory protein-3 β /CCL-20 is transcriptionally induced by the iron chelator desferrioxamine in human mononuclear phagocytes through nuclear factor (NF)- κ B. <i>Molecular Immunology</i> , 2010, 47, 685-693.	1.0	16
39	Design of a multi-signature ensemble classifier predicting neuroblastoma patients' outcome. <i>BMC Bioinformatics</i> , 2012, 13, S13.	1.2	15
40	Multiple Cytokines Inhibit Interleukin-6-Dependent Murine Hybridoma/Plasmacytoma Proliferation. <i>Cellular Immunology</i> , 1996, 168, 117-121.	1.4	14
41	Antagonistic effect of picolinic acid and interferon- β on macrophage inflammatory protein-1 α / β production. <i>Cellular Immunology</i> , 2002, 220, 70-80.	1.4	14
42	Targeting Mononuclear Phagocyte Receptors in Cancer Immunotherapy: New Perspectives of the Triggering Receptor Expressed on Myeloid Cells (TREM-1). <i>Cancers</i> , 2020, 12, 1337.	1.7	14
43	PIPE-T: a new Galaxy tool for the analysis of RT-qPCR expression data. <i>Scientific Reports</i> , 2019, 9, 17550.	1.6	12
44	Transcriptome analysis defines myocardium gene signatures in children with ToF and ASD and reveals disease-specific molecular reprogramming in response to surgery with cardiopulmonary bypass. <i>Journal of Translational Medicine</i> , 2020, 18, 21.	1.8	11
45	Lymphokine-activated tumor inhibition: Combinatory activity of a synthetic nonapeptide from interleukin-1, interleukin-2, interleukin-4, and interferon- β injected around tumor-draining lymph nodes. <i>International Journal of Cancer</i> , 1989, 44, 62-65.	2.3	10
46	Hypoxia inhibits Moloney murine leukemia virus expression in activated macrophages. <i>Journal of Leukocyte Biology</i> , 2007, 81, 528-538.	1.5	10
47	The Tumor Suppressor Hamartin Enhances Dbl Protein Transforming Activity through Interaction with Ezrin. <i>Journal of Biological Chemistry</i> , 2011, 286, 29973-29983.	1.6	10
48	Regulation of Langerhans cell functions in a hypoxic environment. <i>Journal of Molecular Medicine</i> , 2016, 94, 943-955.	1.7	10
49	Connectivity Map Analysis Indicates PI3K/Akt/mTOR Inhibitors as Potential Anti-Hypoxia Drugs in Neuroblastoma. <i>Cancers</i> , 2021, 13, 2809.	1.7	10
50	Immunohistochemical analysis of PDK1, PHD3 and HIF-1 α expression defines the hypoxic status of neuroblastoma tumors. <i>PLoS ONE</i> , 2017, 12, e0187206.	1.1	10
51	Picolinic acid- or desferrioxamine-inducible autocrine activation of macrophages engineered to produce IFN β : an approach for gene therapy. <i>Gene Therapy</i> , 2004, 11, 560-568.	2.3	8
52	Treatment of newborn G6pc mice with bone marrow-derived myelomonocytes induces liver repair. <i>Journal of Hepatology</i> , 2011, 55, 1263-1271.	1.8	8
53	A Proteomic Analysis of GSD-1a in Mouse Livers: Evidence for Metabolic Reprogramming, Inflammation, and Macrophage Polarization. <i>Journal of Proteome Research</i> , 2019, 18, 2965-2978.	1.8	8
54	Circulating exosomal microRNA as potential biomarkers of hepatic injury and inflammation in Glycogen storage disease type 1a. <i>DMM Disease Models and Mechanisms</i> , 2020, 13, .	1.2	8

#	ARTICLE	IF	CITATIONS
55	Analysis of the Expression and Single-Nucleotide Variant Frequencies of the Butyrophilin-like 2 Gene in Patients With Uveal Melanoma. <i>JAMA Ophthalmology</i> , 2016, 134, 1125.	1.4	7
56	LPS-inducible nuclear factor in human monocytes that binds the negative regulatory element of the HIV LTR. <i>Journal of Leukocyte Biology</i> , 1994, 56, 21-26.	1.5	6
57	Identification of a novel mouse Dbl proto-oncogene splice variant: Evidence that SEC14 domain is involved in GEF activity regulation. <i>Gene</i> , 2014, 537, 220-229.	1.0	6
58	Development and characterization of an inducible mouse model for glycogen storage disease type Ib. <i>Journal of Inherited Metabolic Disease</i> , 2018, 41, 1015-1025.	1.7	6
59	Exosomal MicroRNAs as Potential Biomarkers of Hepatic Injury and Kidney Disease in Glycogen Storage Disease Type Ia Patients. <i>International Journal of Molecular Sciences</i> , 2022, 23, 328.	1.8	5
60	Characterization of high- and low-risk hepatocellular adenomas by magnetic resonance in an animal model of glycogen storage disease type 1A. <i>DMM Disease Models and Mechanisms</i> , 2019, 12, .	1.2	4
61	miR-23a contributes to T cellular redox metabolism in juvenile idiopathic oligoarthritis. <i>Rheumatology</i> , 2022, 61, 2694-2703.	0.9	4
62	The SGLT2-inhibitor dapagliflozin improves neutropenia and neutrophil dysfunction in a mouse model of the inherited metabolic disorder GSDIb. <i>Molecular Genetics and Metabolism Reports</i> , 2021, 29, 100813.	0.4	4
63	The effects of a long term dihydroergotoxine treatment on agonist and antagonist striatal dopamine binding sites are dose and age related. <i>Pharmacological Research Communications</i> , 1986, 18, 967-978.	0.2	3
64	Dbl oncogene expression in MCF-10 A epithelial cells disrupts mammary acinar architecture, induces EMT and angiogenic factor secretion. <i>Cell Cycle</i> , 2015, 14, 1426-1437.	1.3	2
65	Hypoxia and Gene Expression. <i>Cancer Drug Discovery and Development</i> , 2014, , 91-119.	0.2	2
66	Mechanisms of Cancer-related Cardiomyopathy67Protection against chemotherapy cardiotoxicity by the human amniotic fluid stem cell secretome: a new tool for future paracrine therapy68Hyperlipidaemia reduces mortality in breast, prostate, lung and bowel cancer69DNA-repair in cardiomyocytes is critical for maintaining cardiac function. <i>Cardiovascular Research</i> , 2016, 111, S14-S15.	1.8	1
67	Dr. Luigi (Gigi) Varesio: A memorial. <i>Journal of Leukocyte Biology</i> , 2018, 103, 1251-1251.	1.5	0
68	Abstract 2002: Cell reprogramming by hypoxia. , 2010, , .		0
69	The necessity of animal experimentation in tumor immunology. , 1990, , 125-132.		0