

Heinrich Roder

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/8071813/heinrich-roder-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

110
papers

9,540
citations

53
h-index

97
g-index

112
ext. papers

9,975
ext. citations

7.6
avg, IF

5.74
L-index

#	Paper	IF	Citations
110	Effects of ionic strength on the folding and stability of SAMP1, a ubiquitin-like halophilic protein.. <i>Biophysical Journal</i> , 2022 ,	2.9	2
109	Advances in Mixer Design and Detection Methods for Kinetics Studies of Macromolecular Folding and Binding on the Microsecond Time Scale. <i>Molecules</i> , 2022 , 27, 3392	4.8	0
108	Gene network transitions in embryos depend upon interactions between a pioneer transcription factor and core histones. <i>Nature Genetics</i> , 2020 , 52, 418-427	36.3	26
107	Energetics and kinetics of substrate analog-coupled staphylococcal nuclease folding revealed by a statistical mechanical approach. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2020 , 117, 19953-19962	11.5	1
106	Isothermal Analysis of ThermoFluor Data can readily provide Quantitative Binding Affinities. <i>Scientific Reports</i> , 2019 , 9, 2650	4.9	47
105	Complex Folding Landscape of Apomyoglobin at Acidic pH Revealed by Ultrafast Kinetic Analysis of Core Mutants. <i>Journal of Physical Chemistry B</i> , 2018 , 122, 11228-11239	3.4	4
104	Structural and nucleic acid binding properties of hepatitis delta virus small antigen. <i>World Journal of Virology</i> , 2017 , 6, 26-35	6.9	5
103	H-ras Inhibits the Hippo Pathway by Promoting Mst1/Mst2 Heterodimerization. <i>Current Biology</i> , 2016 , 26, 1556-1563	6.3	20
102	A Native-like Intermediate Serves as a Branching Point between the Folding and Aggregation Pathways of the Mouse Prion Protein. <i>Structure</i> , 2015 , 23, 1735-1742	5.2	28
101	The Tyrosine Kinase c-Src Specifically Binds to the Active Integrin α 5 β 3 to Initiate Outside-in Signaling in Platelets. <i>Journal of Biological Chemistry</i> , 2015 , 290, 15825-15834	5.4	18
100	Stability engineering of anti-EGFR scFv antibodies by rational design of a lambda-to-kappa swap of the VL framework using a structure-guided approach. <i>MABs</i> , 2015 , 7, 1058-71	6.6	20
99	Slow folding-unfolding kinetics of an octameric β -peptide bundle. <i>ACS Chemical Biology</i> , 2014 , 9, 276-81	4.9	5
98	Ultrafast hydrogen exchange reveals specific structural events during the initial stages of folding of cytochrome c. <i>Journal of the American Chemical Society</i> , 2014 , 136, 733-40	16.4	24
97	Arginyltransferase ATE1 catalyzes midchain arginylation of proteins at side chain carboxylates in vivo. <i>Chemistry and Biology</i> , 2014 , 21, 331-7		56
96	A Single Mutation in a Regulatory Protein Produces Evolvable Allosterically Regulated Catalyst of Nonnatural Reaction. <i>Angewandte Chemie</i> , 2013 , 125, 6366-6369	3.6	5
95	A single mutation in a regulatory protein produces evolvable allosterically regulated catalyst of nonnatural reaction. <i>Angewandte Chemie - International Edition</i> , 2013 , 52, 6246-9	16.4	27
94	Nonuniform chain collapse during early stages of staphylococcal nuclease folding detected by fluorescence resonance energy transfer and ultrarapid mixing methods. <i>Protein Science</i> , 2013 , 22, 1336-48	6.3	9

93	Microsecond folding dynamics of apomyoglobin at acidic pH. <i>Journal of Physical Chemistry B</i> , 2012 , 116, 7014-25	3.4	27
92	Microsecond unfolding kinetics of sheep prion protein reveals an intermediate that correlates with susceptibility to classical scrapie. <i>Biophysical Journal</i> , 2011 , 101, 1221-30	2.9	14
91	Retroviral integrases promote fraying of viral DNA ends. <i>Journal of Biological Chemistry</i> , 2011 , 286, 25719-28	3.8	18
90	Design of a switchable eliminase. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2011 , 108, 6823-7	11.5	102
89	The effects of pK(a) tuning on the thermodynamics and kinetics of folding: design of a solvent-shielded carboxylate pair at the α -position of a coiled-coil. <i>Biophysical Journal</i> , 2010 , 99, 2299-308	3.9	10
88	Intrinsic disorder and oligomerization of the hepatitis delta virus antigen. <i>Virology</i> , 2010 , 407, 333-40	3.6	25
87	Autoinhibitory interactions between the PDZ2 and C-terminal domains in the scaffolding protein NHERF1. <i>Structure</i> , 2009 , 17, 660-9	5.2	31
86	Competition between reversible aggregation and loop formation in denatured iso-1-cytochrome c. <i>Biochemistry</i> , 2009 , 48, 481-91	3.2	5
85	Folding mechanism of reduced Cytochrome c: equilibrium and kinetic properties in the presence of carbon monoxide. <i>Journal of Molecular Biology</i> , 2008 , 383, 437-53	6.5	29
84	Mapping of POP1-binding site on pyrin domain of ASC. <i>Journal of Biological Chemistry</i> , 2008 , 283, 15390-8	3.4	39
83	Conformational equilibration time of unfolded protein chains and the folding speed limit. <i>Biochemistry</i> , 2007 , 46, 4090-9	3.2	16
82	De novo design of a single-chain diphenylporphyrin metalloprotein. <i>Journal of the American Chemical Society</i> , 2007 , 129, 10732-40	16.4	80
81	Solution structure of the A4 domain of factor XI sheds light on the mechanism of zymogen activation. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2007 , 104, 15693-8	11.5	24
80	Dimer dissociation and unfolding mechanism of coagulation factor XI apple 4 domain: spectroscopic and mutational analysis. <i>Journal of Molecular Biology</i> , 2007 , 367, 558-73	6.5	16
79	Folding kinetics of staphylococcal nuclease studied by tryptophan engineering and rapid mixing methods. <i>Journal of Molecular Biology</i> , 2007 , 368, 244-55	6.5	21
78	Early events in protein folding explored by rapid mixing methods. <i>Chemical Reviews</i> , 2006 , 106, 1836-61	68.1	129
77	Early intermediate in human prion protein folding as evidenced by ultrarapid mixing experiments. <i>Journal of the American Chemical Society</i> , 2006 , 128, 11673-8	16.4	57
76	Structural characterization of an equilibrium unfolding intermediate in cytochrome c. <i>Journal of Molecular Biology</i> , 2006 , 357, 1009-25	6.5	79

75	Effects of heme on the structure of the denatured state and folding kinetics of cytochrome b562. <i>Journal of Molecular Biology</i> , 2005 , 346, 331-44	6.5	33
74	Kinetics of loop formation and breakage in the denatured state of iso-1-cytochrome c. <i>Journal of Molecular Biology</i> , 2005 , 353, 730-43	6.5	33
73	Ultrarapid mixing experiments shed new light on the characteristics of the initial conformational ensemble during the folding of ribonuclease A. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2004 , 101, 17681-6	11.5	43
72	Stepwise helix formation and chain compaction during protein folding. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2004 , 101, 1793-4	11.5	26
71	Early events during folding of wild-type staphylococcal nuclease and a single-tryptophan variant studied by ultrarapid mixing. <i>Journal of Molecular Biology</i> , 2004 , 338, 383-400	6.5	48
70	Rapid mixing methods for exploring the kinetics of protein folding. <i>Methods</i> , 2004 , 34, 15-27	4.6	58
69	Internal friction controls the speed of protein folding from a compact configuration. <i>Biochemistry</i> , 2004 , 43, 12532-8	3.2	82
68	NMR Structural Analysis of Factor XI Apple 4 Domain.. <i>Blood</i> , 2004 , 104, 1735-1735	2.2	
67	Structure, stability, and function of hDim1 investigated by NMR, circular dichroism, and mutational analysis. <i>Biochemistry</i> , 2003 , 42, 9609-18	3.2	11
66	Parallel pathways in cytochrome c(551) folding. <i>Journal of Molecular Biology</i> , 2003 , 330, 1145-52	6.5	49
65	Ultrafast folding of alpha3D: a de novo designed three-helix bundle protein. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2003 , 100, 15486-91	11.5	146
64	NMR-detected hydrogen exchange and molecular dynamics simulations provide structural insight into fibril formation of prion protein fragment 106-126. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2003 , 100, 14790-5	11.5	123
63	Early formation of a beta hairpin during folding of staphylococcal nuclease H124L as detected by pulsed hydrogen exchange. <i>Protein Science</i> , 2002 , 11, 82-91	6.3	18
62	Early kinetic intermediate in the folding of acyl-CoA binding protein detected by fluorescence labeling and ultrarapid mixing. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2002 , 99, 9807-12	11.5	89
61	Mapping the epitope of an inhibitory monoclonal antibody to the C-terminal DNA-binding domain of HIV-1 integrase. <i>Journal of Biological Chemistry</i> , 2002 , 277, 12164-74	5.4	17
60	A cytochrome c mutant with high electron transfer and antioxidant activities but devoid of apoptogenic effect. <i>Biochemical Journal</i> , 2002 , 362, 749-54	3.8	32
59	Rapid intrachain binding of histidine-26 and histidine-33 to heme in unfolded ferrocytochrome C. <i>Biochemistry</i> , 2002 , 41, 1372-80	3.2	36
58	Early formation of a beta hairpin during folding of staphylococcal nuclease H124L as detected by pulsed hydrogen exchange. <i>Protein Science</i> , 2002 , 11, 82-91	6.3	41

57	Ultrarapid mixing experiments reveal that Im7 folds via an on-pathway intermediate. <i>Nature Structural Biology</i> , 2001 , 8, 68-72		128
56	Structural and kinetic characterization of early folding events in beta-lactoglobulin. <i>Nature Structural Biology</i> , 2001 , 8, 151-5		150
55	Template-constrained somatostatin analogues: a biphenyl linker induces a type-VUturn. <i>Journal of the American Chemical Society</i> , 2001 , 123, 12710-1	16.4	14
54	Dynamics and folding of single two-stranded coiled-coil peptides studied by fluorescent energy transfer confocal microscopy. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2000 , 97, 13021-6	11.5	228
53	Direct evidence for the cooperative unfolding of cytochrome c in lipid membranes from H-(2)H exchange kinetics. <i>Journal of Molecular Biology</i> , 2000 , 303, 617-26	6.5	46
52	Folding of apocytochrome c induced by the interaction with negatively charged lipid micelles proceeds via a collapsed intermediate state. <i>Protein Science</i> , 1999 , 8, 381-93	6.3	11
51	The evolutionarily conserved Dim1 protein defines a novel branch of the thioredoxin fold superfamily. <i>Physiological Genomics</i> , 1999 , 1, 109-18	3.6	20
50	Solution structure and dynamics of a de novo designed three-helix bundle protein. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1999 , 96, 5486-91	11.5	181
49	Folding dynamics of the B1 domain of protein G explored by ultrarapid mixing. <i>Nature Structural Biology</i> , 1999 , 6, 943-7		133
48	Methods for exploring early events in protein folding. <i>Current Opinion in Structural Biology</i> , 1999 , 9, 620-8.1		63
47	Evidence for barrier-limited protein folding kinetics on the microsecond time scale. <i>Nature Structural Biology</i> , 1998 , 5, 385-92		224
46	Amide protection in an early folding intermediate of cytochrome c. <i>Folding & Design</i> , 1998 , 3, 293-301		51
45	Determinants of protein hydrogen exchange studied in equine cytochrome c. <i>Protein Science</i> , 1998 , 7, 739-45	6.3	151
44	A continuous-flow capillary mixing method to monitor reactions on the microsecond time scale. <i>Biophysical Journal</i> , 1998 , 74, 2714-21	2.9	193
43	Definition of amide protection factors for early kinetic intermediates in protein folding. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1998 , 95, 4299-302	11.5	18
42	Kinetic and Structural Analysis of Submillisecond Folding Events in Cytochrome c. <i>Accounts of Chemical Research</i> , 1998 , 31, 717-725	24.3	67
41	Kinetic evidence for folding and unfolding intermediates in staphylococcal nuclease. <i>Biochemistry</i> , 1997 , 36, 5795-805	3.2	116
40	An early intermediate in the folding reaction of the B1 domain of protein G contains a native-like core. <i>Biochemistry</i> , 1997 , 36, 14277-83	3.2	85

39	Identification of the predominant non-native histidine ligand in unfolded cytochrome c. <i>Biochemistry</i> , 1997 , 36, 12535-41	3.2	179
38	Structural and kinetic description of cytochrome c unfolding induced by the interaction with lipid vesicles. <i>Biochemistry</i> , 1997 , 36, 13122-32	3.2	146
37	Kinetic role of early intermediates in protein folding. <i>Current Opinion in Structural Biology</i> , 1997 , 7, 15-288.1		300
36	Side chain packing of the N- and C-terminal helices plays a critical role in the kinetics of cytochrome c folding. <i>Biochemistry</i> , 1996 , 35, 5538-49	3.2	157
35	Kinetic mechanism of folding and unfolding of <i>Rhodobacter capsulatus</i> cytochrome c2. <i>Biochemistry</i> , 1996 , 35, 16852-62	3.2	69
34	Evidence for a three-state model of protein folding from kinetic analysis of ubiquitin variants with altered core residues. <i>Nature Structural Biology</i> , 1996 , 3, 193-205		287
33	Kinetic intermediates in the formation of the cytochrome c molten globule. <i>Nature Structural Biology</i> , 1996 , 3, 1019-25		88
32	Protein structure refinement based on paramagnetic NMR shifts: applications to wild-type and mutant forms of cytochrome c. <i>Protein Science</i> , 1995 , 4, 296-305	6.3	84
31	Rapid amide proton exchange rates in peptides and proteins measured by solvent quenching and two-dimensional NMR. <i>Protein Science</i> , 1995 , 4, 804-14	6.3	66
30	Localized solution structure refinement of an F45W variant of ubiquitin using stochastic boundary molecular dynamics and NMR distance restraints. <i>Protein Science</i> , 1995 , 4, 973-82	6.3	14
29	Kinetic mechanism of cytochrome c folding: involvement of the heme and its ligands. <i>Biochemistry</i> , 1994 , 33, 6925-35	3.2	300
28	A noncovalent peptide complex as a model for an early folding intermediate of cytochrome c. <i>Biochemistry</i> , 1993 , 32, 10271-6	3.2	102
27	Squalamine: an aminosterol antibiotic from the shark. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1993 , 90, 1354-8	11.5	327
26	Fast events in protein folding initiated by nanosecond laser photolysis. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1993 , 90, 11860-4	11.5	312
25	Folding and stability of a tryptophan-containing mutant of ubiquitin. <i>Biochemistry</i> , 1993 , 32, 7054-63	3.2	237
24	Structure of the novel steroidal antibiotic squalamine determined by two-dimensional NMR spectroscopy. <i>Steroids</i> , 1993 , 58, 370-8	2.8	63
23	Early hydrogen-bonding events in the folding reaction of ubiquitin. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1992 , 89, 2017-21	11.5	212
22	Early steps in cytochrome c folding probed by time-resolved circular dichroism and fluorescence spectroscopy. <i>Biochemistry</i> , 1992 , 31, 6876-83	3.2	236

21	Structure and Stability of Cytochrome c Folding Intermediates. <i>ACS Symposium Series</i> , 1991 , 50-63	0.4	29
20	Characterizing protein folding intermediates. <i>Current Biology</i> , 1991 , 1, 218-20	6.3	44
19	An antibody binding site on cytochrome c defined by hydrogen exchange and two-dimensional NMR. <i>Science</i> , 1990 , 249, 755-9	33.3	183
18	Structural description of acid-denatured cytochrome c by hydrogen exchange and 2D NMR. <i>Biochemistry</i> , 1990 , 29, 10433-7	3.2	309
17	Assignment of paramagnetically shifted resonances in the 1H NMR spectrum of horse ferricytochrome c. <i>Biophysical Journal</i> , 1990 , 57, 15-22	2.9	51
16	Redox-dependent structure change and hyperfine nuclear magnetic resonance shifts in cytochrome c. <i>Biochemistry</i> , 1990 , 29, 3494-504	3.2	110
15	Proton resonance assignments of horse ferricytochrome c. <i>Biochemistry</i> , 1989 , 28, 195-203	3.2	125
14	Proton resonance assignments of horse ferrocycytochrome c. <i>Biochemistry</i> , 1989 , 28, 186-94	3.2	103
13	Structural characterization of protein folding intermediates by proton magnetic resonance and hydrogen exchange. <i>Methods in Enzymology</i> , 1989 , 176, 446-73	1.7	88
12	Relayed magnetization transfer by isotropic mixing in exchanging systems. <i>Journal of Magnetic Resonance</i> , 1988 , 78, 597-602		3
11	Structural characterization of folding intermediates in cytochrome c by H-exchange labelling and proton NMR. <i>Nature</i> , 1988 , 335, 700-4	50.4	827
10	SQUID measurement of metalloprotein magnetization. New methods applied to the nitrogenase proteins. <i>Biophysical Journal</i> , 1987 , 52, 837-53	2.9	23
9	Protein folding kinetics by combined use of rapid mixing techniques and NMR observation of individual amide protons. <i>Proteins: Structure, Function and Bioinformatics</i> , 1986 , 1, 34-42	4.2	114
8	Two-dimensional 1H NMR studies of cytochrome c: hydrogen exchange in the N-terminal helix. <i>Biochemistry</i> , 1986 , 25, 1107-14	3.2	122
7	Ligand binding to heme proteins: relevance of low-temperature data. <i>Biochemistry</i> , 1986 , 25, 3139-46	3.2	82
6	Trans/13-cis isomerization is essential for both the photocycle and proton pumping of bacteriorhodopsin. <i>Biophysical Journal</i> , 1985 , 47, 509-12	2.9	44
5	Amide proton exchange in proteins by EX1 kinetics: studies of the basic pancreatic trypsin inhibitor at variable p2H and temperature. <i>Biochemistry</i> , 1985 , 24, 7396-407	3.2	128
4	Individual amide proton exchange rates in thermally unfolded basic pancreatic trypsin inhibitor. <i>Biochemistry</i> , 1985 , 24, 7407-11	3.2	74

3	Comparison of the magnetic properties of deoxy- and photodissociated myoglobin. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1984 , 81, 2359-63	11.5	33
2	Nanosecond flash photolysis study of carbon monoxide binding to the beta chain of hemoglobin Zürich [beta 63(E7)His leads to Arg]. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1983 , 80, 6239-43	11.5	61
1	Early Events in Protein Folding Explored by Rapid Mixing Methods491-535		7