Shin-Jae Lee

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8072252/publications.pdf

Version: 2024-02-01

| 80 | 2,600 | 29 h-index | 48 |
|----------|----------------|--------------|----------------|
| papers | citations | | g-index |
| 80 | 80 | 80 | 2569 |
| all docs | docs citations | times ranked | citing authors |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | Evaluation of an automated superimposition method based on multiple landmarks for growing patients. Angle Orthodontist, 2022, 92, 226-232. | 2.4 | 5 |
| 2 | Assessment of reliability in orthodontic literature:. Angle Orthodontist, 2022, 92, 409-414. | 2.4 | 3 |
| 3 | Time series analysis. American Journal of Orthodontics and Dentofacial Orthopedics, 2022, 161, 605-608. | 1.7 | 6 |
| 4 | Evaluation of automated cephalometric analysis based on the latest deep learning method. Angle Orthodontist, 2021, 91, 329-335. | 2.4 | 34 |
| 5 | Virtually-Planned Orthognathic Surgery Achieves an Accurate Condylar Position. Journal of Oral and Maxillofacial Surgery, 2021, 79, 1146.e1-1146.e25. | 1.2 | 3 |
| 6 | Automated Identification of Cephalometric Landmarks: <i>Part 2- Might It Be Better Than human?</i> Angle Orthodontist, 2020, 90, 69-76. | 2.4 | 114 |
| 7 | Evaluation of an automated superimposition method for computer-aided cephalometrics. Angle Orthodontist, 2020, 90, 390-396. | 2.4 | 7 |
| 8 | How much deep learning is enough for automatic identification to be reliable?. Angle Orthodontist, 2020, 90, 823-830. | 2.4 | 34 |
| 9 | Automated identification of cephalometric landmarks: <i>Part 1â€"Comparisons between the latest deep-learning methods YOLOV3 and SSD</i> . Angle Orthodontist, 2019, 89, 903-909. | 2.4 | 125 |
| 10 | Predicting soft tissue changes after orthognathic surgery: <i>The sparse partial least squares method</i> . Angle Orthodontist, 2019, 89, 910-916. | 2.4 | 21 |
| 11 | A sparse principal component analysis of Class III malocclusions. Angle Orthodontist, 2019, 89, 768-774. | 2.4 | 11 |
| 12 | Investigation of Postoperative Complications of Intrabony Cystic Lesions in the Oral and Maxillofacial Region. Journal of Oral and Maxillofacial Surgery, 2019, 77, 1823-1831. | 1.2 | 8 |
| 13 | Comparison of implant component fractures in external and internal type: A 12-year retrospective study. Journal of Advanced Prosthodontics, 2018, 10, 155. | 2.6 | 19 |
| 14 | Extensive Surgical Procedures Result in Better Treatment Outcomes for Bisphosphonate-Related Osteonecrosis of the Jaw in Patients With Osteoporosis. Journal of Oral and Maxillofacial Surgery, 2017, 75, 1404-1413. | 1.2 | 56 |
| 15 | Modern trends in Class III orthognathic treatment: A time series analysis. Angle Orthodontist, 2017, 87, 269-278. | 2.4 | 28 |
| 16 | Time series analysis of patients seeking orthodontic treatment at Seoul National University Dental Hospital over the past decade. Korean Journal of Orthodontics, 2017, 47, 298. | 2.3 | 9 |
| 17 | Three-Dimensional Computed Tomographic Assessment of Temporomandibular Joint Stability After Orthognathic Surgery. Journal of Oral and Maxillofacial Surgery, 2016, 74, 1454-1462. | 1.2 | 17 |
| 18 | Fracture Strength Study of Internally Connected Zirconia Abutments Reinforced with Titanium Inserts. International Journal of Oral and Maxillofacial Implants, 2015, 30, 346-350. | 1.4 | 34 |

| # | Article | IF | Citations |
|----|--|-----|-----------|
| 19 | Finding standard dental arch forms from a nationwide standard occlusion study using a Gaussian functional mixture model. Journal of the Korean Statistical Society, 2015, 44, 477-489. | 0.4 | 2 |
| 20 | How to test validity in orthodontic research: AÂmixed dentition analysis example. American Journal of Orthodontics and Dentofacial Orthopedics, 2015, 147, 272-279. | 1.7 | 9 |
| 21 | Testing a better method of predicting postsurgery soft tissue response in Class II patients: A prospective study and validity assessment. Angle Orthodontist, 2015, 85, 597-603. | 2.4 | 14 |
| 22 | Use of mini-implants to avoid maxillary surgery for Class III mandibular prognathic patient: a long-term post-retention case. Korean Journal of Orthodontics, 2014, 44, 342. | 2.3 | 20 |
| 23 | Digital veneering system enhances microtensile bond strength at zirconia coreveneer interface. Dental Materials Journal, 2014, 33, 792-798. | 1.8 | 12 |
| 24 | Modified Titanium Implant as a Gateway to the Human Body: The Implant Mediated Drug Delivery System. BioMed Research International, 2014, 2014, 1-6. | 1.9 | 21 |
| 25 | Accelerated Tooth Movement and Temporary Skeletal Anchorage Devices (TSADs). International Journal of Dentistry, 2014, 2014, 1-2. | 1.5 | 1 |
| 26 | Investigation of anodized titanium implants coated with triterpenoids extracted from black cohosh: an animal study. Journal of Advanced Prosthodontics, 2014, 6, 14. | 2.6 | 1 |
| 27 | A better statistical method of predicting postsurgery soft tissue response in Class II patients. Angle Orthodontist, 2014, 84, 322-328. | 2.4 | 23 |
| 28 | A more accurate soft-tissue prediction model for Class III 2-jaw surgeries. American Journal of Orthodontics and Dentofacial Orthopedics, 2014, 146, 724-733. | 1.7 | 20 |
| 29 | Relapse after SSRO for mandibular setback movement in relation to the amount of mandibular setback and intraoperative clockwise rotation of the proximal segment. Journal of Cranio-Maxillo-Facial Surgery, 2014, 42, 811-815. | 1.7 | 42 |
| 30 | Bootstrap method to evaluate tightness of clusters with application to the Korean standard occlusion study. Journal of Statistical Computation and Simulation, 2014, 84, 360-372. | 1.2 | 1 |
| 31 | Clinical use of aluminaâ€toughened zirconia abutments for implantâ€supported restoration: prospective cohort study of survival analysis. Clinical Oral Implants Research, 2013, 24, 517-522. | 4.5 | 29 |
| 32 | Survival analysis of a miniplate and tube device designed to provide skeletal anchorage. American Journal of Orthodontics and Dentofacial Orthopedics, 2013, 144, 349-356. | 1.7 | 19 |
| 33 | How to report reliability in orthodontic research: Part 2. American Journal of Orthodontics and Dentofacial Orthopedics, 2013, 144, 315-318. | 1.7 | 29 |
| 34 | How to report reliability in orthodontic research: Part 1. American Journal of Orthodontics and Dentofacial Orthopedics, 2013, 144, 156-161. | 1.7 | 51 |
| 35 | Prognostic Factors for Clinical Outcomes According to Time after Direct Pulp Capping. Journal of Endodontics, 2013, 39, 327-331. | 3.1 | 101 |
| 36 | Three-dimensional analysis of tooth movement after intrusion of a supraerupted molar using a mini-implant with partial-fixed orthodontic appliances. Angle Orthodontist, 2013, 83, 274-279. | 2.4 | 14 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | A three-dimensional analysis of the perceived proportions of maxillary anterior teeth. Acta Odontologica Scandinavica, 2012, 70, 432-440. | 1.6 | 11 |
| 38 | A biometric study of Câ€shaped root canal systems in mandibular second molars using coneâ€beam computed tomography. International Endodontic Journal, 2012, 45, 807-814. | 5.0 | 37 |
| 39 | A More Accurate Method of Predicting Soft Tissue Changes After Mandibular Setback Surgery. Journal of Oral and Maxillofacial Surgery, 2012, 70, e553-e562. | 1.2 | 31 |
| 40 | Do Class III patients have a different growth spurt than the general population?. American Journal of Orthodontics and Dentofacial Orthopedics, 2012, 142, 679-689. | 1.7 | 12 |
| 41 | Directed Induction of Functional Motor Neuron-Like Cells from Genetically Engineered Human Mesenchymal Stem Cells. PLoS ONE, 2012, 7, e35244. | 2.5 | 42 |
| 42 | Distribution-free tests of mean vectors and covariance matrices for multivariate paired data. Metrika, 2012, 75, 833-854. | 0.8 | 5 |
| 43 | Three-dimensional biometric study of palatine rugae in children with a mixed-model analysis: A 9-year longitudinal study. American Journal of Orthodontics and Dentofacial Orthopedics, 2012, 141, 590-597. | 1.7 | 41 |
| 44 | The relationship between implant stability quotient values and implant insertion variables: a clinical study. Journal of Oral Rehabilitation, 2012, 39, 151-159. | 3.0 | 44 |
| 45 | A Comparison of Testing Methods for Equality of Survival Distributions with Interval Censored Data. Ungyong T'onggye Yon gu = the Korean Journal of Applied Statistics, 2012, 25, 423-434. | 0.1 | 1 |
| 46 | Variation of the intermaxillary tooth-size relationship in normal occlusion. European Journal of Orthodontics, 2011, 33, 9-14. | 2.4 | 12 |
| 47 | The relationship between temporomandibular joint disk displacement and mandibular asymmetry in skeletal Class III patients. Angle Orthodontist, 2011, 81, 624-631. | 2.4 | 26 |
| 48 | Comparison of the Reliability of "0.5―and "APEX―Mark Measurements in Two Frequency-based Electronic Apex Locators. Journal of Endodontics, 2011, 37, 49-52. | 3.1 | 39 |
| 49 | Effects of different fluoride recharging protocols on fluoride ion release from various orthodontic adhesives. Journal of Dentistry, 2011, 39, 196-201. | 4.1 | 26 |
| 50 | Effects of periodic fluoride treatment on fluoride ion release from fresh orthodontic adhesives. Journal of Dentistry, 2011, 39, 788-794. | 4.1 | 9 |
| 51 | Method to classify dental arch forms. American Journal of Orthodontics and Dentofacial Orthopedics, 2011, 140, 87-96. | 1.7 | 34 |
| 52 | Comparison of cephalometric norms between Mongolian and Korean adults with normal occlusions and well-balanced profiles. Korean Journal of Orthodontics, 2011, 41, 42. | 2.3 | 12 |
| 53 | Survival analysis of orthodontic mini-implants. American Journal of Orthodontics and Dentofacial Orthopedics, 2010, 137, 194-199. | 1.7 | 79 |
| 54 | Surface characteristics of orthodontic adhesives and effects on streptococcal adhesion. American Journal of Orthodontics and Dentofacial Orthopedics, 2010, 137, 489-495. | 1.7 | 48 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | Ankyrin Repeat-Rich Membrane Spanning/Kidins220 Protein Interacts with Mammalian Septin 5. Molecules and Cells, 2010, 30, 143-148. | 2.6 | 12 |
| 56 | Likelihood ratio tests of correlated multivariate samples. Journal of Multivariate Analysis, 2010, 101, 541-554. | 1.0 | 6 |
| 57 | Comparison of a synthetic bone substitute composed of carbonated apatite with an anorganic bovine xenograft in particulate forms in a canine maxillary augmentation model. Clinical Oral Implants Research, 2010, 21, 1334-1344. | 4.5 | 10 |
| 58 | Quantitative analysis of mutans streptococci adhesion to various orthodontic bracket materials in vivo. Korean Journal of Orthodontics, 2009, 39, 105. | 2.3 | 3 |
| 59 | Mixed dentition analysis using a multivariate approach. Korean Journal of Orthodontics, 2009, 39, 112. | 2.3 | 4 |
| 60 | Rotational Resistance of Surface-Treated Mini-Implants. Angle Orthodontist, 2009, 79, 899-907. | 2.4 | 90 |
| 61 | Experimental antimicrobial orthodontic adhesives using nanofillers and silver nanoparticles. Dental Materials, 2009, 25, 206-213. | 3.5 | 272 |
| 62 | Analysis of surface roughness and surface free energy characteristics of various orthodontic materials. American Journal of Orthodontics and Dentofacial Orthopedics, 2009, 136, 668-674. | 1.7 | 27 |
| 63 | Surface Characteristics of Orthodontic Materials and Their Effects on Adhesion of Mutans streptococci. Angle Orthodontist, 2009, 79, 353-360. | 2.4 | 51 |
| 64 | Healing response of cortical and cancellous bone around titanium implants. International Journal of Oral and Maxillofacial Implants, 2009, 24, 655-62. | 1.4 | 10 |
| 65 | Cellular responses on anodized titanium discs after laser irradiation. Lasers in Surgery and Medicine, 2008, 40, 738-742. | 2.1 | 15 |
| 66 | Patient compliance and locus of control in orthodontic treatment: A prospective study. American Journal of Orthodontics and Dentofacial Orthopedics, 2008, 133, 354-358. | 1.7 | 30 |
| 67 | Quantitative analysis of adhesion of cariogenic streptococci to orthodontic raw materials. American Journal of Orthodontics and Dentofacial Orthopedics, 2008, 133, 882-888. | 1.7 | 59 |
| 68 | Effects of implant geometry and surface treatment on osseointegration after functional loading: a dog study. Journal of Oral Rehabilitation, 2008, 35, 229-236. | 3.0 | 48 |
| 69 | Early stature prediction method using stature growth parameters. Annals of Human Biology, 2008, 35, 509-517. | 1.0 | 18 |
| 70 | Orthodontic Effects on Dentofacial Morphology in Women with Bilateral TMJ Disk Displacement. Angle Orthodontist, 2007, 77, 288-295. | 2.4 | 15 |
| 71 | Convenient removal of orthodontic mini-implants. American Journal of Orthodontics and Dentofacial Orthopedics, 2007, 131, S90-S91. | 1.7 | 1 |
| 72 | Prevalence of cariogenic streptococci on incisor brackets detected by polymerase chain reaction. American Journal of Orthodontics and Dentofacial Orthopedics, 2007, 131, 736-741. | 1.7 | 59 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 73 | Bone thickness of the palate for orthodontic mini-implant anchorage in adults. American Journal of Orthodontics and Dentofacial Orthopedics, 2007, 131, S74-S81. | 1.7 | 175 |
| 74 | Quantitative determination of adhesion patterns of cariogenic streptococci to various orthodontic brackets. American Journal of Orthodontics and Dentofacial Orthopedics, 2007, 132, 815-821. | 1.7 | 43 |
| 75 | Cluster analysis of tooth size in subjects with normal occlusion. American Journal of Orthodontics and Dentofacial Orthopedics, 2007, 132, 796-800. | 1.7 | 19 |
| 76 | Correction of deep overbite and gummy smile by using a mini-implant with a segmented wire in a growing Class II Division 2 patient. American Journal of Orthodontics and Dentofacial Orthopedics, 2006, 130, 676-685. | 1.7 | 90 |
| 77 | Transverse implications of maxillary premolar extraction in Class III presurgical orthodontic treatment. American Journal of Orthodontics and Dentofacial Orthopedics, 2006, 129, 740-748. | 1.7 | 19 |
| 78 | Classification of the skeletal variation in normal occlusion. Angle Orthodontist, 2005, 75, 311-9. | 2.4 | 40 |
| 79 | Time-saving fixed lingual retainer using DuraLay resin transfer. American Journal of Orthodontics and Dentofacial Orthopedics, 2004, 125, 203-205. | 1.7 | 3 |
| 80 | Experimental salivary pellicles on the surface of orthodontic materials. American Journal of Orthodontics and Dentofacial Orthopedics, 2001, 119, 59-66. | 1.7 | 29 |