## Guoxi Luo

## List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8073712/publications.pdf

Version: 2024-02-01

		1478505	1474206	
12	123	6	9	
papers	citations	h-index	g-index	
13	13	13	136	
all docs	docs citations	times ranked	citing authors	

#	Article	IF	CITATIONS
1	Piezoelectric-AlN resonators at two-dimensional flexural modes for the density and viscosity decoupled determination of liquids. Microsystems and Nanoengineering, 2022, 8, 38.	7.0	7
2	A flexible electrostatic nanogenerator and self-powered capacitive sensor based on electrospun polystyrene mats and graphene oxide films. Nanotechnology, 2021, 32, 405402.	2.6	22
3	Au-assisted Polymerization of Conductive Poly(N-phenylglycine) as High-performance Positive Electrodes for Asymmetric Supercapacitors. Nanotechnology, 2021, 33, .	2.6	1
4	A High-Frequency Acceleration Sensor Based on Fiber Grating. IEEE Transactions on Instrumentation and Measurement, 2021, 70, 1-8.	4.7	5
5	Wearable Tactile Sensors: Gelatin Methacryloylâ€Based Tactile Sensors for Medical Wearables (Adv.) Tj ETQq1 1	0.784314 14.9	rgBT /Overlo
6	Novel high-performance piezoresistive shock accelerometer for ultra-high-g measurement utilizing self-support sensing beams. Review of Scientific Instruments, 2020, 91, 085001.	1.3	11
7	The Radial Piezoelectric Response from Three-Dimensional Electrospun PVDF Micro Wall Structure. Materials, 2020, 13, 1368.	2.9	6
8	High accuracy comsol simulation method of bimorph cantilever for piezoelectric vibration energy harvesting. AIP Advances, 2019, 9, .	1.3	44
9	Density Measurement Performance in Flowing Liquid Using Microcantilever-Based Resonators under Bending and Torsion Vibrations. , 2019, , .		1
10	The Design of a High Precision Capacitive Pressure Sensor Based on Comb Electrode., 2019,,.		0
11	Broadband vibration energy harvesting for wireless sensor node power supply in train container. Review of Scientific Instruments, 2019, 90, 125003.	1.3	17
12	Giant enhancement on response-speed of electrospun-based UV photodetector via polydimethylsiloxane coating. , 2018, , .		3