Trevor M Lewis

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8073965/publications.pdf

Version: 2024-02-01

567144 501076 31 913 15 28 citations h-index g-index papers 32 32 32 787 docs citations times ranked citing authors all docs

#	Article	IF	Citations
1	The pericranial flap for inner lining of full-thickness nasal defects: a retrospective cohort study. Journal of Laryngology and Otology, 2023, 137, 532-536.	0.4	1
2	Revisiting autosomal dominant nocturnal frontal lobe epilepsy (ADNFLE) mutations in the nicotinic acetylcholine receptor reveal an increase in efficacy regardless of stochiometry. Pharmacological Research, 2019, 139, 215-227.	3.1	10
3	Replicable Expansion and Differentiation of Neural Precursors from Adult Canine Skin. Stem Cell Reports, 2017, 9, 557-570.	2.3	6
4	Ligand Binding at the $\hat{l}\pm4.\hat{l}\pm4$ Agonist-Binding Site of the $\hat{l}\pm4\hat{l}^22$ nAChR Triggers Receptor Activation through a Pre-Activated Conformational State. PLoS ONE, 2016, 11, e0161154.	1.1	18
5	A Hydrophobic Area of the GABA 🗓 Receptor Containing Phenylalanine 124 Influences Both Receptor Activation and Deactivation. Journal of Molecular Neuroscience, 2015, 55, 305-313.	1.1	O
6	An optimised 3ÂM KCl salt-bridge technique used to measure and validate theoretical liquid junction potential values in patch-clamping and electrophysiology. European Biophysics Journal, 2013, 42, 631-646.	1.2	15
7	Covalent Trapping of Methyllycaconitine at the $\hat{l}\pm4.\hat{l}\pm4$ Interface of the $\hat{l}\pm4\hat{l}^22$ Nicotinic Acetylcholine Receptor. Journal of Biological Chemistry, 2013, 288, 26521-26532.	1.6	17
8	Mixed antagonistic effects of the ginkgolides at recombinant human H GABAC receptors. Neuropharmacology, 2012, 63, 1127-1139.	2.0	12
9	Anion selectivity and counterâ€ion cation permeation in glycine receptorâ€channels. FASEB Journal, 2012, 26, 901.2.	0.2	0
10	External divalent cations increase anion–cation permeability ratio in glycine receptor channels. Pflugers Archiv European Journal of Physiology, 2010, 460, 131-152.	1.3	6
11	Conformational changes in extracellular loop 2 associated with signal transduction in the glycine receptor. Journal of Neurochemistry, 2010, 115, 1245-1255.	2.1	4
12	Further analysis of counterion permeation through anion-selective glycine receptor channels. Channels, 2010, 4, 142-149.	1.5	5
13	Characterization of the Effects of Charged Residues in the Intracellular Loop on Ion Permeation in $\hat{l}\pm 1$ Glycine Receptor Channels. Journal of Biological Chemistry, 2009, 284, 2023-2030.	1.6	56
14	Pore Structure of the Cys-loop Ligand-gated Ion Channels. Neurochemical Research, 2009, 34, 1805-1815.	1.6	19
15	Gating mechanisms in Cys-loop receptors. European Biophysics Journal, 2009, 39, 37-49.	1.2	54
16	Anion-Cation Permeability Correlates with Hydrated Counterion Size in Glycine Receptor Channels. Biophysical Journal, 2008, 95, 4698-4715.	0.2	23
17	A Single P-loop Glutamate Point Mutation to either Lysine or Arginine Switches the Cation–Anion Selectivity of the CNGA2 Channel. Journal of General Physiology, 2006, 127, 375-389.	0.9	13
18	Mutation of the pore glutamate affects both cytoplasmic and external dequalinium block in the rat olfactory CNGA2 channel. European Biophysics Journal, 2005, 34, 442-453.	1.2	3

#	Article	IF	CITATIONS
19	Channel gating in the LGIC receptor superfamily – insights into the signal. , 2005, , 27-28.		0
20	In vivo somatic delivery of plasmid DNA and retrograde transport to obtain cell-specific gene expression in the central nervous system. Journal of Neurochemistry, 2004, 90, 1445-1452.	2.1	6
21	Mechanisms of channel gating of the ligand-gated ion channel superfamily inferred from protein structure. Experimental Physiology, 2004, 89, 145-153.	0.9	48
22	Kinetic Determinants of Agonist Action at the Recombinant Human Glycine Receptor. Journal of Physiology, 2003, 549, 361-374.	1.3	41
23	Role of Charged Residues in Coupling Ligand Binding and Channel Activation in the Extracellular Domain of the Glycine Receptor. Journal of Biological Chemistry, 2003, 278, 50151-50157.	1.6	70
24	Hyperekplexia associated with compound heterozygote mutations in the beta-subunit of the human inhibitory glycine receptor (GLRB). Human Molecular Genetics, 2002, 11, 853-860.	1.4	151
25	Compound heterozygosity and nonsense mutations in the $\hat{l}\pm 1$ -subunit of the inhibitory glycine receptor in hyperekplexia. Human Genetics, 2001, 109, 267-270.	1.8	72
26	Structure-Function Relationships of the Human Glycine Receptor: Insights from Hyperekplexia Mutations. Annals of the New York Academy of Sciences, 1999, 868, 681-684.	1.8	24
27	Identification of a New Ligand Binding Domain in the $\hat{l}\pm 1$ Subunit of the Inhibitory Glycine Receptor. Journal of Neurochemistry, 1999, 73, 2158-2166.	2.1	10
28	Properties of human glycine receptors containing the hyperekplexia mutation $\hat{l}\pm 1$ (K276E), expressed in Xenopusoocytes. Journal of Physiology, 1998, 507, 25-40.	1.3	95
29	The ion channel properties of a rat recombinant neuronal nicotinic receptor are dependent on the host cell type. Journal of Physiology, 1997, 505, 299-306.	1.3	101
30	Immunolabelling for VDAC, the mitochondrial voltage-dependent anion channel, on sarcoplasmic reticulum from amphibian skeletal muscle. Neuroscience Letters, 1994, 181, 83-86.	1.0	22
31	Ultrastructure of sarcoballs on the surface of skinned amphibian skeletal muscle fibres. Journal of Muscle Research and Cell Motility, 1992, 13, 640-653.	0.9	10