Maria Chiara Pietrogrande

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8074430/publications.pdf

Version: 2024-02-01

83 papers 2,307 citations

28 h-index 243625 44 g-index

83 all docs 83 docs citations

83 times ranked 2585 citing authors

#	Article	IF	CITATIONS
1	Direct observation of aqueous secondary organic aerosol from biomass-burning emissions. Proceedings of the National Academy of Sciences of the United States of America, 2016, 113, 10013-10018.	7.1	243
2	Spot overlapping in two-dimensional maps: A serious problem ignored for much too long. Proteomics, 2005, 5, 2385-2395.	2.2	130
3	Determination of synthetic phenolic antioxidants and their metabolites in water samples by downscaled solid-phase extraction, silylation and gas chromatography–mass spectrometry. Journal of Chromatography A, 2010, 1217, 6428-6435.	3.7	125
4	Urban PM2.5 oxidative potential: Importance of chemical species and comparison of two spectrophotometric cell-free assays. Environmental Pollution, 2016, 219, 72-79.	7.5	103
5	GC-MS analytical methods for the determination of personal-care products in water matrices. TrAC - Trends in Analytical Chemistry, 2007, 26, 1086-1094.	11.4	78
6	Gas chromatography–mass spectrometry analysis of amino acid enantiomers as methyl chloroformate derivatives: Application to space analysis. Journal of Chromatography A, 2007, 1150, 162-172.	3.7	65
7	Seasonal variation and source estimation of organic compounds in urban aerosol of Augsburg, Germany. Environmental Pollution, 2011, 159, 1861-1868.	7.5	57
8	PM2.5 and PM10 oxidative potential at a Central Mediterranean Site: Contrasts between dithiothreitoland ascorbic acid-measured values in relation with particle size and chemical composition. Atmospheric Environment, 2019, 210, 143-155.	4.1	48
9	A Quantitative Theory of the Statistical Degree of Peak Overlapping in Chromatography. Analytical Chemistry, 1998, 70, 766-773.	6.5	46
10	Spot overlapping in two-dimensional polyacrylamide gel electrophoresis separations: A statistical study of complex protein maps. Electrophoresis, 2002, 23, 283-291.	2.4	46
11	Polar organic marker compounds in atmospheric aerosol in the Po Valley during the Supersito campaigns â€" Part 2: Seasonal variations of sugars. Atmospheric Environment, 2014, 97, 215-225.	4.1	46
12	Fourier analysis of multicomponent chromatograms. Application to experimental chromatograms. Analytical Chemistry, 1993, 65, 2209-2222.	6.5	45
13	GC–MS analysis of low-molecular-weight dicarboxylic acids in atmospheric aerosol: comparison between silylation and esterification derivatization procedures. Analytical and Bioanalytical Chemistry, 2010, 396, 877-885.	3.7	45
14	PM10 oxidative potential at a Central Mediterranean Site: Association with chemical composition and meteorological parameters. Atmospheric Environment, 2018, 188, 97-111.	4.1	44
15	Review of PM Oxidative Potential Measured with Acellular Assays in Urban and Rural Sites across Italy. Atmosphere, 2019, 10, 626.	2.3	43
16	Spot overlapping in two-dimensional polyacrylamide gel electrophoresis maps: Relevance to proteomics. Electrophoresis, 2003, 24, 217-224.	2.4	42
17	Optimization of a SPME/GC/MS Method for the Simultaneous Determination of Pharmaceuticals and Personal Care Products in Waters. Chromatographia, 2012, 75, 361-370.	1.3	42
18	Peer Reviewed: Decoding Complex Multicomponent Chromatograms. Analytical Chemistry, 2001, 73, 618 A-626 A.	6.5	39

#	Article	IF	Citations
19	Chemical composition and oxidative potential of atmospheric coarse particles at an industrial and urban background site in the alpine region of northern Italy. Atmospheric Environment, 2018, 191, 340-350.	4.1	34
20	Distribution of <i>n</i> -Alkanes in the Northern Italy Aerosols: Data Handling of GC-MS Signals for Homologous Series Characterization. Environmental Science & Environmental	10.0	33
21	Polar organic marker compounds in atmospheric aerosol in the Po Valley during the Supersito campaigns — Part 1: Low molecular weight carboxylic acids in cold seasons. Atmospheric Environment, 2014, 86, 164-175.	4.1	33
22	Analysis of complex mixtures recovered from space missions. Journal of Chromatography A, 2001, 939, 69-77.	3.7	32
23	Decoding Two-Dimensional Complex Multicomponent Separations by Autocovariance Function. Analytical Chemistry, 2004, 76, 3055-3068.	6.5	32
24	Characterization of atmospheric aerosols in the Po valley during the supersito campaigns â€" Part 3: Contribution of wood combustion to wintertime atmospheric aerosols in Emilia Romagna region (Northern Italy). Atmospheric Environment, 2015, 122, 291-305.	4.1	32
25	Characteristics and major sources of carbonaceous aerosols in PM2.5 in Emilia Romagna Region (Northern Italy) from four-year observations. Science of the Total Environment, 2016, 553, 172-183.	8.0	32
26	Ascorbate assay as a measure of oxidative potential for ambient particles: Evidence for the importance of cell-free surrogate lung fluid composition. Atmospheric Environment, 2019, 211, 103-112.	4.1	32
27	In situ analysis of the Martian soil by gas chromatography: Decoding of complex chromatograms of organic molecules of exobiological interest. Journal of Chromatography A, 2005, 1071, 255-261.	3.7	29
28	Decoding 2D-PAGE complex maps: Relevance to proteomicsa~†. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2006, 833, 51-62.	2.3	29
29	Indoor Air Quality in Domestic Environments during Periods Close to Italian COVID-19 Lockdown. International Journal of Environmental Research and Public Health, 2021, 18, 4060.	2.6	29
30	Study of the lipophilic character of xanthine and adenosine derivatives. Journal of Chromatography A, 1990, 498, 179-190.	3.7	28
31	Enantiomeric resolution of biomarkers in space analysis: Chemical derivatization and signal processing for gas chromatography–mass spectrometry analysis of chiral amino acids. Journal of Chromatography A, 2010, 1217, 1126-1133.	3.7	28
32	Temperature effect on HPLC retention of PCBs on porous graphitic carbon. Chromatographia, 2000, 51, 193-198.	1.3	24
33	GC–MS analysis of water-soluble organics in atmospheric aerosol: Response surface methodology for optimizing silyl-derivatization for simultaneous analysis of carboxylic acids and sugars. Analytica Chimica Acta, 2011, 689, 257-264.	5.4	24
34	High-performance liquid chromatographic determination of naphthols as 4-aminoantipyrine derivatives. Journal of Chromatography A, 1985, 349, 63-68.	3.7	23
35	HRGC separation performance evaluation by a simplified fourier analysis approach. Journal of High Resolution Chromatography, 1996, 19, 327-332.	1.4	23
36	Characterization of new types of stationary phases for fast and ultra-fast liquid chromatography by signal processing based on AutoCovariance Function: A case study of application to Passiflora incarnata L. extract separations. Journal of Chromatography A, 2010, 1217, 4355-4364.	3.7	23

#	Article	IF	CITATIONS
37	GC/MS analysis of water-soluble organics in atmospheric aerosol: optimization of a solvent extraction procedure for simultaneous analysis of carboxylic acids and sugars. Analytical and Bioanalytical Chemistry, 2013, 405, 1095-1104.	3.7	20
38	Relationship between the chromatographic behaviour of dermorphin-related oligopeptides and the composition of the mobile phase in reersed-phase thin-layer chromatography: comparison of extrapolated RF values. Journal of Chromatography A, 1984, 287, 259-270.	3.7	19
39	Decoding two-dimensional polyacrylamide gel electrophoresis complex maps by autocovariance function: A simplified approach useful for proteomics. Electrophoresis, 2005, 26, 2739-2748.	2.4	19
40	Study of the lipophilic character of a series of \hat{l}^2 -carbolines. Journal of Chromatography A, 1989, 469, 121-126.	3.7	18
41	Retention Behavior of Benzodiazepines in Normal-Phase HPLC. Silica, Cyano, and Amino Phases Comparison. Journal of Liquid Chromatography and Related Technologies, 1988, 11, 1313-1333.	1.0	17
42	HPLC analysis of PCBs on porous graphitic carbon: Retention behavior and gradient elution. Chromatographia, 2000, 52, 425-432.	1.3	17
43	Enantioselective separation of amino acids as biomarkers indicating life in extraterrestrial environments. Analytical and Bioanalytical Chemistry, 2013, 405, 7931-7940.	3.7	17
44	Octadecyl, Phenyl and Cyano Phases Comparison for the RP-HPLC Prediction of Octanol-Water Partition Coefficient. Journal of Liquid Chromatography and Related Technologies, 1987, 10, 1065-1075.	1.0	16
45	Identification and Quantification of Homologous Series of Compound in Complex Mixtures: Autocovariance Study of GC/MS Chromatograms. Analytical Chemistry, 2006, 78, 2579-2592.	6.5	16
46	Effect of filter extraction solvents on the measurement of the oxidative potential of airborne PM2.5. Environmental Science and Pollution Research, 2021, 28, 29551-29563.	5.3	16
47	Signal processing to evaluate parameters affecting SPE for multiâ€residue analysis of personal care products. Journal of Separation Science, 2009, 32, 1249-1261.	2.5	15
48	Chemical characterization of polar organic markers in aerosols in a local area around Bologna, Italy. Atmospheric Environment, 2013, 75, 279-286.	4.1	15
49	Rm Values, retention times and π values of a series of potentially mutagenic nitroimidazo[2,1-b]thiazoles. Journal of Chromatography A, 1985, 320, 281-291.	3.7	14
50	Decoding of complex isothermal chromatograms: Application to chromatograms recovered from space missions. Journal of Separation Science, 2003, 26, 569-577.	2.5	14
51	Gas chromatographic–mass spectrometric analysis of di(2-ethylhexyl) phthalate and its metabolites in hepatic microsomal incubations. Analytica Chimica Acta, 2003, 480, 1-10.	5.4	14
52	Effects of different organic modifiers in optimization of reversed-phase high-performance liquid chromatographic gradient elution of a mixture of natural secoiridoid compounds. Journal of Chromatography A, 1989, 485, 631-645.	3.7	13
53	Decoding of complex isothermal chromatograms recovered from space missions. Journal of Chromatography A, 2003, 1002, 179-192.	3.7	13
54	Multi-residual GC-MS determination of personal care products in waters using solid-phase microextraction. Analytical and Bioanalytical Chemistry, 2011, 399, 2257-2265.	3.7	13

#	Article	IF	CITATIONS
55	Reversed-phase ion-pair systems to predict partition coefficients of \hat{l}^2 -carbolines by HPLC and TLC. Chromatographia, 1987, 23, 713-716.	1.3	12
56	Characteristics of carbonaceous aerosols in Emilia-Romagna (Northern Italy) based on two fall/winter field campaigns. Atmospheric Research, 2016, 167, 100-107.	4.1	12
57	Chemical composition and oxidative potential of atmospheric particles heavily impacted by residential wood burning in the alpine region of northern Italy. Atmospheric Environment, 2021, 253, 118360.	4.1	12
58	Polycyclic aromatic hydrocarbons and their oxygenated derivatives in urban aerosol: levels, chemical profiles, and contribution to PM2.5 oxidative potential. Environmental Science and Pollution Research, 2022, 29, 54391-54406.	5.3	12
59	Statistical method to evaluate clean-up procedures in polychlorinated biphenyl analysis. Analyst, The, 1998, 123, 1199-1204.	3.5	11
60	Data handling of complex GC–MS chromatograms: characterization of n-alkane distribution as chemical marker in organic input source identification. Analyst, The, 2009, 134, 671.	3.5	11
61	Data handling of GC/MS signals for characterization of PAH sources in Northern Italy aerosols. Talanta, 2014, 120, 283-288.	5.5	11
62	Retention behaviour of selected flavonoid compounds in NP-HPLC. Chromatographia, 1989, 27, 625-627.	1.3	10
63	Signal processing of GC–MS data of complex environmental samples: Characterization of homologous series. Analytica Chimica Acta, 2007, 594, 128-138.	5.4	10
64	Influence of the mobile phase composition on the reversed-phase thin-layer chromatographic behaviour of a series of prostaglandins. Journal of Chromatography A, 1985, 347, 209-218.	3.7	9
65	On-Site Monitoring Indoor Air Quality in Schools: A Real-World Investigation to Engage High School Science Students. Journal of Chemical Education, 2020, 97, 4069-4072.	2.3	9
66	Correlations between high-performance liquid chromatographic retention, X-ray structural and 13C NMR spectroscopic data of flavonoid compounds. Journal of Chromatography A, 1992, 592, 65-73.	3.7	8
67	Liquid chromatography timeâ€ofâ€flight mass spectrometry evaluation of fungicides reactivity in free chlorine containing water samples. Journal of Mass Spectrometry, 2013, 48, 216-226.	1.6	8
68	Determination of polar organic compounds in atmospheric aerosols by gas chromatography with ion trap tandem mass spectrometry. Journal of Separation Science, 2014, 37, 1561-1569.	2.5	8
69	Optimization of an ultrasound-assisted derivatization for GC/MS analysis of oxygenated organic species in atmospheric aerosol. Analytical and Bioanalytical Chemistry, 2017, 409, 4279-4291.	3.7	8
70	Synergistic and Antagonistic Effects of Aerosol Components on Its Oxidative Potential as Predictor of Particle Toxicity. Toxics, 2022, 10, 196.	3.7	8
71	Seasonal and Spatial Variations of PM10 and PM2.5 Oxidative Potential in Five Urban and Rural Sites across Lombardia Region, Italy. International Journal of Environmental Research and Public Health, 2022, 19, 7778.	2.6	8
72	Determination of Lipophilic Character of a Series of Dermorphin-Related Oligopeptioes by Means of Reversed-Phase HPLC. Journal of Liquid Chromatography and Related Technologies, 1984, 7, 1495-1500.	1.0	7

#	Article	IF	CITATIONS
73	Retention behaviour of \hat{l}^2 -carbolines in normal-phase chromatography. Journal of Chromatography A, 1989, 471, 407-419.	3.7	7
74	Results of an interlaboratory comparison of analytical methods for quantification of anhydrosugars and biosugars in atmospheric aerosol. Chemosphere, 2017, 184, 269-277.	8.2	7
75	The influence of lipophilic character on receptor binding affinity of a series of \hat{l}^2 - carbolines. Biochemical Pharmacology, 1988, 37, 3953-3957.	4.4	6
76	Interpretation of chromatographic data recovered from space missions: decoding of complex chromatograms by Fourier analysis. Planetary and Space Science, 2003, 51, 581-590.	1.7	6
77	Oxidative Potential Sensitivity to Metals, Br, P, S, and Se in PM10 Samples: New Insights from a Monitoring Campaign in Southeastern Italy. Atmosphere, 2020, 11, 367.	2.3	4
78	Linear solvation energy relationships in the study of the solvatochromic properties and liquid chromatographic retention behaviour of benzodiazepines. Journal of Chromatography A, 1990, 522, 37-48.	3.7	3
79	GC?MS in Space Research: Decoding Complex Isothermal Chromatograms Recovered from Space Missions. Annali Di Chimica, 2004, 94, 721-732.	0.6	3
80	2D autocovariance function for comprehensive analysis of two-way GC–MS data matrix: Application to environmental samples. Talanta, 2011, 83, 1225-1232.	5.5	2
81	Gas Chromatography in Space Exploration. , 2012, , 711-720.		1
82	Gas chromatography in space exploration. , 2012, , 865-874.		1
83	Decoding 2-D Maps by Autocovariance Function. Methods in Molecular Biology, 2016, 1384, 39-53.	0.9	0