

# Todd E Golde

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8075410/publications.pdf>

Version: 2024-02-01

264  
papers

29,535  
citations

4658

85  
h-index

5827

161  
g-index

281  
all docs

281  
docs citations

281  
times ranked

29425  
citing authors

#	ARTICLE	IF	CITATIONS
1	Triple-Transgenic Model of Alzheimer's Disease with Plaques and Tangles. <i>Neuron</i> , 2003, 39, 409-421.	8.1	3,609
2	A subset of NSAIDs lower amyloidogenic A $\beta$ 242 independently of cyclooxygenase activity. <i>Nature</i> , 2001, 414, 212-216.	27.8	1,352
3	$\beta$ -Secretase Cleavage and Nuclear Localization of ErbB-4 Receptor Tyrosine Kinase. <i>Science</i> , 2001, 294, 2179-2181.	12.6	825
4	Rare coding variants in PLCG2, ABI3, and TREM2 implicate microglial-mediated innate immunity in Alzheimer's disease. <i>Nature Genetics</i> , 2017, 49, 1373-1384.	21.4	783
5	The secretases: enzymes with therapeutic potential in Alzheimer disease. <i>Nature Reviews Neurology</i> , 2010, 6, 99-107.	10.1	702
6	Large-scale proteomic analysis of Alzheimer's disease brain and cerebrospinal fluid reveals early changes in energy metabolism associated with microglia and astrocyte activation. <i>Nature Medicine</i> , 2020, 26, 769-780.	30.7	547
7	A $\beta$ 242 Is Essential for Parenchymal and Vascular Amyloid Deposition in Mice. <i>Neuron</i> , 2005, 47, 191-199.	8.1	524
8	Aberrant cleavage of TDP-43 enhances aggregation and cellular toxicity. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2009, 106, 7607-7612.	7.1	523
9	NSAIDs and enantiomers of flurbiprofen target $\beta$ -secretase and lower A $\beta$ 242 in vivo. <i>Journal of Clinical Investigation</i> , 2003, 112, 440-449.	8.2	476
10	Expression of $\beta$ 2 amyloid protein precursor mRNAs: Recognition of a novel alternatively spliced form and quantitation in Alzheimer's disease using PCR. <i>Neuron</i> , 1990, 4, 253-267.	8.1	441
11	Targeting Notch to Target Cancer Stem Cells. <i>Clinical Cancer Research</i> , 2010, 16, 3141-3152.	7.0	410
12	Cholesterol-Dependent $\beta$ -Secretase Activity in Buoyant Cholesterol-Rich Membrane Microdomains. <i>Neurobiology of Disease</i> , 2002, 9, 11-23.	4.4	406
13	Animal models of neurodegenerative diseases. <i>Nature Neuroscience</i> , 2018, 21, 1370-1379.	14.8	358
14	Anti-A $\beta$ 2 Therapeutics in Alzheimer's Disease: The Need for a Paradigm Shift. <i>Neuron</i> , 2011, 69, 203-213.	8.1	350
15	A $\beta$ 240 Inhibits Amyloid Deposition <i>In Vivo</i> . <i>Journal of Neuroscience</i> , 2007, 27, 627-633.	3.6	327
16	IL-10 Alters Immunoproteostasis in APP Mice, Increasing Plaque Burden and Worsening Cognitive Behavior. <i>Neuron</i> , 2015, 85, 519-533.	8.1	292
17	Massive gliosis induced by interleukin-6 suppresses A $\beta$ 2 deposition <i>in vivo</i> : evidence against inflammation as a driving force for amyloid deposition. <i>FASEB Journal</i> , 2010, 24, 548-559.	0.5	278
18	Substrate-targeting $\beta$ -secretase modulators. <i>Nature</i> , 2008, 453, 925-929.	27.8	277

#	ARTICLE	IF	CITATIONS
19	Intramuscular injection of $\hat{1}\pm$ -synuclein induces CNS $\hat{1}\pm$ -synuclein pathology and a rapid-onset motor phenotype in transgenic mice. Proceedings of the National Academy of Sciences of the United States of America, 2014, 111, 10732-10737.	7.1	277
20	Diverse compounds mimic Alzheimer diseaseâ€™causing mutations by augmenting $\hat{A}^{242}$ production. Nature Medicine, 2005, 11, 545-550.	30.7	276
21	Biochemical detection of $\hat{A}^{2}$ isoforms: implications for pathogenesis, diagnosis, and treatment of Alzheimerâ€™s disease. Biochimica Et Biophysica Acta - Molecular Basis of Disease, 2000, 1502, 172-187.	3.8	272
22	Notch1 augments NF- $\hat{1}^B$ activity by facilitating its nuclear retention. EMBO Journal, 2006, 25, 129-138.	7.8	271
23	A physiologic signaling role for the $\hat{1}^3$ -secretase-derived intracellular fragment of APP. Proceedings of the National Academy of Sciences of the United States of America, 2002, 99, 4697-4702.	7.1	261
24	Evidence That Nonsteroidal Anti-inflammatory Drugs Decrease Amyloid $\hat{1}^{242}$ Production by Direct Modulation of $\hat{1}^3$ -Secretase Activity. Journal of Biological Chemistry, 2003, 278, 31831-31837.	3.4	259
25	Suppression of hippocampal TRPM7 protein prevents delayed neuronal death in brain ischemia. Nature Neuroscience, 2009, 12, 1300-1307.	14.8	259
26	Inhibitors of $\hat{1}^3$ -secretase block in vivo and in vitro T helper type 1 polarization by preventing Notch upregulation of Tbx21. Nature Immunology, 2005, 6, 680-688.	14.5	252
27	Accelerated neurodegeneration through chaperone-mediated oligomerization of tau. Journal of Clinical Investigation, 2013, 123, 4158-4169.	8.2	246
28	Transthyretin protects Alzheimer's mice from the behavioral and biochemical effects of $\hat{A}^{2}$ toxicity. Proceedings of the National Academy of Sciences of the United States of America, 2008, 105, 2681-2686.	7.1	245
29	$\hat{1}^3$ -Secretase inhibitors and modulators. Biochimica Et Biophysica Acta - Biomembranes, 2013, 1828, 2898-2907.	2.6	238
30	Inhibition of soluble TNF signaling in a mouse model of Alzheimer's disease prevents pre-plaque amyloid-associated neuropathology. Neurobiology of Disease, 2009, 34, 163-177.	4.4	236
31	TCR-Mediated Notch Signaling Regulates Proliferation and IFN- $\hat{1}^3$ Production in Peripheral T Cells. Journal of Immunology, 2003, 171, 3019-3024.	0.8	227
32	Notch Signaling in Cancer. Current Molecular Medicine, 2006, 6, 905-918.	1.3	219
33	Off the beaten pathway: the complex cross talk between Notch and NF- $\hat{1}^B$ . Laboratory Investigation, 2008, 88, 11-17.	3.7	208
34	Notch signaling is activated by TLR stimulation and regulates macrophage functions. European Journal of Immunology, 2008, 38, 174-183.	2.9	207
35	Amyloid- $\hat{1}^2$ Immunization Effectively Reduces Amyloid Deposition in FcR $\hat{1}^3$ Knock-Out Mice. Journal of Neuroscience, 2003, 23, 8532-8538.	3.6	205
36	Meta-Analysis of the Alzheimerâ€™s Disease Human Brain Transcriptome and Functional Dissection in Mouse Models. Cell Reports, 2020, 32, 107908.	6.4	199

#	ARTICLE	IF	CITATIONS
37	Gamma secretase inhibitor blocks Notch activation and induces apoptosis in Kaposi's sarcoma tumor cells. <i>Oncogene</i> , 2005, 24, 6333-6344.	5.9	195
38	MAPT mutations, tauopathy, and mechanisms of neurodegeneration. <i>Laboratory Investigation</i> , 2019, 99, 912-928.	3.7	190
39	Efficient Neuronal Gene Transfer with AAV8 Leads to Neurotoxic Levels of Tau or Green Fluorescent Proteins. <i>Molecular Therapy</i> , 2006, 13, 517-527.	8.2	180
40	Notch signaling mediates G1/S cell-cycle progression in T cells via cyclin D3 and its dependent kinases. <i>Blood</i> , 2009, 113, 1689-1698.	1.4	173
41	Anti-A $\beta$ 42- and anti-A $\beta$ 40-specific mAbs attenuate amyloid deposition in an Alzheimer disease mouse model. <i>Journal of Clinical Investigation</i> , 2005, 116, 193-201.	8.2	172
42	IFN- $\gamma$ Promotes Complement Expression and Attenuates Amyloid Plaque Deposition in Amyloid $\beta$ Precursor Protein Transgenic Mice. <i>Journal of Immunology</i> , 2010, 184, 5333-5343.	0.8	169
43	Identification of a novel family of presenilin homologues. <i>Human Molecular Genetics</i> , 2002, 11, 1037-1044.	2.9	157
44	Statins Reduce Amyloid- $\beta$ Production through Inhibition of Protein Isoprenylation. <i>Journal of Biological Chemistry</i> , 2007, 282, 26832-26844.	3.4	156
45	Targeting Notch in oncology: the path forward. <i>Nature Reviews Drug Discovery</i> , 2021, 20, 125-144.	46.4	152
46	Intracerebroventricular Viral Injection of the Neonatal Mouse Brain for Persistent and Widespread Neuronal Transduction. <i>Journal of Visualized Experiments</i> , 2014, , 51863.	0.3	151
47	Notch Regulates Cytolytic Effector Function in CD8+ T Cells. <i>Journal of Immunology</i> , 2009, 182, 3380-3389.	0.8	150
48	Capsid Serotype and Timing of Injection Determines AAV Transduction in the Neonatal Mice Brain. <i>PLoS ONE</i> , 2013, 8, e67680.	2.5	149
49	Reduced effectiveness of A $\beta$ 1-42 immunization in APP transgenic mice with significant amyloid deposition. <i>Neurobiology of Aging</i> , 2001, 22, 721-727.	3.1	148
50	Genetic Suppression of Transgenic APP Rescues Hypersynchronous Network Activity in a Mouse Model of Alzheimer's Disease. <i>Journal of Neuroscience</i> , 2014, 34, 3826-3840.	3.6	144
51	Novel Alzheimer Disease Risk Loci and Pathways in African American Individuals Using the African Genome Resources Panel. <i>JAMA Neurology</i> , 2021, 78, 102.	9.0	144
52	Inhibitors of gamma-secretase block in vivo and in vitro T helper type 1 polarization by preventing Notch upregulation of Tbx21. <i>Nature Immunology</i> , 2005, 6, 680-8.	14.5	139
53	A Novel $\beta$ -Secretase Assay Based on Detection of the Putative C-terminal Fragment- $\beta$ of Amyloid $\beta$ Protein Precursor. <i>Journal of Biological Chemistry</i> , 2001, 276, 481-487.	3.4	135
54	Increased free water in the substantia nigra of Parkinson's disease: a single-site and multi-site study. <i>Neurobiology of Aging</i> , 2015, 36, 1097-1104.	3.1	133

#	ARTICLE	IF	CITATIONS
55	Secretase (BACE1) inhibition causes retinal pathology by vascular dysregulation and accumulation of age pigment. <i>EMBO Molecular Medicine</i> , 2012, 4, 980-991.	6.9	125
56	Alzheimer disease therapy: Can the amyloid cascade be halted?. <i>Journal of Clinical Investigation</i> , 2003, 111, 11-18.	8.2	125
57	Viral transduction of the neonatal brain delivers controllable genetic mosaicism for visualising and manipulating neuronal circuits <i>in vivo</i> . <i>European Journal of Neuroscience</i> , 2013, 37, 1203-1220.	2.6	123
58	Secretase inhibitors in cancer clinical trials are pharmacologically and functionally distinct. <i>EMBO Molecular Medicine</i> , 2017, 9, 950-966.	6.9	123
59	42-lowering Nonsteroidal Anti-inflammatory Drugs Preserve Intramembrane Cleavage of the Amyloid Precursor Protein (APP) and ErbB-4 Receptor and Signaling through the APP Intracellular Domain. <i>Journal of Biological Chemistry</i> , 2003, 278, 30748-30754.	3.4	119
60	Intracranial Adeno-Associated Virus-Mediated Delivery of Anti-Pan Amyloid beta, Amyloid beta40, and Amyloid beta42 Single-Chain Variable Fragments Attenuates Plaque Pathology in Amyloid Precursor Protein Mice. <i>Journal of Neuroscience</i> , 2006, 26, 11923-11928.	3.6	119
61	Filling the Gaps in the A&#946; Cascade Hypothesis of Alzheimers Disease. <i>Current Alzheimer Research</i> , 2006, 3, 421-430.	1.4	116
62	Conserved brain myelination networks are altered in Alzheimer's and other neurodegenerative diseases. <i>Alzheimer's and Dementia</i> , 2018, 14, 352-366.	0.8	116
63	Secretory processing of the Alzheimer amyloid A4 protein precursor is increased by protein phosphorylation. <i>Biochemical and Biophysical Research Communications</i> , 1992, 187, 1285-1290.	2.1	115
64	Disease modifying therapy for AD?. <i>Journal of Neurochemistry</i> , 2006, 99, 689-707.	3.9	115
65	Brain Injection of Synuclein Induces Multiple Proteinopathies, Gliosis, and a Neuronal Injury Marker. <i>Journal of Neuroscience</i> , 2014, 34, 12368-12378.	3.6	115
66	Inhibition of Notch signaling reduces the stem-like population of breast cancer cells and prevents mammosphere formation. <i>Anticancer Research</i> , 2010, 30, 3853-67.	1.1	115
67	Alzheimer's disease: The right drug, the right time. <i>Science</i> , 2018, 362, 1250-1251.	12.6	114
68	Insights into the mechanisms of action of anti-A2 antibodies in Alzheimer's disease mouse models. <i>FASEB Journal</i> , 2006, 20, 2576-2578.	0.5	110
69	BRI2 (ITM2b) Inhibits A2 Deposition In Vivo. <i>Journal of Neuroscience</i> , 2008, 28, 6030-6036.	3.6	110
70	Cell-free assays for Secretase activity. <i>FASEB Journal</i> , 2000, 14, 2383-2386.	0.5	108
71	Hippocampal expression of murine TNF results in attenuation of amyloid deposition in vivo. <i>Molecular Neurodegeneration</i> , 2011, 6, 16.	10.8	106
72	Frontotemporal dementia and parkinsonism associated with the IVS1+1G>A mutation in progranulin: a clinicopathologic study. <i>Brain</i> , 2006, 129, 3103-3114.	7.6	105

#	ARTICLE	IF	CITATIONS
73	Phosphorylation Dynamics Regulate Hsp27-Mediated Rescue of Neuronal Plasticity Deficits in Tau Transgenic Mice. <i>Journal of Neuroscience</i> , 2010, 30, 15374-15382.	3.6	105
74	Matrix metalloproteinase-9 contributes to brain extravasation and edema in fulminant hepatic failure mice. <i>Journal of Hepatology</i> , 2006, 44, 1105-1114.	3.7	104
75	Alzheimer's $\beta$ -Secretase (BACE1) Regulates the cAMP/PKA/CREB Pathway Independently of $\beta$ -Amyloid. <i>Journal of Neuroscience</i> , 2012, 32, 11390-11395.	3.6	104
76	Divergent effects of the H50Q and G51D <i>SNCA</i> mutations on the aggregation of $\alpha$ -synuclein. <i>Journal of Neurochemistry</i> , 2014, 131, 859-867.	3.9	104
77	Inflammatory pre-conditioning restricts the seeded induction of $\alpha$ -synuclein pathology in wild type mice. <i>Molecular Neurodegeneration</i> , 2017, 12, 1.	10.8	104
78	Inclusion body myositis-like phenotype induced by transgenic overexpression of $\beta$ APP in skeletal muscle. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2002, 99, 6334-6339.	7.1	103
79	Amyloidogenic $\alpha$ -synuclein seeds do not invariably induce rapid, widespread pathology in mice. <i>Acta Neuropathologica</i> , 2014, 127, 645-665.	7.7	103
80	Distinct differences in prion-like seeding and aggregation between Tau protein variants provide mechanistic insights into tauopathies. <i>Journal of Biological Chemistry</i> , 2018, 293, 2408-2421.	3.4	103
81	Alzheimer's disease phospholipase C-gamma-2 (PLCG2) protective variant is a functional hypermorph. <i>Alzheimer's Research and Therapy</i> , 2019, 11, 16.	6.2	100
82	Hippocampal expression of murine IL-4 results in exacerbation of amyloid deposition. <i>Molecular Neurodegeneration</i> , 2012, 7, 36.	10.8	98
83	Thinking laterally about neurodegenerative proteinopathies. <i>Journal of Clinical Investigation</i> , 2013, 123, 1847-1855.	8.2	98
84	Robust Amyloid Clearance in a Mouse Model of Alzheimer's Disease Provides Novel Insights into the Mechanism of Amyloid- $\beta$ Immunotherapy. <i>Journal of Neuroscience</i> , 2011, 31, 4124-4136.	3.6	97
85	Adeno-associated virus-mediated brain delivery of 5-lipoxygenase modulates the AD-like phenotype of APP mice. <i>Molecular Neurodegeneration</i> , 2012, 7, 1.	10.8	96
86	Do infections have a role in the pathogenesis of Alzheimer disease?. <i>Nature Reviews Neurology</i> , 2020, 16, 193-197.	10.1	96
87	Presenilin 1 Regulates Pharmacologically Distinct $\beta$ -Secretase Activities. <i>Journal of Biological Chemistry</i> , 2000, 275, 26277-26284.	3.4	93
88	A Presenilin 1 Mutation Associated with Familial Frontotemporal Dementia Inhibits $\beta$ -Secretase Cleavage of APP and Notch. <i>Neurobiology of Disease</i> , 2002, 9, 269-273.	4.4	92
89	Overlapping profiles of A $\beta$ peptides in the Alzheimer's disease and pathological aging brains. <i>Alzheimer's Research and Therapy</i> , 2012, 4, 18.	6.2	92
90	Adeno-Associated Virus-Mediated Rescue of the Cognitive Defects in a Mouse Model for Angelman Syndrome. <i>PLoS ONE</i> , 2011, 6, e27221.	2.5	92

#	ARTICLE	IF	CITATIONS
91	The A $\beta$ Hypothesis: Leading Us to Rationally-Designed Therapeutic Strategies for the Treatment or Prevention of Alzheimer Disease. <i>Brain Pathology</i> , 2005, 15, 84-87.	4.1	91
92	Microglia-specific targeting by novel capsid-modified AAV6 vectors. <i>Molecular Therapy - Methods and Clinical Development</i> , 2016, 3, 16026.	4.1	91
93	Targeting the ERAD pathway via inhibition of signal peptide peptidase for antiparasitic therapeutic design. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2012, 109, 21486-21491.	7.1	89
94	C-terminal PAL motif of presenilin and presenilin homologues required for normal active site conformation. <i>Journal of Neurochemistry</i> , 2006, 96, 218-227.	3.9	87
95	High-affinity interactions and signal transduction between A $\beta$ oligomers and TREM2. <i>EMBO Molecular Medicine</i> , 2018, 10, .	6.9	86
96	Epidermal Growth Factor Receptor and Notch Pathways Participate in the Tumor Suppressor Function of $\beta$ -Secretase. <i>Journal of Biological Chemistry</i> , 2007, 282, 32264-32273.	3.4	82
97	Targeting A $\beta$ and tau in Alzheimer's disease, an early interim report. <i>Experimental Neurology</i> , 2010, 223, 252-266.	4.1	80
98	Metformin inhibits RAN translation through PKR pathway and mitigates disease in C9orf72 ALS/FTD mice. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2020, 117, 18591-18599.	7.1	79
99	Induction of CNS $\beta$ -synuclein pathology by fibrillar and non-amyloidogenic recombinant $\beta$ -synuclein. <i>Acta Neuropathologica Communications</i> , 2013, 1, 38.	5.2	78
100	Signal Peptide Peptidase Forms a Homodimer That Is Labeled by an Active Site-directed $\beta$ -Secretase Inhibitor. <i>Journal of Biological Chemistry</i> , 2004, 279, 15153-15160.	3.4	77
101	Proteinopathy-induced neuronal senescence: a hypothesis for brain failure in Alzheimer's and other neurodegenerative diseases. <i>Alzheimer's Research and Therapy</i> , 2009, 1, 5.	6.2	77
102	Open questions for Alzheimer's disease immunotherapy. <i>Alzheimer's Research and Therapy</i> , 2014, 6, 3.	6.2	77
103	Non-Canonical Notch Signaling Drives Activation and Differentiation of Peripheral CD4+ T Cells. <i>Frontiers in Immunology</i> , 2014, 5, 54.	4.8	75
104	Notch signals in the endothelium and cancer "stem-like" cells: opportunities for cancer therapy. <i>Vascular Cell</i> , 2012, 4, 7.	0.2	74
105	Normal cognition in transgenic BRI2-A $\beta$ mice. <i>Molecular Neurodegeneration</i> , 2013, 8, 15.	10.8	74
106	The Non-cyclooxygenase Targets of Non-steroidal Anti-inflammatory Drugs, Lipoxygenases, Peroxisome Proliferator-activated Receptor, Inhibitor of $\beta$ Kinase, and NF $\kappa$ B, Do Not Reduce Amyloid $\beta$ 42 Production. <i>Journal of Biological Chemistry</i> , 2003, 278, 31825-31830.	3.4	71
107	Independent Generation of A $\beta$ 42 and A $\beta$ 38 Peptide Species by $\beta$ -Secretase. <i>Journal of Biological Chemistry</i> , 2008, 283, 17049-17054.	3.4	70
108	Organotypic brain slice cultures to model neurodegenerative proteinopathies. <i>Molecular Neurodegeneration</i> , 2019, 14, 45.	10.8	69

#	ARTICLE	IF	CITATIONS
109	Soluble $\beta$ -synuclein antibody complexes activate the NLRP3 inflammasome in hiPSC-derived microglia. Proceedings of the National Academy of Sciences of the United States of America, 2021, 118, .	7.1	69
110	Identification of Ligand-Induced Proteolytic Cleavage and Ectodomain Shedding of VEGFR-1/FLT1 in Leukemic Cancer Cells. Cancer Research, 2009, 69, 2607-2614.	0.9	67
111	Interferon- $\beta$ induces progressive nigrostriatal degeneration and basal ganglia calcification. Nature Neuroscience, 2011, 14, 694-696.	14.8	67
112	Therapeutic targeting of NOTCH signaling ameliorates immune-mediated bone marrow failure of aplastic anemia. Journal of Experimental Medicine, 2013, 210, 1311-1329.	8.5	67
113	Linkage, whole genome sequence, and biological data implicate variants in RAB10 in Alzheimer's disease resilience. Genome Medicine, 2017, 9, 100.	8.2	67
114	A multigram chemical synthesis of the $\beta$ -secretase inhibitor LY411575 and its diastereoisomers. Bioorganic and Medicinal Chemistry Letters, 2007, 17, 6392-6395.	2.2	64
115	Notch Signaling Regulates Mitochondrial Metabolism and NF- $\kappa$ B Activity in Triple-Negative Breast Cancer Cells via IKK-Dependent Non-canonical Pathways. Frontiers in Oncology, 2018, 8, 575.	2.8	64
116	Cholesterol modulation as an emerging strategy for the treatment of Alzheimer's disease. Drug Discovery Today, 2001, 6, 1049-1055.	6.4	63
117	Novel rat Alzheimer's disease models based on AAV-mediated gene transfer to selectively increase hippocampal $A\beta$ levels. Molecular Neurodegeneration, 2007, 2, 11.	10.8	61
118	Convection-enhanced delivery and systemic mannitol increase gene product distribution of AAV vectors 5, 8, and 9 and increase gene product in the adult mouse brain. Journal of Neuroscience Methods, 2010, 194, 144-153.	2.5	61
119	Lysine 624 of the Amyloid Precursor Protein (APP) Is a Critical Determinant of Amyloid $\beta$ Peptide Length. Journal of Biological Chemistry, 2011, 286, 39804-39812.	3.4	61
120	Expression of Fused in sarcoma mutations in mice recapitulates the neuropathology of FUS proteinopathies and provides insight into disease pathogenesis. Molecular Neurodegeneration, 2012, 7, 53.	10.8	61
121	Conformational templating of $\beta$ -synuclein aggregates in neuronal-glia cultures. Molecular Neurodegeneration, 2013, 8, 17.	10.8	61
122	Holdase activity of secreted Hsp70 masks amyloid- $\beta$ 242 neurotoxicity in <i>Drosophila</i> . Proceedings of the National Academy of Sciences of the United States of America, 2016, 113, E5212-21.	7.1	60
123	$\beta$ -Secretase cleavage of the amyloid precursor protein mediates neuronal apoptosis caused by familial Alzheimer's disease mutations. Molecular Brain Research, 2001, 97, 103-113.	2.3	59
124	Signal peptide peptidases: A family of intramembrane-cleaving proteases that cleave type 2 transmembrane proteins. Seminars in Cell and Developmental Biology, 2009, 20, 225-230.	5.0	59
125	Proteolysis of $\beta$ -synuclein fibrils in the lysosomal pathway limits induction of inclusion pathology. Journal of Neurochemistry, 2017, 140, 662-678.	3.9	59
126	Dysfunction of TGF- $\beta$ 2 signaling in Alzheimer's disease. Journal of Clinical Investigation, 2006, 116, 2855-2857.	8.2	57



#	ARTICLE	IF	CITATIONS
127	Alzheimer disease therapy: Can the amyloid cascade be halted?. Journal of Clinical Investigation, 2003, 111, 11-18.	8.2	57
128	Short A $\beta$ peptides attenuate A $\beta$ 42 toxicity in vivo. Journal of Experimental Medicine, 2018, 215, 283-301.	8.5	56
129	Anesthetic Propofol Attenuates the Isoflurane-Induced Caspase-3 Activation and A $\beta$ Oligomerization. PLoS ONE, 2011, 6, e27019.	2.5	56
130	The therapeutic importance of understanding mechanisms of neuronal cell death in neurodegenerative disease. Molecular Neurodegeneration, 2009, 4, 8.	10.8	52
131	Biomarkers for Alzheimer's disease in plasma, serum and blood - conceptual and practical problems. Alzheimer's Research and Therapy, 2013, 5, 10.	6.2	51
132	Intrastriatal injection of $\Delta$ -synuclein can lead to widespread synucleinopathy independent of neuroanatomic connectivity. Molecular Neurodegeneration, 2017, 12, 40.	10.8	51
133	Widespread and Efficient Transduction of Spinal Cord and Brain Following Neonatal AAV Injection and Potential Disease Modifying Effect in ALS Mice. Molecular Therapy, 2015, 23, 53-62.	8.2	50
134	TLR5 decoy receptor as a novel anti-amyloid therapeutic for Alzheimer's disease. Journal of Experimental Medicine, 2018, 215, 2247-2264.	8.5	50
135	A Signal Peptide Peptidase (SPP) Reporter Activity Assay Based on the Cleavage of Type II Membrane Protein Substrates Provides Further Evidence for an Inverted Orientation of the SPP Active Site Relative to Presenilin. Journal of Biological Chemistry, 2004, 279, 43148-43156.	3.4	49
136	Gene expression, methylation and neuropathology correlations at progressive supranuclear palsy risk loci. Acta Neuropathologica, 2016, 132, 197-211.	7.7	49
137	A candidate regulatory variant at the <i>TREM</i> gene cluster associates with decreased Alzheimer's disease risk and increased <i>TREML1</i> and <i>TREM2</i> brain gene expression. Alzheimer's and Dementia, 2017, 13, 663-673.	0.8	48
138	rAAV-based brain slice culture models of Alzheimer's and Parkinson's disease inclusion pathologies. Journal of Experimental Medicine, 2019, 216, 539-555.	8.5	48
139	NOTCH1 Can Initiate NF- $\kappa$ B Activation via Cytosolic Interactions with Components of the T Cell Signalosome. Frontiers in Immunology, 2014, 5, 249.	4.8	47
140	Viral expression of ALS-linked ubiquilin-2 mutants causes inclusion pathology and behavioral deficits in mice. Molecular Neurodegeneration, 2015, 10, 25.	10.8	47
141	Re-Opening the Critical Window for Estrogen Therapy. Journal of Neuroscience, 2015, 35, 16077-16093.	3.6	47
142	The stress response neuropeptide <i>CRF</i> increases amyloid $\beta$ production by regulating $\beta$ -secretase activity. EMBO Journal, 2015, 34, 1674-1686.	7.8	47
143	Targeting psychologic stress signaling pathways in Alzheimer's disease. Molecular Neurodegeneration, 2017, 12, 49.	10.8	47
144	Divergent brain gene expression patterns associate with distinct cell-specific tau neuropathology traits in progressive supranuclear palsy. Acta Neuropathologica, 2018, 136, 709-727.	7.7	47

#	ARTICLE	IF	CITATIONS
145	Inflammation takes on Alzheimer disease. <i>Nature Medicine</i> , 2002, 8, 936-938.	30.7	46
146	Reversible Pathologic and Cognitive Phenotypes in an Inducible Model of Alzheimer-Amyloidosis. <i>Journal of Neuroscience</i> , 2013, 33, 3765-3779.	3.6	46
147	Integrative approach to sporadic Alzheimer's disease: deficiency of TYROBP in a tauopathy mouse model reduces C1q and normalizes clinical phenotype while increasing spread and state of phosphorylation of tau. <i>Molecular Psychiatry</i> , 2019, 24, 1383-1397.	7.9	46
148	A novel panel of $\beta$ -synuclein antibodies reveal distinctive staining profiles in synucleinopathies. <i>PLoS ONE</i> , 2017, 12, e0184731.	2.5	45
149	Possible Mechanisms of Action of NSAIDs and Related Compounds that Modulate $\beta$ -Secretase Cleavage. <i>Current Topics in Medicinal Chemistry</i> , 2008, 8, 47-53.	2.1	43
150	Generating Differentially Targeted Amyloid- $\beta$ Specific Intrabodies as a Passive Vaccination Strategy for Alzheimer's Disease. <i>Molecular Therapy</i> , 2009, 17, 2031-2040.	8.2	43
151	Intramembrane proteolytic cleavage by human signal peptide peptidase like 3 and malaria signal peptide peptidase. <i>FASEB Journal</i> , 2006, 20, 1671-1679.	0.5	42
152	A $\beta$ -secretase inhibitor and quinacrine reduce prions and prevent dendritic degeneration in murine brains. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2008, 105, 10595-10600.	7.1	42
153	Cyanobacterial Peptides as a Prototype for the Design of Potent $\beta$ -Secretase Inhibitors and the Development of Selective Chemical Probes for Other Aspartic Proteases. <i>Journal of Medicinal Chemistry</i> , 2012, 55, 10749-10765.	6.4	42
154	Alzheimer's disease "the journey of a healthy brain into organ failure. <i>Molecular Neurodegeneration</i> , 2022, 17, 18.	10.8	41
155	Precision therapeutic targets for COVID-19. <i>Virology Journal</i> , 2021, 18, 66.	3.4	40
156	Generation and characterization of new monoclonal antibodies targeting the PHF1 and AT8 epitopes on human tau. <i>Acta Neuropathologica Communications</i> , 2017, 5, 58.	5.2	39
157	Unbiased screen reveals ubiquilin-1 and -2 highly associated with huntingtin inclusions. <i>Brain Research</i> , 2013, 1524, 62-73.	2.2	38
158	Notch Signaling in Myeloid Cells as a Regulator of Tumor Immune Responses. <i>Frontiers in Immunology</i> , 2018, 9, 1288.	4.8	38
159	Inhibitors of Rho-kinase modulate amyloid- $\beta$ ( $A\beta$ ) secretion but lack selectivity for $A\beta_{42}$ . <i>Journal of Neurochemistry</i> , 2006, 96, 355-365.	3.9	37
160	Reduced Alzheimer's Disease $\beta$ -Amyloid Deposition in Transgenic Mice Expressing $\beta$ -Palmitoylation-Deficient APH1aL and Nicastrin. <i>Journal of Neuroscience</i> , 2010, 30, 16160-16169.	3.6	37
161	Notch inhibition in Kaposi's sarcoma tumor cells leads to mitotic catastrophe through nuclear factor- $\kappa$ B signaling. <i>Molecular Cancer Therapeutics</i> , 2007, 6, 1983-1992.	4.1	36
162	Disease-Modifying Therapies for Alzheimer's Disease: More Questions than Answers. <i>Neurotherapeutics</i> , 2022, 19, 209-227.	4.4	36

#	ARTICLE	IF	CITATIONS
163	Presenilin 1 Regulates $\beta$ -Catenin-mediated Transcription in a Glycogen Synthase Kinase-3-independent Fashion. <i>Journal of Biological Chemistry</i> , 2001, 276, 38563-38569.	3.4	35
164	Overexpression of nicastrin increases A $\beta$ production. <i>FASEB Journal</i> , 2003, 17, 1138-1140.	0.5	35
165	Free-water imaging of the hippocampus is a sensitive marker of Alzheimer's disease. <i>NeuroImage: Clinical</i> , 2019, 24, 101985.	2.7	35
166	Neurite orientation dispersion and density imaging reveals white matter and hippocampal microstructure changes produced by Interleukin-6 in the TgCRND8 mouse model of amyloidosis. <i>NeuroImage</i> , 2019, 202, 116138.	4.2	34
167	Production of Amyloid $\beta$ Protein from Normal Amyloid $\beta$ -Protein Precursor ( $\beta$ APP) and the Mutated $\beta$ APPs Linked to Familial Alzheimer's Disease. <i>Annals of the New York Academy of Sciences</i> , 1993, 695, 103-108.	3.8	33
168	Presenilin regulates capacitative calcium entry dependently and independently of $\beta$ -secretase activity. <i>Biochemical and Biophysical Research Communications</i> , 2004, 322, 1145-1152.	2.1	33
169	Alzheimer's disease risk alleles in TREM2 illuminate innate immunity in Alzheimer's disease. <i>Alzheimer's Research and Therapy</i> , 2013, 5, 24.	6.2	33
170	Steroids as $\beta$ -secretase modulators. <i>FASEB Journal</i> , 2013, 27, 3775-3785.	0.5	33
171	Immune responses against A $\beta$ 1-42 in HLA class II transgenic mice: implications for A $\beta$ 1-42 immune-mediated therapies. <i>Neurobiology of Aging</i> , 2003, 24, 969-976.	3.1	32
172	Motor neuron loss and neuroinflammation in a model of $\alpha$ -synuclein-induced neurodegeneration. <i>Neurobiology of Disease</i> , 2018, 120, 98-106.	4.4	32
173	Physiologic and Pathologic Events Mediated by Intramembranous and Juxtamembranous Proteolysis. <i>Science Signaling</i> , 2003, 2003, re4-re4.	3.6	31
174	Substrate Sequence Influences $\beta$ -Secretase Modulator Activity, Role of the Transmembrane Domain of the Amyloid Precursor Protein. <i>Journal of Biological Chemistry</i> , 2011, 286, 39794-39803.	3.4	31
175	Increased brain hemopexin levels improve outcomes after intracerebral hemorrhage. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2018, 38, 1032-1046.	4.3	31
176	Diffusion magnetic resonance imaging-derived free water detects neurodegenerative pattern induced by interferon- $\beta$ . <i>Brain Structure and Function</i> , 2020, 225, 427-439.	2.3	31
177	Independent Relationship between Amyloid Precursor Protein (APP) Dimerization and $\beta$ -Secretase Processivity. <i>PLoS ONE</i> , 2014, 9, e111553.	2.5	30
178	Retention in Endoplasmic Reticulum 1 (RER1) Modulates Amyloid- $\beta$ (A $\beta$ ) Production by Altering Trafficking of $\beta$ -Secretase and Amyloid Precursor Protein (APP). <i>Journal of Biological Chemistry</i> , 2012, 287, 40629-40640.	3.4	29
179	Transient pharmacologic lowering of A $\beta$ production prior to deposition results in sustained reduction of amyloid plaque pathology. <i>Molecular Neurodegeneration</i> , 2012, 7, 39.	10.8	29
180	Age-related increase in amyloid plaque burden is associated with impairment in conditioned fear memory in CRND8 mouse model of amyloidosis. <i>Alzheimer's Research and Therapy</i> , 2012, 4, 21.	6.2	29

#	ARTICLE	IF	CITATIONS
181	Studies of lipopolysaccharide effects on the induction of $\beta$ -synuclein pathology by exogenous fibrils in transgenic mice. <i>Molecular Neurodegeneration</i> , 2015, 10, 32.	10.8	29
182	Harnessing Immunoproteostasis to Treat Neurodegenerative Disorders. <i>Neuron</i> , 2019, 101, 1003-1015.	8.1	29
183	Amyloid $\beta$ peptides overexpression in retinal pigment epithelial cells via AAV-mediated gene transfer mimics AMD-like pathology in mice. <i>Scientific Reports</i> , 2017, 7, 3222.	3.3	28
184	ALS-Linked SOD1 Mutants Enhance Neurite Outgrowth and Branching in Adult Motor Neurons. <i>IScience</i> , 2019, 11, 294-304.	4.1	28
185	Atlas of Transcription Factor Binding Sites from ENCODE DNase Hypersensitivity Data across 27 Tissue Types. <i>Cell Reports</i> , 2020, 32, 108029.	6.4	28
186	Normal Processing of the Alzheimer's Disease Amyloid $\beta$ Protein Precursor Generates Potentially Amyloidogenic Carboxyl-Terminal Derivatives. <i>Annals of the New York Academy of Sciences</i> , 1992, 674, 138-148.	3.8	27
187	A Small Molecule Inhibitor of Signal Peptide Peptidase Inhibits Plasmodium Development in the Liver and Decreases Malaria Severity. <i>PLoS ONE</i> , 2009, 4, e5078.	2.5	27
188	p53 Modulates Notch Signaling in MCF7 Breast Cancer Cells by Associating With the Notch Transcriptional Complex Via MAML1. <i>Journal of Cellular Physiology</i> , 2015, 230, 3115-3127.	4.1	27
189	Recovery from Proactive Semantic Interference and MRI Volume: A Replication and Extension Study. <i>Journal of Alzheimer's Disease</i> , 2017, 59, 131-139.	2.6	27
190	The Influence of 5-Lipoxygenase on Alzheimer's Disease-Related Tau Pathology: In Vivo and In Vitro Evidence. <i>Biological Psychiatry</i> , 2013, 74, 321-328.	1.3	26
191	Anti-tau scFvs Targeted to the Cytoplasm or Secretory Pathway Variably Modify Pathology and Neurodegenerative Phenotypes. <i>Molecular Therapy</i> , 2021, 29, 859-872.	8.2	26
192	Phosphorylation of serine 305 in tau inhibits aggregation. <i>Neuroscience Letters</i> , 2019, 692, 187-192.	2.1	25
193	Integrative functional genomic analysis of intron retention in human and mouse brain with Alzheimer's disease. <i>Alzheimer's and Dementia</i> , 2021, 17, 984-1004.	0.8	25
194	Homing in on Intracellular $A\beta$ . <i>Neuron</i> , 2005, 45, 639-642.	8.1	24
195	Detection of presenilin-1 homodimer formation in intact cells using fluorescent lifetime imaging microscopy. <i>Biochemical and Biophysical Research Communications</i> , 2006, 340, 668-674.	2.1	24
196	Robust cytoplasmic accumulation of phosphorylated TDP-43 in transgenic models of tauopathy. <i>Acta Neuropathologica</i> , 2013, 126, 39-50.	7.7	24
197	Combining P301L and S320F tau variants produces a novel accelerated model of tauopathy. <i>Human Molecular Genetics</i> , 2019, 28, 3255-3269.	2.9	24
198	A Human Monoclonal IgG That Binds $A\beta$ Assemblies and Diverse Amyloids Exhibits Anti-Amyloid Activities <i>In Vitro</i> and <i>In Vivo</i> . <i>Journal of Neuroscience</i> , 2015, 35, 6265-6276.	3.6	23

#	ARTICLE	IF	CITATIONS
199	IFN $\beta$ promotes $\tau$ , phosphorylation without affecting mature tangles. <i>FASEB Journal</i> , 2015, 29, 4384-4398.	0.5	23
200	$\beta$ -Secretase Processing and Effects of $\beta$ -Secretase Inhibitors and Modulators on Long A $\beta$ Peptides in Cells. <i>Journal of Biological Chemistry</i> , 2014, 289, 3276-3287.	3.4	22
201	A KCNC3 mutation causes a neurodevelopmental, non-progressive SCA13 subtype associated with dominant negative effects and aberrant EGFR trafficking. <i>PLoS ONE</i> , 2017, 12, e0173565.	2.5	22
202	Analysis of Proteolytic Processes and Enzymatic Activities in the Generation of Huntingtin N-Terminal Fragments in an HEK293 Cell Model. <i>PLoS ONE</i> , 2012, 7, e50750.	2.5	22
203	Characterization by radiosequencing of the carboxyl-terminal derivatives produced from normal and mutant amyloid $\beta$ protein precursors. <i>Amyloid: the International Journal of Experimental and Clinical Investigation: the Official Journal of the International Society of Amyloidosis</i> , 1994, 1, 30-38.	3.0	21
204	Anti-A $\beta$ single-chain variable fragment antibodies exert synergistic neuroprotective activities in <i>Drosophila</i> models of Alzheimer's disease. <i>Human Molecular Genetics</i> , 2015, 24, 6093-6105.	2.9	20
205	Host immune defence, amyloid- $\beta$ peptide and Alzheimer disease. <i>Nature Reviews Neurology</i> , 2016, 12, 433-434.	10.1	20
206	APP-Mediated Signaling Prevents Memory Decline in Alzheimer's Disease Mouse Model. <i>Cell Reports</i> , 2019, 27, 1345-1355.e6.	6.4	20
207	The Presenilin 1 C92S Mutation Increases A $\beta$ 42 Production. <i>Biochemical and Biophysical Research Communications</i> , 2000, 277, 261-263.	2.1	19
208	Non-prion-type transmission in A53T $\alpha$ -synuclein transgenic mice: a normal component of spinal homogenates from naive non-transgenic mice induces robust $\alpha$ -synuclein pathology. <i>Acta Neuropathologica</i> , 2016, 131, 151-154.	7.7	19
209	Overcoming translational barriers impeding development of Alzheimer's disease modifying therapies. <i>Journal of Neurochemistry</i> , 2016, 139, 224-236.	3.9	17
210	Fyn depletion ameliorates tauP301L-induced neuropathology. <i>Acta Neuropathologica Communications</i> , 2020, 8, 108.	5.2	17
211	Microglia show differential transcriptomic response to A $\beta$ peptide aggregates ex vivo and in vivo. <i>Life Science Alliance</i> , 2021, 4, e202101108.	2.8	17
212	Anti-Tau Antibodies: Hitting the Target. <i>Neuron</i> , 2013, 80, 254-256.	8.1	16
213	Notch1 primes CD4 T cells for T helper type I differentiation through its early effects on miR-29. <i>Molecular Immunology</i> , 2018, 99, 191-198.	2.2	16
214	A cognitive stress test for prodromal Alzheimer's disease: Multiethnic generalizability. <i>Alzheimer's and Dementia: Diagnosis, Assessment and Disease Monitoring</i> , 2019, 11, 550-559.	2.4	16
215	Diversity in A $\beta$ deposit morphology and secondary proteome insolubility across models of Alzheimer-type Amyloidosis. <i>Acta Neuropathologica Communications</i> , 2020, 8, 43.	5.2	16
216	Utility of Plasma Neurofilament Light in the Florida Alzheimer's Disease Research Center (ADRC). <i>Journal of Alzheimer's Disease</i> , 2021, 79, 59-70.	2.6	16

#	ARTICLE	IF	CITATIONS
217	Individual and combined presenilin 1 and 2 knockouts reveal that both have highly overlapping functions in HEK293T cells. <i>Journal of Biological Chemistry</i> , 2019, 294, 11276-11285.	3.4	15
218	Differential Inhibition of Signal Peptide Peptidase Family Members by Established $\beta$ -Secretase Inhibitors. <i>PLoS ONE</i> , 2015, 10, e0128619.	2.5	15
219	The effect of brief neonatal cryoanesthesia on physical development and adult cognitive function in mice. <i>Behavioural Brain Research</i> , 2014, 259, 253-260.	2.2	13
220	Photodynamic studies reveal rapid formation and appreciable turnover of tau inclusions. <i>Acta Neuropathologica</i> , 2021, 141, 359-381.	7.7	13
221	Alzheimer's disease and progressive supranuclear palsy share similar transcriptomic changes in distinct brain regions. <i>Journal of Clinical Investigation</i> , 2022, 132, .	8.2	13
222	AAV-mediated delivery of an anti-BACE1 VHH alleviates pathology in an Alzheimer's disease model. <i>EMBO Molecular Medicine</i> , 2022, 14, e09824.	6.9	13
223	Zoom in on neurodegeneration. <i>Molecular Neurodegeneration</i> , 2006, 1, 1.	10.8	12
224	Novel monoclonal antibodies targeting the microtubule-binding domain of human tau. <i>PLoS ONE</i> , 2018, 13, e0195211.	2.5	12
225	Intra- and extracellular $\beta$ -amyloid overexpression via adeno-associated virus-mediated gene transfer impairs memory and synaptic plasticity in the hippocampus. <i>Scientific Reports</i> , 2019, 9, 15936.	3.3	12
226	Manifestations of Alzheimer's disease genetic risk in the blood are evident in a multiomic analysis in healthy adults aged 18 to 90. <i>Scientific Reports</i> , 2022, 12, 6117.	3.3	12
227	$\beta$ -Secretase Modulators and APH1 Isoforms Modulate $\beta$ -Secretase Cleavage but Not Position of $\beta$ -Cleavage of the Amyloid Precursor Protein (APP). <i>PLoS ONE</i> , 2015, 10, e0144758.	2.5	11
228	CD28 Signaling Drives Notch Ligand Expression on CD4 T Cells. <i>Frontiers in Immunology</i> , 2020, 11, 735.	4.8	11
229	Differences in memory development among C57BL/6NCrI, 129S2/SvPasCrI, and FVB/NCrI mice after delay and trace fear conditioning. <i>Comparative Medicine</i> , 2014, 64, 4-12.	1.0	11
230	Using leucine zipper to facilitate $\alpha$ -synuclein assembly. <i>FASEB Journal</i> , 2008, 22, 3165-3174.	0.5	10
231	lfngr1 and Stat1 mediated canonical lfn- $\beta$ signaling drives nigrostriatal degeneration. <i>Neurobiology of Disease</i> , 2018, 110, 133-141.	4.4	10
232	Modulation of A $\beta$ 242 in vivo by $\beta$ -secretase modulator in primates and humans. <i>Alzheimer's Research and Therapy</i> , 2015, 7, 55.	6.2	9
233	Inefficient induction and spread of seeded tau pathology in P301L mouse model of tauopathy suggests inherent physiological barriers to transmission. <i>Acta Neuropathologica</i> , 2015, 130, 303-305.	7.7	9
234	Intracerebral Expression of AAV-APOE4 Is Not Sufficient to Alter Tau Burden in Two Distinct Models of Tauopathy. <i>Molecular Neurobiology</i> , 2020, 57, 1986-2001.	4.0	9

#	ARTICLE	IF	CITATIONS
235	Utilizing minimally purified secreted rAAV for rapid and cost-effective manipulation of gene expression in the CNS. <i>Molecular Neurodegeneration</i> , 2020, 15, 15.	10.8	9
236	Avoiding Unintended Toxicity. <i>Science</i> , 2009, 324, 603-604.	12.6	8
237	Intracerebral but Not Peripheral Infection of Live <i>Porphyromonas gingivalis</i> Exacerbates Alzheimer's Disease Like Amyloid Pathology in APP-TgCRND8 Mice. <i>International Journal of Molecular Sciences</i> , 2022, 23, 3328.	4.1	8
238	Bringing amyloid into focus. <i>Nature Biotechnology</i> , 2005, 23, 552-554.	17.5	7
239	Shifting a complex debate on $\beta$ -secretase cleavage and Alzheimer's disease. <i>EMBO Journal</i> , 2012, 31, 2237-2239.	7.8	7
240	Deficiency in either COX-1 or COX-2 genes does not affect amyloid beta protein burden in amyloid precursor protein transgenic mice. <i>Biochemical and Biophysical Research Communications</i> , 2016, 478, 286-292.	2.1	7
241	Cardiac MLC2 kinase is localized to the Z-disc and interacts with $\beta$ -actinin2. <i>Scientific Reports</i> , 2019, 9, 12580.	3.3	7
242	An anti-CRF antibody suppresses the HPA axis and reverses stress-induced phenotypes. <i>Journal of Experimental Medicine</i> , 2019, 216, 2479-2491.	8.5	7
243	Welcome to Alzheimer's Research & Therapy. <i>Alzheimer's Research and Therapy</i> , 2009, 1, 1.	6.2	6
244	Sorting Out Frontotemporal Dementia?. <i>Neuron</i> , 2010, 68, 601-603.	8.1	6
245	$\beta$ -Secretase modulators exhibit selectivity for modulation of APP cleavage but inverse $\beta$ -secretase modulators do not. <i>Alzheimer's Research and Therapy</i> , 2020, 12, 61.	6.2	6
246	Challenges in Passive Immunization Strategies to Treat Parkinson Disease. <i>JAMA Neurology</i> , 2018, 75, 1180.	9.0	5
247	Nonsteroidal antiinflammatory drugs as therapeutic agents for Alzheimer's disease. <i>Drug Development Research</i> , 2002, 56, 415-420.	2.9	4
248	"What kills neurons in neurodegenerative diseases?", a review series in an open access journal. <i>Molecular Neurodegeneration</i> , 2009, 4, 7.	10.8	4
249	Modulating innate immune activation states impacts the efficacy of specific $A\beta$ immunotherapy. <i>Molecular Neurodegeneration</i> , 2021, 16, 32.	10.8	4
250	Pathogenic tau recruits wild-type tau into brain inclusions and induces gut degeneration in transgenic SPAM mice. <i>Communications Biology</i> , 2022, 5, 446.	4.4	4
251	Peptide-based, irreversible inhibitors of $\beta$ -secretase activity. <i>Biochemical and Biophysical Research Communications</i> , 2003, 305, 529-533.	2.1	3
252	Cerebrospinal Biomarkers in Alzheimer Disease—Potential Roles as Markers of Prognosis and Neuroplasticity. <i>JAMA Neurology</i> , 2016, 73, 508.	9.0	3

#	ARTICLE	IF	CITATIONS
253	A $\beta$ 40 displays amyloidogenic properties in the non-transgenic mouse brain but does not exacerbate A $\beta$ 42 toxicity in <i>Drosophila</i> . <i>Alzheimer's Research and Therapy</i> , 2020, 12, 132.	6.2	3
254	Right sizing funding for Alzheimer's disease. <i>Alzheimer's Research and Therapy</i> , 2011, 3, 17.	6.2	2
255	Parkinson Disease and Autoimmune Disorders—What Can We Learn From Genome-wide Pleiotropy?. <i>JAMA Neurology</i> , 2017, 74, 769.	9.0	2
256	Soluble brain homogenates from diverse human and mouse sources preferentially seed diffuse A $\beta$ 2 plaque pathology when injected into newborn mouse hosts.. <i>Free Neuropathology</i> , 2022, 3, .	3.0	2
257	Progress in Alzheimer's disease research circa 2013: Is the glass half empty or half full?. <i>Alzheimer's Research and Therapy</i> , 2013, 5, 26.	6.2	1
258	Designing antibodies against LRRK2-targeted tau epitopes. <i>PLoS ONE</i> , 2018, 13, e0204367.	2.5	1
259	P-346 Anti-A1 $\beta$ 16, A $\beta$ 235 $\beta$ 40 and A $\beta$ 235 $\beta$ 42 single-chain variable region fragments as potential therapeutic agents for AD. <i>Neurobiology of Aging</i> , 2004, 25, S573.	3.1	0
260	Recent Alzheimer's disease research highlights. <i>Alzheimer's Research and Therapy</i> , 2012, 4, 14.	6.2	0
261	S1-01-04: Cholesterol metabolites as endogenous gamma-secretase modulators. , 2013, 9, P121-P122.		0
262	O2-06-03: CAN WE TARGET CORTICOTROPIN RELEASING FACTOR (CRF) FOR THERAPEUTIC BENEFIT IN AD?. , 2014, 10, P175-P175.		0
263	DDIS-06. AAV TOOLKIT ENABLING PRECISION COMBINATORIAL VIROTHERAPY FOR GLIOBLASTOMA. <i>Neuro-Oncology</i> , 2018, 20, vi70-vi70.	1.2	0
264	Beta $\beta$ secretase regulation in aging and disease. <i>FASEB Journal</i> , 2007, 21, A278.	0.5	0