Jose Luis Diez-martin

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8076047/publications.pdf

Version: 2024-02-01

121 papers 2,478 citations

257357 24 h-index 243529 44 g-index

127 all docs

127 docs citations

127 times ranked

3308 citing authors

#	Article	IF	CITATIONS
1	Autologous stem cell transplantation in the treatment of systemic sclerosis: report from the EBMT/EULAR Registry. Annals of the Rheumatic Diseases, 2004, 63, 974-981.	0.5	219
2	Chromosome Studies in 104 Patients With Polycythemia Vera. Mayo Clinic Proceedings, 1991, 66, 287-299.	1.4	138
3	Post-transplant cyclophosphamide <i>versus</i> anti-thymocyte globulin as graft- <i>versus</i> -host disease prophylaxis in haploidentical transplant. Haematologica, 2017, 102, 401-410.	1.7	109
4	PTCy-based haploidentical vs matched related or unrelated donor reduced-intensity conditioning transplant for DLBCL. Blood Advances, 2019, 3, 360-369.	2.5	92
5	Reduced-intensity conditioning allogeneic transplantation is associated with a high incidence of extramedullary relapses in multiple myeloma patients. Leukemia, 2006, 20, 542-545.	3. 3	81
6	Autologous peripheral blood stem cell transplantation for multiple myeloma: a report of 259 cases from the Spanish Registry. Bone Marrow Transplantation, 1998, 21, 133-140.	1.3	77
7	Rituximab is an effective and safe therapeutic alternative in adults with refractory and severe autoimmune hemolytic anemia. Annals of Hematology, 2010, 89, 1073-1080.	0.8	68
8	Post-transplant cyclophosphamide after matched sibling, unrelated and haploidentical donor transplants in patients with acute myeloid leukemia: a comparative study of the ALWP EBMT. Journal of Hematology and Oncology, 2020, 13 , 46 .	6.9	68
9	Reduced intensity conditioning HLA identical sibling donor allogeneic stem cell transplantation for patients with follicular lymphoma: long-term follow-up from two prospective multicenter trials. Haematologica, 2010, 95, 1176-1182.	1.7	63
10	Interobserver variance in myelodysplastic syndromes with less than 5Â% bone marrow blasts: unilineage vs. multilineage dysplasia and reproducibility of the threshold of 2Â% blasts. Annals of Hematology, 2015, 94, 565-573.	0.8	62
11	Outcome and prognostic factors in patients with mantle-cell lymphoma relapsing after autologous stem-cell transplantation: a retrospective study of the European Group for Blood and Marrow Transplantation (EBMT). Annals of Oncology, 2014, 25, 1053-1058.	0.6	60
12	Prognostic impact of minimal residual disease analysis by flow cytometry in patients with acute myeloid leukemia before and after allogeneic hemopoietic stem cell transplantation. European Journal of Haematology, 2014, 93, 239-246.	1.1	60
13	Mechanisms That Contribute to a Profound Reduction of the HIV-1 Reservoir After Allogeneic Stem Cell Transplant. Annals of Internal Medicine, 2018, 169, 674.	2.0	59
14	Evaluation of Minimal Residual Disease by Real-Time Quantitative PCR of Wilms' Tumor 1 Expression in Patients with Acute Myelogenous Leukemia after Allogeneic Stem Cell Transplantation: Correlation with Flow Cytometry and Chimerism. Biology of Blood and Marrow Transplantation, 2012, 18, 1235-1242.	2.0	57
15	Risk Factors and Mortality of COVID-19 in Patients With Lymphoma: A Multicenter Study. HemaSphere, 2021, 5, e538.	1.2	52
16	Family Mismatched Allogeneic Stem Cell Transplantation for Myelofibrosis: Report from the Chronic Malignancies Working Party of European Society for Blood and Marrow Transplantation. Biology of Blood and Marrow Transplantation, 2019, 25, 522-528.	2.0	48
17	Possible cytogenetic distinction between lymphoid and myeloid blast crisis in chronic granulocytic leukemia. American Journal of Hematology, 1988, 27, 194-203.	2.0	45
18	A comparison of fluorescent in situ hybridization and multiplex short tandem repeat polymerase chain reaction for quantifying chimerism after stem cell transplantation. Haematologica, 2005, 90, 1373-9.	1.7	43

#	Article	IF	CITATIONS
19	Haplo-Cord Transplantation Using CD34+ Cells from a Third-Party Donor to Speed Engraftment in High-Risk Patients with Hematologic Disorders. Biology of Blood and Marrow Transplantation, 2014, 20, 2015-2022.	2.0	42
20	Busulfan-based reduced intensity conditioning regimens for haploidentical transplantation in relapsed/refractory Hodgkin lymphoma: Spanish multicenter experience. Bone Marrow Transplantation, 2016, 51, 1307-1312.	1.3	31
21	Bone marrow versus mobilized peripheral blood stem cell graft in T-cell-replete haploidentical transplantation in acute lymphoblastic leukemia. Leukemia, 2020, 34, 2766-2775.	3.3	30
22	Unusual presentation of extranodal peripheral T-cell lymphomas with multiple paraneoplastic features. Cancer, 1991, 68, 834-841.	2.0	29
23	Single Cord Blood Combined with HLA-Mismatched Third Party Donor Cells: Comparable Results to Matched Unrelated Donor Transplantation in High-Risk Patients with Hematologic Disorders. Biology of Blood and Marrow Transplantation, 2013, 19, 143-149.	2.0	28
24	Stem cell mobilization in HIV seropositive patients with lymphoma. Haematologica, 2013, 98, 1762-1768.	1.7	27
25	Post-transplant cyclophosphamide containing regimens after matched sibling, matched unrelated and haploidentical donor transplants in patients with acute lymphoblastic leukemia in first complete remission, a comparative study of the ALWP of the EBMT. Journal of Hematology and Oncology, 2021, 14, 84.	6.9	27
26	Allogeneic transplantation of CD34+-selected cells from peripheral blood in patients with myeloid malignancies in early phase: a case control comparison with unmodified peripheral blood transplantation. Bone Marrow Transplantation, 2001, 28, 349-354.	1.3	25
27	A novel predictive approach for GVHD after allogeneic SCT based on clinical variables and cytokine gene polymorphisms. Blood Advances, 2018, 2, 1719-1737.	2.5	25
28	Posttransplant cyclophosphamide vs cyclosporin A and methotrexate as GVHD prophylaxis in matched sibling transplantation. Blood Advances, 2019, 3, 3351-3359.	2.5	25
29	Post-transplant cyclophosphamide for GVHD prophylaxis compared to ATG-based prophylaxis in unrelated donor transplantation. Annals of Hematology, 2021, 100, 541-553.	0.8	25
30	Comparable survival using a CMV-matched or a mismatched donor for CMV+ patients undergoing T-replete haplo-HSCT with PT-Cy for acute leukemia: a study of behalf of the infectious diseases and acute leukemia working parties of the EBMT. Bone Marrow Transplantation, 2018, 53, 422-430.	1.3	24
31	Next-Generation Sequencing Improves Diagnosis, Prognosis and Clinical Management of Myeloid Neoplasms. Cancers, 2019, 11, 1364.	1.7	23
32	Donor Cell–Derived Hematologic Neoplasms after Hematopoietic Stem Cell Transplantation: A Systematic Review. Biology of Blood and Marrow Transplantation, 2018, 24, 1505-1513.	2.0	22
33	Adult celiac disease, small and medium vessel cutaneous necrotizing vasculitis, and T cell lymphoma. Journal of the American Academy of Dermatology, 1988, 19, 973-978.	0.6	20
34	Hematologic disorders in 13 patients with acquired trisomy 21 and 13 individuals with Down syndrome. American Journal of Medical Genetics Part A, 2005, 37, 247-250.	2.4	20
35	Haplo-Cord transplantation compared to haploidentical transplantation with post-transplant cyclophosphamide in patients with AML. Bone Marrow Transplantation, 2017, 52, 1138-1143.	1.3	20
36	Short Tandem Repeats (STRs) as Biomarkers for the Quantitative Follow-Up of Chimerism after Stem Cell Transplantation: Methodological Considerations and Clinical Application. Genes, 2020, 11, 993.	1.0	19

#	Article	IF	CITATIONS
37	Haploidentical bone marrow transplantation with post-grafting cyclophosphamide: multicenter experience with an alternative salvage strategy. Leukemia, 2011, 25, 880-883.	3.3	18
38	Retrospective Multicenter Study of Extracorporeal Photopheresis in Steroid-Refractory Acute and Chronic Graft-versus-Host Disease. Biology of Blood and Marrow Transplantation, 2020, 26, 651-658.	2.0	18
39	Early peripheral blood and T-cell chimerism dynamics after umbilical cord blood transplantation supported with haploidentical cells. Bone Marrow Transplantation, 2014, 49, 212-218.	1.3	17
40	Low transplant-related mortality after second allogeneic peripheral blood stem cell transplant with reduced-intensity conditioning in adult patients who have failed a prior autologous transplant. Bone Marrow Transplantation, 2002, 30, 63-68.	1.3	16
41	Graft-Versus-Tumor Effect After Allogeneic Stem Cell Transplantation in HIV-Positive Patients With High-Risk Hematologic Malignancies. AIDS Research and Human Retroviruses, 2013, 29, 1340-1345.	0.5	16
42	A randomised study of 10 μg/kg/day (single dose) vs 2 × 5 μg/kg/day (split dose) G-CSF as stem cell mobilisation regimen in high-risk breast cancer patients. Bone Marrow Transplantation, 2003, 32, 563-567.	1.3	15
43	Lymphoma associated chromosomal abnormalities can easily be detected by FISH on tissue imprints. An underused diagnostic alternative. Journal of Clinical Pathology, 2005, 58, 629-633.	1.0	15
44	A Randomized Controlled Multicenter Study Comparing Recombinant Interleukin 2 (rIL-2) in Conjunction With Recombinant Interferon Alpha (IFN-1±) Versus no Immunotherapy for Patients With Malignant Lymphoma Postautologous Stem Cell Transplantation. Journal of Immunotherapy, 2010, 33, 326-333.	1.2	15
45	Second allo-SCT in patients with lymphoma relapse after a first allogeneic transplantation. A retrospective study of the EBMT Lymphoma Working Party. Bone Marrow Transplantation, 2015, 50, 790-794.	1.3	15
46	Inhibitory killer cell immunoglobulinâ€ike receptor (<scp>iKIR</scp>) mismatches improve survival after Tâ€cellâ€repleted haploidentical transplantation. European Journal of Haematology, 2016, 96, 483-491.	1.1	15
47	Brentuximab vedotin for recurrent Hodgkin lymphoma after allogeneic hematopoietic stem cell transplantation: A report from the EBMT Lymphoma Working Party. Cancer, 2019, 125, 90-98.	2.0	15
48	Haploidentical Transplantation with Post-Transplantation Cyclophosphamide for T Cell Acute Lymphoblastic Leukemia: A Report from the European Society for Blood and Marrow Transplantation Acute Leukemia Working Party. Biology of Blood and Marrow Transplantation, 2020, 26, 936-942.	2.0	15
49	Cytokine release syndrome after allogeneic stem cell transplantation with posttransplant cyclophosphamide. Hematological Oncology, 2020, 38, 597-603.	0.8	14
50	Rhinocerebral mucormycosis following donor leukocyte infusion: successful treatment with liposomal amphotericin B and surgical debridement. Bone Marrow Transplantation, 1998, 22, 817-818.	1.3	13
51	Factors predicting peripheral blood progenitor cell mobilization in healthy donors in the era of related alternative donors: Experience from a single center. Journal of Clinical Apheresis, 2019, 34, 373-380.	0.7	13
52	Allogeneic stem-cell transplantation in HIV-1-infected patients with high-risk hematological disorders. Aids, 2019, 33, 1441-1447.	1.0	13
53	Apparent cure of Graves-Basedow disease after sibling allogeneic bone marrow transplantation. Clinical Endocrinology, 1999, 50, 267-270.	1.2	12
54	Effect of addition of rituximab to salvage chemotherapy on outcome of patients with diffuse large B-cell lymphoma relapsing after an autologous stem-cell transplantation. Annals of Oncology, 2010, 21, 1891-1897.	0.6	12

#	Article	IF	Citations
55	A retrospective cohort of invasive fusariosis in the era of antimould prophylaxis. Medical Mycology, 2020, 58, 300-309.	0.3	12
56	Antithymocyte Globulin-Based Prophylaxis for Graft Versus Host Disease Compared to Post-Transplant Cyclophosphamide-Based Prophylaxis in Matched Unrelated Donor Transplantation. Blood, 2016, 128, 2307-2307.	0.6	12
57	Lineage-specific Chimaerism Quantification after T-cell Depleted Peripheral Blood Stem Cell Transplantation. Leukemia and Lymphoma, 2003, 44, 659-667.	0.6	11
58	The Genotype of the Donor for the (GT)n Polymorphism in the Promoter/Enhancer of FOXP3 Is Associated with the Development of Severe Acute GVHD but Does Not Affect the GVL Effect after Myeloablative HLA-Identical Allogeneic Stem Cell Transplantation. PLoS ONE, 2015, 10, e0140454.	1.1	11
59	Busulfanâ€based myeloablative conditioning regimens for haploidentical transplantation in highâ€risk acute leukemias and myelodysplastic syndromes. European Journal of Haematology, 2018, 101, 332-339.	1.1	11
60	Autologous stem cell transplantation for HIV-associated lymphoma in the antiretroviral and rituximab era: a retrospective study by the EBMT Lymphoma Working Party. Bone Marrow Transplantation, 2019, 54, 1625-1631.	1.3	11
61	Evolution of the role of haploidentical stem cell transplantation: past, present, and future. Expert Review of Hematology, 2020, 13, 835-850.	1.0	11
62	Successful treatment of incipient graft rejection with donor leukocyte infusions, further proof of a graft versus host lymphohaemopoietic effect. Bone Marrow Transplantation, 2004, 33, 1037-1041.	1.3	10
63	Listeria monocytogenesmeningitis in two allogeneic hematopoietic stem cell transplant recipients. Leukemia and Lymphoma, 2006, 47, 1701-1703.	0.6	10
64	Whole-exome sequencing reveals acquisition of mutations leading to the onset of donor cell leukemia after hematopoietic transplantation: a model of leukemogenesis. Leukemia, 2018, 32, 1822-1826.	3.3	10
65	Comparing outcomes of a second allogeneic hematopoietic cell transplant using HLA-matched unrelated versus T-cell replete haploidentical donors in relapsed acute lymphoblastic leukemia: a study of the Acute Leukemia Working Party of EBMT. Bone Marrow Transplantation, 2021, 56, 2194-2202.	1.3	10
66	Management of Donor-Specific Antibodies in Haploidentical Transplant: Multicenter Experience From the Madrid Group of Hematopoietic Transplant. Frontiers in Immunology, 2021, 12, 674658.	2.2	10
67	Flow cytometric analysis of decay-accelerating factor (CD55) on neutrophils from aplastic anaemia patients. British Journal of Haematology, 1995, 90, 728-730.	1.2	9
68	Hematopoietic Stem Cell Transplantation in Patients Infected With HIV. Current HIV/AIDS Reports, 2010, 7, 175-184.	1.1	9
69	Multicenter comparison of CD34+ myeloid cell count by flow cytometry in lowâ€risk myelodysplastic syndrome. Is it feasible?. Cytometry Part B - Clinical Cytometry, 2018, 94, 527-535.	0.7	9
70	Improved Outcomes of Haploidentical Hematopoietic Cell Transplantation with Total Body Irradiation-Based Myeloablative Conditioning in Acute Lymphoblastic Leukemia. Transplantation and Cellular Therapy, 2021, 27, 171.e1-171.e8.	0.6	9
71	Transjugular Intrahepatic Portosystemic Shunt for Very Severe Veno-Occlusive Disease/Sinusoidal Obstruction Syndrome (VOD/SOS) after Unmanipulated Haploidentical Hematopoietic Stem Cell Transplantation with Post-transplantation Cyclophosphamide. Biology of Blood and Marrow Transplantation. 2020. 26. 2089-2097.	2.0	8
72	Outcome of Tâ€cellâ€"replete haploidentical stem cell transplantation improves with time in adults with acute lymphoblastic leukemia: A study from the Acute Leukemia Working Party of the European Society for Blood and Marrow Transplantation. Cancer, 2021, 127, 2507-2514.	2.0	8

#	Article	IF	CITATIONS
73	Implementation of a hospital-at-home (HAH) unit for hematological patients during the COVID-19 pandemic: safety and feasibility. International Journal of Hematology, 2022, 115, 61-68.	0.7	8
74	Nonbacterial thrombotic endocarditis in autologous bone marrow transplantation. American Journal of Medicine, 1988, 85, 742-744.	0.6	7
75	Incorporating genetic and clinical data into the prediction of thromboembolism risk in patients with lymphoma. Cancer Medicine, 2021, 10, 7585-7592.	1.3	7
76	Single umbilical cord blood with or without CD34+ cells from a third-party donor in adults with leukemia. Blood Advances, 2017, 1, 1047-1055.	2.5	6
77	Mononuclear cell collection for extracorporeal photopheresis by using the ⟨i⟩"⟨/i⟩offâ€line⟨i⟩â€⟨/i⟩ system: A comparative study between COBE Spectra and Spectra Optia devices. Journal of Clinical Apheresis, 2019, 34, 359-366.	0.7	6
78	Tocilizumab as salvage treatment of refractory pulmonary acute graft-versus-host disease. Journal of Oncology Pharmacy Practice, 2021, 27, 751-755.	0.5	6
79	Antithymocyte globulin therapy for steroidâ€resistant acute graft versus host disease. American Journal of Hematology, 2008, 83, 824-825.	2.0	5
80	Mesenteric inflammatory veno-occlusive disease (MIVOD) after allogeneic peripheral blood stem cell transplantation (PBSCT). Bone Marrow Transplantation, 2008, 41, 311-313.	1.3	5
81	Recomendaciones de GESIDA/PETHEMA sobre el diagnóstico y tratamiento de los linfomas en pacientes infectados por el virus de la inmunodeficiencia humana. Medicina ClÃnica, 2018, 151, 39.e1-39.e17.	0.3	5
82	Clinical utility of targeted nextâ€generation sequencing for the diagnosis of myeloid neoplasms with germline predisposition. Molecular Oncology, 2021, 15, 2273-2284.	2.1	5
83	Achievement of early complete donor chimerism in CD25+-activated leukocytes is a strong predictor of the development of graft-versus-host-disease after stem cell transplantation. Experimental Hematology, 2015, 43, 4-13.e1.	0.2	4
84	Wilms Tumor 1 gene expression levels improve risk stratification in <scp>AML</scp> patients. Results of a multicentre study within the Spanish Group for Molecular Biology in Haematology. British Journal of Haematology, 2018, 181, 542-546.	1.2	4
85	Infectious Complications and Mortality after Autologous Stem Cell Transplantation for Lymphomas: A Comparison Between HIV-Infected and HIV-Negative Patients. Blood, 2016, 128, 2258-2258.	0.6	4
86	Allogeneic hematopoietic stem cell transplantation for adult HLH: a retrospective study by the chronic malignancies and inborn errors working parties of EBMT. Bone Marrow Transplantation, 2022, 57, 817-823.	1.3	4
87	Restriction endonuclease in situ digestion (REISD) and fluorescence in situ hybridization (FISH) as complementary methods to analyze chimerism and residual disease after bone marrow transplantation. Cancer Genetics and Cytogenetics, 1996, 89, 141-145.	1.0	3
88	Dynamics of <i>Sau</i> 3A in situ digestion of human chromosomes analyzed with computerized imaging. Genome, 1997, 40, 123-126.	0.9	3
89	<i>Sau</i> 3A in situ digestion of human chromosome 3 pericentromeric heterochromatin. I. Differential digestion of α-satellite and satellite 1 DNA sequences. Genome, 2001, 44, 120-127.	0.9	3
90	Transient hemolysis due to antiâ€D and antiâ€A 1 produced by engrafted donor's lymphocytes after allogeneic unmanipulated haploidentical hematopoietic stem cell transplantation. Transfusion, 2017, 57, 2355-2358.	0.8	3

#	Article	IF	CITATIONS
91	Inonotosis in Patient with Hematologic Malignancy. Emerging Infectious Diseases, 2018, 24, 180-182.	2.0	3
92	Application of the French <scp>TMA</scp> Reference Center Score and the mortality in <scp>TTP Score</scp> in de novo and relapsed episodes of acquired <scp>thrombotic thrombocytopenic purpura</scp> at a tertiary care facility in Spain. Journal of Clinical Apheresis, 2021, 36, 420-428.	0.7	3
93	Autologous Stem Cell Transplantation (autoSCT) for HIV-Associated Lymphoma in the Era of Combination Antiretroviral Therapy (cART): A Retrospective Analysis of the EBMT Lymphoma Working Party. Blood, 2016, 128, 2257-2257.	0.6	3
94	Immune Reconstitution Impact on Overall Survival after Hematopoietic Haploidentical Stem Cell Transplantation. Blood, 2016, 128, 5779-5779.	0.6	3
95	Methotrexate-Induced Subacute Neurotoxicity Surrounding an Ommaya Reservoir in a Patient with Lymphoma. American Journal of Case Reports, 2019, 20, 1002-1005.	0.3	3
96	A strategic reflection for the management and implementation of CAR-T therapy in Spain: an expert consensus paper. Clinical and Translational Oncology, 2022, 24, 968-980.	1.2	3
97	Risk prediction of CMV reactivation after allogeneic stem cell transplantation using five non-HLA immunogenetic polymorphisms. Annals of Hematology, 2022, 101, 1567-1576.	0.8	3
98	Post-Transplant Lymphoproliferative Disorder Mimicking a Thrombotic Microangiopathy. Biology of Blood and Marrow Transplantation, 2006, 12, 1203-1205.	2.0	2
99	Essential thrombocythemia in patients with platelet counts below 600x10 ⁹ /L: Applicability of the 2008 World Health Organization diagnostic criteria revision proposal. American Journal of Hematology, 2009, 84, 452-454.	2.0	2
100	GESIDA/PETHEMA recommendations on the diagnosis and treatment of lymphomas in patients infected by the human immunodeficiency virus. Medicina ClÃnica (English Edition), 2018, 151, 39.e1-39.e17.	0.1	2
101	Successful Treatment of Severe Aspergillosis with Isavuconazole Therapy after Allogeneic Stem Cell Transplantation. Chemotherapy, 2019, 64, 57-61.	0.8	2
102	Autologous stem cell transplantation for lymphoma in HIV+ patients: higher rate of infections compared with non-HIV lymphoma. Bone Marrow Transplantation, 2020, 55, 1716-1725.	1.3	2
103	Allogeneic HCT for adults with B-cell precursor acute lymphoblastic leukemia harboring IKZF1 gene mutations. A study by the Acute Leukemia Working Party of the EBMT. Bone Marrow Transplantation, 2021, 56, 1047-1055.	1.3	2
104	Next Generation Cytogenetics in Myeloid Hematological Neoplasms: Detection of CNVs and Translocations. Cancers, 2021, 13, 3001.	1.7	2
105	<i>Sau</i> 3A in situ digestion of human chromosome 3 pericentromeric heterochromatin. I. Differential digestion of α-satellite and satellite 1 DNA sequences. Genome, 2001, 44, 120-127.	0.9	2
106	Cytokine Release Syndrome after Allogeneic Stem Cell Transplantation with Post Transplant Cyclophosphamide. Blood, 2018, 132, 3367-3367.	0.6	2
107	Myeloablative Conditioning Haploidentical Stem Cell Transplantation (MAC-HAPLO) with Post-Transplant Cyclophosphamide (PTCy) As GvHD Prophylaxis in High Risk Leukemias/Myelosdysplastic Syndromes (MDS): Geth Experience. Blood, 2016, 128, 4690-4690.	0.6	2
108	Single Cord Blood Transplantation Combined With An HLA Mismatched Third Party Donor For High-Risk Hematological Patients With HIV Infection. Blood, 2013, 122, 3401-3401.	0.6	2

#	Article	IF	CITATIONS
109	Clinical grade production of <scp>IL</scp> â€15 stimulated <scp>NK</scp> cells for early infusion in adult <scp>AML</scp> patients undergoing haploidentical stem cell transplantation with postâ€transplant cyclophosphamide. Transfusion, 2022, 62, 374-385.	0.8	2
110	Aplastic anaemia and cyanamide. European Journal of Haematology, 1992, 48, 179.	1.1	2
111	Sequential fluorescence in situ hybridization for the quantification of minimal residual disease in recipient cells after sex-mismatched allogeneic stem cell transplantation. British Journal of Haematology, 2002, 118, 349-349.	1.2	1
112	Heterogeneous loss of the Y chromosome in leukocyte lineages of donor origin after stem cell transplantation. Bone Marrow Transplantation, 2006, 38, 463-465.	1.3	1
113	Exome sequencing reveals heterogeneous clonal dynamics in donor cell myeloid neoplasms after stem cell transplantation. Haematologica, 2020, 105, 2655-2658.	1.7	1
114	Post-Transplant Cyclophosphamide for Gvhd Prophylaxis in Matched Unrelated Donor Transplantation Compared to ATG-Based Prophylaxis. Blood, 2019, 134, 3285-3285.	0.6	1
115	Genetic biomarkers identify a subgroup of high-risk patients within low-risk NPM1-mutated acute myeloid leukemia. Leukemia and Lymphoma, 2021, 62, 1178-1186.	0.6	1
116	Restriction endonuclease in situ digestion (REISD): a novel quantitative sex-independent method to analyze chimerism after bone marrow transplantation. Experimental Hematology, 1996, 24, 1333-9.	0.2	1
117	Significance in acute myeloid leukemia (AML) of bcl-2 protein expression. Haematologica, 1997, 82, 729-30.	1.7	1
118	Plasma exchange as an effective salvage therapy in AZD1222 vaccine-induced thrombotic thrombocytopenia: a case report Blood Transfusion, 2021, , .	0.3	1
119	Chimerism Quantification after Sex-Matched BMT. Cancer Genetics and Cytogenetics, 1999, 113, 152-155.	1.0	0
120	A PCR product derived from female DNA with regional localization on the Y chromosome. Genome, 2000, 43, 580-583.	0.9	0
121	Use of Post-Transplant Cyclophosphamide in One-Antigen Mismatched Unrelated Donor Transplantation Results in Similar Transplant Outcomes Than Haploidentical Hransplantation: A Retrospective Study on Behalf of the Acute Leukemia Working Party of the EBMT. Blood, 2020, 136,	0.6	O