

# Milosz Parczewski

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8076090/publications.pdf>

Version: 2024-02-01

108  
papers

1,099  
citations

471509

17  
h-index

552781

26  
g-index

109  
all docs

109  
docs citations

109  
times ranked

1663  
citing authors

#	ARTICLE	IF	CITATIONS
1	The hepatitis C cascade of care in HIV/hepatitis C virus coinfecting individuals in Europe: regional and intra-regional differences. <i>Aids</i> , 2022, 36, 423-435.	2.2	8
2	Clinical parameters, selected HLA and chemokine gene variants associated with late presentation into care of people living with HIV/AIDS. <i>Infection, Genetics and Evolution</i> , 2022, 97, 105180.	2.3	1
3	COVID-19-Associated Encephalopathy—Case Series and Clinical Considerations. <i>Journal of Clinical Medicine</i> , 2022, 11, 981.	2.4	2
4	The Lack of the Association of the CCR5 Genotype with the Clinical Presentation and Frequency of Tick-Borne Encephalitis in the Polish Population. <i>Pathogens</i> , 2022, 11, 318.	2.8	2
5	Factors Influencing Immune Restoration in People Living with HIV/AIDS. <i>Journal of Clinical Medicine</i> , 2022, 11, 1887.	2.4	3
6	Characteristics of hepatitis C virus resistance in an international cohort after a decade of direct-acting antivirals. <i>JHEP Reports</i> , 2022, 4, 100462.	4.9	10
7	Effectiveness of Tocilizumab in Patients with Severe or Critical Lung Involvement in COVID-19: A Retrospective Study. <i>Journal of Clinical Medicine</i> , 2022, 11, 2286.	2.4	6
8	Immune Signature of COVID-19: In-Depth Reasons and Consequences of the Cytokine Storm. <i>International Journal of Molecular Sciences</i> , 2022, 23, 4545.	4.1	11
9	Phylogenetic Dispersal of SARS-CoV-2 Lineages Circulating across Polish–German Border Provinces. <i>Viruses</i> , 2022, 14, 884.	3.3	2
10	Evaluating Ocular Symptoms and Tear Film Cytokine Profiles in Symptomatic COVID-19 Patients. <i>Journal of Clinical Medicine</i> , 2022, 11, 2647.	2.4	6
11	Increased proinflammatory cytokines in tears correspond with conjunctival SARS-CoV-2 positivity in symptomatic COVID-19 patients. <i>Scientific Reports</i> , 2022, 12, 7225.	3.3	7
12	Programmed Cell Death-1/Programmed Cell Death-1 Ligand as Prognostic Markers of Coronavirus Disease 2019 Severity. <i>Cells</i> , 2022, 11, 1978.	4.1	10
13	SARS-CoV-2 Whole-Genome Sequencing by Ion S5 Technology—Challenges, Protocol Optimization and Success Rates for Different Strains. <i>Viruses</i> , 2022, 14, 1230.	3.3	0
14	Tocilizumab Use among Patients Who Developed Pulmonary Embolism in the Course of Cytokine Release Storm and COVID-19 Pneumonia—A Retrospective Study. <i>Biomedicines</i> , 2022, 10, 1581.	3.2	2
15	Tocilizumab for patients with severe COVID-19: a retrospective, multi-center study. <i>Expert Review of Anti-Infective Therapy</i> , 2021, 19, 93-100.	4.4	34
16	COVID-19—The Potential Beneficial Therapeutic Effects of Spironolactone during SARS-CoV-2 Infection. <i>Pharmaceuticals</i> , 2021, 14, 71.	3.8	33
17	Cardiovascular disease and HIV infection. <i>HIV and AIDS Review</i> , 2021, 20, 85-89.	0.2	3
18	Hepatotropic Properties of SARS-CoV-2—Preliminary Results of Cross-Sectional Observational Study from the First Wave COVID-19 Pandemic. <i>Journal of Clinical Medicine</i> , 2021, 10, 672.	2.4	17

#	ARTICLE	IF	CITATIONS
19	Management of SARS-CoV-2 infection: recommendations of the Polish Association of Epidemiologists and Infectiologists as of April 26, 2021. Polish Archives of Internal Medicine, 2021, 131, 487-496.	0.4	48
20	Transmitted HIV drug resistance and subtype patterns among blood donors in Poland. Scientific Reports, 2021, 11, 12734.	3.3	2
21	Pathophysiology and Clinical Manifestations of COVID-19-Related Acute Kidney Injuryâ€”The Current State of Knowledge and Future Perspectives. International Journal of Molecular Sciences, 2021, 22, 7082.	4.1	19
22	Infection with HIV-1 subtype D adversely affects the life expectancy independently of antiretroviral drug use. Infection, Genetics and Evolution, 2021, 90, 104754.	2.3	3
23	Interplay between Neutrophils, NETs and T-Cells in SARS-CoV-2 Infectionâ€”A Missing Piece of the Puzzle in the COVID-19 Pathogenesis?. Cells, 2021, 10, 1817.	4.1	8
24	Molecular Evolution and Epidemiological Characteristics of SARS COV-2 in (Northwestern) Poland. Viruses, 2021, 13, 1295.	3.3	9
25	SHARED: An International Collaboration to Unravel Hepatitis C Resistance. Viruses, 2021, 13, 1580.	3.3	6
26	Molecular epidemiology and HIV-1 variant evolution in Poland between 2015 and 2019. Scientific Reports, 2021, 11, 16609.	3.3	7
27	Influence of HLA-B*5701 on 20 year survival rate among patients living with HIV. PLoS ONE, 2021, 16, e0255834.	2.5	2
28	HCV resistance-associated substitutions following direct-acting antiviral therapy failure â€” Real-life data from Poland. Infection, Genetics and Evolution, 2021, 93, 104949.	2.3	2
29	Patient Nutrition and Probiotic Therapy in COVID-19: What Do We Know in 2021?. Nutrients, 2021, 13, 3385.	4.1	20
30	Low prevalence of doravirine-associated resistance mutations among polish human immunodeficiency-1 (HIV-1)â€”infected patients. Antiviral Therapy, 2021, 26, 69-78.	1.0	3
31	Diagnosis and therapy of SARS-CoV-2 infection: recommendations of the Polish Association of Epidemiologists and Infectiologists as of November 12, 2021. Annex no. 1 to the Recommendations of April 26, 2021. Polish Archives of Internal Medicine, 2021, 131, .	0.4	6
32	Septic Shock Induced by Vibrio Vulnificus in Northern Poland, a Case Report. Infection and Drug Resistance, 2021, Volume 14, 5027-5033.	2.7	2
33	Recommendations of management in SARS-CoV-2 infection of the Polish Association of Epidemiologists and Infectiologists. Polish Archives of Internal Medicine, 2020, 130, 352-357.	0.4	51
34	Annex #1 as of 8 June 2020 to: Management of SARS-CoV-2 infection: recommendations of the Polish Association of Epidemiologists and Infectiologists as of March 31, 2020. Polish Archives of Internal Medicine, 2020, 130, 557-558.	0.4	20
35	Molecular epidemiology of SARS CoV-2: a review of current data on genetic variability of the virus. Polish Archives of Internal Medicine, 2020, 131, 63-69.	0.4	14
36	Management of SARS-CoV-2 infection: recommendations of the Polish Association of Epidemiologists and Infectiologists. Annex no. 2 as of October 13, 2020. Polish Archives of Internal Medicine, 2020, 130, 915-918.	0.4	30

#	ARTICLE	IF	CITATIONS
37	Hepatitis C virus (HCV) genotype 1 NS5A resistance-associated variants are associated with advanced liver fibrosis independently of HCV-transmission clusters. <i>Clinical Microbiology and Infection</i> , 2019, 25, 513.e1-513.e6.	6.0	6
38	Real World Experience of Chronic Hepatitis C Retreatment with Genotype Specific Regimens in Nonresponders to Previous Interferon-Free Therapy. <i>Canadian Journal of Gastroenterology and Hepatology</i> , 2019, 2019, 1-9.	1.9	12
39	HIV encephalitis in a patient on antiretroviral therapy: a case report. <i>International Journal of STD and AIDS</i> , 2019, 30, 617-619.	1.1	2
40	Recurrence of Hepatocellular Carcinoma After Liver Transplantation: A Single-Center Experience. <i>Annals of Transplantation</i> , 2019, 24, 499-505.	0.9	3
41	Dual therapy based on raltegravir and boosted protease inhibitors – the experience of Polish centers. <i>Archives of Medical Science</i> , 2018, 14, 860-864.	0.9	3
42	Transmission Networks of HCV Genotype 1a Enriched With Pre-existing Polymorphism Q80K Among HIV-Infected Patients With Acute Hepatitis C in Poland. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2018, 77, 514-522.	2.1	8
43	Hepatitis C coinfection adversely affects the life expectancy of people living with HIV in northwestern Poland. <i>Archives of Medical Science</i> , 2018, 14, 554-559.	0.9	4
44	Persistent disparities in antiretroviral treatment (ART) coverage and virological suppression across Europe, 2004 to 2015. <i>Eurosurveillance</i> , 2018, 23, .	7.0	12
45	Efficacy and safety of nucleoside-sparing regimen based on raltegravir and ritonavir-boosted darunavir in HIV-1-infected treatment-experienced patients. <i>Journal of Medical Virology</i> , 2017, 89, 2122-2129.	5.0	9
46	Differences in the integrase and reverse transcriptase transmitted resistance patterns in Northern Poland. <i>Infection, Genetics and Evolution</i> , 2017, 49, 122-129.	2.3	7
47	Bosnian study of APOE distribution (BOSAD): a comparison with other European populations. <i>Annals of Human Biology</i> , 2017, 44, 568-573.	1.0	8
48	The increased concentration of macrophage migration inhibitory factor in serum and cerebrospinal fluid of patients with tick-borne encephalitis. <i>Journal of Neuroinflammation</i> , 2017, 14, 126.	7.2	23
49	Interdisciplinary management of multidrug-resistant tuberculosis in an HIV-infected patient: case report. <i>HIV and AIDS Review</i> , 2017, 3, 199-204.	0.2	1
50	Meeting the WHO 90% target: antiretroviral treatment efficacy in Poland is associated with baseline clinical patient characteristics. <i>Journal of the International AIDS Society</i> , 2017, 20, 21847.	3.0	10
51	Alcohol Relapse After Liver Transplantation: Younger Women Are at Greatest Risk. <i>Annals of Transplantation</i> , 2017, 22, 725-729.	0.9	8
52	Expanding HIV-1 subtype B transmission networks among men who have sex with men in Poland. <i>PLoS ONE</i> , 2017, 12, e0172473.	2.5	34
53	Analysis of the relationship between single nucleotide polymorphism of the CD209, IL-10, IL-28 and CCR5 D32 genes with the human predisposition to developing tick-borne encephalitis. <i>Postępy Higieny i Medycyny Doswiadczalnej</i> , 2017, 71, 0-0.	0.1	8
54	Analysis of the Relationship between Estradiol and Follicle-Stimulating Hormone Concentrations and Polymorphisms of Apolipoprotein E and Leptin Genes in Women Post-Menopause. <i>International Journal of Environmental Research and Public Health</i> , 2016, 13, 543.	2.6	4

#	ARTICLE	IF	CITATIONS
55	Distribution and time trends of HIV-1 variants in Poland: Characteristics of non-B clades and recombinant viruses. <i>Infection, Genetics and Evolution</i> , 2016, 39, 232-240.	2.3	10
56	The expression of the chemokine receptor CCR5 in tick-borne encephalitis. <i>Journal of Neuroinflammation</i> , 2016, 13, 45.	7.2	29
57	Follow-Up of Pediatric Liver Transplant Patients After Reaching Adulthood. <i>Annals of Transplantation</i> , 2016, 21, 644-648.	0.9	5
58	Protective Effect of HLA-B*5701 and HLA-C -35 Genetic Variants in HIV-Positive Caucasians from Northern Poland. <i>PLoS ONE</i> , 2015, 10, e0127867.	2.5	8
59	The temporal increase in HIV-1 non-R5 tropism frequency among newly diagnosed patients from northern Poland is associated with clustered transmissions. <i>Journal of the International AIDS Society</i> , 2015, 18, 19993.	3.0	9
60	Clinical data and practical experience related to Stribild as an option in patients with HIV infection. <i>HIV and AIDS Review</i> , 2015, 14, 104-108.	0.2	0
61	Frequency of HFE gene variants in Polish HIV infected and HIV/HCV co-infected patients. <i>HIV and AIDS Review</i> , 2015, 14, 15-17.	0.2	0
62	Efficacy of genotypic drug resistance testing in patients with low-level plasma HIV-1 viremia. <i>HIV and AIDS Review</i> , 2015, 14, 80-83.	0.2	1
63	Transmitted HIV drug resistance in antiretroviral-treatment-naïve patients from Poland differs by transmission category and subtype. <i>Journal of Antimicrobial Chemotherapy</i> , 2015, 70, 233-242.	3.0	14
64	Increased concentration of interferon lambda-3, interferon beta and interleukin-10 in the cerebrospinal fluid of patients with tick-borne encephalitis. <i>Cytokine</i> , 2015, 71, 125-131.	3.2	21
65	Ocena czułości występowania mutacji genów BRAF, KRas oraz metylacji genu RASSF1A w wolu guzkowym na podstawie badania materiału cytologicznego uzyskanego drogą... biopsji aspiracyjnej cienkoigłowej. <i>Endokrynologia Polska</i> , 2015, 66, 384-393.	1.0	3
66	Temporal increase in HIV-1 non-R5 tropism frequency among antiretroviral-naïve patients from northern Poland. <i>Journal of the International AIDS Society</i> , 2014, 17, 19687.	3.0	0
67	Transmitted drug resistance to rilpivirine among antiretroviral-naïve patients living with HIV from northern Poland. <i>Journal of the International AIDS Society</i> , 2014, 17, 18929.	3.0	10
68	Time trends in HIV-1 transmitted drug resistance mutation frequency in Poland. <i>Journal of the International AIDS Society</i> , 2014, 17, 19753.	3.0	3
69	Stribild, as a novel option of integrase inhibitor based single tablet regimen for the treatment of HIV infection. <i>HIV and AIDS Review</i> , 2014, 13, 101-105.	0.2	2
70	Multiorgan transplantation from a deceased donor with intravascular diffuse large B-cell lymphoma: transmission of the disease and results of treatment. <i>Clinical Transplantation</i> , 2014, 28, 1080-1083.	1.6	5
71	Association of chemokine receptor gene variants with HIV-1 genotype predicted tropism. <i>HIV Medicine</i> , 2014, 15, 577-586.	2.2	3
72	Phylogeographic analysis on the travel-related introduction of HIV-1 non-B subtypes to Northern Poland. <i>Infection, Genetics and Evolution</i> , 2014, 27, 121-130.	2.3	6

#	ARTICLE	IF	CITATIONS
73	New insights into the diagnosis of nodular goiter. <i>Thyroid Research</i> , 2014, 7, 6.	1.5	11
74	ABCC protein function and genetic variability in HIV infection. <i>HIV and AIDS Review</i> , 2014, 13, 63-67.	0.2	1
75	Impact of Antiviral Treatment on Survival in HCV-Positive Liver Recipients. <i>Annals of Transplantation</i> , 2014, 19, 367-372.	0.9	3
76	Frequency of CCR5 $\Delta$ 32 allele in healthy Bosniak population.. <i>Bosnian Journal of Basic Medical Sciences</i> , 2014, 14, 150.	1.0	3
77	Farmakogenetyka w praktyce klinicznej zakaÅ¼enia HIV. <i>HIV and AIDS Review</i> , 2013, 12, 128-130.	0.2	1
78	Subtype variability and phylogenetic analyses in HIV. <i>HIV and AIDS Review</i> , 2013, 12, 93-96.	0.2	0
79	Rilpivirine in the light of the genotypic drug resistance data. <i>HIV and AIDS Review</i> , 2013, 12, 89-92.	0.2	2
80	Genomics and transcriptomics in HIV and HIV/HCV coinfectionâ€”Review of basic concepts and genome-wide association studies. <i>HIV and AIDS Review</i> , 2013, 12, 97-101.	0.2	1
81	Analysis of the genetic variants of glucose-6-phosphate dehydrogenase in inhabitants of the 4th Nile cataract region in Sudan. <i>Blood Cells, Molecules, and Diseases</i> , 2013, 50, 115-118.	1.4	5
82	Non-AIDS defining cancers in the D:A:D Study - time trends and predictors of survival: a cohort study. <i>BMC Infectious Diseases</i> , 2013, 13, 471.	2.9	68
83	Hyaluronic Acid Levels Predict Risk of Hepatic Encephalopathy and Liver-Related Death in HIV/Viral Hepatitis Coinfected Patients. <i>PLoS ONE</i> , 2013, 8, e64283.	2.5	25
84	HIV-1 integrase resistance among antiretroviral treatment naive and experienced patients from Northwestern Poland. <i>BMC Infectious Diseases</i> , 2012, 12, 368.	2.9	16
85	Osteoporosis and vitamin D deficiency in HIV-infected patients: Genetic and classical factors compared to the HIV-associated ones â€” Review. <i>HIV and AIDS Review</i> , 2012, 11, 1-4.	0.2	2
86	Analysis for genotyping Duffy blood group in inhabitants of Sudan, the Fourth Cataract of the Nile. <i>Malaria Journal</i> , 2012, 11, 115.	2.3	22
87	IL28B CC Genotype Is Associated with Higher All-Cause Mortality in Antiretroviral-Treated HIV-Infected Patients. <i>AIDS Research and Human Retroviruses</i> , 2012, 28, 1640-1646.	1.1	13
88	HIV-1 Subtype D Infections among Caucasians from Northwestern Polandâ€”Phylogenetic and Clinical Analysis. <i>PLoS ONE</i> , 2012, 7, e31674.	2.5	21
89	Comparative Effects of Conjugated Linoleic Acid (CLA) and Linoleic Acid (LA) on the Oxidoreduction Status in THP-1 Macrophages. <i>Journal of Agricultural and Food Chemistry</i> , 2011, 59, 4095-4103.	5.2	12
90	Risk score based PEG Interferon alpha 2b and Ribavirin treatment response estimation model for genotype 1 chronic hepatitis C patients. <i>Advances in Medical Sciences</i> , 2011, 56, 165-171.	2.1	3

#	ARTICLE	IF	CITATIONS
91	Kidney transplantation among identical twins: therapeutic dilemmas. <i>BMJ Case Reports</i> , 2011, 2011, bcr0120113752-bcr0120113752.	0.5	4
92	VAMP-8 gene variant is associated with increased risk of early myocardial infarction. <i>Archives of Medical Science</i> , 2011, 3, 440-443.	0.9	4
93	Risk of All-Cause Mortality in HIV Infected Patients Is Associated with Clinical, Immunologic Predictors and the CCR5 Δ32 Deletion. <i>PLoS ONE</i> , 2011, 6, e22215.	2.5	8
94	A comparison of the long-term durability of nevirapine, efavirenz and lopinavir in routine clinical practice in Europe: a EuroSIDA study. <i>HIV Medicine</i> , 2011, 12, 259-268.	2.2	19
95	Genotypic tropism of antiretroviral-treated patients with drug resistant HIV-1. <i>Journal of Medical Virology</i> , 2011, 83, 1869-1875.	5.0	6
96	Low frequency haplotypes of E-selectin polymorphisms G2692A and C1901T give increased protection from coronary artery disease. <i>Medical Science Monitor</i> , 2011, 17, CR334-CR340.	1.1	13
97	Characteristics of HIV-1 non-B subtype infections in Northwest Poland. <i>Journal of Medical Virology</i> , 2010, 82, 1306-1313.	5.0	17
98	Introduction of pharmacogenetic screening for the human leucocyte antigen (HLA) B*5701 variant in Polish HIV-infected patients. <i>HIV Medicine</i> , 2010, 11, 345-348.	2.2	11
99	Analysis of V3 loop sequences using various bioinformatic tools designed for genotypic HIV-1 tropism testing. <i>HIV and AIDS Review</i> , 2010, 9, 65-71.	0.2	1
100	Sequence variants of chemokine receptor genes and susceptibility to HIV-1 infection. <i>Journal of Applied Genetics</i> , 2009, 50, 159-166.	1.9	16
101	Frequency of common CYP3A5 gene variants in healthy Polish newborn infants. <i>Pharmacological Reports</i> , 2009, 61, 947-951.	3.3	18
102	“Treasure your exceptions”: recent advances in molecular genetics of glomerular disease. <i>Journal of Applied Genetics</i> , 2008, 49, 93-99.	1.9	2
103	Association between serum bilirubin levels and ABCB1 3435 variant in HIV-1 infected, atazanavir treated individuals. <i>HIV and AIDS Review</i> , 2008, 7, 13-17.	0.2	0
104	The Common C49620T Polymorphism in the Sulfonylurea Receptor Gene (ABCC8), Pancreatic Beta Cell Function and Long-Term Diabetic Complications in Obese Patients with Long-Lasting Type 2 Diabetes Mellitus. <i>Experimental and Clinical Endocrinology and Diabetes</i> , 2007, 115, 317-321.	1.2	12
105	Genetic background of the cardiovascular complications among HIV positive patients – preliminary report. <i>HIV and AIDS Review</i> , 2007, 6, 28-31.	0.2	0
106	Association between the Pro12Ala variant of the peroxisome proliferator-activated receptor-gamma2 gene and increased 24-h diastolic blood pressure in obese patients with type II diabetes. <i>Journal of Human Hypertension</i> , 2006, 20, 684-692.	2.2	28
107	Lack of Association between the Pro12Ala Polymorphism in PPAR-γ2 Gene and Body Weight Changes, Insulin Resistance and Chronic Diabetic Complications in Obese Patients with Type 2 Diabetes. <i>Archives of Medical Research</i> , 2006, 37, 736-743.	3.3	29
108	Report on the D32 CCR5 variant in the Sudanese Shagya tribe. <i>Anthropological Review</i> , 0, 71, 71-76.	0.3	2