
## Sylvie D Freeman

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8076129/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Outcomes of older patients aged 60 to 70 years undergoing reduced intensity transplant for acute myeloblastic leukemia: results of the NCRI acute myeloid leukemia 16 trial. Haematologica, 2022, 107, 1518-1527.	1.7	18
2	Delving the depths of measurable residual disease negativity in acute myeloid leukemia. Haematologica, 2022, 107, 2776-2778.	1.7	1
3	Technical Aspects of Flow Cytometry-based Measurable Residual Disease Quantification in Acute Myeloid Leukemia: Experience of the European LeukemiaNet MRD Working Party. HemaSphere, 2022, 6, e676.	1.2	35
4	Transplant in older adults with AML: genomic wheat and chaff. Blood, 2022, 139, 3459-3461.	0.6	1
5	Reproducible measurable residual disease detection by multiparametric flow cytometry in acute myeloid leukemia. Leukemia, 2022, 36, 2208-2217.	3.3	8
6	How we use molecular minimal residual disease (MRD) testing in acute myeloid leukaemia (AML). British Journal of Haematology, 2021, 193, 231-244.	1.2	31
7	Future Developments: Measurable Residual Disease. Hematologic Malignancies, 2021, , 317-337.	0.2	0
8	Augmented Reduced-Intensity Regimen Does Not Improve Postallogeneic Transplant Outcomes in Acute Myeloid Leukemia. Journal of Clinical Oncology, 2021, 39, 768-778.	0.8	95
9	Defining the Optimal Total Number of Chemotherapy Courses in Younger Patients With Acute Myeloid Leukemia: A Comparison of Three Versus Four Courses. Journal of Clinical Oncology, 2021, 39, 890-901.	0.8	20
10	Selection of Conditioning Intensity for Allogeneic Hematopoietic Stem Cell Transplantation in Acute Myeloid Leukemia and Myelodysplasia - New Evidence Emerges. Transplantation and Cellular Therapy, 2021, 27, 443-445.	0.6	5
11	Reply to G. Gui et al. Journal of Clinical Oncology, 2021, 39, 2416-2417.	0.8	1
12	How Can We Improve on MRD Assessment by Flow Cytometry?. Clinical Lymphoma, Myeloma and Leukemia, 2021, 21, S49-S50.	0.2	0
13	2021 Update on MRD in acute myeloid leukemia: a consensus document from the European LeukemiaNet MRD Working Party. Blood, 2021, 138, 2753-2767.	0.6	305
14	Association of Measurable Residual Disease With Survival Outcomes in Patients With Acute Myeloid Leukemia. JAMA Oncology, 2020, 6, 1890.	3.4	207
15	Applicability and reproducibility of acute myeloid leukaemia stem cell assessment in a multiâ€centre setting. British Journal of Haematology, 2020, 190, 891-900.	1.2	11
16	Molecular MRD status and outcome after transplantation in NPM1-mutated AML. Blood, 2020, 135, 680-688.	0.6	109
17	Identification of Prognostic Immunophenotypes at First Diagnosis in Patients with Acute Myeloid Leukemia (AML) By a Standardized Multicolor Flow Cytometry (MFC) Panel Originally Designed to Detect Measurable Residual Disease (MRD) at Follow-up. Blood, 2020, 136, 35-35.	0.6	1
18	Prognostic Impact of Measurable Residual Disease on Survival in Acute Myeloid Leukemia: A Meta-Analysis of 81 Studies. Blood, 2020, 136, 16-17.	0.6	0

Sylvie D Freeman

#	Article	IF	CITATIONS
19	Integration of Deep Multi-Omics Profiling Veals New Insights into the Biology of Poor-Risk Acute Myeloid Leukemia. Blood, 2020, 136, 39-40.	0.6	0
20	Contrasting requirements during disease evolution identify EZH2 as a therapeutic target in AML. Journal of Experimental Medicine, 2019, 216, 966-981.	4.2	91
21	MRD evaluation of AML in clinical practice: are we there yet?. Hematology American Society of Hematology Education Program, 2019, 2019, 557-569.	0.9	27
22	Serum Flt3 ligand is a biomarker of progenitor cell mass and prognosis in acute myeloid leukemia. Blood Advances, 2019, 3, 3052-3061.	2.5	15
23	Induction response criteria in acute myeloid leukaemia: implications of a flow cytometric measurable residual disease negative test in refractory adults. British Journal of Haematology, 2019, 186, 130-133.	1.2	7
24	The Sequential Flamsa-Bu Conditioning Regimen Does Not Improve Outcome in Patients Allografted for High Risk Acute Myeloid and Myelodysplasia Irrespective of Pre-Transplant MRD Status: Results of the UK NCRI Figaro Trial. Blood, 2019, 134, 2031-2031.	0.6	4
25	Minimal/measurable residual disease in AML: a consensus document from the European LeukemiaNet MRD Working Party. Blood, 2018, 131, 1275-1291.	0.6	796
26	No evidence that CD33 splicing SNP impacts the response to GO in younger adults with AML treated on UK MRC/NCRI trials. Blood, 2018, 131, 468-471.	0.6	36
27	Evaluating measurable residual disease in acute myeloid leukemia. Blood Advances, 2018, 2, 1356-1366.	2.5	132
28	Role of Minimal (Measurable) Residual Disease Assessment in Older Patients with Acute Myeloid Leukemia. Cancers, 2018, 10, 215.	1.7	22
29	Measurable Residual Disease at Induction Redefines Partial Response in Acute Myeloid Leukemia and Stratifies Outcomes in Patients at Standard Risk Without <i>NPM1</i> Mutations. Journal of Clinical Oncology, 2018, 36, 1486-1497.	0.8	151
30	Pre-Transplant NPM1 Mutant Transcript Level Is Highly Predictive of Outcome after Allograft and Thresholds Are Dependent on FLT3 ITD Status. Blood, 2018, 132, 2739-2739.	0.6	2
31	Assessment of Minimal Residual Disease in Standard-Risk AML. New England Journal of Medicine, 2016, 374, 422-433.	13.9	662
32	Normal Hematopoietic Progenitor Subsets Have Distinct Reactive Oxygen Species, BCL2 and Cell-Cycle Profiles That Are Decoupled from Maturation in Acute Myeloid Leukemia. PLoS ONE, 2016, 11, e0163291.	1.1	11
33	An immunophenotypic preâ€treatment predictor for poor response to induction chemotherapy in older acute myeloid leukaemia patients: blood frequency of CD34 <sup>+</sup> ÂCD38 <sup>low</sup> blasts. British Journal of Haematology, 2015, 170, 80-84.	1.2	12
34	Defining minimal residual disease in acute myeloid leukemia: which platforms are ready for "prime time�. Hematology American Society of Hematology Education Program, 2014, 2014, 222-233.	0.9	48
35	Defining minimal residual disease in acute myeloid leukemia: which platforms are ready for "prime time�. Blood, 2014, 124, 3345-3355.	0.6	220
36	Prognostic Relevance of Treatment Response Measured by Flow Cytometric Residual Disease Detection in Older Patients With Acute Myeloid Leukemia. Journal of Clinical Oncology, 2013, 31, 4123-4131.	0.8	280

#	Article	IF	CITATIONS
37	Quantitation of Leukemic Stem Cell Populations Predicts Clinical Outcome in Acute Myeloid Leukaemia. Blood, 2011, 118, 638-638.	0.6	5
38	Detection of Immunophenotypic Residual Disease After Induction Therapy Is An Independent Prognostic Factor for Duration of Remission In Older AML Patients Treated Intensively. Blood, 2010, 116, 2714-2714.	0.6	0
39	Development of Minimal Residual Disease–Directed Therapy in Acute Myeloid Leukemia. Seminars in Oncology, 2008, 35, 388-400.	0.8	86