

John Q Wang

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8076533/publications.pdf>

Version: 2024-02-01

138
papers

4,881
citations

76294

40
h-index

114418

63
g-index

142
all docs

142
docs citations

142
times ranked

4673
citing authors

#	ARTICLE	IF	CITATIONS
1	Acid-Sensing Ion Channel 2: Function and Modulation. <i>Membranes</i> , 2022, 12, 113.	1.4	9
2	Group I Metabotropic Glutamate Receptors and Interacting Partners: An Update. <i>International Journal of Molecular Sciences</i> , 2022, 23, 840.	1.8	12
3	Interaction of JNK and mGluR5 in the regulation of psychomotor behaviours after repeated cocaine administration. <i>Addiction Biology</i> , 2022, 27, e13127.	1.4	2
4	Roles of non-receptor tyrosine kinases in pathogenesis and treatment of depression. <i>Journal of Integrative Neuroscience</i> , 2022, 21, 025.	0.8	6
5	Upregulation of Src Family Tyrosine Kinases in the Rat Striatum by Adenosine A2A Receptors. <i>Journal of Molecular Neuroscience</i> , 2022, , 1.	1.1	0
6	Downregulation of surface AMPA receptor expression in the striatum following prolonged social isolation, a role of mGlu5 receptors. <i>IBRO Neuroscience Reports</i> , 2022, 13, 22-30.	0.7	1
7	Use of actigraphy and sleep diaries to assess sleep and academic performance in pharmacy students. <i>Currents in Pharmacy Teaching and Learning</i> , 2021, 13, 57-62.	0.4	4
8	Acid-Sensing Ion Channels and Mechanosensation. <i>International Journal of Molecular Sciences</i> , 2021, 22, 4810.	1.8	40
9	Roles of adenosine A ₁ receptors in the regulation of SFK activity in the rat forebrain. <i>Brain and Behavior</i> , 2021, 11, e2254.	1.0	1
10	Effects of general versus subarachnoid anaesthesia on circadian melatonin rhythm and postoperative delirium in elderly patients undergoing hip fracture surgery: A prospective cohort clinical trial. <i>EBioMedicine</i> , 2021, 70, 103490.	2.7	27
11	Striatonigrostriatal Spirals in Addiction. <i>Frontiers in Neural Circuits</i> , 2021, 15, 803501.	1.4	0
12	Linkage of Non-receptor Tyrosine Kinase Fyn to mGlu5 Receptors in Striatal Neurons in a Depression Model. <i>Neuroscience</i> , 2020, 433, 11-20.	1.1	9
13	Upregulation of AMPA receptor GluA1 phosphorylation by blocking adenosine A ₁ receptors in the male rat forebrain. <i>Brain and Behavior</i> , 2020, 10, e01543.	1.0	3
14	Autophagy prevents hippocampal α -synuclein oligomerization and early cognitive dysfunction after anesthesia/surgery in aged rats. <i>Aging</i> , 2020, 12, 7262-7281.	1.4	24
15	Changes in ERK1/2 phosphorylation in the rat striatum and medial prefrontal cortex following administration of the adenosine A1 receptor agonist and antagonist. <i>Neuroscience Letters</i> , 2019, 699, 47-53.	1.0	2
16	The ERK Pathway: Molecular Mechanisms and Treatment of Depression. <i>Molecular Neurobiology</i> , 2019, 56, 6197-6205.	1.9	159
17	Amphetamine-induced Conditioned Place Preference and Changes in mGlu1/5 Receptor Expression and Signaling in the Rat Medial Prefrontal Cortex. <i>Neuroscience</i> , 2019, 400, 110-119.	1.1	4
18	Amphetamine activates non-receptor tyrosine kinase Fyn and stimulates ERK phosphorylation in the striatum in vivo. <i>European Journal of Pharmacology</i> , 2019, 843, 45-54.	1.7	9

#	ARTICLE	IF	CITATIONS
19	Regulation of Phosphorylation of AMPA Glutamate Receptors by Muscarinic M4 Receptors in the Striatum In vivo. <i>Neuroscience</i> , 2018, 375, 84-93.	1.1	4
20	Alterations in mGlu5 receptor expression and function in the striatum in a rat depression model. <i>Journal of Neurochemistry</i> , 2018, 145, 287-298.	2.1	19
21	Muscarinic Acetylcholine Receptors Inhibit Fyn Activity in the Rat Striatum In Vivo. <i>Journal of Molecular Neuroscience</i> , 2018, 64, 523-532.	1.1	8
22	Inhibition of basal and amphetamine-stimulated extracellular signal-regulated kinase (ERK) phosphorylation in the rat forebrain by muscarinic acetylcholine M4 receptors. <i>Brain Research</i> , 2018, 1688, 103-112.	1.1	4
23	Pharmacological modulation of AMPA receptor phosphorylation by dopamine and muscarinic receptor agents in the rat medial prefrontal cortex. <i>European Journal of Pharmacology</i> , 2018, 820, 45-52.	1.7	1
24	The Role of Extracellular Signal-Regulated Kinases (ERK) in the Regulation of mGlu5 Receptors in Neurons. <i>Journal of Molecular Neuroscience</i> , 2018, 66, 629-638.	1.1	4
25	Integrated regulation of AMPA glutamate receptor phosphorylation in the striatum by dopamine and acetylcholine. <i>Neuropharmacology</i> , 2017, 112, 57-65.	2.0	16
26	Antagonism of Muscarinic Acetylcholine Receptors Alters Synaptic ERK Phosphorylation in the Rat Forebrain. <i>Neurochemical Research</i> , 2017, 42, 1202-1210.	1.6	7
27	Antagonism of Dopamine D2 Receptors Alters Phosphorylation of Fyn in the Rat Medial Prefrontal Cortex. <i>Journal of Molecular Neuroscience</i> , 2017, 61, 524-530.	1.1	3
28	Synaptic ERK2 Phosphorylates and Regulates Metabotropic Glutamate Receptor 1 In Vitro and in Neurons. <i>Molecular Neurobiology</i> , 2017, 54, 7156-7170.	1.9	18
29	An Essential Role of Fyn in the Modulation of Metabotropic Glutamate Receptor 1 in Neurons. <i>ENeuro</i> , 2017, 4, ENEURO.0096-17.2017.	0.9	20
30	Local substrates of non-receptor tyrosine kinases at synaptic sites in neurons. <i>Acta Physiologica Sinica</i> , 2017, 69, 657-665.	0.5	5
31	Dopamine D2 receptors are involved in the regulation of fyn and metabotropic glutamate receptor 5 phosphorylation in the rat striatum in vivo. <i>Journal of Neuroscience Research</i> , 2016, 94, 329-338.	1.3	20
32	Amphetamine elevates phosphorylation of eukaryotic initiation factor 2 \pm (eIF2 \pm) in the rat forebrain via activating dopamine D1 and D2 receptors. <i>Brain Research</i> , 2016, 1646, 459-466.	1.1	2
33	Synaptically Localized Mitogen-Activated Protein Kinases: Local Substrates and Regulation. <i>Molecular Neurobiology</i> , 2016, 53, 6309-6315.	1.9	43
34	Tyrosine phosphorylation of glutamate receptors by non-receptor tyrosine kinases: roles in depression-like behavior. <i>Neurotransmitter (Houston, Tex)</i> , 2016, 3, .	1.2	8
35	Regulation of Group I Metabotropic Glutamate Receptors by MAPK/ERK in Neurons. <i>Journal of Nature and Science</i> , 2016, 2, .	1.1	10
36	Dynamic increases in AMPA receptor phosphorylation in the rat hippocampus in response to amphetamine. <i>Journal of Neurochemistry</i> , 2015, 133, 795-805.	2.1	6

#	ARTICLE	IF	CITATIONS
37	Regulation of synaptic MAPK/ERK phosphorylation in the rat striatum and medial prefrontal cortex by dopamine and muscarinic acetylcholine receptors. <i>Journal of Neuroscience Research</i> , 2015, 93, 1592-1599.	1.3	19
38	Epilepsy spectrum disorders: A concept in need of validation or refutation. <i>Medical Hypotheses</i> , 2015, 85, 656-663.	0.8	8
39	Metabotropic glutamate receptor 5 upregulates surface NMDA receptor expression in striatal neurons via CaMKII. <i>Brain Research</i> , 2015, 1624, 414-423.	1.1	28
40	Dopaminergic and cholinergic regulation of Fyn tyrosine kinase phosphorylation in the rat striatum in vivo. <i>Neuropharmacology</i> , 2015, 99, 491-499.	2.0	17
41	Roles of subunit phosphorylation in regulating glutamate receptor function. <i>European Journal of Pharmacology</i> , 2014, 728, 183-187.	1.7	73
42	Rapid and sustained GluA1 S845 phosphorylation in synaptic and extrasynaptic locations in the rat forebrain following amphetamine administration. <i>Neurochemistry International</i> , 2014, 64, 48-54.	1.9	9
43	Propofol selectively alters GluA1 AMPA receptor phosphorylation in the hippocampus but not prefrontal cortex in young and aged mice. <i>European Journal of Pharmacology</i> , 2014, 738, 237-244.	1.7	2
44	Phosphorylation and regulation of glutamate receptors by CaMKII. <i>Acta Physiologica Sinica</i> , 2014, 66, 365-72.	0.5	15
45	Activation of protein kinase C is required for AMPA receptor GluR1 phosphorylation at serine 845 in the dorsal striatum following repeated cocaine administration. <i>Psychopharmacology</i> , 2013, 227, 437-445.	1.5	14
46	Group III metabotropic glutamate receptors and drug addiction. <i>Frontiers of Medicine</i> , 2013, 7, 445-451.	1.5	23
47	Differential regulation of CaMKII interactions with mGluR5 and NMDA receptors by CaMKII α in neurons. <i>Journal of Neurochemistry</i> , 2013, 127, 620-631.	2.1	40
48	Regulation of phosphorylation of synaptic and extrasynaptic GluA1 AMPA receptors in the rat forebrain by amphetamine. <i>European Journal of Pharmacology</i> , 2013, 715, 164-171.	1.7	12
49	Amphetamine increases phosphorylation of MAPK/ERK at synaptic sites in the rat striatum and medial prefrontal cortex. <i>Brain Research</i> , 2013, 1494, 101-108.	1.1	28
50	Phosphorylation and Feedback Regulation of Metabotropic Glutamate Receptor 1 by Calcium/Calmodulin-Dependent Protein Kinase II. <i>Journal of Neuroscience</i> , 2013, 33, 3402-3412.	1.7	50
51	Modulation of Ionotropic Glutamate Receptors and Acid-Sensing Ion Channels by Nitric Oxide. <i>Frontiers in Physiology</i> , 2012, 3, 164.	1.3	23
52	Upregulation of Npas4 protein expression by chronic administration of amphetamine in rat nucleus accumbens in vivo. <i>Neuroscience Letters</i> , 2012, 528, 210-214.	1.0	10
53	Cocaine facilitates PKC maturation by upregulating its phosphorylation at the activation loop in rat striatal neurons in vivo. <i>Brain Research</i> , 2012, 1435, 146-153.	1.1	7
54	Interactions and phosphorylation of postsynaptic density 93 (PSD-93) by extracellular signal-regulated kinase (ERK). <i>Brain Research</i> , 2012, 1465, 18-25.	1.1	16

#	ARTICLE	IF	CITATIONS
55	Dynamic loss of surface-expressed AMPA receptors in mouse cortical and striatal neurons during anesthesia. <i>Journal of Neuroscience Research</i> , 2012, 90, 315-323.	1.3	13
56	Linking cocaine to endoplasmic reticulum in striatal neurons: Role of glutamate receptors. <i>Basal Ganglia</i> , 2011, 1, 59-63.	0.3	12
57	Reversible Palmitoylation Regulates Surface Stability of AMPA Receptors in the Nucleus Accumbens in Response to Cocaine In Vivo. <i>Biological Psychiatry</i> , 2011, 69, 1035-1042.	0.7	34
58	Cocaine increases phosphorylation of MeCP2 in the rat striatum in vivo: A differential role of NMDA receptors. <i>Neurochemistry International</i> , 2011, 59, 610-617.	1.9	20
59	Post-Translational Modification Biology of Glutamate Receptors and Drug Addiction. <i>Frontiers in Neuroanatomy</i> , 2011, 5, 19.	0.9	53
60	Cocaine and HIV-1 Interplay: Molecular Mechanisms of Action and Addiction. <i>Journal of NeuroImmune Pharmacology</i> , 2011, 6, 503-515.	2.1	47
61	Modulation of acid-sensing ion channels: molecular mechanisms and therapeutic potential. <i>International Journal of Physiology, Pathophysiology and Pharmacology</i> , 2011, 3, 288-309.	0.8	36
62	Modulation of M4 muscarinic acetylcholine receptors by interacting proteins. <i>Neuroscience Bulletin</i> , 2010, 26, 469-473.	1.5	10
63	Regulation of dopamine D3 receptors by protein-protein interactions. <i>Neuroscience Bulletin</i> , 2010, 26, 163-167.	1.5	7
64	Regulation of group I metabotropic glutamate receptor expression in the rat striatum and prefrontal cortex in response to amphetamine in vivo. <i>Brain Research</i> , 2010, 1326, 184-192.	1.1	15
65	CaMKII α interacts with M4 muscarinic receptors to control receptor and psychomotor function. <i>EMBO Journal</i> , 2010, 29, 2070-2081.	3.5	25
66	Alterations in subcellular expression of acid-sensing ion channels in the rat forebrain following chronic amphetamine administration. <i>Neuroscience Research</i> , 2010, 68, 1-8.	1.0	12
67	Amphetamine alters Ras-guanine nucleotide-releasing factor expression in the rat striatum in vivo. <i>European Journal of Pharmacology</i> , 2009, 619, 50-56.	1.7	11
68	Stability of surface NMDA receptors controls synaptic and behavioral adaptations to amphetamine. <i>Nature Neuroscience</i> , 2009, 12, 602-610.	7.1	106
69	Regulation of extracellular signal-regulated kinase phosphorylation in cultured rat striatal neurons. <i>Brain Research Bulletin</i> , 2009, 78, 328-334.	1.4	22
70	Activity-Dependent Modulation of Limbic Dopamine D3 Receptors by CaMKII. <i>Neuron</i> , 2009, 61, 425-438.	3.8	114
71	Acute administration of cocaine reduces metabotropic glutamate receptor 8 protein expression in the rat striatum in vivo. <i>Neuroscience Letters</i> , 2009, 449, 224-227.	1.0	10
72	Upregulation of acid-sensing ion channel 1 protein expression by chronic administration of cocaine in the mouse striatum in vivo. <i>Neuroscience Letters</i> , 2009, 459, 119-122.	1.0	17

#	ARTICLE	IF	CITATIONS
73	Group I Metabotropic Glutamate Receptor-mediated Gene Expression in Striatal Neurons. <i>Neurochemical Research</i> , 2008, 33, 1920-1924.	1.6	28
74	Upregulation of metabotropic glutamate receptor 8 mRNA expression in the rat forebrain after repeated amphetamine administration. <i>Neuroscience Letters</i> , 2008, 433, 250-254.	1.0	21
75	Phosphorylation of group I metabotropic glutamate receptors (mGluR1/5) in vitro and in vivo. <i>Neuropharmacology</i> , 2008, 55, 403-408.	2.0	52
76	In Vivo Regulation of Homer1a Expression in the Striatum by Cocaine. <i>Molecular Pharmacology</i> , 2007, 71, 1148-1158.	1.0	62
77	Protein kinase C-regulated cAMP response element-binding protein phosphorylation in cultured rat striatal neurons. <i>Brain Research Bulletin</i> , 2007, 72, 302-308.	1.4	42
78	Cocaine increases Ras-guanine nucleotide-releasing factor 1 protein expression in the rat striatum in vivo. <i>Neuroscience Letters</i> , 2007, 427, 117-121.	1.0	14
79	Regulation of mitogen-activated protein kinases by glutamate receptors. <i>Journal of Neurochemistry</i> , 2007, 100, 1-11.	2.1	230
80	Long-lasting up-regulation of orexin receptor type 2 protein levels in the rat nucleus accumbens after chronic cocaine administration. <i>Journal of Neurochemistry</i> , 2007, 103, 070710052154007-???.	2.1	50
81	Inhibition of the MAPK/ERK cascade: a potential transcription-dependent mechanism for the amnesic effect of anesthetic propofol. <i>Neuroscience Bulletin</i> , 2007, 23, 119-124.	1.5	18
82	Regulation of phosphorylation of NMDA receptor NR1 subunits in the rat neostriatum by group I metabotropic glutamate receptors in vivo. <i>Neuroscience Letters</i> , 2006, 394, 246-251.	1.0	32
83	Modulation of D2R-NR2B Interactions in Response to Cocaine. <i>Neuron</i> , 2006, 52, 897-909.	3.8	235
84	Propofol Inhibits Phosphorylation of N ^A -methyl-d-aspartate Receptor NR1 Subunits in Neurons. <i>Anesthesiology</i> , 2006, 104, 763-769.	1.3	95
85	Inhibition of Glutamatergic Activation of Extracellular Signal-regulated Protein Kinases in Hippocampal Neurons by the Intravenous Anesthetic Propofol. <i>Anesthesiology</i> , 2006, 105, 1182-1191.	1.3	49
86	Phosphorylation of glutamate receptors: A potential mechanism for the regulation of receptor function and psychostimulant action. <i>Journal of Neuroscience Research</i> , 2006, 84, 1621-1629.	1.3	59
87	A Signaling Mechanism from G ^A q-Protein-Coupled Metabotropic Glutamate Receptors to Gene Expression: Role of the c-Jun N-Terminal Kinase Pathway. <i>Journal of Neuroscience</i> , 2006, 26, 971-980.	1.7	50
88	Phosphorylation of AMPA Receptors: Mechanisms and Synaptic Plasticity. <i>Molecular Neurobiology</i> , 2005, 32, 237-250.	1.9	125
89	Role of Protein Phosphatase 2A in mGluR5-regulated MEK/ERK Phosphorylation in Neurons. <i>Journal of Biological Chemistry</i> , 2005, 280, 12602-12610.	1.6	79
90	The Scaffold Protein Homer1b/c Links Metabotropic Glutamate Receptor 5 to Extracellular Signal-Regulated Protein Kinase Cascades in Neurons. <i>Journal of Neuroscience</i> , 2005, 25, 2741-2752.	1.7	218

#	ARTICLE	IF	CITATIONS
91	Inhibition of protein phosphatase 2B upregulates serine phosphorylation of N-methyl-d-aspartate receptor NR1 subunits in striatal neurons in vivo. <i>Neuroscience Letters</i> , 2005, 384, 38-43.	1.0	23
92	A Novel Ca ²⁺ -Independent Signaling Pathway to Extracellular Signal-Regulated Protein Kinase by Coactivation of NMDA Receptors and Metabotropic Glutamate Receptor 5 in Neurons. <i>Journal of Neuroscience</i> , 2004, 24, 10846-10857.	1.7	122
93	Regulation of MAPK/ERK phosphorylation via ionotropic glutamate receptors in cultured rat striatal neurons. <i>European Journal of Neuroscience</i> , 2004, 19, 1207-1216.	1.2	80
94	The protein phosphatase 1/2A inhibitor okadaic acid increases CREB and Elk-1 phosphorylation and c-fos expression in the rat striatum in vivo. <i>Journal of Neurochemistry</i> , 2004, 89, 383-390.	2.1	50
95	Glutamate Signaling to Ras-MAPK in Striatal Neurons: Mechanisms for Inducible Gene Expression and Plasticity. <i>Molecular Neurobiology</i> , 2004, 29, 01-14.	1.9	98
96	Distinct expression of phosphorylated N-methyl-D-aspartate receptor NR1 subunits by projection neurons and interneurons in the striatum of normal and amphetamine-treated rats. <i>Journal of Comparative Neurology</i> , 2004, 474, 393-406.	0.9	17
97	mGluR5-dependent increases in immediate early gene expression in the rat striatum following acute administration of amphetamine. <i>Molecular Brain Research</i> , 2004, 122, 151-157.	2.5	24
98	Immunohistochemical and Immunocytochemical Detection of Phosphoproteins in Striatal Neurons. , 2003, 79, 273-282.		0
99	Analysis of mRNA Expression Using Double In Situ Hybridization Labeling with Isotopic and Nonisotopic Probes. , 2003, 79, 153-160.		2
100	Primary Striatal Neuronal Culture. , 2003, 79, 379-386.		10
101	Antisense Approaches in Analyzing the Functional Role of Proteins in the Central Nervous System. , 2003, 79, 365-376.		0
102	Adult Neural Stem/Progenitor Cells in the Forebrain: Implications for Psychostimulant Dependence and Medication. , 2003, 79, 33-42.		0
103	Phosphorylation of cAMP response element-binding protein in cultured striatal neurons by metabotropic glutamate receptor subtype 5. <i>Journal of Neurochemistry</i> , 2003, 84, 233-243.	2.1	33
104	Metabotropic glutamate receptor 5-regulated Elk-1 phosphorylation and immediate early gene expression in striatal neurons. <i>Journal of Neurochemistry</i> , 2003, 85, 1006-1017.	2.1	22
105	Group I metabotropic glutamate receptor-mediated calcium signalling and immediate early gene expression in cultured rat striatal neurons. <i>European Journal of Neuroscience</i> , 2003, 17, 741-750.	1.2	41
106	Preproenkephalin mRNA expression in rat dorsal striatum induced by selective activation of metabotropic glutamate receptor subtype-5. <i>Synapse</i> , 2003, 47, 255-261.	0.6	22
107	Elevated neuronal nitric oxide synthase expression in chronic haloperidol-treated rats. <i>Neuropharmacology</i> , 2003, 45, 986-994.	2.0	31
108	Contribution of ionotropic glutamate receptors to acute amphetamine-stimulated preproenkephalin mRNA expression in the rat striatum in vivo. <i>Neuroscience Letters</i> , 2003, 346, 17-20.	1.0	10

#	ARTICLE	IF	CITATIONS
109	Glutamate-regulated Behavior, Transmitter Release, Gene Expression and Addictive Plasticity in the Striatum: Roles of Metabotropic Glutamate Receptors. <i>Current Neuropharmacology</i> , 2003, 1, 1-20.	1.4	22
110	Glutamate Cascade to cAMP Response Element-Binding Protein Phosphorylation in Cultured Striatal Neurons through Calcium-Coupled Group I Metabotropic Glutamate Receptors. <i>Molecular Pharmacology</i> , 2002, 62, 473-484.	1.0	69
111	CREB and Elk-1 phosphorylation by metabotropic glutamate receptors in striatal neurons (Review). <i>International Journal of Molecular Medicine</i> , 2002, 9, 3.	1.8	7
112	CaMKII regulates amphetamine-induced ERK1/2 phosphorylation in striatal neurons. <i>NeuroReport</i> , 2002, 13, 1013-1016.	0.6	61
113	Activation of metabotropic glutamate receptor mediates upregulation of transcription factor mRNA expression in rat striatum induced by acute administration of amphetamine. <i>Brain Research</i> , 2002, 924, 167-175.	1.1	13
114	Amphetamine Increases Phosphorylation of Extracellular Signal-regulated Kinase and Transcription Factors in the Rat Striatum via Group I Metabotropic Glutamate Receptors. <i>Neuropsychopharmacology</i> , 2002, 27, 565-75.	2.8	89
115	Impaired preprodynorphin, but not preproenkephalin, mRNA induction in the striatum of mGluR1 mutant mice in response to acute administration of the full dopamine D1 agonist SKF-82958. <i>Synapse</i> , 2002, 44, 86-93.	0.6	17
116	Dose-related alteration in nitric oxide synthase mRNA expression induced by amphetamine and the full D1 dopamine receptor agonist SKF-82958 in mouse striatum. <i>Neuroscience Letters</i> , 2001, 311, 5-8.	1.0	19
117	Group I metabotropic glutamate receptors control phosphorylation of CREB, Elk-1 and ERK via a CaMKII-dependent pathway in rat striatum. <i>Neuroscience Letters</i> , 2001, 313, 129-132.	1.0	64
118	Upregulation of preprodynorphin and preproenkephalin mRNA expression by selective activation of group I metabotropic glutamate receptors in characterized primary cultures of rat striatal neurons. <i>Molecular Brain Research</i> , 2001, 86, 125-137.	2.5	51
119	Group I metabotropic glutamate receptor activation increases phosphorylation of cAMP response element-binding protein, Elk-1, and extracellular signal-regulated kinases in rat dorsal striatum. <i>Molecular Brain Research</i> , 2001, 94, 75-84.	2.5	72
120	Differentially altered mGluR1 and mGluR5 mRNA expression in rat caudate nucleus and nucleus accumbens in the development and expression of behavioral sensitization to repeated amphetamine administration. <i>Synapse</i> , 2001, 41, 230-240.	0.6	49
121	Selective activation of group I metabotropic glutamate receptors upregulates preprodynorphin, substance P, and preproenkephalin mRNA expression in rat dorsal striatum. <i>Synapse</i> , 2001, 39, 82-94.	0.6	32
122	Gliogenesis in the striatum of the adult rat: alteration in neural progenitor population after psychostimulant exposure. <i>Developmental Brain Research</i> , 2001, 130, 41-51.	2.1	29
123	Profound astrogenesis in the striatum of adult mice following nigrostriatal dopaminergic lesion by repeated MPTP administration. <i>Developmental Brain Research</i> , 2001, 131, 57-65.	2.1	78
124	Distinct inhibition of acute cocaine-stimulated motor activity following microinjection of a group III metabotropic glutamate receptor agonist into the dorsal striatum of rats. <i>Pharmacology Biochemistry and Behavior</i> , 2000, 67, 93-101.	1.3	42
125	Sustained Behavioral Stimulation Following Selective Activation of Group I Metabotropic Glutamate Receptors in Rat Striatum. <i>Pharmacology Biochemistry and Behavior</i> , 2000, 65, 439-447.	1.3	30
126	Activation of group III metabotropic glutamate receptors inhibits basal and amphetamine-stimulated dopamine release in rat dorsal striatum: an in vivo microdialysis study. <i>European Journal of Pharmacology</i> , 2000, 404, 289-297.	1.7	34

#	ARTICLE	IF	CITATIONS
127	Glutamate-dopamine interactions mediate the effects of psychostimulant drugs. <i>Addiction Biology</i> , 1999, 4, 141-150.	1.4	41
128	Protection against acute amphetamine-induced behavior by microinjection of a group II metabotropic glutamate receptor agonist into the dorsal striatum of rats. <i>Neuroscience Letters</i> , 1999, 270, 103-106.	1.0	18
129	Metabotropic glutamate receptor agonist increases neuropeptide mRNA expression in rat striatum. <i>Molecular Brain Research</i> , 1998, 54, 262-269.	2.5	26
130	Regulation of immediate early gene c-fos and zif/268 mRNA expression in rat striatum by metabotropic glutamate receptor. <i>Molecular Brain Research</i> , 1998, 57, 46-53.	2.5	36
131	Intrastriatal injection of a muscarinic receptor agonist and antagonist regulates striatal neuropeptide mRNA expression in normal and amphetamine-treated rats. <i>Brain Research</i> , 1997, 748, 62-70.	1.1	46
132	Intrastriatal injection of the metabotropic glutamate receptor antagonist MCPG attenuates acute amphetamine-stimulated neuropeptide mRNA expression in rat striatum. <i>Neuroscience Letters</i> , 1996, 218, 13-16.	1.0	27
133	Acute methamphetamine-induced zif/268, prodynorphin, and preproenkephalin mRNA expression in rat striatum depends on activation of NMDA and kainate/AMPA receptors. <i>Brain Research Bulletin</i> , 1996, 39, 349-357.	1.4	39
134	D1 and D2 receptor regulation of preproenkephalin and prodynorphin mRNA in rat striatum following acute injection of amphetamine or methamphetamine. , 1996, 22, 114-122.		81
135	Alterations in striatal zif/268, prodynorphin and preproenkephalin mRNA expression induced by repeated amphetamine administration in rats. <i>Brain Research</i> , 1995, 673, 262-274.	1.1	60
136	Differential Effects of D ₁ and D ₂ Dopamine Receptor Antagonists on Acute Amphetamine- or Methamphetamine-Induced Up-Regulation of zif/268 mRNA Expression in Rat Forebrain. <i>Journal of Neurochemistry</i> , 1995, 65, 2706-2715.	2.1	62
137	NMDA receptors mediate amphetamine-induced upregulation of zif/268 and prodynorphin mRNA expression in rat striatum. <i>Synapse</i> , 1994, 18, 343-353.	0.6	102
138	Role of kainate/AMPA receptors in induction of striatal zif/268 and prodynorphin mRNA by a single injection of amphetamine. <i>Molecular Brain Research</i> , 1994, 27, 118-126.	2.5	53