

# Rolf Gruetter

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8076708/publications.pdf>

Version: 2024-02-01

319  
papers

22,848  
citations

7568

77  
h-index

11939

134  
g-index

331  
all docs

331  
docs citations

331  
times ranked

15666  
citing authors

#	ARTICLE	IF	CITATIONS
1	MP2RAGE, a self bias-field corrected sequence for improved segmentation and T1-mapping at high field. <i>NeuroImage</i> , 2010, 49, 1271-1281.	4.2	1,075
2	In vivo <sup>1</sup> H NMR spectroscopy of rat brain at 1 ms echo time. <i>Magnetic Resonance in Medicine</i> , 1999, 41, 649-656.	3.0	870
3	Automatic, localized in Vivo adjustment of all first-and second-order shim coils. <i>Magnetic Resonance in Medicine</i> , 1993, 29, 804-811.	3.0	826
4	Clinical Proton MR Spectroscopy in Central Nervous System Disorders. <i>Radiology</i> , 2014, 270, 658-679.	7.3	524
5	Field mapping without reference scan using asymmetric echo-planar techniques. <i>Magnetic Resonance in Medicine</i> , 2000, 43, 319-323.	3.0	521
6	Toward an in Vivo Neurochemical Profile: Quantification of 18 Metabolites in Short-Echo-Time <sup>1</sup> H NMR Spectra of the Rat Brain. <i>Journal of Magnetic Resonance</i> , 1999, 141, 104-120.	2.1	457
7	Echo-planar magnetic resonance imaging studies of frontal cortex activation during word generation in humans.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1993, 90, 4952-4956.	7.1	424
8	In vivo <sup>1</sup> H NMR spectroscopy of the human brain at 7 T. <i>Magnetic Resonance in Medicine</i> , 2001, 46, 451-456.	3.0	353
9	In vivo <sup>1</sup> H NMR spectroscopy of the human brain at high magnetic fields: Metabolite quantification at 4T vs. 7T. <i>Magnetic Resonance in Medicine</i> , 2009, 62, 868-879.	3.0	316
10	Simultaneous Determination of the Rates of the TCA Cycle, Glucose Utilization, $\pm$ -Ketoglutarate/Glutamate Exchange, and Glutamine Synthesis in Human Brain by NMR. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 1995, 15, 12-25.	4.3	307
11	MR spectroscopy of the human brain with enhanced signal intensity at ultrashort echo times on a clinical platform at 3T and 7T. <i>Magnetic Resonance in Medicine</i> , 2009, 61, 1279-1285.	3.0	291
12	A mathematical model of compartmentalized neurotransmitter metabolism in the human brain. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2001, 281, E100-E112.	3.5	290
13	Methodological consensus on clinical proton MRS of the brain: Review and recommendations. <i>Magnetic Resonance in Medicine</i> , 2019, 82, 527-550.	3.0	280
14	Localized short-echo-time proton MR spectroscopy with full signal-intensity acquisition. <i>Magnetic Resonance in Medicine</i> , 2006, 56, 965-970.	3.0	260
15	Sustained Neuronal Activation Raises Oxidative Metabolism to a New Steady-State Level: Evidence from <sup>1</sup> H NMR Spectroscopy in the Human Visual Cortex. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2007, 27, 1055-1063.	4.3	253
16	Temperature and SAR calculations for a human head within volume and surface coils at 64 and 300 MHz. <i>Journal of Magnetic Resonance Imaging</i> , 2004, 19, 650-656.	3.4	248
17	Localized <sup>13</sup> C NMR Spectroscopy in the Human Brain of Amino Acid Labeling from <sup>13</sup> C]Glucose. <i>Journal of Neurochemistry</i> , 1994, 63, 1377-1385.	3.9	229
18	Ultrahigh field magnetic resonance imaging and spectroscopy. <i>Magnetic Resonance Imaging</i> , 2003, 21, 1263-1281.	1.8	218

#	ARTICLE	IF	CITATIONS
19	Steady-State Cerebral Glucose Concentrations and Transport in the Human Brain. <i>Journal of Neurochemistry</i> , 1998, 70, 397-408.	3.9	215
20	Direct measurement of brain glucose concentrations in humans by <sup>13</sup> C NMR spectroscopy. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1992, 89, 1109-1112.	7.1	212
21	Developmental and regional changes in the neurochemical profile of the rat brain determined by in vivo <sup>1</sup> H NMR spectroscopy. <i>Magnetic Resonance in Medicine</i> , 2003, 50, 24-32.	3.0	212
22	Perinatal Iron Deficiency Alters the Neurochemical Profile of the Developing Rat Hippocampus. <i>Journal of Nutrition</i> , 2003, 133, 3215-3221.	2.9	205
23	Neuroglial Metabolism in the Awake Rat Brain: CO <sub>2</sub> Fixation Increases with Brain Activity. <i>Journal of Neuroscience</i> , 2004, 24, 11273-11279.	3.6	204
24	The neurochemical profile quantified by in vivo <sup>1</sup> H NMR spectroscopy. <i>NeuroImage</i> , 2012, 61, 342-362.	4.2	199
25	Neuroprotective Role of Lactate after Cerebral Ischemia. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2009, 29, 1780-1789.	4.3	197
26	Localized in vivo <sup>13</sup> C-NMR of Glutamate Metabolism in the Human Brain: Initial Results at 4 Tesla. <i>Developmental Neuroscience</i> , 1998, 20, 380-388.	2.0	188
27	Effect of hypoglycemia on brain glycogen metabolism in vivo. <i>Journal of Neuroscience Research</i> , 2003, 72, 25-32.	2.9	186
28	Human finger somatotopy in areas 3b, 1, and 2: A 7T fMRI study using a natural stimulus. <i>Human Brain Mapping</i> , 2014, 35, 213-226.	3.6	182
29	Glycogen: The forgotten cerebral energy store. <i>Journal of Neuroscience Research</i> , 2003, 74, 179-183.	2.9	178
30	Resolution Improvements in in Vivo <sup>1</sup> H NMR Spectra with Increased Magnetic Field Strength. <i>Journal of Magnetic Resonance</i> , 1998, 135, 260-264.	2.1	176
31	Design and performance of a DNP prepolarizer coupled to a rodent MRI scanner. <i>Concepts in Magnetic Resonance Part B</i> , 2007, 31B, 255-269.	0.7	172
32	Highly resolved in vivo <sup>1</sup> H NMR spectroscopy of the mouse brain at 9.4 T. <i>Magnetic Resonance in Medicine</i> , 2004, 52, 478-484.	3.0	171
33	Capturing the spatiotemporal dynamics of self-generated, task-initiated thoughts with EEG and fMRI. <i>NeuroImage</i> , 2019, 194, 82-92.	4.2	171
34	Methodology of <sup>1</sup> H NMR spectroscopy of the human brain at very high magnetic fields. <i>Applied Magnetic Resonance</i> , 2005, 29, 139-157.	1.2	164
35	A Half-Volume Coil for Efficient Proton Decoupling in Humans at 4 Tesla. <i>Journal of Magnetic Resonance</i> , 1997, 125, 178-184.	2.1	162
36	Measurement of reduced glutathione (GSH) in human brain using LCModel analysis of difference-edited spectra. <i>Magnetic Resonance in Medicine</i> , 2003, 50, 19-23.	3.0	162

#	ARTICLE	IF	CITATIONS
37	The Effect of Insulin on In Vivo Cerebral Glucose Concentrations and Rates of Glucose Transport/Metabolism in Humans. <i>Diabetes</i> , 2001, 50, 2203-2209.	0.6	161
38	Hierarchical Status Predicts Behavioral Vulnerability and Nucleus Accumbens Metabolic Profile Following Chronic Social Defeat Stress. <i>Current Biology</i> , 2017, 27, 2202-2210.e4.	3.9	161
39	Localized in vivo <sup>13</sup> C NMR spectroscopy of the brain. <i>NMR in Biomedicine</i> , 2003, 16, 313-338.	2.8	150
40	In Vivo Measurements of Brain Glucose Transport Using the Reversible Michaelis-Menten Model and Simultaneous Measurements of Cerebral Blood Flow Changes during Hypoglycemia. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2001, 21, 653-663.	4.3	140
41	Extracellular-Intracellular Distribution of Glucose and Lactate in the Rat Brain Assessed Noninvasively by Diffusion-Weighted <sup>1</sup> H Nuclear Magnetic Resonance Spectroscopy In Vivo. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2000, 20, 736-746.	4.3	139
42	New Developments and Applications of the MP2RAGE Sequence - Focusing the Contrast and High Spatial Resolution R1 Mapping. <i>PLoS ONE</i> , 2013, 8, e69294.	2.5	135
43	Caffeine consumption attenuates neurochemical modifications in the hippocampus of streptozotocin-induced diabetic rats. <i>Journal of Neurochemistry</i> , 2009, 111, 368-379.	3.9	133
44	Direct in vivo measurement of human cerebral GABA concentration using MEGA-editing at 7 Tesla. <i>Magnetic Resonance in Medicine</i> , 2002, 47, 1009-1012.	3.0	128
45	Effect of Deep Pentobarbital Anesthesia on Neurotransmitter Metabolism in Vivo: On the Correlation of Total Glucose Consumption with Glutamatergic Action. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2002, 22, 1343-1351.	4.3	122
46	N-acetylcysteine in a Double-Blind Randomized Placebo-Controlled Trial: Toward Biomarker-Guided Treatment in Early Psychosis. <i>Schizophrenia Bulletin</i> , 2018, 44, 317-327.	4.3	121
47	Net increase of lactate and glutamate concentration in activated human visual cortex detected with magnetic resonance spectroscopy at 7 tesla. <i>Journal of Neuroscience Research</i> , 2013, 91, 1076-1083.	2.9	118
48	Hepatic glucose sensing is required to preserve $\beta^2$ cell glucose competence. <i>Journal of Clinical Investigation</i> , 2013, 123, 1662-1676.	8.2	118
49	Sensitivity of single-voxel <sup>1</sup> H-MRS in investigating the metabolism of the activated human visual cortex at 7 T. <i>Magnetic Resonance Imaging</i> , 2006, 24, 343-348.	1.8	115
50	Human brain glycogen content and metabolism: implications on its role in brain energy metabolism. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2007, 292, E946-E951.	3.5	114
51	In vivo <sup>13</sup> C NMR studies of compartmentalized cerebral carbohydrate metabolism. <i>Neurochemistry International</i> , 2002, 41, 143-154.	3.8	113
52	Study of tricarboxylic acid cycle flux changes in human visual cortex during hemifield visual stimulation using <sup>1</sup> H- <sup>13</sup> C MRS and fMRI. <i>Magnetic Resonance in Medicine</i> , 2001, 45, 349-355.	3.0	112
53	Retrospective correction of involuntary microscopic head movement using highly accelerated fat image navigators (3D FatNavs) at 7T. <i>Magnetic Resonance in Medicine</i> , 2016, 75, 1030-1039.	3.0	110
54	Temporal and spatial analysis of fields generated by eddy currents in superconducting magnets: Optimization of corrections and quantitative characterization of magnet/gradient systems. <i>Magnetic Resonance in Medicine</i> , 1991, 20, 268-284.	3.0	109

#	ARTICLE	IF	CITATIONS
55	On the origin of the MR image phase contrast: An in vivo MR microscopy study of the rat brain at 14.1T. <i>NeuroImage</i> , 2009, 46, 345-352.	4.2	109
56	Proton NMR of <sup>15</sup> N-Choline Metabolites Enhanced by Dynamic Nuclear Polarization. <i>Journal of the American Chemical Society</i> , 2009, 131, 16014-16015.	13.7	107
57	Localized in vivo <sup>1</sup> H NMR detection of neurotransmitter labeling in rat brain during infusion of [1- <sup>13</sup> C] D-glucose. <i>Magnetic Resonance in Medicine</i> , 1999, 41, 1077-1083.	3.0	105
58	<sup>1</sup> H NMR spectroscopy of rat brain in vivo at 14.1Tesla: Improvements in quantification of the neurochemical profile. <i>Journal of Magnetic Resonance</i> , 2008, 194, 163-168.	2.1	105
59	Neurochemical changes in Huntington R6/2 mouse striatum detected by in vivo <sup>1</sup> H NMR spectroscopy. <i>Journal of Neurochemistry</i> , 2007, 100, 1397-1406.	3.9	104
60	Proton MRS of the unilateral substantia nigra in the human brain at 4 tesla: Detection of high GABA concentrations. <i>Magnetic Resonance in Medicine</i> , 2006, 55, 296-301.	3.0	100
61	N-Acetylcysteine Normalizes Neurochemical Changes in the Glutathione-Deficient Schizophrenia Mouse Model During Development. <i>Biological Psychiatry</i> , 2012, 71, 1006-1014.	1.3	100
62	In vivo <sup>13</sup> C NMR spectroscopy and metabolic modeling in the brain: a practical perspective. <i>Magnetic Resonance Imaging</i> , 2006, 24, 527-539.	1.8	98
63	Feasibility of in vivo <sup>15</sup> N MRS detection of hyperpolarized <sup>15</sup> N labeled choline in rats. <i>Physical Chemistry Chemical Physics</i> , 2010, 12, 5818.	2.8	96
64	Glutathione deficit impairs myelin maturation: relevance for white matter integrity in schizophrenia patients. <i>Molecular Psychiatry</i> , 2015, 20, 827-838.	7.9	95
65	Noninvasive Measurements of [1- <sup>13</sup> C] Glycogen Concentrations and Metabolism in Rat Brain In Vivo. <i>Journal of Neurochemistry</i> , 2001, 73, 1300-1308.	3.9	92
66	Validation of glutathione quantitation from STEAM spectra against edited <sup>1</sup> H NMR spectroscopy at 4T: application to schizophrenia. <i>Magnetic Resonance Materials in Physics, Biology, and Medicine</i> , 2005, 18, 276-282.	2.0	92
67	Contribution of macromolecules to brain <sup>1</sup> H MR spectra: Experts' consensus recommendations. <i>NMR in Biomedicine</i> , 2021, 34, e4393.	2.8	92
68	Are glutamate and lactate increases ubiquitous to physiological activation? A <sup>1</sup> H functional MR spectroscopy study during motor activation in human brain at 7Tesla. <i>NeuroImage</i> , 2014, 93, 138-145.	4.2	90
69	Longitudinal neurochemical modifications in the aging mouse brain measured in vivo by <sup>1</sup> H magnetic resonance spectroscopy. <i>Neurobiology of Aging</i> , 2014, 35, 1660-1668.	3.1	90
70	<sup>1</sup> H NMR Studies of Glucose Transport in the Human Brain. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 1996, 16, 427-438.	4.3	89
71	Scavenging Free Radicals To Preserve Enhancement and Extend Relaxation Times in NMR using Dynamic Nuclear Polarization. <i>Angewandte Chemie - International Edition</i> , 2010, 49, 6182-6185.	13.8	89
72	Brain glucose concentrations in patients with type 1 diabetes and hypoglycemia unawareness. <i>Journal of Neuroscience Research</i> , 2005, 79, 42-47.	2.9	88

#	ARTICLE	IF	CITATIONS
73	Observation of resolved glucose signals in $^1\text{H}$ NMR spectra of the human brain at 4 Tesla. <i>Magnetic Resonance in Medicine</i> , 1996, 36, 1-6.	3.0	87
74	Direct, noninvasive measurement of brain glycogen metabolism in humans. <i>Neurochemistry International</i> , 2003, 43, 323-329.	3.8	86
75	Evolution of the Neurochemical Profile after Transient Focal Cerebral Ischemia in the Mouse Brain. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2009, 29, 811-819.	4.3	86
76	Spread Spectrum Magnetic Resonance Imaging. <i>IEEE Transactions on Medical Imaging</i> , 2012, 31, 586-598.	8.9	86
77	Magnetic Resonance Studies of Brain Function and Neurochemistry. <i>Annual Review of Biomedical Engineering</i> , 2000, 2, 633-660.	12.3	84
78	Genetic Polymorphism Associated Prefrontal Glutathione and Its Coupling With Brain Glutamate and Peripheral Redox Status in Early Psychosis. <i>Schizophrenia Bulletin</i> , 2016, 42, 1185-1196.	4.3	83
79	In vivo $^{13}\text{C}$ NMR assessment of brain glycogen concentration and turnover in the awake rat. <i>Neurochemistry International</i> , 2003, 43, 317-322.	3.8	82
80	Proton $T_1$ relaxation times of metabolites in human occipital white and gray matter at 7 T. <i>Magnetic Resonance in Medicine</i> , 2013, 69, 931-936.	3.0	82
81	In vivo magnetic resonance spectroscopy of human brain: The biophysical basis of dementia. <i>Biophysical Chemistry</i> , 1997, 68, 161-172.	2.8	80
82	In vivo assessment of myelination by phase imaging at high magnetic field. <i>NeuroImage</i> , 2012, 59, 1979-1987.	4.2	80
83	Studying cyto and myeloarchitecture of the human cortex at ultra-high field with quantitative imaging: $R_1$ , $R_2^*$ and magnetic susceptibility. <i>NeuroImage</i> , 2017, 147, 152-163.	4.2	80
84	Handling Macromolecule Signals in the Quantification of the Neurochemical Profile. <i>Journal of Alzheimer's Disease</i> , 2012, 31, S101-S115.	2.6	78
85	Detection of an antioxidant profile in the human brain in vivo via double editing with MEGA-PRESS. <i>Magnetic Resonance in Medicine</i> , 2006, 56, 1192-1199.	3.0	76
86	Broadband decoupled, $^1\text{H}$ -localized $^{13}\text{C}$ MRS of the human brain at 4 tesla. <i>Magnetic Resonance in Medicine</i> , 1996, 36, 659-664.	3.0	75
87	Unedited in vivo detection and quantification of $^{\beta}$ -aminobutyric acid in the occipital cortex using short-TE MRS at 3T. <i>NMR in Biomedicine</i> , 2013, 26, 1353-1362.	2.8	75
88	MP2RAGE Multiple Sclerosis Magnetic Resonance Imaging at 3 T. <i>Investigative Radiology</i> , 2012, 47, 346-352.	6.2	72
89	In Vivo Detection of Brain Krebs Cycle Intermediate by Hyperpolarized Magnetic Resonance. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2012, 32, 2108-2113.	4.3	72
90	Toward dynamic isotopomer analysis in the rat brain in vivo: automatic quantitation of $^{13}\text{C}$ NMR spectra using LCModel. <i>NMR in Biomedicine</i> , 2003, 16, 400-412.	2.8	71

#	ARTICLE	IF	CITATIONS
91	SA2RAGE: A new sequence for fast $B_1$ mapping. <i>Magnetic Resonance in Medicine</i> , 2012, 67, 1609-1619.	3.0	71
92	Glutamatergic and GABAergic energy metabolism measured in the rat brain by $^{13}C$ NMR spectroscopy at 14.1 T. <i>Journal of Neurochemistry</i> , 2013, 126, 579-590.	3.9	71
93	$^1H$ -localized broadband $^{13}C$ NMR spectroscopy of the rat brain in vivo at 9.4 T. <i>Magnetic Resonance in Medicine</i> , 2003, 50, 684-692.	3.0	70
94	Compartmentalized Cerebral Metabolism of [1,6- $^{13}C$ ]Glucose Determined by in vivo $^{13}C$ NMR Spectroscopy at 14.1 T. <i>Frontiers in Neuroenergetics</i> , 2011, 3, 3.	5.3	70
95	Proton $T_2$ relaxation time of $J$ -coupled cerebral metabolites in rat brain at 9.4 T. <i>NMR in Biomedicine</i> , 2008, 21, 396-401.	2.8	69
96	Validation of $^{13}C$ NMR measurements of liver glycogen in vivo. <i>Magnetic Resonance in Medicine</i> , 1994, 31, 583-588.	3.0	68
97	Quantitative proton spectroscopic imaging of the neurochemical profile in rat brain with microliter resolution at ultra-short echo times. <i>Magnetic Resonance in Medicine</i> , 2008, 59, 52-58.	3.0	67
98	Single-shot, three-dimensional non-echo localization method for in vivo NMR spectroscopy. <i>Magnetic Resonance in Medicine</i> , 2000, 44, 387-394.	3.0	66
99	Cerebellar Cortical Layers: In Vivo Visualization with Structural High-Field-Strength MR Imaging. <i>Radiology</i> , 2010, 254, 942-948.	7.3	66
100	In vivo effect of chronic hypoxia on the neurochemical profile of the developing rat hippocampus. <i>Developmental Brain Research</i> , 2005, 156, 202-209.	1.7	64
101	Temporal SNR characteristics in segmented 3D-EPI at 7T. <i>Magnetic Resonance in Medicine</i> , 2012, 67, 344-352.	3.0	64
102	How Energy Metabolism Supports Cerebral Function: Insights from $^{13}C$ Magnetic Resonance Studies In vivo. <i>Frontiers in Neuroscience</i> , 2017, 11, 288.	2.8	64
103	Simultaneous EEG-fMRI at ultra-high field: Artifact prevention and safety assessment. <i>NeuroImage</i> , 2015, 105, 132-144.	4.2	63
104	Nutritional Ketosis Increases NAD <sup>+</sup> /NADH Ratio in Healthy Human Brain: An in Vivo Study by $^31P$ -MRS. <i>Frontiers in Nutrition</i> , 2018, 5, 62.	3.7	62
105	Prospective and retrospective motion correction in diffusion magnetic resonance imaging of the human brain. <i>NeuroImage</i> , 2012, 59, 389-398.	4.2	61
106	In vivo enzymatic activity of acetylCoA synthetase in skeletal muscle revealed by $^{13}C$ turnover from hyperpolarized [1- $^{13}C$ ]acetate to [1- $^{13}C$ ]acetylcarnitine. <i>Biochimica Et Biophysica Acta - General Subjects</i> , 2013, 1830, 4171-4178.	2.4	61
107	$B_0$ shimming for in vivo magnetic resonance spectroscopy: Experts' consensus recommendations. <i>NMR in Biomedicine</i> , 2021, 34, e4350.	2.8	60
108	Localized Eddy Current Compensation Using Quantitative Field Mapping. <i>Journal of Magnetic Resonance</i> , 1998, 131, 139-143.	2.1	58

#	ARTICLE	IF	CITATIONS
109	Proton-observed carbon-edited NMR spectroscopy in strongly coupled second-order spin systems. <i>Magnetic Resonance in Medicine</i> , 2006, 55, 250-257.	3.0	58
110	Dynamics of lactate concentration and blood oxygen level-dependent effect in the human visual cortex during repeated identical stimuli. <i>Journal of Neuroscience Research</i> , 2007, 85, 3340-6.	2.9	58
111	Head motion detection using FID navigators. <i>Magnetic Resonance in Medicine</i> , 2011, 66, 135-143.	3.0	58
112	<sup>1</sup> H NMR detection of vitamin C in human brain in vivo. <i>Magnetic Resonance in Medicine</i> , 2004, 51, 225-229.	3.0	57
113	Water diffusion in rat brain in vivo as detected at very large values is multicompartamental. <i>Magnetic Resonance Materials in Physics, Biology, and Medicine</i> , 1999, 8, 98-108.	2.0	54
114	Variations in the in vivo P-31 MR spectra of the developing human brain during postnatal life. Work in progress.. <i>Radiology</i> , 1989, 172, 197-199.	7.3	53
115	<sup>13</sup> C NMR visibility of rabbit muscle glycogen in vivo. <i>Magnetic Resonance in Medicine</i> , 1991, 20, 327-332.	3.0	53
116	Detection and assignment of the glucose signal in <sup>1</sup> H nmr difference spectra of the human brain. <i>Magnetic Resonance in Medicine</i> , 1992, 27, 183-188.	3.0	53
117	Hyperpolarized lithium-6 as a sensor of nanomolar contrast agents. <i>Magnetic Resonance in Medicine</i> , 2009, 61, 1489-1493.	3.0	53
118	Image-Derived Input Function from the Vena Cava for <sup>18</sup> F-FDG PET Studies in Rats and Mice. <i>Journal of Nuclear Medicine</i> , 2014, 55, 1380-1388.	5.0	53
119	Towards high-quality simultaneous EEG-fMRI at 7 T: Detection and reduction of EEG artifacts due to head motion. <i>NeuroImage</i> , 2015, 120, 143-153.	4.2	53
120	Three-dimensional echo planar imaging with controlled aliasing: A sequence for high temporal resolution functional MRI. <i>Magnetic Resonance in Medicine</i> , 2016, 75, 2350-2361.	3.0	53
121	Metabolic changes in quinolinic acid-lesioned rat striatum detected non-invasively by in vivo <sup>1</sup> H NMR spectroscopy. <i>Journal of Neuroscience Research</i> , 2001, 66, 891-898.	2.9	52
122	Deletion of glutamate dehydrogenase 1 ( <i>GluD1</i> ) in the central nervous system affects glutamate handling without altering synaptic transmission. <i>Journal of Neurochemistry</i> , 2012, 123, 342-348.	3.9	52
123	Neurochemical profile of the developing mouse cortex determined by in vivo <sup>1</sup> H NMR spectroscopy at 14.1 T and the effect of recurrent anaesthesia. <i>Journal of Neurochemistry</i> , 2010, 115, 1466-1477.	3.9	51
124	The C57BL/6J Mouse Exhibits Sporadic Congenital Portosystemic Shunts. <i>PLoS ONE</i> , 2013, 8, e69782.	2.5	51
125	An improved trap design for decoupling multinuclear RF coils. <i>Magnetic Resonance in Medicine</i> , 2014, 72, 584-590.	3.0	51
126	Is the macromolecule signal tissue-specific in healthy human brain? A <sup>1</sup> H MRS study at 7 tesla in the occipital lobe. <i>Magnetic Resonance in Medicine</i> , 2014, 72, 934-940.	3.0	51



#	ARTICLE	IF	CITATIONS
127	Brain energy metabolism and neurotransmission at near-freezing temperatures: in vivo <sup>1</sup> H MRS study of a hibernating mammal. <i>Journal of Neurochemistry</i> , 2007, 101, 1505-1515.	3.9	49
128	GDH-Dependent Glutamate Oxidation in the Brain Dictates Peripheral Energy Substrate Distribution. <i>Cell Reports</i> , 2015, 13, 365-375.	6.4	49
129	Localized <sup>13</sup> C NMR spectroscopy of myo-inositol in the human brain in vivo. <i>Magnetic Resonance in Medicine</i> , 1992, 25, 204-210.	3.0	48
130	Metabolic Flux and Compartmentation Analysis in the Brain In vivo. <i>Frontiers in Endocrinology</i> , 2013, 4, 156.	3.5	47
131	A modulated closed form solution for quantitative susceptibility mapping – A thorough evaluation and comparison to iterative methods based on edge prior knowledge. <i>NeuroImage</i> , 2015, 107, 163-174.	4.2	47
132	Dynamic or inert metabolism? Turnover of N-acetyl aspartate and glutathione from d-[1- <sup>13</sup> C]glucose in the rat brain in vivo. <i>Journal of Neurochemistry</i> , 2004, 91, 778-787.	3.9	46
133	Biochemical quantification of total brain glycogen concentration in rats under different glycemic states. <i>Neurochemistry International</i> , 2006, 48, 616-622.	3.8	46
134	Compartmentalised energy metabolism supporting glutamatergic neurotransmission in response to increased activity in the rat cerebral cortex: A <sup>13</sup> C MRS study in vivo at 14.1 T. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2016, 36, 928-940.	4.3	46
135	Astrocytic and neuronal oxidative metabolism are coupled to the rate of glutamate-glutamine cycle in the tree shrew visual cortex. <i>Glia</i> , 2018, 66, 477-491.	4.9	45
136	Metabolic signature in nucleus accumbens for anti-depressant-like effects of acetyl-L-carnitine. <i>ELife</i> , 2020, 9, .	6.0	45
137	Brain glucose concentrations in poorly controlled diabetes mellitus as measured by high-field magnetic resonance spectroscopy. <i>Metabolism: Clinical and Experimental</i> , 2005, 54, 1008-1013.	3.4	44
138	Digit somatotopy in the human cerebellum: A 7T fMRI study. <i>NeuroImage</i> , 2013, 67, 354-362.	4.2	44
139	N-acetylcysteine add-on treatment leads to an improvement of fornix white matter integrity in early psychosis: a double-blind randomized placebo-controlled trial. <i>Translational Psychiatry</i> , 2018, 8, 220.	4.8	44
140	Developmental and metabolic brain alterations in rats exposed to bisphenol A during gestation and lactation. <i>International Journal of Developmental Neuroscience</i> , 2011, 29, 37-43.	1.6	43
141	Measuring glucose cerebral metabolism in the healthy mouse using hyperpolarized <sup>13</sup> C magnetic resonance. <i>Scientific Reports</i> , 2017, 7, 11719.	3.3	43
142	Mitochondrial gene signature in the prefrontal cortex for differential susceptibility to chronic stress. <i>Scientific Reports</i> , 2020, 10, 18308.	3.3	43
143	Identification of a high concentration of scyllo-inositol in the brain of a healthy human subject using <sup>1</sup> H- and <sup>13</sup> C-NMR. <i>Magnetic Resonance in Medicine</i> , 1998, 39, 313-316.	3.0	42
144	Comparison of <sup>1</sup> T <sub>1</sub> relaxation times of the neurochemical profile in rat brain at 9.4 tesla and 14.1 tesla. <i>Magnetic Resonance in Medicine</i> , 2009, 62, 862-867.	3.0	42

#	ARTICLE	IF	CITATIONS
145	In vivo measurement of glycine with short echo-time 1H MRS in human brain at 7 T. <i>Magnetic Resonance Materials in Physics, Biology, and Medicine</i> , 2009, 22, 1-4.	2.0	42
146	Quantification of the neurochemical profile using simulated macromolecule resonances at 3 T. <i>NMR in Biomedicine</i> , 2013, 26, 593-599.	2.8	41
147	Brain lactate by magnetic resonance spectroscopy during fulminant hepatic failure in the dog. <i>Liver Transplantation</i> , 1998, 4, 158-165.	1.8	40
148	Principles of Operation of a DNP Prepolarizer Coupled to a Rodent MRI Scanner. <i>Applied Magnetic Resonance</i> , 2008, 34, 313-319.	1.2	40
149	Neurochemical changes in the developing rat hippocampus during prolonged hypoglycemia. <i>Journal of Neurochemistry</i> , 2010, 114, 728-738.	3.9	40
150	Longitudinal MR assessment of hypoxic ischemic injury in the immature rat brain. <i>Magnetic Resonance in Medicine</i> , 2011, 65, 305-312.	3.0	40
151	Early Predictive Biomarkers for Lesion After Transient Cerebral Ischemia. <i>Stroke</i> , 2011, 42, 799-805.	2.0	40
152	Cerebral Glutamine Metabolism under Hyperammonemia Determined <i>in vivo</i> by Localized <sup>1</sup> H and <sup>15</sup> N NMR Spectroscopy. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2012, 32, 696-708.	4.3	40
153	Proton and Phosphorus Magnetic Resonance Spectroscopy of a Mouse Model of Alzheimer's Disease. <i>Journal of Alzheimer's Disease</i> , 2012, 31, S87-S99.	2.6	40
154	Glutathione Deficit Affects the Integrity and Function of the Fimbria/Fornix and Anterior Commissure in Mice: Relevance for Schizophrenia. <i>International Journal of Neuropsychopharmacology</i> , 2016, 19, pyv110.	2.1	40
155	Impact of Caffeine Consumption on Type 2 Diabetes-Induced Spatial Memory Impairment and Neurochemical Alterations in the Hippocampus. <i>Frontiers in Neuroscience</i> , 2018, 12, 1015.	2.8	40
156	Metabolite concentration changes associated with positive and negative BOLD responses in the human visual cortex: A functional MRS study at 7 Tesla. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2020, 40, 488-500.	4.3	40
157	Perinatal Iron Deficiency Predisposes the Developing Rat Hippocampus to Greater Injury from Mild to Moderate Hypoxia-Ischemia. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2007, 27, 729-740.	4.3	39
158	Where sound position influences sound object representations: A 7-T fMRI study. <i>NeuroImage</i> , 2011, 54, 1803-1811.	4.2	38
159	High-Resolution Magnetic Resonance Imaging Quantitatively Detects Individual Pancreatic Islets. <i>Diabetes</i> , 2011, 60, 2853-2860.	0.6	38
160	<i>In vivo</i> quantification of neuroglial metabolism and glial glutamate concentration using <sup>1</sup> H- <sup>13</sup> C MRS at 14.1T. <i>Journal of Neurochemistry</i> , 2014, 128, 125-139.	3.9	38
161	Multi-Modal Assessment of Long-Term Erythropoietin Treatment after Neonatal Hypoxic-Ischemic Injury in Rat Brain. <i>PLoS ONE</i> , 2014, 9, e95643.	2.5	38
162	Whole-brain glutamate metabolism evaluated by steady-state kinetics using a double-isotope procedure: effects of gabapentin. <i>Journal of Neurochemistry</i> , 2004, 90, 1104-1116.	3.9	37

#	ARTICLE	IF	CITATIONS
163	Effect of chronic hypoglycaemia on glucose concentration and glycogen content in rat brain: a localized $^{13}\text{C}$ NMR study. <i>Journal of Neurochemistry</i> , 2006, 99, 260-268.	3.9	37
164	An <i>in vivo</i> ultrahigh field 14.1 T $^1\text{H}$ -MRS study on 6-OHDA and $\alpha$ -synuclein based rat models of Parkinson's disease: GABA as an early disease marker. <i>NMR in Biomedicine</i> , 2013, 26, 43-50.	2.8	37
165	High-fat diet consumption alters energy metabolism in the mouse hypothalamus. <i>International Journal of Obesity</i> , 2019, 43, 1295-1304.	3.4	37
166	Effect of Deep Pentobarbital Anesthesia on Neurotransmitter Metabolism In Vivo: On the Correlation of Total Glucose Consumption With Glutamatergic Action. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2002, , 1343-1351.	4.3	37
167	Detecting natural abundance carbon signal of NAA metabolite within 12-cm <sup>3</sup> localized volume of human brain using $^1\text{H}$ - $^{13}\text{C}$ NMR spectroscopy. <i>Magnetic Resonance in Medicine</i> , 1998, 40, 180-184.	3.0	36
168	Diffusion-weighted spectroscopy: A novel approach to determine macromolecule resonances in short echo time $^1\text{H}$ -MRS. <i>Magnetic Resonance in Medicine</i> , 2010, 64, 939-946.	3.0	36
169	A human cerebral and cerebellar 8-channel transceive RF dipole coil array at 7T. <i>Magnetic Resonance in Medicine</i> , 2019, 81, 1447-1458.	3.0	36
170	Quantification of <i>in vivo</i> short echo-time proton magnetic resonance spectra at 14.1 T using two different approaches of modelling the macromolecule spectrum. <i>Measurement Science and Technology</i> , 2009, 20, 104034.	2.6	35
171	Characterization of cerebral glucose dynamics <i>in vivo</i> with a four-state conformational model of transport at the blood-brain barrier. <i>Journal of Neurochemistry</i> , 2012, 121, 396-406.	3.9	35
172	A combined 32-channel receive-loops/8-channel transmit dipoles coil array for whole-brain MR imaging at 7T. <i>Magnetic Resonance in Medicine</i> , 2019, 82, 1229-1241.	3.0	35
173	Brain glucose concentrations in healthy humans subjected to recurrent hypoglycemia. <i>Journal of Neuroscience Research</i> , 2005, 82, 525-530.	2.9	34
174	Influence of physiological noise on accelerated 2D and 3D resting state functional MRI data at 7 T. <i>Magnetic Resonance in Medicine</i> , 2017, 78, 888-896.	3.0	34
175	Characterization of sustained BOLD activation in the rat barrel cortex and neurochemical consequences. <i>NeuroImage</i> , 2013, 74, 343-351.	4.2	33
176	Protective effects of maternal nutritional supplementation with lactoferrin on growth and brain metabolism. <i>Pediatric Research</i> , 2014, 75, 51-61.	2.3	33
177	Improving $T_2$ -weighted imaging at high field through the use of $T_2$ points. <i>Magnetic Resonance in Medicine</i> , 2014, 71, 1478-1488.	3.0	32
178	Nucleus accumbens neurochemistry in human anxiety: A 7 T $^1\text{H}$ -MRS study. <i>European Neuropsychopharmacology</i> , 2019, 29, 365-375.	0.7	32
179	Minimization of Nyquist ghosting for echo-planar imaging at ultrahigh fields based on a negative readout gradient strategy. <i>Journal of Magnetic Resonance Imaging</i> , 2009, 30, 1171-1178.	3.4	31
180	Neurochemical profile of the mouse hypothalamus using <i>in vivo</i> $^1\text{H}$ MRS at 14.1T. <i>NMR in Biomedicine</i> , 2010, 23, 578-583.	2.8	31

#	ARTICLE	IF	CITATIONS
181	Quantification of vitamin C in the rat brain in vivo using short echo-time <sup>1</sup> H MRS. <i>Magnetic Resonance in Medicine</i> , 2006, 55, 979-983.	3.0	30
182	Direct noninvasive estimation of myocardial tricarboxylic acid cycle flux in vivo using hyperpolarized <sup>13</sup> C magnetic resonance. <i>Journal of Molecular and Cellular Cardiology</i> , 2015, 87, 129-137.	1.9	30
183	Single acquisition electrical property mapping based on relative coil sensitivities: A proof-of-concept demonstration. <i>Magnetic Resonance in Medicine</i> , 2015, 74, 185-195.	3.0	29
184	Simultaneous and interleaved acquisition of <sup>1</sup> H NMR signals from different nuclei with a clinical MRI scanner. <i>Magnetic Resonance in Medicine</i> , 2016, 76, 1636-1641.	3.0	29
185	Alterations of Brain Energy Metabolism in Type 2 Diabetic Goto-Kakizaki Rats Measured In Vivo by <sup>13</sup> C Magnetic Resonance Spectroscopy. <i>Neurotoxicity Research</i> , 2019, 36, 268-278.	2.7	29
186	Evaluation of brain mitochondrial glutamate and $\alpha$ -ketoglutarate transport under physiologic conditions. <i>Journal of Neuroscience Research</i> , 2005, 79, 106-113.	2.9	28
187	Sequential NMR assignments of labile protons in DNA using two-dimensional nuclear Overhauser enhancement spectroscopy with three jump-and-return pulse sequences. <i>FEBS Journal</i> , 1987, 166, 215-220.	0.2	27
188	Alteration of brain glycogen turnover in the conscious rat after 5h of prolonged wakefulness. <i>Neurochemistry International</i> , 2009, 55, 45-51.	3.8	27
189	Localized in vivo hyperpolarization transfer sequences. <i>Magnetic Resonance in Medicine</i> , 2012, 68, 349-352.	3.0	27
190	Mapping and characterization of positive and negative BOLD responses to visual stimulation in multiple brain regions at 7T. <i>Human Brain Mapping</i> , 2018, 39, 2426-2441.	3.6	27
191	Cannabis use in early psychosis is associated with reduced glutamate levels in the prefrontal cortex. <i>Psychopharmacology</i> , 2018, 235, 13-22.	3.1	27
192	Steady-state brain glucose transport kinetics re-evaluated with a four-state conformational model. <i>Frontiers in Neuroenergetics</i> , 2009, 1, 6.	5.3	26
193	Investigation of high-resolution functional magnetic resonance imaging by means of surface and array radiofrequency coils at 7 T. <i>Magnetic Resonance Imaging</i> , 2009, 27, 1011-1018.	1.8	26
194	<sup>1</sup> H <sup>13</sup> C NMR spectroscopy of the rat brain during infusion of [ <sup>2</sup> - <sup>13</sup> C] acetate at 14.1 T. <i>Magnetic Resonance in Medicine</i> , 2010, 64, 334-340.	3.0	26
195	N-Acetyl-Cysteine Supplementation Improves Functional Connectivity Within the Cingulate Cortex in Early Psychosis: A Pilot Study. <i>International Journal of Neuropsychopharmacology</i> , 2019, 22, 478-487.	2.1	25
196	In vivo observation of lactate methyl proton magnetization transfer in rat C6 glioma. <i>Magnetic Resonance in Medicine</i> , 1999, 41, 676-685.	3.0	24
197	Noninvasive quantification of brain glycogen absolute concentration. <i>Journal of Neurochemistry</i> , 2008, 107, 1414-1423.	3.9	24
198	Deep thiopental anesthesia alters steady-state glucose homeostasis but not the neurochemical profile of rat cortex. <i>Journal of Neuroscience Research</i> , 2010, 88, 413-419.	2.9	24

#	ARTICLE	IF	CITATIONS
199	Definition and quantification of acute inflammatory white matter injury in the immature brain by MRI/MRS at high magnetic field. <i>Pediatric Research</i> , 2014, 75, 415-423.	2.3	24
200	Hyperpolarized <sup>13</sup> C lactate as a substrate for in vivo metabolic studies in skeletal muscle. <i>Metabolomics</i> , 2014, 10, 986-994.	3.0	24
201	The relationship between EEG and fMRI connectomes is reproducible across simultaneous EEG-fMRI studies from 1.5T to 7T. <i>NeuroImage</i> , 2021, 231, 117864.	4.2	24
202	Clinical Neuroimaging Using 7 T MRI: Challenges and Prospects. <i>Journal of Neuroimaging</i> , 2018, 28, 5-13.	2.0	24
203	Elucidation of the role of fructose 2,6-bisphosphate in the regulation of glucose fluxes in mice using in vivo <sup>13</sup> C NMR measurements of hepatic carbohydrate metabolism. <i>FEBS Journal</i> , 2002, 269, 4418-4426.	0.2	23
204	Brain NAD Is Associated With ATP Energy Production and Membrane Phospholipid Turnover in Humans. <i>Frontiers in Aging Neuroscience</i> , 2020, 12, 609517.	3.4	23
205	Distinct contributions of Brodmann areas 1 and 2 to body ownership. <i>Social Cognitive and Affective Neuroscience</i> , 2015, 10, 1449-1459.	3.0	22
206	Assessment of Metabolic Fluxes in the Mouse Brain <i>in Vivo</i> Using <sup>1</sup> H- <sup>13</sup> C] NMR Spectroscopy at 14.1 Tesla. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2015, 35, 759-765.	4.3	22
207	Evolution of the neurochemical profiles in the G93A-SOD1 mouse model of amyotrophic lateral sclerosis. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2019, 39, 1283-1298.	4.3	22
208	BOLD responses to trigeminal nerve stimulation. <i>Magnetic Resonance Imaging</i> , 2010, 28, 1143-1151.	1.8	21
209	Effect of Manganese Chloride on the Neurochemical Profile of the Rat Hypothalamus. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2011, 31, 2324-2333.	4.3	21
210	High-resolution spatial mapping of changes in the neurochemical profile after focal ischemia in mice. <i>NMR in Biomedicine</i> , 2012, 25, 247-254.	2.8	21
211	Brain energy metabolism measured by <sup>13</sup> C magnetic resonance spectroscopy in vivo upon infusion of [ <sup>13</sup> C]lactate. <i>Journal of Neuroscience Research</i> , 2015, 93, 1009-1018.	2.9	21
212	Synchronization device for electrocardiography-gated echo-planar imaging. <i>Radiology</i> , 1995, 197, 311-313.	7.3	20
213	The rate-limiting step for glucose transport into the hypothalamus is across the blood-hypothalamus interface. <i>Journal of Neurochemistry</i> , 2009, 109, 38-45.	3.9	20
214	Non-Invasive Diagnostic Biomarkers for Estimating the Onset Time of Permanent Cerebral Ischemia. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2014, 34, 1848-1855.	4.3	20
215	Effect of acute hyperglycemia on visual cortical activation as measured by functional MRI. <i>Journal of Neuroscience Research</i> , 2000, 62, 279-285.	2.9	19
216	Mathematical modeling of <sup>13</sup> C label incorporation of the TCA cycle: The concept of composite precursor function. <i>Journal of Neuroscience Research</i> , 2007, 85, 3304-3317.	2.9	19

#	ARTICLE	IF	CITATIONS
217	Quantification of brain glycogen concentration and turnover through localized <sup>13</sup> C NMR of both the C1 and C6 resonances. <i>NMR in Biomedicine</i> , 2010, 23, 270-276.	2.8	19
218	Glycogen Supercompensation in the Rat Brain After Acute Hypoglycemia is Independent of Glucose Levels During Recovery. <i>Neurochemical Research</i> , 2017, 42, 1629-1635.	3.3	19
219	Investigating the variability of cardiac pulse artifacts across heartbeats in simultaneous EEG-fMRI recordings: A 7T study. <i>NeuroImage</i> , 2019, 191, 21-35.	4.2	19
220	Direct <i>in vivo</i> measurement of glycine and the neurochemical profile in the rat medulla oblongata. <i>NMR in Biomedicine</i> , 2010, 23, 1097-1102.	2.8	18
221	Diffusion tensor echo planar imaging using surface coil transceiver with a semiadiabatic RF pulse sequence at 14.1T. <i>Magnetic Resonance in Medicine</i> , 2011, 65, 732-737.	3.0	18
222	Investigation of field and diffusion time dependence of the diffusion-weighted signal at ultrahigh magnetic fields. <i>NMR in Biomedicine</i> , 2013, 26, 1251-1257.	2.8	18
223	A double-quadrature radiofrequency coil design for proton-decoupled carbon-13 magnetic resonance spectroscopy in humans at 7T. <i>Magnetic Resonance in Medicine</i> , 2015, 73, 894-900.	3.0	18
224	Probing cardiac metabolism by hyperpolarized <sup>13</sup> C MR using an exclusively endogenous substrate mixture and photo-induced nonpersistent radicals. <i>Magnetic Resonance in Medicine</i> , 2018, 79, 2451-2459.	3.0	18
225	Combined deletion of Glut1 and Glut3 impairs lung adenocarcinoma growth. <i>ELife</i> , 2020, 9, .	6.0	18
226	Direct validation of <i>in vivo</i> localized <sup>13</sup> C MRS measurements of brain glycogen. <i>Magnetic Resonance in Medicine</i> , 2007, 57, 243-248.	3.0	17
227	<i>in vivo</i> metabolic profiling of glioma-initiating cells using proton magnetic resonance spectroscopy at 14.1 Tesla. <i>NMR in Biomedicine</i> , 2012, 25, 506-513.	2.8	17
228	<i>in vivo</i> brain macromolecule signals in healthy and glioblastoma mouse models: <sup>1</sup> H magnetic resonance spectroscopy, post-processing and metabolite quantification at 14.1 T. <i>Journal of Neurochemistry</i> , 2014, 129, 806-815.	3.9	17
229	<i>In vivo</i> <sup>1</sup> H NMR measurement of glycine in rat brain at 9.4 T at short echo time. <i>Magnetic Resonance in Medicine</i> , 2008, 60, 727-731.	3.0	16
230	Feasibility of direct mapping of cerebral fluorodeoxyglucose metabolism <i>in situ</i> at subcellular resolution using soft X-ray fluorescence. <i>Journal of Neuroscience Research</i> , 2013, 91, 1050-1058.	2.9	16
231	<i>in vivo</i> characterization of brain metabolism by <sup>1</sup> H MRS, <sup>13</sup> C MRS and <sup>18</sup> F FDG PET reveals significant glucose oxidation of invasively growing glioma cells. <i>International Journal of Cancer</i> , 2018, 143, 127-138.	5.1	16
232	<i>In vivo</i> <sup>13</sup> C MRS in the mouse brain at 14.1 Tesla and metabolic flux quantification under infusion of [1,6- <sup>13</sup> C <sub>2</sub> ]glucose. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2018, 38, 1701-1714.	4.3	16
233	Glutamine-to-glutamate ratio in the nucleus accumbens predicts effort-based motivated performance in humans. <i>Neuropsychopharmacology</i> , 2020, 45, 2048-2057.	5.4	16
234	A method for rapid evaluation of saturation factors <i>in vivo</i> surface coil NMR spectroscopy using B1-insensitive pulse cycles. <i>NMR in Biomedicine</i> , 1990, 3, 265-271.	2.8	15

#	ARTICLE	IF	CITATIONS
235	Determination of saturation factors in $^{31}\text{P}$ NMR spectra of the developing human brain. <i>Magnetic Resonance in Medicine</i> , 1993, 29, 7-11.	3.0	15
236	Relaxivity of Gd-based contrast agents on X nuclei with long intrinsic relaxation times in aqueous solutions. <i>Magnetic Resonance Imaging</i> , 2007, 25, 821-825.	1.8	15
237	Detection of neuronal activity and metabolism in a model of dehydration-induced anorexia in rats at 14.1%T using manganese-enhanced MRI and $^1\text{H}$ MRS. <i>NMR in Biomedicine</i> , 2011, 24, 1326-1336.	2.8	15
238	In vivo Structural Imaging of the Cerebellum, the Contribution of Ultra-High Fields. <i>Cerebellum</i> , 2012, 11, 384-391.	2.5	15
239	Imaging of prolonged BOLD response in the somatosensory cortex of the rat. <i>NMR in Biomedicine</i> , 2015, 28, 414-421.	2.8	15
240	Hyperpolarized $^6\text{Li}$ as a probe for hemoglobin oxygenation level. <i>Contrast Media and Molecular Imaging</i> , 2016, 11, 41-46.	0.8	15
241	Social isolation stress and chronic glutathione deficiency have a common effect on the glutamine-glutamate ratio and myo-inositol concentration in the mouse frontal cortex. <i>Journal of Neurochemistry</i> , 2017, 142, 767-775.	3.9	15
242	Increased hepatic fatty acid polyunsaturation precedes ectopic lipid deposition in the liver in adaptation to high-fat diets in mice. <i>Magnetic Resonance Materials in Physics, Biology, and Medicine</i> , 2018, 31, 341-354.	2.0	15
243	Non-Invasive Measurements of the Cerebral Steady-State Glucose Concentration and Transport in Humans by $^{13}\text{C}$ Nuclear Magnetic Resonance. <i>Advances in Experimental Medicine and Biology</i> , 1993, 331, 35-40.	1.6	15
244	Uncovering hidden in vivo resonances using editing based on localized TOCSY. <i>Magnetic Resonance in Medicine</i> , 2005, 53, 783-789.	3.0	14
245	Experimental peripheral arterial disease: new insights into muscle glucose uptake, macrophage, and T-cell polarization during early and late stages. <i>Physiological Reports</i> , 2014, 2, e00234.	1.7	14
246	Stroking or Buzzing? A Comparison of Somatosensory Touch Stimuli Using 7 Tesla fMRI. <i>PLoS ONE</i> , 2015, 10, e0134610.	2.5	14
247	Physiological noise in human cerebellar fMRI. <i>Magnetic Resonance Materials in Physics, Biology, and Medicine</i> , 2015, 28, 485-492.	2.0	14
248	Energy metabolism in the rat cortex under thiopental anaesthesia measured <i>In Vivo</i> by $^{13}\text{C}$ MRS. <i>Journal of Neuroscience Research</i> , 2017, 95, 2297-2306.	2.9	14
249	Comparison of three commercially available radio frequency coils for human brain imaging at 3 Tesla. <i>Magnetic Resonance Materials in Physics, Biology, and Medicine</i> , 2008, 21, 53-61.	2.0	13
250	Refined Analysis of Brain Energy Metabolism Using In Vivo Dynamic Enrichment of $^{13}\text{C}$ Multiplets. <i>ASN Neuro</i> , 2016, 8, 175909141663234.	2.7	13
251	Progress towards in vivo brain $^{13}\text{C}$ -MRS in mice: Metabolic flux analysis in small tissue volumes. <i>Analytical Biochemistry</i> , 2017, 529, 229-244.	2.4	13
252	Hyperpolarized $^{13}\text{C}$ -glucose magnetic resonance highlights reduced aerobic glycolysis in vivo in infiltrative glioblastoma. <i>Scientific Reports</i> , 2021, 11, 5771.	3.3	13

#	ARTICLE	IF	CITATIONS
253	Increase of [18F]FLT Tumor Uptake In Vivo Mediated by FdUrd: Toward Improving Cell Proliferation Positron Emission Tomography. <i>Molecular Imaging and Biology</i> , 2011, 13, 321-331.	2.6	12
254	Which prior knowledge? Quantification of in vivo brain <sup>13</sup> C MR spectra following <sup>13</sup> C glucose infusion using AMARES. <i>Magnetic Resonance in Medicine</i> , 2013, 69, 1512-1522.	3.0	12
255	Characterization of hepatic fatty acids in mice with reduced liver fat by ultra-short echo time <sup>1</sup> H-MRS at 14.1 T <i>in vivo</i> . <i>NMR in Biomedicine</i> , 2015, 28, 1009-1020.	2.8	12
256	3D T2-weighted imaging at 7T using dynamic kT-points on single-transmit MRI systems. <i>Magnetic Resonance Materials in Physics, Biology, and Medicine</i> , 2016, 29, 347-358.	2.0	12
257	PIRACY: An Optimized Pipeline for Functional Connectivity Analysis in the Rat Brain. <i>Frontiers in Neuroscience</i> , 2021, 15, 602170.	2.8	12
258	A simple design for a double-tunable probe head for imaging and spectroscopy at high fields. <i>Magnetic Resonance in Medicine</i> , 1990, 15, 128-134.	3.0	11
259	A localization method for the measurement of fast relaxing <sup>13</sup> C NMR signals in humans at high magnetic fields. <i>Applied Magnetic Resonance</i> , 2005, 29, 159-169.	1.2	11
260	Editing through multiple bonds: Threonine detection. <i>Magnetic Resonance in Medicine</i> , 2008, 59, 245-251.	3.0	11
261	Eddy current effects on a clinical 7T-68cm bore scanner. <i>Magnetic Resonance Materials in Physics, Biology, and Medicine</i> , 2010, 23, 39-43.	2.0	11
262	Single spin-echo T2 relaxation times of cerebral metabolites at 14.1 T in the in vivo rat brain. <i>Magnetic Resonance Materials in Physics, Biology, and Medicine</i> , 2013, 26, 549-554.	2.0	11
263	Brain Glucose Transport and Phosphorylation Under Acute Insulin-Induced Hypoglycemia in Mice: An <sup>18</sup> F-FDG PET Study. <i>Journal of Nuclear Medicine</i> , 2013, 54, 2153-2160.	5.0	11
264	Parallel imaging with phase scrambling. <i>Magnetic Resonance in Medicine</i> , 2015, 73, 1407-1419.	3.0	11
265	Fast low-specific absorption rate B <sub>0</sub> -mapping along projections at high field using two-dimensional radiofrequency pulses. <i>Magnetic Resonance in Medicine</i> , 2015, 73, 901-908.	3.0	11
266	Sexual dimorphism in hepatic lipids is associated with the evolution of metabolic status in mice. <i>NMR in Biomedicine</i> , 2017, 30, e3761.	2.8	11
267	Prospective head motion correction using FID-guided on-demand image navigators. <i>Magnetic Resonance in Medicine</i> , 2017, 78, 193-203.	3.0	11
268	Feasibility of in vivo measurement of glucose metabolism in the mouse hypothalamus by <sup>1</sup> H-[ <sup>13</sup> C] MRS at 14.1T. <i>Magnetic Resonance in Medicine</i> , 2018, 80, 874-884.	3.0	11
269	Non-invasive <sup>31</sup> P magnetic resonance spectroscopy revealed McArdle disease in an asymptomatic child. <i>European Journal of Pediatrics</i> , 1990, 149, 483-486.	2.7	10
270	A Two-Compartment Mathematical Model of Neuroglial Metabolism Using [1- <sup>11</sup> C] Acetate. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2012, 32, 548-559.	4.3	10



#	ARTICLE	IF	CITATIONS
271	A comparison of in vivo <sup>13</sup> C MR brain glycogen quantification at 9.4 and 14.1 T. <i>Magnetic Resonance in Medicine</i> , 2012, 67, 1523-1527.	3.0	9
272	Improved temporal resolution for functional studies with reduced number of segments with three-dimensional echo planar imaging. <i>Magnetic Resonance in Medicine</i> , 2014, 72, 786-792.	3.0	9
273	<sup>13</sup> C MRS glucose mapping and PET joining forces: reevaluation of the lumped constant in the rat brain under isoflurane anaesthesia. <i>Journal of Neurochemistry</i> , 2014, 129, 672-682.	3.9	9
274	Early detection of human glioma sphere xenografts in mouse brain using diffusion MRI at 14.1 T. <i>NMR in Biomedicine</i> , 2016, 29, 1577-1589.	2.8	9
275	Multi-slice passband bSSFP for human and rodent fMRI at ultra-high field. <i>Journal of Magnetic Resonance</i> , 2019, 305, 31-40.	2.1	9
276	Magnetic resonance spectroscopy in the rodent brain: Experts' consensus recommendations. <i>NMR in Biomedicine</i> , 2021, 34, e4325.	2.8	9
277	Principles of the measurement of neuro-glial metabolism using in vivo <sup>13</sup> C NMR spectroscopy. <i>Advances in Molecular and Cell Biology</i> , 2003, , 409-433.	0.1	8
278	Technical and experimental features of Magnetic Resonance Spectroscopy of brain glycogen metabolism. <i>Analytical Biochemistry</i> , 2017, 529, 117-126.	2.4	8
279	In Vivo Heteronuclear Magnetic Resonance Spectroscopy. <i>Methods in Molecular Biology</i> , 2018, 1718, 169-187.	0.9	8
280	High Magnetic Fields for Imaging Cerebral Morphology, Function, and Biochemistry. <i>Biological Magnetic Resonance</i> , 2006, , 285-342.	0.4	8
281	Chronic Delivery of Antibody Fragments Using Immunoisolated Cell Implants as a Passive Vaccination Tool. <i>PLoS ONE</i> , 2011, 6, e18268.	2.5	7
282	3-D Residual Eddy Current Field Characterisation: Applied to Diffusion Weighted Magnetic Resonance Imaging. <i>IEEE Transactions on Medical Imaging</i> , 2013, 32, 1515-1525.	8.9	7
283	<sup>13</sup> C Dynamic Nuclear Polarization using SA-BDPA at 6.7 T and 1.1 K: Coexistence of Pure Thermal Mixing and Well-Resolved Solid Effect. <i>Journal of Physical Chemistry Letters</i> , 2020, 11, 6873-6879.	4.6	7
284	Measuring Glycolytic Activity with Hyperpolarized [2H7, U-13C6] D-Glucose in the Naive Mouse Brain under Different Anesthetic Conditions. <i>Metabolites</i> , 2021, 11, 413.	2.9	7
285	In Vivo Longitudinal <sup>1</sup> H MRS Study of Transgenic Mouse Models of Prion Disease in the Hippocampus and Cerebellum at 14.1 T. <i>Neurochemical Research</i> , 2015, 40, 2639-2646.	3.3	6
286	Impact of aerobic exercise type on blood flow, muscle energy metabolism, and mitochondrial biogenesis in experimental lower extremity artery disease. <i>Scientific Reports</i> , 2020, 10, 14048.	3.3	6
287	Snapshot gradient-recalled echo-planar images of rat brains at long echo time at 9.4 T. <i>Magnetic Resonance Imaging</i> , 2008, 26, 954-960.	1.8	5
288	Ultra-high field birdcage coils: A comparison study at 14.1 T. , 2014, 2014, 2360-3.		5

#	ARTICLE	IF	CITATIONS
289	Localized Single-Voxel Magnetic Resonance Spectroscopy, Water Suppression, and Novel Approaches for Ultrashort Echo-Time Measurements. , 2014, , 15-30.		5
290	Correcting surface coil excitation inhomogeneities in single-shot SPEN MRI. Journal of Magnetic Resonance, 2015, 259, 199-206.	2.1	5
291	Diffusion-weighted MRS of acetate in the rat brain. NMR in Biomedicine, 2017, 30, e3768.	2.8	5
292	Glucose transporter 2 mediates the hypoglycemia-induced increase in cerebral blood flow. Journal of Cerebral Blood Flow and Metabolism, 2019, 39, 1725-1736.	4.3	5
293	Dipole-Fed Rectangular Dielectric Resonator Antennas for Magnetic Resonance Imaging at 7T: The Impact of Quasi-Transverse Electric Modes on Transmit Field Distribution. Frontiers in Physics, 2021, 9, .	2.1	5
294	Selective resonance suppression <sup>1</sup> H- <sup>13</sup> C NMR spectroscopy with asymmetric adiabatic RF pulses. Magnetic Resonance in Medicine, 2009, 61, 260-266.	3.0	4
295	Echo-time independent signal modulations for strongly coupled systems in triple echo localization schemes: An extension of S-PRESS editing. Journal of Magnetic Resonance, 2010, 203, 108-112.	2.1	4
296	Continuous arterial spin labeling of mouse cerebral blood flow using an actively-detuned two-coil system at 9.4T. , 2011, 2011, 6993-6.		4
297	Excitatory/inhibitory neuronal metabolic balance in mouse hippocampus upon infusion of [U- <sup>13</sup> C <sub>6</sub> ]glucose. Journal of Cerebral Blood Flow and Metabolism, 2021, 41, 282-297.	4.3	4
298	Cerebral Glucose Transport and Homeostasis. Advances in Neurobiology, 2012, , 655-673.	1.8	4
299	Late postnatal neurometabolic development in healthy male rats using 1 H and 31 P magnetic resonance spectroscopy. Journal of Neurochemistry, 2021, 157, 508-519.	3.9	4
300	Elucidation of the role of fructose 2,6-bisphosphate in the regulation of glucose fluxes in mice using in vivo (13)C NMR measurements of hepatic carbohydrate metabolism. FEBS Journal, 2002, 269, 4418-26.	0.2	4
301	Comparison of two approaches to model the macromolecule spectrum for the quantification of short TE <sup>1</sup> H MRS spectra. , 2008, , .		3
302	Direct mapping of <sup>19</sup> F in <sup>19</sup> F-DG-6P in brain tissue at subcellular resolution using soft X-ray fluorescence. Journal of Physics: Conference Series, 2013, 463, 012003.	0.4	3
303	Phase-based manganese enhanced MRI, a new methodology to enhance brain cytoarchitectural contrast and study manganese uptake. Magnetic Resonance in Medicine, 2014, 72, 1246-1256.	3.0	3
304	Evaluation of the whole auditory pathway using high-resolution and functional MRI at 7T parallel-transmit. PLoS ONE, 2021, 16, e0254378.	2.5	3
305	[13C]bicarbonate labelled from hyperpolarized [1-13C]pyruvate is an in vivo marker of hepatic gluconeogenesis in fasted state. Communications Biology, 2022, 5, 10.	4.4	3
306	Optimized MEGA-SPECIAL for in vivo glutamine detection in the rat brain at 14.1T. NMR in Biomedicine, 2014, 27, 1151-1158.	2.8	2

#	ARTICLE	IF	CITATIONS
307	Quantitative activity-induced manganese-dependent MRI for characterizing cortical layers in the primary somatosensory cortex of the rat. <i>Brain Structure and Function</i> , 2016, 221, 695-707.	2.3	2
308	Metabolic and perfusion responses to acute hypoglycemia in the rat cortex: A noninvasive magnetic resonance approach. <i>Journal of Neurochemistry</i> , 2020, 154, 71-83.	3.9	2
309	Radical-free hyperpolarized MRI using endogenously occurring pyruvate analogues and UV-induced nonpersistent radicals. <i>NMR in Biomedicine</i> , 2021, 34, e4584.	2.8	2
310	Field mapping without reference scan using asymmetric echo-planar techniques. <i>Magnetic Resonance in Medicine</i> , 2000, 43, 319.	3.0	2
311	Segmenting electroencephalography wires reduces radiofrequency shielding artifacts in simultaneous electroencephalography and functional magnetic resonance imaging at 7 T. <i>Magnetic Resonance in Medicine</i> , 2022, , .	3.0	2
312	In vivo <sup>1</sup> H NMR spectroscopy and neurochemistry. Quantification matters. <i>Magnetic Resonance in Medicine</i> , 2005, 54, 1048-1049.	3.0	1
313	Simultaneous and interleaved acquisition of NMR signals from different nuclei with a clinical MRI scanner. <i>Magnetic Resonance in Medicine</i> , 2016, 76, spcone-spcone.	3.0	1
314	T52. N-ACETYL-CYSTEINE ADD-ON TREATMENT LEADS TO AN IMPROVEMENT OF FORNIX WHITE MATTER INTEGRITY IN EARLY PSYCHOSIS. <i>Schizophrenia Bulletin</i> , 2018, 44, S133-S134.	4.3	1
315	Improved off-resonance phase behavior using a phase-inverted adiabatic half-passage pulse for <sup>13</sup> C MRS in humans at 7 T. <i>NMR in Biomedicine</i> , 2019, 32, e4171.	2.8	1
316	In-Vivo NMR Spectroscopy of the Brain at High Fields. , 2006, , 373-409.		1
317	Retrospective correction of involuntary microscopic head movement using highly accelerated fat image navigators (3D FatNavs) at 7T. <i>Magnetic Resonance in Medicine</i> , 2016, 75, spcone.	3.0	0
318	F44. AN ADD-ON TRIAL WITH N-ACETYL-CYSTEINE (NAC) IN EARLY PSYCHOSIS PATIENTS: TOWARDS BIOMARKER GUIDED TREATMENT. <i>Schizophrenia Bulletin</i> , 2018, 44, S236-S236.	4.3	0
319	Measurements of Glycogen Metabolism in the Living Brain. <i>Advances in Neurobiology</i> , 2012, , 699-706.	1.8	0