

Rezzan Deniz Acar

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8076729/publications.pdf>

Version: 2024-02-01

37
papers

213
citations

1307594

7
h-index

1125743

13
g-index

38
all docs

38
docs citations

38
times ranked

317
citing authors

#	ARTICLE	IF	CITATIONS
1	Prognostic Importance of Pulmonary Artery Pulsatility Index and Right Ventricular Stroke Work Index in End-Stage Heart Failure Patients. <i>Cardiology</i> , 2022, 147, 143-153.	1.4	4
2	Comparison of automated quantification and semiquantitative visual analysis findings of IQ SPECT MPI with conventional coronary angiography in patients with stable angina. , 2022, 47, 357-364.		1
3	The TAPSE/PASP ratio and MELD score in patients with advanced heart failure. <i>Herz</i> , 2021, 46, 75-81.	1.1	5
4	The association of left ventricular end-diastolic pressure with global longitudinal strain and scintigraphic infarct size in ST-elevation myocardial infarction patients undergoing primary percutaneous coronary intervention. <i>International Journal of Cardiovascular Imaging</i> , 2021, 37, 359-366.	1.5	0
5	Prognostic value of main pulmonary artery diameter to ascending aorta diameter ratio in patients with advanced heart failure. <i>Acta Cardiologica</i> , 2021, 76, 1108-1116.	0.9	4
6	Extracorporeal cardiopulmonary resuscitation in-hospital cardiac arrest due to acute coronary syndrome. <i>Turkish Journal of Thoracic and Cardiovascular Surgery</i> , 2021, 29, 311-319.	0.4	3
7	COVID-19: the new cause of dyspnoea as a result of reduced lung and peripheral muscle performance. <i>Journal of Breath Research</i> , 2021, 15, 047103.	3.0	10
8	Ischaemic versus non-ischaemic: how does heart failure aetiology affect pulmonary arterial capacitance and pulmonary artery pulsatility index in end-stage heart failure?. <i>Acta Cardiologica</i> , 2021, , 1-7.	0.9	0
9	Impact of the updated hemodynamic definitions on diagnosis rates of pulmonary hypertension. <i>Pulmonary Circulation</i> , 2020, 10, 1-8.	1.7	4
10	SYNCOPE RELATES TO A HIGHER BASELINE RISK STATUS, PULMONARY ARTERY OBSTRUCTIVE BURDEN AND MORTALITY IN ACUTE PULMONARY EMBOLISM. <i>Journal of the American College of Cardiology</i> , 2020, 75, 2106.	2.8	0
11	Current Clinician Perspective on Non-vitamin K antagonist Oral Anticoagulant Use in Challenging Clinical Cases. <i>Turk Kardiyoloji Dernegi Arsivi</i> , 2020, 48, 289-303.	0.5	1
12	Effects of atrial electromechanical delay and ventriculoatrial conduction over the atrial functions in patients with frequent extrasystole and preserved ejection fraction. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2019, 42, 321-326.	1.2	4
13	ULTRASOUND-FACILITATED THROMBOLYSIS AND RHEOLYTIC THROMBECTOMY IN PATIENTS WITH PULMONARY EMBOLISM AT HIGH RISK OR INTERMEDIATE-HIGH RISK: A SINGLE-CENTER EXPERIENCE. <i>Journal of the American College of Cardiology</i> , 2019, 73, 1945.	2.8	1
14	Comparison of 30-Day MACE between Immediate versus Staged Complete Revascularization in Acute Myocardial Infarction with Multivessel Disease, and the Effect of Coronary Lesion Complexity. <i>Medicina (Lithuania)</i> , 2019, 55, 51.	2.0	3
15	The role of the clinical pharmacist in patient education and monitoring of patients under warfarin treatment. <i>Sanat Tasarim Dergisi</i> , 2019, 23, 1157-1163.	0.4	0
16	Reappraisal of the reliability of Doppler echocardiographic estimations for mean pulmonary artery pressure in patients with pulmonary hypertension: a study from a tertiary centre comparing four formulae. <i>Pulmonary Circulation</i> , 2018, 8, 1-9.	1.7	4
17	Extrinsic compression of left main coronary artery by aneurysmal pulmonary artery in severe pulmonary hypertension: its correlates, clinical impact, and management strategies. <i>European Heart Journal Cardiovascular Imaging</i> , 2018, 19, 1302-1308.	1.2	18
18	TCT-327 Single-center experience on percutaneous rheolytic thrombectomy in patients with pulmonary embolism at high risk or intermediate-high risk. <i>Journal of the American College of Cardiology</i> , 2018, 72, B134.	2.8	0

#	ARTICLE	IF	CITATIONS
19	A five-year, single-centre experience on ultrasound-assisted, catheter-directed thrombolysis in patients with pulmonary embolism at high risk and intermediate to high risk. <i>EuroIntervention</i> , 2018, 14, 1136-1143.	3.2	23
20	Approach to cardiovascular disease in women in the form of questions. <i>Turk Kardiyoloji Dernegi Arsivi</i> , 2018, , .	0.5	1
21	Prediction of infarct size using two-dimensional speckle tracking echocardiography in acute myocardial infarction. <i>Echocardiography</i> , 2017, 34, 376-382.	0.9	4
22	Systemic lupus erythematosus disease activity index is related with increased aortic stiffness and decreased left ventricular longitudinal strain as shown by two-dimensional speckle tracking echocardiography. <i>Turkish Journal of Thoracic and Cardiovascular Surgery</i> , 2016, 24, 20-26.	0.4	1
23	P-wave and QT dispersion in patients with conversion disorder. <i>Therapeutics and Clinical Risk Management</i> , 2015, 11, 475.	2.0	10
24	Evaluation of torsion and twist mechanics of the left ventricle in patients with systemic lupus erythematosus. <i>Anatolian Journal of Cardiology</i> , 2015, 16, 434-9.	0.9	6
25	Evaluation of the Effect of Cardiac Rehabilitation on Left Atrial and Left Ventricular Function and Its Relationship with Changes in Arterial Stiffness in Patients with Acute Myocardial Infarction. <i>Echocardiography</i> , 2015, 32, 443-447.	0.9	17
26	Cardiac Rehabilitation Improves the QRS Fragmentation in Patients With ST Elevat±on Myocardial Infarction. <i>Journal of Cardiovascular and Thoracic Research</i> , 2015, 7, 96-100.	0.9	5
27	Evaluation of the P Wave Axis in Patients With Systemic Lupus Erythematosus. <i>Journal of Cardiovascular and Thoracic Research</i> , 2015, 7, 154-157.	0.9	2
28	SYNTAX score predicts postoperative atrial fibrillation in patients undergoing on-pump isolated coronary artery bypass grafting surgery. <i>Anatolian Journal of Cardiology</i> , 2015, 16, 655-61.	0.9	19
29	Assessment of the Left Ventricular Systolic Function of Patients with Acute Myocardial Infarction after Cardiac Rehabilitation by Using Two Dimensional Echocardiography. <i>FTR - Turkiye Fiziksel Tip Ve Rehabilitasyon Dergisi</i> , 2015, 61, 211-215.	0.1	1
30	Mean platelet volume levels in patients with cardiac myxoma. <i>Platelets</i> , 2014, 25, 587-591.	2.3	2
31	Does cardiac rehabilitation improve left ventricular diastolic function of patients with acute myocardial infarction?. <i>Turk Kardiyoloji Dernegi Arsivi</i> , 2014, 42, 710-716.	0.5	4
32	Thrombus Formation on the Tricuspid Valve After De Vegaâ€™s Annuloplasty and Repair of Endocardial Cushion Defect. <i>Journal of Cardiovascular and Thoracic Research</i> , 2014, 6, 203-204.	0.9	2
33	The Comparison in Reduction of <sc>QT</sc> Dispersion After Primary Percutaneous Coronary Intervention According to Existence of Thrombectomy in <sc>ST</sc>â€™segment Elevation Myocardial Infarction. <i>Clinical Cardiology</i> , 2013, 36, 276-279.	1.8	5
34	Effectiveness of low-dose prolonged infusion of tissue plasminogen activator in a nonagenarian patient with acute pulmonary embolism and main pulmonary artery thrombus. <i>Blood Coagulation and Fibrinolysis</i> , 2013, 24, 95-96.	1.0	7
35	Comparison of short-term outcomes after carotid artery stenting according to different stent designs. <i>Postepy W Kardiologii Interwencyjnej</i> , 2013, 2, 121-125.	0.2	5
36	The Role of Exercise on Platelet Aggregation in Patients with Stable Coronary Artery Disease: Exercise Induces Aspirin Resistant Platelet Activation. <i>Journal of Thrombosis and Thrombolysis</i> , 2005, 20, 17-22.	2.1	37

#	ARTICLE	IF	CITATIONS
37	Differences in Clinical Features, Hemodynamic Findings and Clinical Outcomes of Ischemic and Non-ischemic Cardiomyopathy in End-Stage Heart Failure. <i>KoÅŸuyolu Heart Journal</i> , 0, , .	0.1	0