Kenji Ikemura

List of Publications by Citations

Source: https://exaly.com/author-pdf/8076958/kenji-ikemura-publications-by-citations.pdf

Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

35	540	12	22
papers	citations	h-index	g-index
37 ext. papers	663	3.5	3.41
	ext. citations	avg, IF	L-index

#	Paper	IF	Citations
35	Antihypertensive effect of angiotensin I-converting enzyme inhibitory peptides from a sesame protein hydrolysate in spontaneously hypertensive rats. <i>Bioscience, Biotechnology and Biochemistry</i> , 2006 , 70, 1118-26	2.1	99
34	Sesamin metabolites induce an endothelial nitric oxide-dependent vasorelaxation through their antioxidative property-independent mechanisms: possible involvement of the metabolites in the antihypertensive effect of sesamin. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2006 ,	4.7	72
33	318, 328-35 MicroRNA-145 post-transcriptionally regulates the expression and function of P-glycoprotein in intestinal epithelial cells. <i>Molecular Pharmacology</i> , 2013 , 83, 399-405	4.3	64
32	MicroRNAs as regulators of drug transporters, drug-metabolizing enzymes, and tight junctions: implication for intestinal barrier function. <i>Pharmacology & Therapeutics</i> , 2014 , 143, 217-24	13.9	38
31	Drug Repositioning of Proton Pump Inhibitors for Enhanced Efficacy and Safety of Cancer Chemotherapy. <i>Frontiers in Pharmacology</i> , 2017 , 8, 911	5.6	36
30	Decreased oral absorption of cyclosporine A after liver ischemia-reperfusion injury in rats: the contribution of CYP3A and P-glycoprotein to the first-pass metabolism in intestinal epithelial cells. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2009 , 328, 249-55	4.7	29
29	Romidepsin (FK228), a potent histone deacetylase inhibitor, induces apoptosis through the generation of hydrogen peroxide. <i>Cancer Science</i> , 2010 , 101, 2214-9	6.9	26
28	Co-administration of proton pump inhibitors ameliorates nephrotoxicity in patients receiving chemotherapy with cisplatin and fluorouracil: a retrospective cohort study. <i>Cancer Chemotherapy and Pharmacology</i> , 2017 , 79, 943-949	3.5	23
27	Altered functions and expressions of drug transporters in liver, kidney and intestine in disorders of local and remote organs: possible role of oxidative stress in the pathogenesis. <i>Expert Opinion on Drug Metabolism and Toxicology</i> , 2009 , 5, 907-20	5.5	21
26	Tadalafil Improves L-NG-Nitroarginine Methyl Ester-Induced Preeclampsia With Fetal Growth Restriction-Like Symptoms in Pregnant Mice. <i>American Journal of Hypertension</i> , 2017 , 31, 89-96	2.3	19
25	Lansoprazole Exacerbates Pemetrexed-Mediated Hematologic Toxicity by Competitive Inhibition of Renal Basolateral Human Organic Anion Transporter 3. <i>Drug Metabolism and Disposition</i> , 2016 , 44, 154:	3- 9	18
24	Pirarubicin, an Anthracycline Anticancer Agent, Induces Apoptosis Through Generation of Hydrogen Peroxide. <i>Anticancer Research</i> , 2017 , 37, 6063-6069	2.3	14
23	Altered pharmacokinetics of cimetidine caused by down-regulation of renal rat organic cation transporter 2 (rOCT2) after liver ischemia-reperfusion injury. <i>Drug Metabolism and Pharmacokinetics</i> , 2013, 28, 504-9	2.2	8
22	Concomitant febuxostat enhances methotrexate-induced hepatotoxicity by inhibiting breast cancer resistance protein. <i>Scientific Reports</i> , 2019 , 9, 20359	4.9	8
21	Tadalafil treatment in mice for preeclampsia with fetal growth restriction has neuro-benefic effects in offspring through modulating prenatal hypoxic conditions. <i>Scientific Reports</i> , 2019 , 9, 234	4.9	7
20	Risk factors for the development of hypermagnesemia in patients prescribed magnesium oxide: a retrospective cohort study. <i>Journal of Pharmaceutical Health Care and Sciences</i> , 2019 , 5, 4	1.8	7
19	Short communication: lack of correlation between UGT1A1*6, *28 genotypes, and plasma raltegravir concentrations in Japanese HIV type 1-infected patients. <i>AIDS Research and Human Retroviruses</i> , 2012 , 28, 776-9	1.6	7

(2020-2017)

18	Impact of the number of repeated inhalations and patient characteristics on the residual amount of inhaled laninamivir octanoate hydrate dry powder in pediatric patients with influenza. <i>Journal of Pharmaceutical Health Care and Sciences</i> , 2017 , 3, 26	1.8	6	
17	Oxidative DNA Damage and Apoptosis Induced by Aclarubicin, an Anthracycline: Role of Hydrogen Peroxide and Copper. <i>Anticancer Research</i> , 2019 , 39, 3443-3451	2.3	5	
16	Idarubicin, an Anthracycline, Induces Oxidative DNA Damage in the Presence of Copper (II). <i>Anticancer Research</i> , 2020 , 40, 5399-5404	2.3	5	
15	Concomitant lansoprazole ameliorates cisplatin-induced nephrotoxicity by inhibiting renal organic cation transporter 2 in rats. <i>Biopharmaceutics and Drug Disposition</i> , 2020 , 41, 239-247	1.7	4	
14	Stereoselective Inhibition of Renal Basolateral Human Organic Anion Transporter 3 by Lansoprazole Enantiomers. <i>Pharmacology</i> , 2018 , 101, 176-183	2.3	3	
13	Two cases of life-threatening arrhythmia induced by risperidone: evaluation of risperidone and 9-hydroxy-risperidone concentrations. <i>Acute Medicine & Surgery</i> , 2017 , 4, 341-343	1.7	3	
12	An antioxidant Trolox restores decreased oral absorption of cyclosporine A after liver ischemia-reperfusion through distinct mechanisms between CYP3A and P-glycoprotein in the small intestine. <i>European Journal of Pharmacology</i> , 2012 , 690, 192-201	5.3	3	
11	Oxidative DNA Damage Induced by Pirarubicin, an Anthracycline Anticancer Agent, in the Presence of Copper(II). <i>Anticancer Research</i> , 2018 , 38, 2643-2648	2.3	3	
10	Maternal Blood Concentration of Tadalafil and Uterine Blood Flow in Pregnancy. <i>Medicina</i> (Lithuania), 2019 , 55,	3.1	2	
9	Effect of lipid emulsion infusion on paliperidone pharmacokinetics in the acute overdose rat model: A potential emergency treatment for paliperidone intoxication. <i>European Journal of Pharmaceutical Sciences</i> , 2017 , 109, 217-222	5.1	2	
8	An Integrated In Silico and In Vivo Approach to Identify Protective Effects of Palonosetron in Cisplatin-Induced Nephrotoxicity. <i>Pharmaceuticals</i> , 2020 , 13,	5.2	2	
7	Temporary decrease in tacrolimus clearance in cytochrome P450 3A5 non-expressors early after living donor kidney transplantation: Effect of interleukin 6-induced suppression of the cytochrome P450 3A gene. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2021 , 128, 525-533	3.1	2	
6	Opioid therapy duration before naldemedine treatment is a significant independent risk of diarrhea: a retrospective cohort study. <i>Journal of Pharmaceutical Health Care and Sciences</i> , 2021 , 7, 3	1.8	2	
5	Analyses of Risk Factors and Preventive Effect of Antiemetics on Vomiting Induced by Therapy with Cisplatin Suspension in Lipiodol for Hepatocellular Carcinoma. <i>Iryo Yakugaku (Japanese Journal of Pharmaceutical Health Care and Sciences)</i> , 2015 , 41, 768-775	0.1	1	
4	A Case of Hyperammonemia Associated with High Dihydropyrimidine Dehydrogenase Activity. <i>Case Reports in Oncological Medicine</i> , 2016 , 2016, 7510901	0.9	1	
3	Effect of number of medications and complexity of regimens on medication adherence and blood pressure management in hospitalized patients with hypertension. <i>PLoS ONE</i> , 2021 , 16, e0252944	3.7	O	
2	Proton Pump Inhibitors Ameliorate Capecitabine-induced Hand-Foot Syndrome in Patients With Breast Cancer: A Retrospective Study <i>Anticancer Research</i> , 2022 , 42, 2591-2598	2.3	O	
1	Maternal administration of tadalafil improves fetal ventricular systolic function in a Hey2 knockout mouse model of fetal heart failure. <i>International Journal of Cardiology</i> , 2020 , 302, 110-116	3.2		