

Jose Fernandez-Saez

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8077048/publications.pdf>

Version: 2024-02-01

72
papers

2,532
citations

236833

25
h-index

206029

48
g-index

72
all docs

72
docs citations

72
times ranked

1451
citing authors

#	ARTICLE	IF	CITATIONS
1	Nonstandard continualization of 1D lattice with next-nearest interactions. Low order ODEs and enhanced prediction of the dispersive behavior. <i>Mechanics of Advanced Materials and Structures</i> , 2022, 29, 923-932.	1.5	12
2	Mixed Mode Crack Propagation in Polymers Using a Discrete Lattice Method. <i>Polymers</i> , 2021, 13, 1290.	2.0	8
3	Hearing distributed mass in nanobeam resonators. <i>International Journal of Solids and Structures</i> , 2020, 193-194, 568-592.	1.3	20
4	Non-standard and constitutive boundary conditions in nonlocal strain gradient elasticity. <i>Meccanica</i> , 2020, 55, 469-479.	1.2	28
5	Mass detection in nanobeams from bending resonant frequency shifts. <i>Mechanical Systems and Signal Processing</i> , 2019, 116, 261-276.	4.4	29
6	Monitoring mass changes using nanoresonator sensors. <i>Procedia Structural Integrity</i> , 2019, 17, 98-104.	0.3	1
7	Identification of general added mass distribution in nanorods from two-spectra finite data. <i>Mechanical Systems and Signal Processing</i> , 2019, 134, 106286.	4.4	6
8	Generalized continuum model for the analysis of nonlinear vibrations of taut strings with microstructure. <i>International Journal of Solids and Structures</i> , 2019, 164, 157-167.	1.3	3
9	Recovering added mass in nanoresonator sensors from finite axial eigenfrequency data. <i>Mechanical Systems and Signal Processing</i> , 2019, 130, 122-151.	4.4	16
10	On the consistency of the nonlocal strain gradient elasticity. <i>International Journal of Engineering Science</i> , 2019, 138, 65-81.	2.7	78
11	Transverse free vibration of resonant nanoplate mass sensors: Identification of an attached point mass. <i>International Journal of Mechanical Sciences</i> , 2019, 150, 217-225.	3.6	25
12	On the Mechanism of Bandgap Formation in Beams With Periodic Arrangement of Beam-Like Resonators. <i>Journal of Vibration and Acoustics, Transactions of the ASME</i> , 2019, 141, .	1.0	3
13	Reproducing the nonlinear dynamic behavior of a structured beam with a generalized continuum model. <i>Journal of Sound and Vibration</i> , 2018, 420, 296-314.	2.1	5
14	Identification of an open crack in a beam with variable profile by two resonant frequencies. <i>JVC/Journal of Vibration and Control</i> , 2018, 24, 839-859.	1.5	12
15	Propagation of solitons in a two-dimensional nonlinear square lattice. <i>International Journal of Non-Linear Mechanics</i> , 2018, 106, 188-204.	1.4	22
16	Resonator-based detection in nanorods. <i>Mechanical Systems and Signal Processing</i> , 2017, 93, 645-660.	4.4	28
17	Exact Eigensolutions for a Family of Nonuniform Rods With End Point Masses. <i>Journal of Vibration and Acoustics, Transactions of the ASME</i> , 2017, 139, .	1.0	1
18	Vibrations of Bernoulli-Euler beams using the two-phase nonlocal elasticity theory. <i>International Journal of Engineering Science</i> , 2017, 119, 232-248.	2.7	153

#	ARTICLE	IF	CITATIONS
19	Crack identification in elastically restrained vibrating rods. <i>International Journal of Non-Linear Mechanics</i> , 2017, 94, 257-267.	1.4	7
20	Nonlinear continuum models for the dynamic behavior of 1D microstructured solids. <i>International Journal of Solids and Structures</i> , 2017, 117, 111-122.	1.3	19
21	The critical neck spacing in ductile plates subjected to dynamic biaxial loading: On the interplay between loading path and inertia effects. <i>International Journal of Solids and Structures</i> , 2017, 108, 74-84.	1.3	22
22	The $\hat{\nu}$ -Curves Method for crack identification in beams. <i>Procedia Engineering</i> , 2017, 199, 1964-1969.	1.2	3
23	One-dimensional dispersion phenomena in terms of fractional media. <i>European Physical Journal Plus</i> , 2016, 131, 1.	1.2	7
24	Point mass identification in rectangular plates from minimal natural frequency data. <i>Mechanical Systems and Signal Processing</i> , 2016, 80, 245-261.	4.4	7
25	Unique determination of a single crack in a uniform simply supported beam in bending vibration. <i>Journal of Sound and Vibration</i> , 2016, 371, 94-109.	2.1	22
26	Identification of two cracks with different severity in beams and rods from minimal frequency data. <i>JVC/Journal of Vibration and Control</i> , 2016, 22, 3102-3117.	1.5	12
27	Axisymmetric free vibration of closed thin spherical nanoshells with bending effects. <i>JVC/Journal of Vibration and Control</i> , 2016, 22, 3789-3806.	1.5	10
28	A 2D discrete model with a bilinear softening constitutive law applied to dynamic crack propagation problems. <i>International Journal of Fracture</i> , 2016, 197, 81-97.	1.1	13
29	Bending of Euler-Bernoulli beams using Eringen's integral formulation: A paradox resolved. <i>International Journal of Engineering Science</i> , 2016, 99, 107-116.	2.7	358
30	A modified Gurson model to account for the influence of the Lode parameter at high triaxialities. <i>European Journal of Mechanics, A/Solids</i> , 2016, 56, 31-44.	2.1	27
31	A theoretical analysis of the free axial vibration of non-local rods with fractional continuum mechanics. <i>Meccanica</i> , 2015, 50, 2309-2323.	1.2	28
32	The role of constitutive relation in the stability of hyper-elastic spherical membranes subjected to dynamic inflation. <i>International Journal of Engineering Science</i> , 2015, 93, 31-45.	2.7	29
33	Identification of two cracks in a rod by minimal resonant and antiresonant frequency data. <i>Mechanical Systems and Signal Processing</i> , 2015, 60-61, 1-13.	4.4	17
34	Crack identification in non-uniform rods by two frequency data. <i>International Journal of Solids and Structures</i> , 2015, 75-76, 61-80.	1.3	19
35	Collective behaviour and spacing of necks in ductile plates subjected to dynamic biaxial loading. <i>Journal of the Mechanics and Physics of Solids</i> , 2015, 85, 245-269.	2.3	19
36	The full nonlinear crack detection problem in uniform vibrating rods. <i>Journal of Sound and Vibration</i> , 2015, 339, 99-111.	2.1	16

#	ARTICLE	IF	CITATIONS
37	Dynamic recrystallization and adiabatic shear localization. <i>Mechanics of Materials</i> , 2015, 81, 41-55.	1.7	25
38	An analysis of microstructural and thermal softening effects in dynamic necking. <i>Mechanics of Materials</i> , 2015, 80, 298-310.	1.7	15
39	Dynamic necking in materials with strain induced martensitic transformation. <i>Journal of the Mechanics and Physics of Solids</i> , 2014, 64, 316-337.	2.3	24
40	A new 2D discrete model applied to dynamic crack propagation in brittle materials. <i>International Journal of Solids and Structures</i> , 2014, 51, 3787-3797.	1.3	32
41	Torsion of cracked nanorods using a nonlocal elasticity model. <i>Journal Physics D: Applied Physics</i> , 2014, 47, 115304.	1.3	27
42	Optimization of passive vibration absorbers to reduce chatter in boring. <i>Mechanical Systems and Signal Processing</i> , 2013, 41, 691-704.	4.4	60
43	On the complete extinction of selected imperfection wavelengths in dynamically expanded ductile rings. <i>Mechanics of Materials</i> , 2013, 60, 107-120.	1.7	23
44	Identification of the critical wavelength responsible for the fragmentation of ductile rings expanding at very high strain rates. <i>Journal of the Mechanics and Physics of Solids</i> , 2013, 61, 1357-1376.	2.3	41
45	Axisymmetric free vibration of closed thin spherical nano-shell. <i>Composite Structures</i> , 2013, 104, 154-161.	3.1	26
46	First order solutions for the buckling loads of weakened Timoshenko columns. <i>Computers and Mathematics With Applications</i> , 2012, 64, 2395-2407.	1.4	7
47	Bending vibrations of rotating nonuniform nanocantilevers using the Eringen nonlocal elasticity theory. <i>Composite Structures</i> , 2012, 94, 2990-3001.	3.1	107
48	A constitutive model for analyzing martensite formation in austenitic steels deforming at high strain rates. <i>International Journal of Plasticity</i> , 2012, 29, 77-101.	4.1	75
49	On the interplay between strain rate and strain rate sensitivity on flow localization in the dynamic expansion of ductile rings. <i>International Journal of Solids and Structures</i> , 2012, 49, 481-491.	1.3	31
50	Some applications of Burzyński yield condition in metal plasticity. <i>Materials & Design</i> , 2011, 32, 628-635.	5.1	15
51	Crack-front propagation during three-point-bending tests of polymethyl-methacrylate beams. <i>Polymer Testing</i> , 2010, 29, 113-118.	2.3	16
52	Improvement of chatter stability in boring operations with passive vibration absorbers. <i>International Journal of Mechanical Sciences</i> , 2010, 52, 1376-1384.	3.6	111
53	First-Order Solutions for the Buckling Loads of Euler-Bernoulli Weakened Columns. <i>Journal of Engineering Mechanics - ASCE</i> , 2010, 136, 674-679.	1.6	8
54	A Note on the Use of Approximate Solutions for the Bending Vibrations of Simply Supported Cracked Beams. <i>Journal of Vibration and Acoustics, Transactions of the ASME</i> , 2010, 132, .	1.0	8

#	ARTICLE	IF	CITATIONS
55	An analysis of Gurson model with parameters dependent on triaxiality based on unitary cells. European Journal of Mechanics, A/Solids, 2009, 28, 417-427.	2.1	31
56	Free transverse vibrations of cracked nanobeams using a nonlocal elasticity model. Journal of Applied Physics, 2009, 105, .	1.1	98
57	Consistent integration of the constitutive equations of Gurson materials under adiabatic conditions. Computer Methods in Applied Mechanics and Engineering, 2008, 197, 1280-1295.	3.4	20
58	Three-dimensional effects on the dynamic fracture determination of Al 7075-T651 using TPB specimens. International Journal of Solids and Structures, 2008, 45, 2203-2219.	1.3	18
59	General expressions for the stress intensity factor of a one-point bend beam. Engineering Fracture Mechanics, 2007, 74, 373-385.	2.0	6
60	Determination of the dynamic stress intensity factor of a specimen under one-point bending from the measurement of the load-point displacement. European Physical Journal Special Topics, 2006, 134, 827-832.	0.2	2
61	An implicit consistent algorithm for the integration of thermoviscoplastic constitutive equations in adiabatic conditions and finite deformations. International Journal of Solids and Structures, 2006, 43, 1594-1612.	1.3	58
62	Natural frequencies for bending vibrations of Timoshenko cracked beams. Journal of Sound and Vibration, 2006, 290, 640-653.	2.1	163
63	Determination of dynamic fracture-initiation toughness using three-point bending tests in a modified Hopkinson pressure bar. Experimental Mechanics, 2003, 43, 379-386.	1.1	62
64	Some aspects of damage and failure mechanisms at high strain-rate and elevated temperatures of particulate magnesium matrix composites. Composites Part B: Engineering, 2003, 34, 551-560.	5.9	17
65	Determination of Dynamic Fracture-Initiation Toughness Using Three-Point Bending Tests in a Modified Hopkinson Pressure Bar. Experimental Mechanics, 2003, 43, 379-386.	1.1	1
66	FUNDAMENTAL FREQUENCY OF CRACKED BEAMS IN BENDING VIBRATIONS: AN ANALYTICAL APPROACH. Journal of Sound and Vibration, 2002, 256, 17-31.	2.1	59
67	Statistical distribution of the estimator of Weibull modulus. Journal of Materials Science Letters, 2001, 20, 847-849.	0.5	15
68	Statistical analysis of the mechanical properties of composite materials. Composites Part B: Engineering, 2000, 31, 375-381.	5.9	98
69	On the estimation of percentiles of the Weibull distribution. Journal of Materials Science Letters, 1999, 18, 1441-1443.	0.5	11
70	APPROXIMATE CALCULATION OF THE FUNDAMENTAL FREQUENCY FOR BENDING VIBRATIONS OF CRACKED BEAMS. Journal of Sound and Vibration, 1999, 225, 345-352.	2.1	123
71	Estimating lower-bound fracture parameters for brittle materials. Journal of Materials Science Letters, 1993, 12, 1493-1496.	0.5	11
72	Eco-localization of a prey in a spider orb web. JVC/Journal of Vibration and Control, 0, , 107754632199354.	1.5	3