

# Ali H Omar

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8077430/publications.pdf>

Version: 2024-02-01

66  
papers

6,915  
citations

126708

33  
h-index

128067

60  
g-index

73  
all docs

73  
docs citations

73  
times ranked

4926  
citing authors

#	ARTICLE	IF	CITATIONS
1	The vertical distribution of thin features over the Arctic analysed from CALIPSO observations: Part I: Optically thin clouds. <i>Tellus, Series B: Chemical and Physical Meteorology</i> , 2022, 63, 77.	0.8	25
2	The vertical distribution of thin features over the Arctic analysed from CALIPSO observations: Part II: Aerosols. <i>Tellus, Series B: Chemical and Physical Meteorology</i> , 2022, 63, 86.	0.8	20
3	Partially melting droplets strongly enhance lidar backscatter. <i>Journal of Quantitative Spectroscopy and Radiative Transfer</i> , 2022, 281, 108107.	1.1	1
4	Deriving Snow Depth From ICESat-2 Lidar Multiple Scattering Measurements. <i>Frontiers in Remote Sensing</i> , 2022, 3, .	1.3	7
5	Deriving Snow Depth From ICESat-2 Lidar Multiple Scattering Measurements: Uncertainty Analyses. <i>Frontiers in Remote Sensing</i> , 2022, 3, .	1.3	3
6	Assessing CALIOP-Derived Planetary Boundary Layer Height Using Ground-Based Lidar. <i>Remote Sensing</i> , 2021, 13, 1496.	1.8	11
7	Enabling Value Added Scientific Applications of ICESat-2 Data With Effective Removal of Afterpulses. <i>Earth and Space Science</i> , 2021, 8, e2021EA001729.	1.1	18
8	Global Ocean Studies from CALIOP/CALIPSO by Removing Polarization Crosstalk Effects. <i>Remote Sensing</i> , 2021, 13, 2769.	1.8	8
9	Identifying Aerosol Subtypes from CALIPSO Lidar Profiles Using Deep Machine Learning. <i>Atmosphere</i> , 2021, 12, 10.	1.0	7
10	New Ocean Subsurface Optical Properties From Space Lidars: CALIOP/CALIPSO and ATLAS/ICESat-2. <i>Earth and Space Science</i> , 2021, 8, e2021EA001839.	1.1	26
11	New attenuated backscatter profile by removing the CALIOP receiver's transient response. <i>Journal of Quantitative Spectroscopy and Radiative Transfer</i> , 2020, 255, 107244.	1.1	11
12	Antarctic spring ice-edge blooms observed from space by ICESat-2. <i>Remote Sensing of Environment</i> , 2020, 245, 111827.	4.6	49
13	Stratospheric Injection of Massive Smoke Plume From Canadian Boreal Fires in 2017 as Seen by DSCOVR-EPIC, CALIOP, and OMPS-LP Observations. <i>Journal of Geophysical Research D: Atmospheres</i> , 2020, 125, e2020JD032579.	1.2	63
14	Dust Lidar Ratios Retrieved from the CALIOP Measurements Using the MODIS AOD as a Constraint. <i>Remote Sensing</i> , 2020, 12, 251.	1.8	15
15	A Decade of CALIPSO Observations of Asian and Saharan Dust Properties near Source and Transport Regions. <i>E3S Web of Conferences</i> , 2019, 99, 02008.	0.2	3
16	Atmospheric Correction of Satellite Ocean-Color Imagery During the PACE Era. <i>Frontiers in Earth Science</i> , 2019, 7, .	0.8	98
17	Retrieving Aerosol Characteristics From the PACE Mission, Part 2: Multi-Angle and Polarimetry. <i>Frontiers in Environmental Science</i> , 2019, 7, .	1.5	37
18	Estimates of African Dust Deposition Along the Transatlantic Transit Using the Decadelong Record of Aerosol Measurements from CALIOP, MODIS, MISR, and IASI. <i>Journal of Geophysical Research D: Atmospheres</i> , 2019, 124, 7975-7996.	1.2	68

#	ARTICLE	IF	CITATIONS
19	Retrieving Aerosol Characteristics From the PACE Mission, Part 1: Ocean Color Instrument. <i>Frontiers in Earth Science</i> , 2019, 7, .	0.8	31
20	Estimations of global shortwave direct aerosol radiative effects above opaque water clouds using a combination of A-Train satellite sensors. <i>Atmospheric Chemistry and Physics</i> , 2019, 19, 4933-4962.	1.9	34
21	Application of high-dimensional fuzzy &lt;i>k&lt;/i>-means cluster analysis to CALIOP/CALIPSO version 4.1 cloud&lt;i>a&lt;/i>"aerosol discrimination. <i>Atmospheric Measurement Techniques</i> , 2019, 12, 2261-2285.	1.2	12
22	Discriminating between clouds and aerosols in the CALIOP version 4.1 data products. <i>Atmospheric Measurement Techniques</i> , 2019, 12, 703-734.	1.2	80
23	The CALIPSO version 4 automated aerosol classification and lidar ratio selection algorithm. <i>Atmospheric Measurement Techniques</i> , 2018, 11, 6107-6135.	1.2	334
24	Contrasting effects on deep convective clouds by different types of aerosols. <i>Nature Communications</i> , 2018, 9, 3874.	5.8	96
25	Intra-annual variations of regional aerosol optical depth, vertical distribution, and particle types from multiple satellite and ground-based observational datasets. <i>Atmospheric Chemistry and Physics</i> , 2018, 18, 11247-11260.	1.9	49
26	CALIPSO lidar calibration at 532&lt;i>n&lt;/i>m: version&lt;i>4&lt;/i> nighttime algorithm. <i>Atmospheric Measurement Techniques</i> , 2018, 11, 1459-1479.	1.2	70
27	Advantages of Measuring the Q Stokes Parameter in Addition to the Total Radiance I in the Detection of Absorbing Aerosols. <i>Frontiers in Earth Science</i> , 2018, 6, .	0.8	8
28	Swelling of transported smoke from savanna fires over the Southeast Atlantic Ocean. <i>Remote Sensing of Environment</i> , 2018, 211, 105-111.	4.6	12
29	Plankton Aerosol, Cloud, ocean Ecosystem mission: atmosphere measurements for air quality applications. <i>Journal of Applied Remote Sensing</i> , 2018, 12, 1.	0.6	10
30	Quantifying the low bias of CALIPSO's column aerosol optical depth due to undetected aerosol layers. <i>Journal of Geophysical Research D: Atmospheres</i> , 2017, 122, 1098-1113.	1.2	41
31	Ocean Lidar Measurements of Beam Attenuation and a Roadmap to Accurate Phytoplankton Biomass Estimates. <i>EPJ Web of Conferences</i> , 2016, 119, 22003.	0.1	8
32	Aerosol Optical Properties Above Opaque Water Clouds Derived From The Caliop Version 4 Level 1 Data. <i>EPJ Web of Conferences</i> , 2016, 119, 04010.	0.1	1
33	Cloud-Aerosol Interactions: Retrieving Aerosol &lt;i>τ&lt;/i> Exponents from Calipso Measurements of Opaque Water Clouds. <i>EPJ Web of Conferences</i> , 2016, 119, 11001.	0.1	2
34	Evaluation of CALIOP 532 nm aerosol optical depth over opaque water clouds. <i>Atmospheric Chemistry and Physics</i> , 2015, 15, 1265-1288.	1.9	52
35	The fertilizing role of African dust in the Amazon rainforest: A first multiyear assessment based on data from Cloud&lt;i>a&lt;/i>"Aerosol Lidar and Infrared Pathfinder Satellite Observations. <i>Geophysical Research Letters</i> , 2015, 42, 1984-1991.	1.5	251
36	Quantification of trans-Atlantic dust transport from seven-year (2007&lt;i>a&lt;/i>"2013) record of CALIPSO lidar measurements. <i>Remote Sensing of Environment</i> , 2015, 159, 232-249.	4.6	146

#	ARTICLE	IF	CITATIONS
37	Transpacific transport and evolution of the optical properties of Asian dust. <i>Journal of Quantitative Spectroscopy and Radiative Transfer</i> , 2013, 116, 24-33.	1.1	34
38	Comparison of aerosol optical depth between CALIOP and MODIS-Aqua for CALIOP aerosol subtypes over the ocean. <i>Journal of Geophysical Research D: Atmospheres</i> , 2013, 118, 13,241.	1.2	56
39	Lidar Measurements for Desert Dust Characterization: An Overview. <i>Advances in Meteorology</i> , 2012, 2012, 1-36.	0.6	88
40	CALIOP observations of the transport of ash from the Eyjafjallajökull volcano in April 2010. <i>Journal of Geophysical Research</i> , 2012, 117, .	3.3	72
41	An integrated analysis of aerosol above clouds from A-Train multi-sensor measurements. <i>Remote Sensing of Environment</i> , 2012, 121, 125-131.	4.6	40
42	CALIPSO lidar ratio retrieval over the ocean. <i>Optics Express</i> , 2011, 19, 18696.	1.7	22
43	Effective lidar ratios of dense dust layers over North Africa derived from the CALIOP measurements. <i>Journal of Quantitative Spectroscopy and Radiative Transfer</i> , 2011, 112, 204-213.	1.1	44
44	Intercomparison of column aerosol optical depths from CALIPSO and MODIS-Aqua. <i>Atmospheric Measurement Techniques</i> , 2011, 4, 131-141.	1.2	140
45	Wintertime pollution over the Eastern Indo-Gangetic Plains as observed from MOPITT, CALIPSO and tropospheric ozone residual data. <i>Atmospheric Chemistry and Physics</i> , 2010, 10, 12273-12283.	1.9	56
46	Global view of aerosol vertical distributions from CALIPSO lidar measurements and GOCART simulations: Regional and seasonal variations. <i>Journal of Geophysical Research</i> , 2010, 115, .	3.3	218
47	Extinction-to-backscatter ratios of Saharan dust layers derived from in situ measurements and CALIPSO overflights during NAMMA. <i>Journal of Geophysical Research</i> , 2010, 115, .	3.3	40
48	CALIPSO/CALIOP Cloud Phase Discrimination Algorithm. <i>Journal of Atmospheric and Oceanic Technology</i> , 2009, 26, 2293-2309.	0.5	261
49	The CALIPSO Lidar Cloud and Aerosol Discrimination: Version 2 Algorithm and Initial Assessment of Performance. <i>Journal of Atmospheric and Oceanic Technology</i> , 2009, 26, 1198-1213.	0.5	430
50	The CALIPSO Automated Aerosol Classification and Lidar Ratio Selection Algorithm. <i>Journal of Atmospheric and Oceanic Technology</i> , 2009, 26, 1994-2014.	0.5	820
51	Overview of the CALIPSO Mission and CALIOP Data Processing Algorithms. <i>Journal of Atmospheric and Oceanic Technology</i> , 2009, 26, 2310-2323.	0.5	1,820
52	Deriving Marine-Boundary-Layer Lapse Rate from Collocated CALIPSO, MODIS, and AMSR-E Data to Study Global Low-Cloud Height Statistics. <i>IEEE Geoscience and Remote Sensing Letters</i> , 2008, 5, 649-652.	1.4	22
53	The impact of local sources and long-range transport on aerosol properties over the northeast U.S. region during INTEX-NA. <i>Journal of Geophysical Research</i> , 2008, 113, .	3.3	23
54	CALIPSO lidar observations of the optical properties of Saharan dust: A case study of long-range transport. <i>Journal of Geophysical Research</i> , 2008, 113, .	3.3	189

#	ARTICLE	IF	CITATIONS
55	Sea surface wind speed estimation from space-based lidar measurements. Atmospheric Chemistry and Physics, 2008, 8, 3593-3601.	1.9	89
56	Distributions of Aerosol Extinction to Backscatter Ratios Derived from Cluster Analysis of AERONET Data. , 2006, , .		0
57	Selection algorithm for the CALIPSO lidar aerosol extinction-to-backscatter ratio. , 2006, , .		8
58	Collaborations Focused on Enhancing Undergraduate Involvement in Remote Sensing Applications to Atmospheric and Earth Science Research. , 2006, , .		2
59	Estimation of the radiative forcing by key aerosol types in worldwide locations using a column model and AERONET data. Atmospheric Environment, 2005, 39, 6620-6630.	1.9	52
60	Development of global aerosol models using cluster analysis of Aerosol Robotic Network (AERONET) measurements. Journal of Geophysical Research, 2005, 110, .	3.3	295
61	Fully automated analysis of space-based lidar data: an overview of the CALIPSO retrieval algorithms and data products. , 2004, 5575, 16.		267
62	Aerosol models for the CALIPSO lidar inversion algorithms. , 2004, , .		21
63	A portable scanning lidar system used for aerosol detection. , 2003, , .		2
64	Observations by the Lidar In-Space Technology Experiment (LITE) of high-altitude cirrus clouds over the equator in regions exhibiting extremely cold temperatures. Journal of Geophysical Research, 2001, 106, 1227-1236.	3.3	26
65	Particulate contributions to light extinction and local forcing at a rural Illinois site. Atmospheric Environment, 1999, 33, 2637-2646.	1.9	13
66	Atmospheric distributions of soot particles by current and future aircraft fleets and resulting radiative forcing on climate. Journal of Geophysical Research, 1998, 103, 31657-31667.	3.3	43