

Carry Mira Renders

List of Publications by Citations

Source: <https://exaly.com/author-pdf/807796/carry-mira-renders-publications-by-citations.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

70
papers

1,200
citations

20
h-index

33
g-index

72
ext. papers

1,434
ext. citations

3.9
avg, IF

4.17
L-index

#	Paper	IF	Citations
70	Interventions to improve the management of diabetes mellitus in primary care, outpatient and community settings. <i>The Cochrane Library</i> , 2001 , CD001481	5.2	207
69	Providing personal informal care to older European adults: should we care about the caregivers' health?. <i>Preventive Medicine</i> , 2015 , 70, 64-8	4.3	66
68	The Terneuzen birth cohort: BMI changes between 2 and 6 years correlate strongest with adult overweight. <i>PLoS ONE</i> , 2010 , 5, e9155	3.7	59
67	The prevalence of overweight and obesity and its determinants in children with and without disabilities. <i>Journal of Pediatrics</i> , 2011 , 158, 735-9	3.6	53
66	High cardiovascular risk in severely obese young children and adolescents. <i>Archives of Disease in Childhood</i> , 2012 , 97, 818-21	2.2	45
65	Parenting style, the home environment, and screen time of 5-year-old children; the <i>Be active, eat right</i> study. <i>PLoS ONE</i> , 2014 , 9, e88486	3.7	42
64	<i>Be active, eat right</i> evaluation of an overweight prevention protocol among 5-year-old children: design of a cluster randomised controlled trial. <i>BMC Public Health</i> , 2009 , 9, 177	4.1	41
63	Behavioral risk factors for overweight in early childhood; the <i>Be active, eat right</i> study. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2012 , 9, 74	8.4	35
62	The introduction of allergenic foods and the development of reported wheezing and eczema in childhood: the Generation R study. <i>JAMA Pediatrics</i> , 2011 , 165, 933-8		34
61	Population-based childhood overweight prevention: outcomes of the <i>Be active, eat right</i> study. <i>PLoS ONE</i> , 2013 , 8, e65376	3.7	33
60	The Terneuzen Birth Cohort: BMI change between 2 and 6 years is most predictive of adult cardiometabolic risk. <i>PLoS ONE</i> , 2010 , 5, e13966	3.7	32
59	Political and public acceptability of a sugar-sweetened beverages tax: a mixed-method systematic review and meta-analysis. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2019 , 16, 78	8.4	30
58	Cardiometabolic risk factors and quality of life in severely obese children and adolescents in The Netherlands. <i>BMC Pediatrics</i> , 2013 , 13, 62	2.6	30
57	Overweight, obesity and underweight is associated with adverse psychosocial and physical health outcomes among 7-year-old children: the <i>Be active, eat right</i> study. <i>PLoS ONE</i> , 2013 , 8, e67383	3.7	27
56	Ethnic disparities in maternal obesity and weight gain during pregnancy. The Generation R Study. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2015 , 193, 51-60	2.4	26
55	A longitudinal study of children's outside play using family environment and perceived physical environment as predictors. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2014 , 11, 76	8.4	26
54	Behavioural and socio-demographic characteristics of Dutch neighbourhoods with high prevalence of childhood obesity. <i>Pediatric Obesity</i> , 2011 , 6, 298-305		26

53	Feasibility and impact of placing water coolers on sales of sugar-sweetened beverages in Dutch secondary school canteens. <i>Obesity Facts</i> , 2010 , 3, 109-15	5.1	26
52	Tackling the problem of overweight and obesity: the Dutch approach. <i>Obesity Facts</i> , 2010 , 3, 267-72	5.1	23
51	The Terneuzen Birth Cohort. Longer exclusive breastfeeding duration is associated with leaner body mass and a healthier diet in young adulthood. <i>BMC Pediatrics</i> , 2011 , 11, 33	2.6	21
50	Promotion of a healthy lifestyle among 5-year-old overweight children: health behavior outcomes of the "Be active, eat right" study. <i>BMC Public Health</i> , 2014 , 14, 59	4.1	19
49	TV time but not computer time is associated with cardiometabolic risk in Dutch young adults. <i>PLoS ONE</i> , 2013 , 8, e57749	3.7	19
48	Influence of maternal and child lifestyle-related characteristics on the socioeconomic inequality in overweight and obesity among 5-year-old children; the "Be Active, Eat Right" Study. <i>International Journal of Environmental Research and Public Health</i> , 2013 , 10, 2336-47	4.6	19
47	Identifying metabolic syndrome without blood tests in young adults--the Terneuzen Birth Cohort. <i>European Journal of Public Health</i> , 2008 , 18, 656-60	2.1	19
46	We are healthy so we can behave unhealthily. <i>Health Education</i> , 2010 , 110, 30-42	1	16
45	Correlates of parental misperception of their child's weight status: the "Be active, eat right" study. <i>PLoS ONE</i> , 2014 , 9, e88931	3.7	16
44	Parental physical activity is associated with objectively measured physical activity in young children in a sex-specific manner: the GECKO Drenthe cohort. <i>BMC Public Health</i> , 2018 , 18, 1033	4.1	15
43	Parental feeding styles, young children's fruit, vegetable, water and sugar-sweetened beverage consumption, and the moderating role of maternal education and ethnic background. <i>Public Health Nutrition</i> , 2017 , 20, 2124-2133	3.3	13
42	Repeatedly measured predictors: a comparison of methods for prediction modeling. <i>Diagnostic and Prognostic Research</i> , 2018 , 2, 5	5.5	12
41	Cost-effectiveness of intensive inpatient treatments for severely obese children and adolescents in the Netherlands; a randomized controlled trial (HELIOS). <i>BMC Public Health</i> , 2011 , 11, 518	4.1	12
40	High prevalence of hypertension in obese children in the Caribbean. <i>Paediatrics and International Child Health</i> , 2012 , 32, 204-7	1.4	10
39	A System Dynamics and Participatory Action Research Approach to Promote Healthy Living and a Healthy Weight among 10-14-Year-Old Adolescents in Amsterdam: The LIKE Programme. <i>International Journal of Environmental Research and Public Health</i> , 2020 , 17,	4.6	10
38	Impaired parent-reported health-related quality of life of underweight and obese children at elementary school entry. <i>Quality of Life Research</i> , 2013 , 22, 917-28	3.7	9
37	Water Consumption in European Children: Associations with Intake of Fruit Juices, Soft Drinks and Related Parenting Practices. <i>International Journal of Environmental Research and Public Health</i> , 2017 , 14,	4.6	9
36	Identifying young children without overweight at high risk for adult overweight: the Terneuzen Birth Cohort. <i>Pediatric Obesity</i> , 2011 , 6, e187-95		9

35	Recommendations and Improvements for the Evaluation of Integrated Community-Wide Interventions Approaches. <i>Journal of Obesity</i> , 2016 , 2016, 2385698	3.7	9
34	Children's Attention-Deficit/Hyperactivity Disorder Symptoms Predict Lower Diet Quality but Not Vice Versa: Results from Bidirectional Analyses in a Population-Based Cohort. <i>Journal of Nutrition</i> , 2019 , 149, 642-648	4.1	8
33	Inequalities in energy-balance related behaviours and family environmental determinants in European children: changes and sustainability within the EPHE evaluation study. <i>International Journal for Equity in Health</i> , 2016 , 15, 160	4.6	8
32	One-year effects of two intensive inpatient treatments for severely obese children and adolescents. <i>BMC Pediatrics</i> , 2016 , 16, 120	2.6	7
31	Determinants of successful public-private partnerships in the context of overweight prevention in Dutch youth. <i>Preventing Chronic Disease</i> , 2013 , 10, E117	3.7	7
30	Fatty acid composition in breastfeeding and school performance in children aged 12 years. <i>European Journal of Nutrition</i> , 2016 , 55, 2199-207	5.2	6
29	Background and evaluation design of a community-based health-promoting school intervention: Fit Lifestyle at School and at Home (FLASH). <i>BMC Public Health</i> , 2019 , 19, 784	4.1	6
28	Moderate agreement between body mass index and measures of waist circumference in the identification of overweight among 5-year-old children; the 'Be active, eat right' study. <i>BMC Pediatrics</i> , 2013 , 13, 63	2.6	6
27	Barriers to and Facilitators of the Evaluation of Integrated Community-Wide Overweight Intervention Approaches: A Qualitative Case Study in Two Dutch Municipalities. <i>International Journal of Environmental Research and Public Health</i> , 2016 , 13, 390	4.6	6
26	Public acceptability of a sugar-sweetened beverage tax and its associated factors in the Netherlands. <i>Public Health Nutrition</i> , 2021 , 24, 2354-2364	3.3	6
25	Development and Evaluation of the Implementation of Guidelines for Healthier Canteens in Dutch Secondary Schools: Study Protocol of a Quasi-Experimental Trial. <i>Frontiers in Public Health</i> , 2019 , 7, 254	6	5
24	The Effect of Supportive Implementation of Healthier Canteen Guidelines on Changes in Dutch School Canteens and Student Purchase Behaviour. <i>Nutrients</i> , 2020 , 12,	6.7	5
23	The local implementation of a chronic disease management model for childhood overweight and obesity. <i>Obesity Facts</i> , 2012 , 5, 766-75	5.1	4
22	Predictors of Changes in Sleep Duration in Dutch Primary Schoolchildren: the CheckKid Study. <i>International Journal of Behavioral Medicine</i> , 2021 , 28, 189-199	2.6	4
21	Weight fluctuation during childhood and cardiometabolic risk at young adulthood. <i>Journal of Pediatrics</i> , 2015 , 166, 313-8.e1	3.6	3
20	Breastfeeding and food pattern in overweight children in the Caribbean. <i>Paediatrics and International Child Health</i> , 2013 , 33, 18-22	1.4	3
19	Ethnic Background and Overweight among 5-Year-Old Children: The "Be Active, Eat Right" Study. <i>ISRN Pediatrics</i> , 2013 , 2013, 861246		2
18	The effects of a sugar-sweetened beverage tax and a nutrient profiling tax based on Nutri-Score on consumer food purchases in a virtual supermarket: a randomised controlled trial. <i>Public Health Nutrition</i> , 2021 , 1-13	3.3	2

17	Key elements of a successful integrated community-based approach aimed at reducing socioeconomic health inequalities in the Netherlands: A qualitative study. <i>PLoS ONE</i> , 2020 , 15, e0240757	3.7	2
16	Changes in the Health-Related Quality of Life and Weight Status of Children with Overweight or Obesity Aged 7 to 13 Years after Participating in a 10-Week Lifestyle Intervention. <i>Childhood Obesity</i> , 2020 , 16, 412-420	2.5	2
15	Implementation of Guidelines for Healthier Canteens in Dutch Secondary Schools: A Process Evaluation. <i>International Journal of Environmental Research and Public Health</i> , 2019 , 16,	4.6	2
14	The ENCOMPASS framework: a practical guide for the evaluation of public health programmes in complex adaptive systems.. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2022 , 19, 33	8.4	2
13	Diagnostic procedures and treatment of childhood obesity by pediatricians: The Dutch approach <i>Health Policy</i> , 2013 , 111, 110-5	3.2	1
12	Involving Children in Creating a Healthy Environment in Low Socioeconomic Position (SEP) Neighborhoods in The Netherlands: A Participatory Action Research (PAR) Project. <i>International Journal of Environmental Research and Public Health</i> , 2021 , 18,	4.6	1
11	Stakeholder views on the potential impact of a sugar-sweetened beverages tax on the budgets, dietary intake, and health of lower and higher socioeconomic groups in the Netherlands. <i>Archives of Public Health</i> , 2020 , 78, 125	2.6	1
10	What Do Secondary Schools Need to Create Healthier Canteens? The Development of an Implementation Plan. <i>Frontiers in Public Health</i> , 2021 , 9, 683556	6	1
9	The explanatory role of maternal feeding practices: do they explain ethnic differences in body weight of preadolescents?. <i>Appetite</i> , 2019 , 142, 104354	4.5	0
8	Opportunities for Capacity Building to Create Healthy School Communities in the Netherlands: Focus Group Discussions With Dutch Pupils. <i>Frontiers in Public Health</i> , 2021 , 9, 630513	6	0
7	Grote variatie in diagnostiek en behandeling van obese kinderen door kinderartsen. <i>Tijdschrift Voor Kindergeneeskunde</i> , 2013 , 81, 2-7		
6	Verspreiding en implementatie van de kennis en eindproducten van het CIAO-onderzoek. <i>TSG: Tijdschrift Voor Gezondheidswetenschappen</i> , 2017 , 95, 335-339	0.2	
5	Negen kernelementen die volgens betrokken professionals bijdragen aan het succes van Zwolle Gezonde Stad. <i>TSG: Tijdschrift Voor Gezondheidswetenschappen</i> , 2021 , 99, 61-69	0.2	
4	Key elements of a successful integrated community-based approach aimed at reducing socioeconomic health inequalities in the Netherlands: A qualitative study 2020 , 15, e0240757		
3	Key elements of a successful integrated community-based approach aimed at reducing socioeconomic health inequalities in the Netherlands: A qualitative study 2020 , 15, e0240757		
2	Key elements of a successful integrated community-based approach aimed at reducing socioeconomic health inequalities in the Netherlands: A qualitative study 2020 , 15, e0240757		
1	Key elements of a successful integrated community-based approach aimed at reducing socioeconomic health inequalities in the Netherlands: A qualitative study 2020 , 15, e0240757		