Carry Mira Renders

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/807796/carry-mira-renders-publications-by-year.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

1,200 70 20 33 g-index h-index papers citations 4.17 1,434 72 3.9 L-index ext. citations avg, IF ext. papers

#	Paper	IF	Citations
70	The ENCOMPASS framework: a practical guide for the evaluation of public health programmes in complex adaptive systems <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2022 , 19, 33	8.4	2
69	Negen kernelementen die volgens betrokken professionals bijdragen aan het succes van Zwolle Gezonde Stad. <i>TSG: Tijdschrift Voor Gezondheidswetenschappen</i> , 2021 , 99, 61-69	0.2	
68	The effects of a sugar-sweetened beverage tax and a nutrient profiling tax based on Nutri-Score on consumer food purchases in a virtual supermarket: a randomised controlled trial. <i>Public Health Nutrition</i> , 2021 , 1-13	3.3	2
67	Involving Children in Creating a Healthy Environment in Low Socioeconomic Position (SEP) Neighborhoods in The Netherlands: A Participatory Action Research (PAR) Project. <i>International Journal of Environmental Research and Public Health</i> , 2021 , 18,	4.6	1
66	What Do Secondary Schools Need to Create Healthier Canteens? The Development of an Implementation Plan. <i>Frontiers in Public Health</i> , 2021 , 9, 683556	6	1
65	Predictors of Changes in Sleep Duration in Dutch Primary Schoolchildren: the ChecKid Study. <i>International Journal of Behavioral Medicine</i> , 2021 , 28, 189-199	2.6	4
64	Public acceptability of a sugar-sweetened beverage tax and its associated factors in the Netherlands. <i>Public Health Nutrition</i> , 2021 , 24, 2354-2364	3.3	6
63	Opportunities for Capacity Building to Create Healthy School Communities in the Netherlands: Focus Group Discussions With Dutch Pupils. <i>Frontiers in Public Health</i> , 2021 , 9, 630513	6	О
62	Key elements of a successful integrated community-based approach aimed at reducing socioeconomic health inequalities in the Netherlands: A qualitative study. <i>PLoS ONE</i> , 2020 , 15, e024075	7 3.7	2
61	Changes in the Health-Related Quality of Life and Weight Status of Children with Overweight or Obesity Aged 7 to 13 Years after Participating in a 10-Week Lifestyle Intervention. <i>Childhood Obesity</i> , 2020 , 16, 412-420	2.5	2
60	A System Dynamics and Participatory Action Research Approach to Promote Healthy Living and a Healthy Weight among 10-14-Year-Old Adolescents in Amsterdam: The LIKE Programme. International Journal of Environmental Research and Public Health, 2020 , 17,	4.6	10
59	The Effect of Supportive Implementation of Healthier Canteen Guidelines on Changes in Dutch School Canteens and Student Purchase Behaviour. <i>Nutrients</i> , 2020 , 12,	6.7	5
58	Stakeholder views on the potential impact of a sugar-sweetened beverages tax on the budgets, dietary intake, and health of lower and higher socioeconomic groups in the Netherlands. <i>Archives of Public Health</i> , 2020 , 78, 125	2.6	1
57	Key elements of a successful integrated community-based approach aimed at reducing socioeconomic health inequalities in the Netherlands: A qualitative study 2020 , 15, e0240757		
56	Key elements of a successful integrated community-based approach aimed at reducing socioeconomic health inequalities in the Netherlands: A qualitative study 2020 , 15, e0240757		
55	Key elements of a successful integrated community-based approach aimed at reducing socioeconomic health inequalities in the Netherlands: A qualitative study 2020 , 15, e0240757		
54	Key elements of a successful integrated community-based approach aimed at reducing socioeconomic health inequalities in the Netherlands: A qualitative study 2020 , 15, e0240757		

(2015-2019)

53	review and meta-analysis. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2019 , 16, 78	8.4	30
52	Development and Evaluation of the Implementation of Guidelines for Healthier Canteens in Dutch Secondary Schools: Study Protocol of a Quasi-Experimental Trial. <i>Frontiers in Public Health</i> , 2019 , 7, 254	6	5
51	Children@ Attention-Deficit/Hyperactivity Disorder Symptoms Predict Lower Diet Quality but Not Vice Versa: Results from Bidirectional Analyses in a Population-Based Cohort. <i>Journal of Nutrition</i> , 2019 , 149, 642-648	4.1	8
50	The explanatory role of maternal feeding practices: do they explain ethnic differences in body weight of preadolescents?. <i>Appetite</i> , 2019 , 142, 104354	4.5	O
49	Background and evaluation design of a community-based health-promoting school intervention: Fit Lifestyle at School and at Home (FLASH). <i>BMC Public Health</i> , 2019 , 19, 784	4.1	6
48	Implementation of Guidelines for Healthier Canteens in Dutch Secondary Schools: A Process Evaluation. <i>International Journal of Environmental Research and Public Health</i> , 2019 , 16,	4.6	2
47	Repeatedly measured predictors: a comparison of methods for prediction modeling. <i>Diagnostic and Prognostic Research</i> , 2018 , 2, 5	5.5	12
46	Parental physical activity is associated with objectively measured physical activity in young children in a sex-specific manner: the GECKO Drenthe cohort. <i>BMC Public Health</i> , 2018 , 18, 1033	4.1	15
45	Parental feeding styles, young children@fruit, vegetable, water and sugar-sweetened beverage consumption, and the moderating role of maternal education and ethnic background. <i>Public Health Nutrition</i> , 2017 , 20, 2124-2133	3.3	13
44	Verspreiding en implementatie van de kennis en eindproducten van het CIAO-onderzoek. <i>TSG: Tijdschrift Voor Gezondheidswetenschappen</i> , 2017 , 95, 335-339	0.2	
43	Water Consumption in European Children: Associations with Intake of Fruit Juices, Soft Drinks and Related Parenting Practices. <i>International Journal of Environmental Research and Public Health</i> , 2017 , 14,	4.6	9
42	One-year effects of two intensive inpatient treatments for severely obese children and adolescents. <i>BMC Pediatrics</i> , 2016 , 16, 120	2.6	7
41	Fatty acid composition in breastfeeding and school performance in children aged 12 lyears. <i>European Journal of Nutrition</i> , 2016 , 55, 2199-207	5.2	6
40	Recommendations and Improvements for the Evaluation of Integrated Community-Wide Interventions Approaches. <i>Journal of Obesity</i> , 2016 , 2016, 2385698	3.7	9
39	Barriers to and Facilitators of the Evaluation of Integrated Community-Wide Overweight Intervention Approaches: A Qualitative Case Study in Two Dutch Municipalities. <i>International Journal of Environmental Research and Public Health</i> , 2016 , 13, 390	4.6	6
38	Inequalities in energy-balance related behaviours and family environmental determinants in European children: changes and sustainability within the EPHE evaluation study. <i>International Journal for Equity in Health</i> , 2016 , 15, 160	4.6	8
37	Ethnic disparities in maternal obesity and weight gain during pregnancy. The Generation R Study. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2015 , 193, 51-60	2.4	26
36	Providing personal informal care to older European adults: should we care about the caregiversQ health?. <i>Preventive Medicine</i> , 2015 , 70, 64-8	4.3	66

35	Weight fluctuation during childhood and cardiometabolic risk at young adulthood. <i>Journal of Pediatrics</i> , 2015 , 166, 313-8.e1	3.6	3
34	Promotion of a healthy lifestyle among 5-year-old overweight children: health behavior outcomes of the @ e active, eat right Q study. <i>BMC Public Health</i> , 2014 , 14, 59	4.1	19
33	A longitudinal study of children@outside play using family environment and perceived physical environment as predictors. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2014 , 11, 76	8.4	26
32	Parenting style, the home environment, and screen time of 5-year-old children; the Q e active, eat right Q study. <i>PLoS ONE</i> , 2014 , 9, e88486	3.7	42
31	Correlates of parental misperception of their child Q weight status: the Q e active, eat right Q tudy. <i>PLoS ONE</i> , 2014 , 9, e88931	3.7	16
30	Impaired parent-reported health-related quality of life of underweight and obese children at elementary school entry. <i>Quality of Life Research</i> , 2013 , 22, 917-28	3.7	9
29	Moderate agreement between body mass index and measures of waist circumference in the identification of overweight among 5-year-old children; the Q e active, eat right Q tudy. <i>BMC Pediatrics</i> , 2013 , 13, 63	2.6	6
28	Cardiometabolic risk factors and quality of life in severely obese children and adolescents in The Netherlands. <i>BMC Pediatrics</i> , 2013 , 13, 62	2.6	30
27	Grote variatie in diagnostiek en behandeling van obese kinderen door kinderartsen. <i>Tijdschrift Voor Kindergeneeskunde</i> , 2013 , 81, 2-7		
26	Diagnostic procedures and treatment of childhood obesity by pediatricians: Q he Dutch approachQ <i>Health Policy</i> , 2013 , 111, 110-5	3.2	1
25	Breastfeeding and food pattern in overweight children in the Caribbean. <i>Paediatrics and International Child Health</i> , 2013 , 33, 18-22	1.4	3
24	Ethnic Background and Overweight among 5-Year-Old Children: The "Be Active, Eat Right" Study. <i>ISRN Pediatrics</i> , 2013 , 2013, 861246		2
23	TV time but not computer time is associated with cardiometabolic risk in Dutch young adults. <i>PLoS ONE</i> , 2013 , 8, e57749	3.7	19
22	Population-based childhood overweight prevention: outcomes of the $\mathfrak{B}e$ active, eat right \mathfrak{L} tudy. <i>PLoS ONE</i> , 2013 , 8, e65376	3.7	33
21	Determinants of successful public-private partnerships in the context of overweight prevention in Dutch youth. <i>Preventing Chronic Disease</i> , 2013 , 10, E117	3.7	7
20	Influence of maternal and child lifestyle-related characteristics on the socioeconomic inequality in overweight and obesity among 5-year-old children; the "Be Active, Eat Right" Study. <i>International Journal of Environmental Research and Public Health</i> , 2013 , 10, 2336-47	4.6	19
19	Overweight, obesity and underweight is associated with adverse psychosocial and physical health outcomes among 7-year-old children: the @ e active, eat right Q tudy. <i>PLoS ONE</i> , 2013 , 8, e67383	3.7	27
18	Behavioral risk factors for overweight in early childhood; the @ e active, eat right Q tudy. International Journal of Behavioral Nutrition and Physical Activity, 2012 , 9, 74	8.4	35

LIST OF PUBLICATIONS

17	High cardiovascular risk in severely obese young children and adolescents. <i>Archives of Disease in Childhood</i> , 2012 , 97, 818-21	2.2	45	
16	High prevalence of hypertension in obese children in the Caribbean. <i>Paediatrics and International Child Health</i> , 2012 , 32, 204-7	1.4	10	
15	The local implementation of a chronic disease management model for childhood overweight and obesity. <i>Obesity Facts</i> , 2012 , 5, 766-75	5.1	4	
14	The prevalence of overweight and obesity and its determinants in children with and without disabilities. <i>Journal of Pediatrics</i> , 2011 , 158, 735-9	3.6	53	
13	Identifying young children without overweight at high risk for adult overweight: the Terneuzen Birth Cohort. <i>Pediatric Obesity</i> , 2011 , 6, e187-95		9	
12	Behavioural and socio-demographic characteristics of Dutch neighbourhoods with high prevalence of childhood obesity. <i>Pediatric Obesity</i> , 2011 , 6, 298-305		26	
11	The Terneuzen Birth Cohort. Longer exclusive breastfeeding duration is associated with leaner body mass and a healthier diet in young adulthood. <i>BMC Pediatrics</i> , 2011 , 11, 33	2.6	21	
10	Cost-effectiveness of intensive inpatient treatments for severely obese children and adolescents in the Netherlands; a randomized controlled trial (HELIOS). <i>BMC Public Health</i> , 2011 , 11, 518	4.1	12	
9	The introduction of allergenic foods and the development of reported wheezing and eczema in childhood: the Generation R study. <i>JAMA Pediatrics</i> , 2011 , 165, 933-8		34	
8	The Terneuzen Birth Cohort: BMI change between 2 and 6 years is most predictive of adult cardiometabolic risk. <i>PLoS ONE</i> , 2010 , 5, e13966	3.7	32	
7	Feasibility and impact of placing water coolers on sales of sugar-sweetened beverages in Dutch secondary school canteens. <i>Obesity Facts</i> , 2010 , 3, 109-15	5.1	26	
6	Tackling the problem of overweight and obesity: the Dutch approach. <i>Obesity Facts</i> , 2010 , 3, 267-72	5.1	23	
5	We are healthy so we can behave unhealthily. Health Education, 2010, 110, 30-42	1	16	
4	The Terneuzen birth cohort: BMI changes between 2 and 6 years correlate strongest with adult overweight. <i>PLoS ONE</i> , 2010 , 5, e9155	3.7	59	
3	Q e active, eat rightQevaluation of an overweight prevention protocol among 5-year-old children: design of a cluster randomised controlled trial. <i>BMC Public Health</i> , 2009 , 9, 177	4.1	41	
2	Identifying metabolic syndrome without blood tests in young adultsthe Terneuzen Birth Cohort. <i>European Journal of Public Health</i> , 2008 , 18, 656-60	2.1	19	
1	Interventions to improve the management of diabetes mellitus in primary care, outpatient and community settings. <i>The Cochrane Library</i> , 2001 , CD001481	5.2	207	