

Yide Han

List of Publications by Citations

Source: <https://exaly.com/author-pdf/8078047/yide-han-publications-by-citations.pdf>

Version: 2024-04-17

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

53
papers

820
citations

17
h-index

26
g-index

55
ext. papers

1,107
ext. citations

4.4
avg, IF

4.48
L-index

#	Paper	IF	Citations
53	A new MOFs/polymer hybrid membrane: MIL-68(Al)/PVDF, fabrication and application in high-efficient removal of p-nitrophenol and methylene blue. <i>Separation and Purification Technology</i> , 2019 , 215, 217-226	8.3	55
52	Immobilization of lysozyme proteins on a hierarchical zeolitic imidazolate framework (ZIF-8). <i>Dalton Transactions</i> , 2017 , 46, 2114-2121	4.3	46
51	A facile strategy for fabricating Ag MIL-53(Fe) composites: superior interfacial contact and enhanced visible light photocatalytic performance. <i>New Journal of Chemistry</i> , 2018 , 42, 3799-3807	3.6	39
50	Adsorption behavior of Rhodamine B on nanoporous polymers. <i>RSC Advances</i> , 2015 , 5, 104915-104922	3.7	39
49	Polyethyleneimine (PEI) incorporated Cu-BTC composites: Extended applications in ultra-high efficient removal of congo red. <i>Journal of Solid State Chemistry</i> , 2019 , 270, 231-241	3.3	37
48	Dual-Emissive CsPbBr ₃ @Eu-BTC Composite for Self-Calibrating Temperature Sensing Application. <i>Crystal Growth and Design</i> , 2020 , 20, 454-459	3.5	36
47	Fabrication of hybrid magnetic HKUST-1 and its highly efficient adsorption performance for Congo red dye. <i>RSC Advances</i> , 2015 , 5, 19199-19202	3.7	35
46	Fabrication of NH ₂ -MIL-125(Ti) incorporated TiO ₂ nanotube arrays composite anodes for highly efficient PEC water splitting. <i>Separation and Purification Technology</i> , 2019 , 228, 115764	8.3	33
45	Magnetization of a Cu(II)-1,3,5-benzenetricarboxylate metal-organic framework for efficient solid-phase extraction of Congo Red. <i>Mikrochimica Acta</i> , 2015 , 182, 2313-2320	5.8	29
44	Synthesis, characterization, and photocatalytic degradation properties of ZnO/ZnFe ₂ O ₄ magnetic heterostructures. <i>New Journal of Chemistry</i> , 2017 , 41, 15433-15438	3.6	28
43	Fabrication of noble-metal-free g-C ₃ N ₄ -MIL-53(Fe) composite for enhanced photocatalytic H ₂ -generation performance. <i>Applied Organometallic Chemistry</i> , 2018 , 32, e4597	3.1	28
42	Magnetic carboxyl functional nanoporous polymer: synthesis, characterization and its application for methylene blue adsorption. <i>Scientific Reports</i> , 2018 , 8, 6506	4.9	23
41	Efficient and selective removal of congo red by mesoporous amino-modified MIL-101(Cr) nanoadsorbents. <i>Powder Technology</i> , 2019 , 356, 162-169	5.2	22
40	Fabrication of nanocomposites composed of silver cyanamide and titania for improved photocatalytic hydrogen generation. <i>Dalton Transactions</i> , 2015 , 44, 19948-55	4.3	22
39	In-situ solid-phase fabrication of Ag/AgX (X=Cl, Br, I)/g-C ₃ N ₄ composites for enhanced visible-light hydrogen evolution. <i>International Journal of Hydrogen Energy</i> , 2019 , 44, 21397-21405	6.7	21
38	Enhanced selective acetone-sensing performance of hierarchical hollow SnO ₂ /Fe ₂ O ₃ microcubes. <i>Journal of Materials Chemistry C</i> , 2019 , 7, 11984-11990	7.1	19
37	Hierarchical Fe ₂ O ₃ microcubes supported on Ni foam as non-enzymatic glucose sensor. <i>Applied Surface Science</i> , 2020 , 512, 145710	6.7	17

36	Fabrication of AgI/MIL-53(Fe) Composites with Enhanced Photocatalytic Activity for Rhodamine B Degradation under Visible Light Irradiation. <i>Applied Organometallic Chemistry</i> , 2018 , 32, e4325	3.1	17
35	Rapid magnetic solid-phase extraction of Congo Red and Basic Red 2 from aqueous solution by ZIF-8@CoFe ₂ O ₄ hybrid composites. <i>Journal of Separation Science</i> , 2016 , 39, 3647-54	3.4	17
34	Controlled Synthesis of Porous Hierarchical ZnFeO Micro-/Nanostructures with Multifunctional Photocatalytic Performance. <i>Inorganic Chemistry</i> , 2018 , 57, 15481-15488	5.1	17
33	Surface functionalization of MIL-101(Cr) by aminated mesoporous silica and improved adsorption selectivity toward special metal ions. <i>Dalton Transactions</i> , 2019 , 48, 5384-5396	4.3	16
32	A facile synthesis of a ZIF-derived ZnS/ZnInS heterojunction and enhanced photocatalytic hydrogen evolution. <i>Dalton Transactions</i> , 2020 , 49, 10816-10823	4.3	15
31	Hierarchical spinel Ni Co ₁ -Fe ₂ O ₄ microcubes derived from Fe-based MOF for high-sensitive acetone sensor. <i>Ceramics International</i> , 2018 , 44, 19390-19396	5.1	15
30	Immobilization of cellulase proteins on zeolitic imidazolate framework (ZIF-8)/polyvinylidene fluoride hybrid membranes. <i>New Journal of Chemistry</i> , 2018 , 42, 17429-17438	3.6	15
29	Fabrication of nanoporous polymeric crystalline TiO ₂ composite for photocatalytic degradation of aqueous organic pollutants under visible light irradiation. <i>Applied Organometallic Chemistry</i> , 2018 , 32, e4119	3.1	14
28	Ag ₃ PO ₄ -MIL-53(Fe) Composites with Visible-Light-Enhanced Photocatalytic Activities for Rhodamine B Degradation. <i>ChemistrySelect</i> , 2018 , 3, 8045-8050	1.8	14
27	Hierarchical Zn _{1-x} Cd _x S microclusters with superior visible-light-driven photocatalytic hydrogen generation performance. <i>Journal of Alloys and Compounds</i> , 2019 , 809, 151869	5.7	14
26	Construction of an Aminated MIL-53(Al)-Functionalized Carbon Nanotube for the Efficient Removal of Bisphenol AF and Metribuzin. <i>Inorganic Chemistry</i> , 2020 , 59, 2667-2679	5.1	12
25	Fabrication of ternary polyaniline-graphene oxide-TiO ₂ hybrid films with enhanced activity for photoelectrocatalytic hydrogen production. <i>Separation and Purification Technology</i> , 2018 , 193, 358-367	8.3	12
24	Yolk-shell (Cu,Zn)FeO ferrite nano-microspheres with highly selective triethylamine gas-sensing properties. <i>Dalton Transactions</i> , 2020 , 49, 14475-14482	4.3	10
23	Aminated metal-organic framework (NH ₂ -MIL-101(Cr)) incorporated polyvinylidene (PVDF) hybrid membranes: Synthesis and application in efficient removal of Congo red from aqueous solution. <i>Applied Organometallic Chemistry</i> , 2020 , 34, e5281	3.1	9
22	Nickel Nanoparticles Encapsulated in Microporous Graphenelike Carbon () as Catalysts for CO ₂ Methanation. <i>Industrial & Engineering Chemistry Research</i> , 2019 , 58, 20536-20542	3.9	8
21	Lipase immobilization on UiO-66/poly(vinylidene fluoride) hybrid membranes and active catalysis in the vegetable oil hydrolysis. <i>New Journal of Chemistry</i> , 2020 , 44, 14379-14388	3.6	8
20	Fast synthesis of SSZ-13 zeolite by steam-assisted crystallization method. <i>Microporous and Mesoporous Materials</i> , 2020 , 293, 109789	5.3	8
19	Enhanced photocatalytic hydrogen evolution over a heterojunction composed of silver cyanamide and graphitic carbon nitride. <i>New Journal of Chemistry</i> , 2018 , 42, 16005-16012	3.6	8

18	Optimizing electronic structure and charge transport of sulfur/potassium co-doped graphitic carbon nitride with efficient photocatalytic hydrogen evolution performance. <i>Applied Organometallic Chemistry</i> , 2019 , 33, e5163	3.1	7
17	Fabrication of PVDF membranes entrapped with oleic acid modified TiO ₂ and selective adsorption toward bovine hemoglobin. <i>RSC Advances</i> , 2015 , 5, 48607-48614	3.7	7
16	Synergetic Effect of Tetraethylammonium Bromide Addition on the Morphology Evolution and Enhanced Photoluminescence of Rare-Earth Metal-Organic Frameworks. <i>Inorganic Chemistry</i> , 2020 , 59, 14318-14325	5.1	6
15	Effects of solvent-induced morphology evolution of Zn ₂ GeO ₄ on photocatalytic activities of g-C ₃ N ₄ /Zn ₂ GeO ₄ composites. <i>Journal of the American Ceramic Society</i> , 2019 , 102, 6517-6528	3.8	4
14	A novel hybrid electrode of zeolitic imidazolate framework-derived carbon encapsulated in reduced-TiO ₂ nanotube arrays: Fabrication and photoelectrocatalytic activity. <i>Applied Organometallic Chemistry</i> , 2020 , 34, e5791	3.1	4
13	Ag ₂ CO ₃ -derived Ag/g-C ₃ N ₄ composite with enhanced visible-light photocatalytic activity for hydrogen production from water splitting. <i>International Journal of Hydrogen Energy</i> , 2020 , 45, 20851-20858	6.7	4
12	Microwave-assisted synthesis of a thermally stable Zn-containing aluminophosphate with ERI-zeotype structure templated by diquatery ammonium. <i>RSC Advances</i> , 2014 , 4, 49846-49849	3.7	4
11	Photocatalytic active silver organic framework: Ag(I)-MOF and its hybrids with silver cyanamide. <i>Applied Organometallic Chemistry</i> , 2020 , 34, e5972	3.1	4
10	CdS/AgS/g-CN ternary composites with superior photocatalytic performance for hydrogen evolution under visible light irradiation. <i>Dalton Transactions</i> , 2021 , 50, 3253-3260	4.3	4
9	Dual cocatalysts decorated three dimensionally ordered mesoporous g-C ₃ N ₄ with homogeneous wall thickness for enhanced photocatalytic performance. <i>Applied Organometallic Chemistry</i> , 2020 , 34, e5552	3.1	3
8	Nickel Ammine Complex-derived NiO Modified g-C ₃ N ₄ Composites with Enhanced Visible-light Photocatalytic H ₂ Evolution Performance. <i>ChemistrySelect</i> , 2019 , 4, 8095-8103	1.8	3
7	Ionothermal synthesis of a photochromic inorganic-organic complex for colorimetric and portable UV index indication and UVB detection.. <i>RSC Advances</i> , 2020 , 10, 41720-41726	3.7	3
6	Selective adsorption of malachite green (MG) and fuchsin acid (FA) by ZIF-67 hybridized polyvinylidene fluoride (PVDF) membranes. <i>Dalton Transactions</i> , 2021 , 50, 8927-8937	4.3	3
5	Flocculent VS nanoparticle aggregate-modified NiCo ₂ S ₄ nanogras arrays for electrocatalytic water splitting. <i>Sustainable Energy and Fuels</i> , 2021 , 5, 3858-3866	5.8	2
4	Nanosized CuO encapsulated Ni/Co bimetal Prussian blue with high anti-interference and stability for electrochemical non-enzymatic glucose detection. <i>Dalton Transactions</i> , 2021 , 50, 13748-13755	4.3	2
3	A cobalt supramolecular compound constructed from 4,6-di(1-imidazolyl)-1,3,5-triazine-2-one: Synthesis, characterization and magnetic property. <i>Chemical Research in Chinese Universities</i> , 2016 , 32, 184-187	2.2	1
2	Two-step in situ synthesis of CsPbX ₃ @TS-1 zeolite (X = Cl, Br, I) nanocomposites for optical thermometric, latent fingerprints and anti-counterfeiting applications. <i>Materials Chemistry Frontiers</i> ,	7.8	1
1	A hierarchical hollow Ni/Co-functionalized MoS ₂ architecture with highly sensitive non-enzymatic glucose sensing activity. <i>Dalton Transactions</i> , 2021 , 50, 10059-10066	4.3	0

