## Iyad S Zalmout

## List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/8078823/iyad-s-zalmout-publications-by-year.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

24	1,205	11	24
papers	citations	h-index	g-index
24 ext. papers	1,324 ext. citations	6.8 avg, IF	3.65 L-index

#	Paper	IF	Citations
24	Taphonomy of an excavated striped hyena (Hyaena hyaena) den in Arabia: implications for paleoecology and prehistory. <i>Archaeological and Anthropological Sciences</i> , <b>2021</b> , 13, 1	1.8	2
23	A new protocetid whale offers clues to biogeography and feeding ecology in early cetacean evolution. <i>Proceedings of the Royal Society B: Biological Sciences</i> , <b>2021</b> , 288, 20211368	4.4	2
22	A taxonomic and taphonomic study of Pleistocene fossil deposits from the western Nefud Desert, Saudi Arabia [Addendum. <i>Quaternary Research</i> , <b>2020</b> , 98, 102-102	1.9	
21	A taxonomic and taphonomic study of Pleistocene fossil deposits from the western Nefud Desert, Saudi Arabia. <i>Quaternary Research</i> , <b>2020</b> , 95, 1-22	1.9	6
20	Fossil burrow assemblage, not mangrove roots: reinterpretation of the main whale-bearing layer in the late Eocene of Wadi Al-Hitan, Egypt. <i>Palaeobiodiversity and Palaeoenvironments</i> , <b>2019</b> , 99, 143-158	0.9	2
19	Taphonomic and zooarchaeological investigations at the middle Pleistocene site of TiWal Ghadah, western Nefud Desert, Saudi Arabia. <i>Quaternary Science Reviews</i> , <b>2019</b> , 218, 228-253	3.9	7
18	A middle - late Eocene neoselachian assemblage from nearshore marine deposits, Mahajanga Basin, northwestern Madagascar. <i>PLoS ONE</i> , <b>2019</b> , 14, e0211789	3.7	3
17	Aegicetus gehennae, a new late Eocene protocetid (Cetacea, Archaeoceti) from Wadi Al Hitan, Egypt, and the transition to tail-powered swimming in whales. <i>PLoS ONE</i> , <b>2019</b> , 14, e0225391	3.7	6
16	Stomach contents of the archaeocete Basilosaurus isis: Apex predator in oceans of the late Eocene. <i>PLoS ONE</i> , <b>2019</b> , 14, e0209021	3.7	8
15	Fossil herbivore stable isotopes reveal middle Pleistocene hominin palaeoenvironment in <b>W</b> reen ArabiaWNature Ecology and Evolution, <b>2018</b> , 2, 1871-1878	12.3	22
14	First remingtonocetid archaeocete (Mammalia, Cetacea) from the middle Eocene of Egypt with implications for biogeography and locomotion in early cetacean evolution. <i>Journal of Paleontology</i> , <b>2015</b> , 89, 882-893	1.1	14
13	Middle East respiratory syndrome coronavirus infection in dromedary camels in Saudi Arabia. <i>MBio</i> , <b>2014</b> , 5, e00884-14	7.8	296
12	Middle East Respiratory Syndrome Coronavirus Infection in Dromedary Camels in Saudi Arabia. <i>MBio</i> , <b>2014</b> , 5,	7.8	192
11	Middle East respiratory syndrome coronavirus quasispecies that include homologues of human isolates revealed through whole-genome analysis and virus cultured from dromedary camels in Saudi Arabia. <i>MBio</i> , <b>2014</b> , 5, e01146-14	7.8	127
10	Morphology and Function of the Vertebral Column in Remingtonocetus domandaensis (Mammalia, Cetacea) from the Middle Eocene Domanda Formation of Pakistan. <i>Journal of Mammalian Evolution</i> , <b>2012</b> , 19, 77-104	2.2	20
9	Large-scale glaciation and deglaciation of Antarctica during the late Eocene: REPLY. <i>Geology</i> , <b>2012</b> , 40, e255-e255	5	8
8	Shark and ray faunas in the Middle and Late Eocene of the Fayum Area, Egypt. <i>Proceedings of the Geologists Association</i> , <b>2011</b> , 122, 47-66	1.1	60

## LIST OF PUBLICATIONS

7	New Oligocene primate from Saudi Arabia and the divergence of apes and Old World monkeys. <i>Nature</i> , <b>2010</b> , 466, 360-4	50.4	71
6	Sirenia <b>2010</b> , 146-160		5
5	New protocetid whale from the middle eocene of pakistan: birth on land, precocial development, and sexual dimorphism. <i>PLoS ONE</i> , <b>2009</b> , 4, e4366	3.7	78
4	Eotheroides lambondrano, new middle Eocene seacow (Mammalia, Sirenia) from the Mahajanga Basin, northwestern Madagascar. <i>Journal of Vertebrate Paleontology</i> , <b>2009</b> , 29, 1233-1243	1.7	16
3	A new selachian fauna from the Wadi Umm Ghudran Formation (Late Cretaceous) - Central Jordan. <i>Neues Jahrbuch Fur Geologie Und Palaontologie - Abhandlungen</i> , <b>2002</b> , 226, 419-444	1.1	6
2	Origin of whales from early artiodactyls: hands and feet of Eocene Protocetidae from Pakistan. <i>Science</i> , <b>2001</b> , 293, 2239-42	33.3	244
1	Priabonian Basilosaurus isis (Cetacea) from the Wadi Esh-Shallala Formation: first marine mammal from the Eocene of Jordan. <i>Journal of Vertebrate Paleontology</i> , <b>2000</b> , 20, 201-204	1.7	10