
Michele Cavallari

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8079685/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Assessment of potential selection bias in neuroimaging studies of postoperative delirium and cognitive decline: lessons from the SAGES study. Brain Imaging and Behavior, 2022, 16, 1732-1740.	1.1	3
2	Structural integrity of the anterior mid-cingulate cortex contributes to resilience to delirium in SuperAging. Brain Communications, 2022, 4, .	1.5	9
3	Microstructural fronto-striatal and temporo-insular alterations are associated with fatigue in patients with multiple sclerosis independent of white matter lesion load and depression. Multiple Sclerosis Journal, 2020, 26, 1708-1718.	1.4	25
4	The Role of Inflammation after Surgery for Elders (RISE) study: Examination of [11C]PBR28 binding and exploration of its link to post-operative delirium. NeuroImage: Clinical, 2020, 27, 102346.	1.4	17
5	Older Patients with Alzheimer's Disease-Related Cortical Atrophy Who Develop Post-Operative Delirium May Be at Increased Risk of Long-Term Cognitive Decline After Surgery. Journal of Alzheimer's Disease, 2020, 75, 187-199.	1.2	14
6	A novel classification of fatigue in multiple sclerosis based on longitudinal assessments. Multiple Sclerosis Journal, 2020, 26, 725-734.	1.4	13
7	Perivascular Unit: This Must Be the Place. The Anatomical Crossroad Between the Immune, Vascular and Nervous System. Frontiers in Neuroanatomy, 2020, 14, 17.	0.9	46
8	History of fatigue in multiple sclerosis is associated with grey matter atrophy. Scientific Reports, 2019, 9, 14781.	1.6	24
9	The Role of Inflammation after Surgery for Elders (RISE) study: Study design, procedures, and cohort profile. Alzheimer's and Dementia: Diagnosis, Assessment and Disease Monitoring, 2019, 11, 752-762.	1.2	11
10	Changes to the septo-fornical area might play a role in the pathogenesis of anxiety in multiple sclerosis. Multiple Sclerosis Journal, 2018, 24, 1105-1114.	1.4	23
11	Evaluating the Association between Enlarged Perivascular Spaces and Disease Worsening in Multiple Sclerosis. Journal of Neuroimaging, 2018, 28, 273-277.	1.0	24
12	Dual‣ensitivity Multiple Sclerosis Lesion and CSF Segmentation for Multichannel 3T Brain MRI. Journal of Neuroimaging, 2018, 28, 36-47.	1.0	35
13	Evidence of axonal damage in cerebellar peduncles without T2-lesions in multiple sclerosis. European Journal of Radiology, 2018, 108, 114-119.	1.2	9
14	Longitudinal microstructural changes of cerebral white matter and their association with mobility performance in older persons. PLoS ONE, 2018, 13, e0194051.	1.1	16
15	Large deep neural networks for MS lesion segmentation. Proceedings of SPIE, 2017, , .	0.8	0
16	State of the Art and Promise of Structural Neuroimaging in Postoperative Delirium and Postoperative Cognitive Decline. American Journal of Geriatric Psychiatry, 2017, 25, 1062-1063.	0.6	1
17	Longitudinal diffusion changes following postoperative delirium in older people without dementia. Neurology, 2017, 89, 1020-1027.	1.5	31
18	Cerebral blood flow MRI in the nondemented elderly is not predictive of post-operative delirium but is correlated with cognitive performance. Journal of Cerebral Blood Flow and Metabolism, 2017, 37, 1386-1397.	2.4	25

MICHELE CAVALLARI

#	Article	IF	CITATIONS
19	Xanthurenic Acid Activates mGlu2/3 Metabotropic Glutamate Receptors and is a Potential Trait Marker for Schizophrenia. Scientific Reports, 2016, 5, 17799.	1.6	91
20	Head circumference as a useful surrogate for intracranial volume in older adults. International Psychogeriatrics, 2016, 28, 157-162.	0.6	18
21	Reply: Neural substrates of vulnerability to post-surgical delirium with prospective diagnosis: Table 1. Brain, 2016, 139, e55-e55.	3.7	1
22	Neural substrates of vulnerability to postsurgical delirium as revealed by presurgical diffusion MRI. Brain, 2016, 139, 1282-1294.	3.7	96
23	Fatigue predicts disease worsening in relapsing-remitting multiple sclerosis patients. Multiple Sclerosis Journal, 2016, 22, 1841-1849.	1.4	41
24	Multiple sclerosis lesion formation and early evolution revisited: A weekly high-resolution magnetic resonance imaging study. Multiple Sclerosis Journal, 2016, 22, 761-769.	1.4	28
25	Novel Method for Automated Analysis of Retinal Images: Results in Subjects with Hypertensive Retinopathy and CADASIL. BioMed Research International, 2015, 2015, 1-10.	0.9	28
26	Brain atrophy and white-matter hyperintensities are not significantly associated with incidence and severity of postoperative delirium in older persons without dementia. Neurobiology of Aging, 2015, 36, 2122-2129.	1.5	50
27	Microstructural Changes in the Striatum and Their Impact on Motor and Neuropsychological Performance in Patients with Multiple Sclerosis. PLoS ONE, 2014, 9, e101199.	1.1	30
28	Thalamic Fractional Anisotropy Predicts Accrual of Cerebral White Matter Damage in Older Subjects with Small-Vessel Disease. Journal of Cerebral Blood Flow and Metabolism, 2014, 34, 1321-1327.	2.4	13
29	Mobility impairment is associated with reduced microstructural integrity of the inferior and superior cerebellar peduncles in elderly with no clinical signs of cerebellar dysfunction. NeuroImage: Clinical, 2013, 2, 332-340.	1.4	21
30	Cognitive Performance following Carotid Endarterectomy or Stenting in Asymptomatic Patients with Severe ICA Stenosis. Cardiovascular Psychiatry and Neurology, 2013, 2013, 1-6.	0.8	20