Rocio Garcia Villalba

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/8082783/rocio-garcia-villalba-publications-by-year.pdf

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

62 78 3,924 39 h-index g-index citations papers 81 4,724 5.45 4.7 L-index avg, IF ext. citations ext. papers

#	Paper	IF	Citations
78	Urolithins: a comprehensive update on their metabolism, bioactivity, and associated gut microbiota <i>Molecular Nutrition and Food Research</i> , 2022 , e2101019	5.9	11
77	Endocrine disruption in Crohn's disease: Bisphenol A enhances systemic inflammatory response in patients with gut barrier translocation of dysbiotic microbiota products. <i>FASEB Journal</i> , 2021 , 35, e2169	9 .9	5
76	Data sharing in PredRet for accurate prediction of retention time: Application to plant food bioactive compounds. <i>Food Chemistry</i> , 2021 , 357, 129757	8.5	1
75	Gut Microbiota Interactions With Dietary Terpenoids and Nitrogen-Containing Phytochemicals 2021 , 124-124		1
74	Metabolism of Dietary (Poly)phenols by the Gut Microbiota 2021 , 149-149		
73	Metabolism of different dietary phenolic compounds by the urolithin-producing human-gut bacteria Gordonibacter urolithinfaciens and Ellagibacter isourolithinifaciens. <i>Food and Function</i> , 2020 , 11, 7012-7022	6.1	13
72	Urolithins in Human Breast Milk after Walnut Intake and Kinetics of Colonization in Newly Born: The Role of MothersSUrolithin Metabotypes. <i>Journal of Agricultural and Food Chemistry</i> , 2020 , 68, 12606-126	54:6	6
71	Understanding PolyphenolsSHealth Effects Through the Gut Microbiota 2020 , 497-531		1
70	Flavan-3-ols: Catechins and Proanthocyanidins 2020 , 283-317		
69	Ellagitannins and Their Gut Microbiota-Derived Metabolites: Urolithins 2020 , 319-364		4
68	Identification of Novel Urolithin Metabolites in Human Feces and Urine after the Intake of a Pomegranate Extract. <i>Journal of Agricultural and Food Chemistry</i> , 2019 , 67, 11099-11107	5.7	27
67	Improving the reporting quality of intervention trials addressing the inter-individual variability in response to the consumption of plant bioactives: quality index and recommendations. <i>European Journal of Nutrition</i> , 2019 , 58, 49-64	5.2	7
66	Metabolic Profiling of Dietary Polyphenols and Methylxanthines in Normal and Malignant Mammary Tissues from Breast Cancer Patients. <i>Molecular Nutrition and Food Research</i> , 2019 , 63, e18012	. 59	43
65	Re-examining the role of the gut microbiota in the conversion of the lipid-lowering statin monacolin K (lovastatin) into its active Ehydroxy acid metabolite. <i>Food and Function</i> , 2019 , 10, 1787-1797	6.1	12
64	Pomegranate Fruit and Juice (cv. Mollar), Rich in Ellagitannins and Anthocyanins, Also Provide a Significant Content of a Wide Range of Proanthocyanidins. <i>Journal of Agricultural and Food Chemistry</i> , 2019 , 67, 9160-9167	5.7	19
63	Circulating levels of butyrate are inversely related to portal hypertension, endotoxemia, and systemic inflammation in patients with cirrhosis. <i>FASEB Journal</i> , 2019 , 33, 11595-11605	0.9	32
62	The Human Metabolism of Nuts Proanthocyanidins does not Reveal Urinary Metabolites Consistent with Distinctive Gut Microbiota Metabotypes. <i>Molecular Nutrition and Food Research</i> , 2019 , 63, e180081	5 .9	20

(2017-2018)

61	The Endotoxemia Marker Lipopolysaccharide-Binding Protein is Reduced in Overweight-Obese Subjects Consuming Pomegranate Extract by Modulating the Gut Microbiota: A Randomized Clinical Trial. <i>Molecular Nutrition and Food Research</i> , 2018 , 62, e1800160	5.9	61
60	An altered tissue distribution of flaxseed lignans and their metabolites in Abcg2 knockout mice. <i>Food and Function</i> , 2018 , 9, 636-642	6.1	6
59	The gut microbiota urolithin metabotypes revisited: the human metabolism of ellagic acid is mainly determined by aging. <i>Food and Function</i> , 2018 , 9, 4100-4106	6.1	63
58	Flaxseed-enriched diets change milk concentration of the antimicrobial danofloxacin in sheep. <i>BMC Veterinary Research</i> , 2018 , 14, 14	2.7	6
57	Interlaboratory Coverage Test on Plant Food Bioactive Compounds and their Metabolites by Mass Spectrometry-Based Untargeted Metabolomics. <i>Metabolites</i> , 2018 , 8,	5.6	17
56	Regulatory T Cells Restrict Permeability to Bacterial Antigen Translocation and Preserve Short-Chain Fatty Acids in Experimental Cirrhosis. <i>Hepatology Communications</i> , 2018 , 2, 1610-1623	6	11
55	Breakthroughs in the Health Effects of Plant Food Bioactives: A Perspective on Microbiomics, Nutri(epi)genomics, and Metabolomics. <i>Journal of Agricultural and Food Chemistry</i> , 2018 , 66, 10686-106	92 7	22
54	Plasma urolithin metabolites correlate with improvements in endothelial function after red raspberry consumption: A double-blind randomized controlled trial. <i>Archives of Biochemistry and Biophysics</i> , 2018 , 651, 43-51	4.1	37
53	Antiproliferative activity of the ellagic acid-derived gut microbiota isourolithin A and comparison with its urolithin A isomer: the role of cell metabolism. <i>European Journal of Nutrition</i> , 2017 , 56, 831-841	5.2	44
52	Urolithins, the rescue of "old" metabolites to understand a "new" concept: Metabotypes as a nexus among phenolic metabolism, microbiota dysbiosis, and host health status. <i>Molecular Nutrition and Food Research</i> , 2017 , 61, 1500901	5.9	221
51	Gene expression changes in colon tissues from colorectal cancer patients following the intake of an ellagitannin-containing pomegranate extract: a randomized clinical trial. <i>Journal of Nutritional Biochemistry</i> , 2017 , 42, 126-133	6.3	56
50	LC-MS Untargeted Metabolomics To Explain the Signal Metabolites Inducing Browning in Fresh-Cut Lettuce. <i>Journal of Agricultural and Food Chemistry</i> , 2017 , 65, 4526-4535	5.7	28
49	Gastrointestinal Simulation Model TWIN-SHIME Shows Differences between Human Urolithin-Metabotypes in Gut Microbiota Composition, Pomegranate Polyphenol Metabolism, and Transport along the Intestinal Tract. <i>Journal of Agricultural and Food Chemistry</i> , 2017 , 65, 5480-5493	5.7	61
48	Development, validation and evaluation of an analytical method for the determination of monomeric and oligomeric procyanidins in apple extracts. <i>Journal of Chromatography A</i> , 2017 , 1495, 46-56	4.5	39
47	Comprehensive characterization by LC-DAD-MS/MS of the phenolic composition of seven Quercus leaf teas. <i>Journal of Food Composition and Analysis</i> , 2017 , 63, 38-46	4.1	29
46	Vasorelaxant activity of twenty-one physiologically relevant (poly)phenolic metabolites on isolated mouse arteries. <i>Food and Function</i> , 2017 , 8, 4331-4335	6.1	17
45	The Breast Cancer Resistance Protein (BCRP/ABCG2) influences the levels of enterolignans and their metabolites in plasma, milk and mammary gland. <i>Journal of Functional Foods</i> , 2017 , 35, 648-654	5.1	8
44	Clustering according to urolithin metabotype explains the interindividual variability in the improvement of cardiovascular risk biomarkers in overweight-obese individuals consuming pomegranate: A randomized clinical trial. <i>Molecular Nutrition and Food Research</i> , 2017 , 61, 1600830	5.9	114

43	Complete Genome Sequence of the New Urolithin-Producing Bacterium DSM 27213. <i>Genome Announcements</i> , 2017 , 5,		2
42	Isolation of Human Intestinal Bacteria Capable of Producing the Bioactive Metabolite Isourolithin A from Ellagic Acid. <i>Frontiers in Microbiology</i> , 2017 , 8, 1521	5.7	92
41	Chromatographic and spectroscopic characterization of urolithins for their determination in biological samples after the intake of foods containing ellagitannins and ellagic acid. <i>Journal of Chromatography A</i> , 2016 , 1428, 162-75	4.5	77
40	Detection of novel metabolites of flaxseed lignans in vitro and in vivo. <i>Molecular Nutrition and Food Research</i> , 2016 , 60, 1590-601	5.9	36
39	In vivo relevant mixed urolithins and ellagic acid inhibit phenotypic and molecular colon cancer stem cell features: A new potentiality for ellagitannin metabolites against cancer. <i>Food and Chemical Toxicology</i> , 2016 , 92, 8-16	4.7	48
38	Evaluation of the distribution and metabolism of polyphenols derived from cupuassu (Theobroma grandiflorum) in mice gastrointestinal tract by UPLC-ESI-QTOF. <i>Journal of Functional Foods</i> , 2016 , 22, 477-489	5.1	22
37	The human gut microbial ecology associated with overweight and obesity determines ellagic acid metabolism. <i>Food and Function</i> , 2016 , 7, 1769-74	6.1	67
36	Comparing two metabolic profiling approaches (liquid chromatography and gas chromatography coupled to mass spectrometry) for extra-virgin olive oil phenolic compounds analysis: A botanical classification perspective. <i>Journal of Chromatography A</i> , 2016 , 1428, 267-79	4.5	53
35	Effect of bovine ABCG2 polymorphism Y581S SNP on secretion into milk of enterolactone, riboflavin and uric acid. <i>Animal</i> , 2016 , 10, 238-47	3.1	15
34	Untargeted metabolomics approach using UPLC-ESI-QTOF-MS to explore the metabolome of fresh-cut iceberg lettuce. <i>Metabolomics</i> , 2016 , 12, 1	4.7	49
33	Interindividual variability in the human metabolism of ellagic acid: Contribution of Gordonibacter to urolithin production. <i>Journal of Functional Foods</i> , 2015 , 17, 785-791	5.1	62
32	Validated Method for the Characterization and Quantification of Extractable and Nonextractable Ellagitannins after Acid Hydrolysis in Pomegranate Fruits, Juices, and Extracts. <i>Journal of Agricultural and Food Chemistry</i> , 2015 , 63, 6555-66	5.7	82
31	Dietary phenolics against colorectal cancerFrom promising preclinical results to poor translation into clinical trials: Pitfalls and future needs. <i>Molecular Nutrition and Food Research</i> , 2015 , 59, 1274-91	5.9	65
30	Identifying the limits for ellagic acid bioavailability: A crossover pharmacokinetic study in healthy volunteers after consumption of pomegranate extracts. <i>Journal of Functional Foods</i> , 2015 , 19, 225-235	5.1	91
29	Targeted and Untargeted Metabolomics to Explore the Bioavailability of the Secoiridoids from a Seed/Fruit Extract (Fraxinus angustifolia Vahl) in Human Healthy Volunteers: A Preliminary Study. <i>Molecules</i> , 2015 , 20, 22202-19	4.8	13
28	Targeted metabolic profiling of pomegranate polyphenols and urolithins in plasma, urine and colon tissues from colorectal cancer patients. <i>Molecular Nutrition and Food Research</i> , 2014 , 58, 1199-211	5.9	149
27	Role of ABCG2 in transport of the mammalian lignan enterolactone and its secretion into milk in Abcg2 knockout mice. <i>Drug Metabolism and Disposition</i> , 2014 , 42, 943-6	4	19
26	Bioavailability of phenolics from an oleuropein-rich olive (Olea europaea) leaf extract and its acute effect on plasma antioxidant status: comparison between pre- and postmenopausal women. <i>European Journal of Nutrition</i> , 2014 , 53, 1015-27	5.2	53

(2010-2014)

25	Description of urolithin production capacity from ellagic acid of two human intestinal Gordonibacter species. <i>Food and Function</i> , 2014 , 5, 1779-84	6.1	152
24	Gordonibacter urolithinfaciens sp. nov., a urolithin-producing bacterium isolated from the human gut. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2014 , 64, 2346-2352	2.2	84
23	Ellagic acid metabolism by human gut microbiota: consistent observation of three urolithin phenotypes in intervention trials, independent of food source, age, and health status. <i>Journal of Agricultural and Food Chemistry</i> , 2014 , 62, 6535-8	5.7	218
22	A rosemary extract rich in carnosic acid selectively modulates caecum microbiota and inhibits Eglucosidase activity, altering fiber and short chain fatty acids fecal excretion in lean and obese female rats. <i>PLoS ONE</i> , 2014 , 9, e94687	3.7	46
21	In vitro transformation of chlorogenic acid by human gut microbiota. <i>Molecular Nutrition and Food Research</i> , 2014 , 58, 1122-31	5.9	107
20	Fir honeydew honey flavonoids inhibit TNF-Induced MMP-9 expression in human keratinocytes: a new action of honey in wound healing. <i>Archives of Dermatological Research</i> , 2013 , 305, 619-27	3.3	49
19	Time course production of urolithins from ellagic acid by human gut microbiota. <i>Journal of Agricultural and Food Chemistry</i> , 2013 , 61, 8797-806	5.7	109
18	Polyphenolic characterisation of old local apple varieties from Southeastern European region. <i>Journal of Food Composition and Analysis</i> , 2013 , 31, 199-211	4.1	51
17	Bioavailability of the major bioactive diterpenoids in a rosemary extract: metabolic profile in the intestine, liver, plasma, and brain of Zucker rats. <i>Molecular Nutrition and Food Research</i> , 2013 , 57, 1834-	4 ર્ક .9	62
16	Uptake and metabolism of olive oil polyphenols in human breast cancer cells using nano-liquid chromatography coupled to electrospray ionization-time of flight-mass spectrometry. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2012 , 898, 69-77	3.2	26
15	Alternative method for gas chromatography-mass spectrometry analysis of short-chain fatty acids in faecal samples. <i>Journal of Separation Science</i> , 2012 , 35, 1906-13	3.4	156
14	Metabolism of oak leaf ellagitannins and urolithin production in beef cattle. <i>Journal of Agricultural and Food Chemistry</i> , 2012 , 60, 3068-77	5.7	23
13	Urolithins are the main urinary microbial-derived phenolic metabolites discriminating a moderate consumption of nuts in free-living subjects with diagnosed metabolic syndrome. <i>Journal of Agricultural and Food Chemistry</i> , 2012 , 60, 8930-40	5.7	58
12	Inhibition of gastric lipase as a mechanism for body weight and plasma lipids reduction in Zucker rats fed a rosemary extract rich in carnosic acid. <i>PLoS ONE</i> , 2012 , 7, e39773	3.7	61
11	Gas chromatography-atmospheric pressure chemical ionization-time of flight mass spectrometry for profiling of phenolic compounds in extra virgin olive oil. <i>Journal of Chromatography A</i> , 2011 , 1218, 959-71	4.5	63
10	Exploratory analysis of human urine by LC-ESI-TOF MS after high intake of olive oil: understanding the metabolism of polyphenols. <i>Analytical and Bioanalytical Chemistry</i> , 2010 , 398, 463-75	4.4	76
9	Nano and rapid resolution liquid chromatography-electrospray ionization-time of flight mass spectrometry to identify and quantify phenolic compounds in olive oil. <i>Journal of Separation Science</i> , 2010 , 33, 2069-78	3.4	30
8	Characterization and quantification of phenolic compounds of extra-virgin olive oils with anticancer properties by a rapid and resolutive LC-ESI-TOF MS method. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2010 , 51, 416-29	3.5	119

7	A 2-D-HPLC-CE platform coupled to ESI-TOF-MS to characterize the phenolic fraction in olive oil. <i>Electrophoresis</i> , 2009 , 30, 2688-701	3.6	29
6	tabAnti-HER2 (erbB-2) oncogene effects of phenolic compounds directly isolated from commercial Extra-Virgin Olive Oil (EVOO). <i>BMC Cancer</i> , 2008 , 8, 377	4.8	88
5	Comparative metabolomic study of transgenic versus conventional soybean using capillary electrophoresis-time-of-flight mass spectrometry. <i>Journal of Chromatography A</i> , 2008 , 1195, 164-73	4.5	109
4	Olive oils bitter principle reverses acquired autoresistance to trastuzumab (Herceptin) in HER2-overexpressing breast cancer cells. <i>BMC Cancer</i> , 2007 , 7, 80	4.8	132
3	Analysis of hop acids and their oxidized derivatives and iso-alpha-acids in beer by capillary electrophoresis-electrospray ionization mass spectrometry. <i>Journal of Agricultural and Food Chemistry</i> , 2006 , 54, 5400-9	5.7	26
2	Free-zone capillary electrophoresis analysis of hordein patterns at different stages of barley malting. <i>Journal of Agricultural and Food Chemistry</i> , 2006 , 54, 6713-8	5.7	10

Gordonibacter1-12