
List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8082795/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Simple Cystatin C–Based Prediction Equations for Glomerular Filtration Rate Compared with the Modification of Diet in Renal Disease Prediction Equation for Adults and the Schwartz and the Counahan–Barratt Prediction Equations for Children. Clinical Chemistry, 2005, 51, 1420-1431.	3.2	413
2	Measuring GFR: A Systematic Review. American Journal of Kidney Diseases, 2014, 64, 411-424.	1.9	391
3	Current and future impact of osteoarthritis on health care: a population-based study with projections to year 2032. Osteoarthritis and Cartilage, 2014, 22, 1826-1832.	1.3	322
4	Generation of a New Cystatin C–Based Estimating Equation for Glomerular Filtration Rate by Use of 7 Assays Standardized to the International Calibrator. Clinical Chemistry, 2014, 60, 974-986.	3.2	248
5	Pooled analysis of clinical and cytogenetic features in treatment-related and de novo adult acute myeloid leukemia and myelodysplastic syndromes based on a consecutive series of 761 patients analyzed 1976–1993 and on 5098 unselected cases reported in the literature 1974–2001. Leukemia, 2002, 16, 2366-2378.	7.2	239
6	Periampullary adenomas and adenocarcinomas in familial adenomatous polyposis: Cumulative risks and APC gene mutations. Gastroenterology, 2001, 121, 1127-1135.	1.3	235
7	Recreational values of the natural environment in relation to neighbourhood satisfaction, physical activity, obesity and wellbeing. Journal of Epidemiology and Community Health, 2008, 62, e2-e2.	3.7	232
8	Constitutional short telomeres are strong genetic susceptibility markers for bladder cancer. Carcinogenesis, 2005, 26, 1263-1271.	2.8	220
9	Green qualities in the neighbourhood and mental health – results from a longitudinal cohort study in Southern Sweden. BMC Public Health, 2012, 12, 337.	2.9	189
10	Abnormal Nuclear Shape in Solid Tumors Reflects Mitotic Instability. American Journal of Pathology, 2001, 158, 199-206.	3.8	187
11	Iohexol plasma clearance for measuring glomerular filtration rate in clinical practice and research: a review. Part 1: How to measure glomerular filtration rate with iohexol?. CKJ: Clinical Kidney Journal, 2016, 9, 682-699.	2.9	169
12	Relationship between commuting and health outcomes in a cross-sectional population survey in southern Sweden. BMC Public Health, 2011, 11, 834.	2.9	158
13	Revised equations for estimating glomerular filtration rate based on the Lund-Malmö Study cohort. Scandinavian Journal of Clinical and Laboratory Investigation, 2011, 71, 232-239.	1.2	157
14	Development and Validation of a Modified Full Age Spectrum Creatinine-Based Equation to Estimate Glomerular Filtration Rate. Annals of Internal Medicine, 2021, 174, 183-191.	3.9	157
15	Iohexol plasma clearance for measuring glomerular filtration rate in clinical practice and research: a review. Part 2: Why to measure glomerular filtration rate with iohexol?. CKJ: Clinical Kidney Journal, 2016, 9, 700-704.	2.9	150
16	The revised Lund-Malmö GFR estimating equation outperforms MDRD and CKD-EPI across GFR, age and BMI intervals in a large Swedish population. Clinical Chemistry and Laboratory Medicine, 2014, 52, 815-24.	2.3	144
17	Influence of the Consumption of Fatty Baltic Sea Fish on Plasma Levels of Halogenated Environmental Contaminants in Latvian and Swedish Men. Environmental Health Perspectives, 2000, 108, 1035-1041.	6.0	144
18	Plasma Levels of Persistent Organohalogens and Hormone Levels in Adult Male Humans. Archives of Environmental Health, 2001, 56, 138-143.	0.4	138

#	Article	IF	CITATIONS
19	Growth Hormone Deficiency Predicts Cardiovascular Risk in Young Adults Treated for Acute Lymphoblastic Leukemia in Childhood. Journal of Clinical Endocrinology and Metabolism, 2004, 89, 5003-5012.	3.6	138
20	Prevalence of widespread pain and associations with work status: a population study. BMC Musculoskeletal Disorders, 2008, 9, 102.	1.9	121
21	Contrast medium dose-to-gfr ratio: a measure of systemic exposure to predict contrast-induced nephropathy after percutaneous coronary intervention. Acta Radiologica, 2008, 49, 658-667.	1.1	119
22	A cystatin Câ€based formula without anthropometric variables estimates glomerular filtration rate better than creatinine clearance using the Cockcroftâ€Gault formula. Scandinavian Journal of Clinical and Laboratory Investigation, 2005, 65, 153-162.	1.2	118
23	Perceived green qualities were associated with neighborhood satisfaction, physical activity, and general health: Results from a cross-sectional study in suburban and rural Scania, southern Sweden. Health and Place, 2012, 18, 1374-1380.	3.3	113
24	Reduced Energy Expenditure and Impaired Feeding-Related Signals But Not High Energy Intake Reinforces Hypothalamic Obesity in Adults with Childhood Onset Craniopharyngioma. Journal of Clinical Endocrinology and Metabolism, 2010, 95, 5395-5402.	3.6	112
25	Growth-Regulatory Effects of Sensory Neuropeptides, Epidermal Growth Factor, Insulin, and Somatostatin on the Non-Transformed Intestinal Epithelial Cell Line IEC-6 and the Colon Cancer Cell Line HT 29. Scandinavian Journal of Gastroenterology, 1993, 28, 879-884.	1.5	110
26	Wet work exposure and hand eczema among healthcare workers: a cross-sectional study. British Journal of Dermatology, 2018, 178, 452-461.	1.5	105
27	Road traffic noise and hypertension: results from a cross-sectional public health survey in southern Sweden. Environmental Health, 2009, 8, 38.	4.0	102
28	A 1-h Combination Algorithm Allows FastÂRule-Out and Rule-In of MajorÂAdverse Cardiac Events. Journal of the American College of Cardiology, 2016, 67, 1531-1540.	2.8	102
29	Comparison between neural networks and multiple logistic regression to predict acute coronary syndrome in the emergency room. Artificial Intelligence in Medicine, 2006, 38, 305-318.	6.5	101
30	Prevalence of current and chronic pain and their influences upon work and healthcare-seeking: a population study. Journal of Rheumatology, 2004, 31, 1399-406.	2.0	100
31	Social capital and self-rated health – A study of temporal (causal) relationships. Social Science and Medicine, 2012, 75, 340-348.	3.8	95
32	Risk Factors for Cerebrovascular Deaths in Patients Operated and Irradiated for Pituitary Tumors. Journal of Clinical Endocrinology and Metabolism, 2002, 87, 4892-4899.	3.6	92
33	Clinical Outcomes of Surgical Release Among Diabetic Patients With Carpal Tunnel Syndrome: Prospective Follow-Up With Matched Controls. Journal of Hand Surgery, 2009, 34, 1177-1187.	1.6	83
34	Annoyance, Sleep and Concentration Problems due to Combined Traffic Noise and the Benefit of Quiet Side. International Journal of Environmental Research and Public Health, 2015, 12, 1612-1628.	2.6	83
35	A correlation found between contact allergy to stent material and restenosis of the coronary arteries. Contact Dermatitis, 2009, 60, 158-164.	1.4	81
36	Fever in the Emergency Department Predicts Survival of Patients With Severe Sepsis and Septic Shock Admitted to the ICU*. Critical Care Medicine, 2017, 45, 591-599.	0.9	79

#	Article	lF	CITATIONS
37	Hypothalamic involvement predicts cardiovascular risk in adults with childhood onset craniopharyngioma on long-term GH therapy. European Journal of Endocrinology, 2009, 161, 671-679.	3.7	78
38	Improved estimation of glomerular filtration rate (GFR) by comparison of eGFR <sub>cystatin C</sub> and eGFR <sub>creatinine</sub> . Scandinavian Journal of Clinical and Laboratory Investigation, 2012, 72, 73-77.	1.2	75
39	Accuracy of GFR estimating equations combining standardized cystatin C and creatinine assays: a cross-sectional study in Sweden. Clinical Chemistry and Laboratory Medicine, 2015, 53, 403-14.	2.3	75
40	Risk of severe COVID-19 from the Delta and Omicron variants in relation to vaccination status, sex, age and comorbidities – surveillance results from southern Sweden, July 2021 to January 2022. Eurosurveillance, 2022, 27, .	7.0	73
41	Cystatin C, a marker for successful aging and glomerular filtration rate, is not influenced by inflammation. Scandinavian Journal of Clinical and Laboratory Investigation, 2011, 71, 145-149.	1.2	72
42	Burnout among Swedish school teachers – a cross-sectional analysis. BMC Public Health, 2016, 16, 823.	2.9	71
43	Smoking and Myelodysplastic Syndromes. Epidemiology, 2000, 11, 285-291.	2.7	71
44	Prediction of relative glomerular filtration rate in adults: New improved equations based on Swedish Caucasians and standardized plasmaâ€creatinine assays. Scandinavian Journal of Clinical and Laboratory Investigation, 2007, 67, 678-695.	1.2	70
45	Epidemiology of Familial Adenomatous Polyposis in Sweden: Changes over Time and Differences in Phenotype between Males and Females. Scandinavian Journal of Gastroenterology, 1999, 34, 1230-1235.	1.5	68
46	Blood Supply and Oxidative Metabolism in Muscle Biopsies of Female Cleaners With and Without Myalgia. Clinical Journal of Pain, 2004, 20, 440-446.	1.9	68
47	A systematic review of risk factors associated with transitioning from regional musculoskeletal pain to chronic widespread pain. European Journal of Pain, 2012, 16, 1084-1093.	2.8	68
48	Estimation of Short-Term Effects of Air Pollution on Stroke Hospital Admissions in Southern Sweden. Neuroepidemiology, 2010, 34, 131-142.	2.3	66
49	Work-related neck and upper limb disorders – quantitative exposure–response relationships adjusted for personal characteristics and psychosocial conditions. BMC Musculoskeletal Disorders, 2019, 20, 139.	1.9	65
50	The prevalences of cytochrome c oxidase negative and superpositive fibres and ragged-red fibres in the trapezius muscle of female cleaners with and without myalgia and of female healthy controls. Pain, 2000, 84, 379-387.	4.2	60
51	Maternal Exposure to Air Pollution and Birth Outcomes. Environmental Health Perspectives, 2011, 119, 553-558.	6.0	60
52	Recent hip fracture trends in Sweden and Denmark with age-period-cohort effects. Osteoporosis International, 2017, 28, 139-149.	3.1	60
53	Burnout among school teachers: quantitative and qualitative results from a follow-up study in southern Sweden. BMC Public Health, 2019, 19, 655.	2.9	60
54	Outcome of primary and secondary ileal pouch-anal anastomosis and ileorectal anastomosis in patients with familial adenomatous polyposis. Diseases of the Colon and Rectum, 2001, 44, 984-992.	1.3	59

#	Article	IF	CITATIONS
55	There is an association between contact allergy to aluminium and persistent subcutaneous nodules in children undergoing hyposensitization therapy. Contact Dermatitis, 2009, 60, 41-49.	1.4	56
56	â€~Calibration' of our patch test reading technique is necessary. Contact Dermatitis, 2012, 66, 180-187.	1.4	56
57	Road traffic noise in southern Sweden and its relation to annoyance, disturbance of daily activities and health. Scandinavian Journal of Work, Environment and Health, 2006, 32, 392-401.	3.4	55
58	Perception of safety is a prerequisite for the association between neighbourhood green qualities and physical activity: Results from a cross-sectional study in Sweden. Health and Place, 2017, 45, 124-130.	3.3	54
59	Trait anxiety and modeled exposure as determinants of self-reported annoyance to sound, air pollution and other environmental factors in the home. International Archives of Occupational and Environmental Health, 2007, 81, 179-191.	2.3	53
60	Minimizing contrast medium doses to diagnose pulmonary embolism with 80-kVp multidetector computed tomography in azotemic patients. Acta Radiologica, 2009, 50, 181-193.	1.1	53
61	Fibre type proportion and fibre size in trapezius muscle biopsies from cleaners with and without myalgia and its correlation with ragged red fibres, cytochrome- c -oxidase-negative fibres, biomechanical output, perception of fatigue, and surface electromyography during repetitive forward flexions. European lournal of Applied Physiology, 2001, 84, 492-502.	2.5	51
62	High frequency of contact allergy to gold in patients with endovascular coronary stents. British Journal of Dermatology, 2007, 157, 730-738.	1.5	49
63	Area-aggregated assessments of perceived environmental attributes may overcome single-source bias in studies of green environments and health: results from a cross-sectional survey in southern Sweden. Environmental Health, 2011, 10, 4.	4.0	49
64	Cross-sectional associations between occupational factors and musculoskeletal pain in women teachers, nurses and sonographers. BMC Musculoskeletal Disorders, 2016, 17, 35.	1.9	49
65	Mechanical performance and electromyography during repeated maximal isokinetic shoulder forward flexions in female cleaners with and without myalgia of the trapezius muscle and in healthy controls. European Journal of Applied Physiology, 2000, 83, 257-267.	2.5	47
66	Effects of changing exposure to neighbourhood greenness on general and mental health: A longitudinal study. Health and Place, 2015, 33, 48-56.	3.3	46
67	The CKD-EPI and MDRD equations to estimate GFR. Validation in the Swedish Lund-Malmö Study cohort. Scandinavian Journal of Clinical and Laboratory Investigation, 2011, 71, 129-138.	1.2	45
68	Validation of the Lund–Malmö, Chronic Kidney Disease Epidemiology (CKD-EPI) and Modification of Diet in Renal Disease (MDRD) equations to estimate glomerular filtration rate in a large Swedish clinical population. Scandinavian Journal of Urology and Nephrology, 2012, 46, 212-222.	1.4	45
69	Carpal Tunnel Release in Patients With Diabetes: A 5-Year Follow-Up With Matched Controls. Journal of Hand Surgery, 2014, 39, 713-720.	1.6	45
70	Validation of standardized creatinine and cystatin C GFR estimating equations in a large multicentre European cohort of children. Pediatric Nephrology, 2019, 34, 1087-1098.	1.7	45
71	Association between polymorphisms in RMI1, TOP3A, and BLM and risk of cancer, a case-control study. BMC Cancer, 2009, 9, 140.	2.6	43
72	Hand eczema and occupational contact allergies in healthcare workers with a focus on rubber additives. Contact Dermatitis, 2018, 79, 149-156.	1.4	43

#	Article	IF	CITATIONS
73	Shrunken Pore Syndrome Is Associated With Increased Levels of Atherosclerosis-Promoting Proteins. Kidney International Reports, 2019, 4, 67-79.	0.8	43
74	A Cross-Sectional Study of the Cardiovascular Effects of Welding Fumes. PLoS ONE, 2015, 10, e0131648.	2.5	43
75	Smoking as a risk factor for myelodysplastic syndromes and acute myeloid leukemia and its relation to cytogenetic findings: A case–control study. Leukemia Research, 2009, 33, 788-791.	0.8	42
76	Comorbidities, intensity, frequency and duration of pain, daily functioning and health care seeking in local, regional, and widespread pain—a descriptive population-based survey (SwePain). BMC Musculoskeletal Disorders, 2015, 16, 165.	1.9	42
77	ls contact allergy to disperse dyes and related substances associated with textile dermatitis?. British Journal of Dermatology, 2009, 160, 107-115.	1.5	41
78	Different equations to combine creatinine and cystatin C to predict GFR. Arithmetic mean of existing equations performs as well as complex combinations. Scandinavian Journal of Clinical and Laboratory Investigation, 2009, 69, 619-627.	1.2	41
79	Shrunken pore syndrome and mortality: a cohort study of patients with measured GFR and known comorbidities. Scandinavian Journal of Clinical and Laboratory Investigation, 2020, 80, 412-422.	1.2	40
80	Are occupational, hobby, or lifestyle exposures associated with Philadelphia chromosome positive chronic myeloid leukaemia?. Occupational and Environmental Medicine, 2001, 58, 722-727.	2.8	39
81	The Utility of the Growth Hormone (GH) Releasing Hormone-Arginine Test for Diagnosing GH Deficiency in Adults with Childhood Acute Lymphoblastic Leukemia Treated with Cranial Irradiation. Journal of Clinical Endocrinology and Metabolism, 2005, 90, 6048-6054.	3.6	39
82	Gadolinium contrast media are more nephrotoxic than iodine media. The importance of osmolality in direct renal artery injections. European Radiology, 2006, 16, 2712-2720.	4.5	39
83	Smoking and acute myeloid leukemia: associations with morphology and karyotypic patterns and evaluation of dose–response relations. Leukemia Research, 2001, 25, 865-872.	0.8	38
84	Cardiovascular Risk, Cardiac Function, Physical Activity, and Quality of Life with and without Long-Term Growth Hormone Therapy in Adult Survivors of Childhood Acute Lymphoblastic Leukemia. Journal of Clinical Endocrinology and Metabolism, 2010, 95, 3726-3735.	3.6	38
85	In search of the best method to predict acute coronary syndrome using only the electrocardiogram from the emergency department. Journal of Electrocardiology, 2009, 42, 58-63.	0.9	37
86	Secular Trends in Swedish Hip Fractures 1987–2002. Epidemiology, 2012, 23, 623-630.	2.7	37
87	Comparison of glomerular filtration rate estimating equations derived from creatinine and cystatin C: validation in the Age, Gene/Environment Susceptibility-Reykjavik elderly cohort. Nephrology Dialysis Transplantation, 2018, 33, 1380-1388.	0.7	37
88	High level of protection against COVID-19 after two doses of BNT162b2 vaccine in the working age population – first results from a cohort study in Southern Sweden. Infectious Diseases, 2022, 54, 128-133.	2.8	37
89	The Lund–Malmö creatinineâ€based glomerular filtration rate prediction equation for adults also performs well in children. Scandinavian Journal of Clinical and Laboratory Investigation, 2008, 68, 568-576.	1.2	36
90	All-cause Mortality in Knee and Hip Osteoarthritis and Rheumatoid Arthritis. Epidemiology, 2016, 27, 479-485.	2.7	36

#	Article	IF	CITATIONS
91	COVID-19 vaccine effectiveness against severe disease from SARS-CoV-2 Omicron BA.1 and BA.2 subvariants – surveillance results from southern Sweden, December 2021 to March 2022. Eurosurveillance, 2022, 27, .	7.0	36
92	Cancer Incidence and Mortality in Swedish Sterilant Workers Exposed to Ethylene Oxide: Updated Cohort Study Findings 1972–2006. International Journal of Environmental Research and Public Health, 2011, 8, 2009-2019.	2.6	34
93	Estimating glomerular filtration rate at the transition from pediatric to adult care. Kidney International, 2019, 95, 1234-1243.	5.2	34
94	Inguinal Vascular Surgical Wound Protection by Incisional Negative Pressure Wound Therapy. Annals of Surgery, 2020, 271, 48-53.	4.2	34
95	GFR estimation based on standardized creatinine and cystatin C: a European multicenter analysis in older adults. Clinical Chemistry and Laboratory Medicine, 2018, 56, 422-435.	2.3	34
96	Prognostic performance of preoperative cardiac troponin and perioperative changes in cardiac troponin for the prediction of major adverse cardiac events and mortality in noncardiac surgery: A systematic review and meta-analysis. PLoS ONE, 2019, 14, e0215094.	2.5	33
97	Most gene fusions in cancer are stochastic events. Genes Chromosomes and Cancer, 2019, 58, 607-611.	2.8	33
98	A simple statistical model for prediction of acute coronary syndrome in chest pain patients in the emergency department. BMC Medical Informatics and Decision Making, 2006, 6, 28.	3.0	32
99	Estimating glomerular filtration rate (GFR) in children. The average between a cystatin C- and a creatinine-based equation improves estimation of GFR in both children and adults and enables diagnosing Shrunken Pore Syndrome. Scandinavian Journal of Clinical and Laboratory Investigation, 2017. 77. 338-344.	1.2	32
100	Estimation of the glomerular filtration rate in children and young adults by means of the CKD-EPI equation with age-adjusted creatinine values. Kidney International, 2021, 99, 940-947.	5.2	32
101	Acute myeloid leukemia and clonal chromosome aberrations in relation to past exposure to organic solvents. Scandinavian Journal of Work, Environment and Health, 2000, 26, 482-491.	3.4	32
102	A correlation found between gold concentration in blood and patch test reactions in patients with coronary stents. Contact Dermatitis, 2008, 59, 137-142.	1.4	31
103	Long-term exposure to air pollution and hospital admissions for ischemic stroke. A register-based case-control study using modelled NOxas exposure proxy. BMC Public Health, 2009, 9, 301.	2.9	30
104	Road traffic noise, air pollution and myocardial infarction: a prospective cohort study. International Archives of Occupational and Environmental Health, 2016, 89, 793-802.	2.3	30
105	Normal limits for left ventricular ejection fraction and volumes determined by gated single photon emission computed tomography – a comparison between two quantification methods. Clinical Physiology and Functional Imaging, 2008, 28, 169-173.	1.2	29
106	CD4 Cell Levels during Treatment for Tuberculosis (TB) in Ethiopian Adults and Clinical Markers Associated with CD4 Lymphocytopenia. PLoS ONE, 2013, 8, e83270.	2.5	29
107	A Clinical Scoring Algorithm for Determination of the Risk of Tuberculosis in HIV-Infected Adults: A Cohort Study Performed at Ethiopian Health Centers. Open Forum Infectious Diseases, 2014, 1, ofu095.	0.9	29
108	Predicting participation in the population-based Swedish cardiopulmonary bio-image study (SCAPIS) using register data. Scandinavian Journal of Public Health, 2017, 45, 45-49.	2.3	29

#	Article	IF	CITATIONS
109	Cryptorchidism in Sweden: A Nationwide Study of Prevalence, Operative Management, and Complications. Journal of Pediatrics, 2018, 194, 197-203.e6.	1.8	29
110	Does Allergen-specific Immunotherapy Induce Contact Allergy to Aluminium?. Acta Dermato-Venereologica, 2013, 93, 50-56.	1.3	28
111	New standardized cystatin C and creatinine GFR equations in children validated with inulin clearance. Pediatric Nephrology, 2015, 30, 1317-1326.	1.7	28
112	Transfusion of sex-mismatched and non–leukocyte-depleted red blood cells in cardiac surgery increases mortality. Journal of Thoracic and Cardiovascular Surgery, 2016, 152, 223-232.e1.	0.8	28
113	Standardization of pâ€creatinine assays and use of lean body mass allow improved prediction of calculated glomerular filtration rate in adults: A new equation. Scandinavian Journal of Clinical and Laboratory Investigation, 2006, 66, 451-468.	1.2	27
114	Nationwide study of appendicitis in children. British Journal of Surgery, 2019, 106, 1623-1631.	0.3	27
115	Exploring new possibilities for case-based explanation of artificial neural network ensembles. Neural Networks, 2009, 22, 75-81.	5.9	26
116	Adult asthma and traffic exposure at residential address, workplace address, and self-reported daily time outdoor in traffic: A two-stage case-control study. BMC Public Health, 2010, 10, 716.	2.9	26
117	Healthâ€related quality of life in diabetic patients with carpal tunnel syndrome. Diabetic Medicine, 2010, 27, 466-472.	2.3	26
118	A directed acyclic graph for interactions. International Journal of Epidemiology, 2021, 50, 613-619.	1.9	26
119	High NT-proBNP Is a Strong Predictor of Outcome in Elderly Heart Failure Patients. The American Journal of Geriatric Cardiology, 2008, 17, 13-20.	0.6	25
120	A novel method for creatinine adjustment makes the revised Lund–Malmö GFR estimating equation applicable in children. Scandinavian Journal of Clinical and Laboratory Investigation, 2020, 80, 456-463.	1.2	25
121	Genetic variant of the human homologous recombination-associated gene RMI1 (S455N) impacts the risk of AML/MDS and malignant melanoma. Cancer Letters, 2007, 258, 38-44.	7.2	24
122	Performance of creatinineâ€based equations to estimate glomerular filtration rate with a methodology adapted to the context of drug dosage adjustment. British Journal of Clinical Pharmacology, 2022, 88, 2118-2127.	2.4	24
123	Does gold concentration in the blood influence the result of patch testing to gold?. British Journal of Dermatology, 2009, 160, 1016-1021.	1.5	23
124	Likelihood of acute coronary syndrome in emergency department chest pain patients varies with time of presentation. BMC Research Notes, 2012, 5, 420.	1.4	23
125	The importance of work organization on workload and musculoskeletal health – Grocery store work as a model. Applied Ergonomics, 2016, 53, 143-151.	3.1	23
126	Hospital Admissions for Ischemic Stroke: Does Long-Term Exposure to Air Pollution Interact with Major Risk Factors?. Cerebrovascular Diseases, 2011, 31, 284-293.	1.7	22

#	Article	IF	CITATIONS
127	Measured and modeled personal and environmental NO2 exposure. Population Health Metrics, 2012, 10, 10.	2.7	22
128	Experiences of the Urban Green Local Environment as a Factor for Well-Being among Adults: An Exploratory Qualitative Study in Southern Sweden. International Journal of Environmental Research and Public Health, 2019, 16, 2464.	2.6	22
129	Effects of systematic exposure assessment errors in partially ecologic case-control studies. International Journal of Epidemiology, 2002, 31, 154-160.	1.9	21
130	Pain Sensitivity and its Relation to Spreading on the Body, Intensity, Frequency, and Duration of Pain. Clinical Journal of Pain, 2017, 33, 579-587.	1.9	21
131	Local steroid injection for moderately severe idiopathic carpal tunnel syndrome: Protocol of a randomized double-blind placebo-controlled trial (NCT 00806871). BMC Musculoskeletal Disorders, 2010, 11, 76.	1.9	20
132	Controversies in Contrast Materialâ^'induced Acute Kidney Injury: Propensity Score Matching of Patients with Different Dose/Absolute Glomerular Filtration Rate Ratios. Radiology, 2015, 277, 633-637.	7.3	19
133	Population-based incidence rate of inpatient and outpatient surgical procedures in a high-income country. British Journal of Surgery, 2017, 105, 86-95.	0.3	19
134	Participation weighting based on sociodemographic register data improved external validity in a population-based cohort study. Journal of Clinical Epidemiology, 2019, 108, 54-63.	5.0	19
135	Intrauterine exposure to perfluorinated compounds and overweight at age 4: A case-control study. PLoS ONE, 2020, 15, e0230137.	2.5	19
136	Best leads in the standard electrocardiogram for the emergency detection of acute coronary syndrome. Journal of Electrocardiology, 2007, 40, 251-256.	0.9	18
137	Negative predictive value and potential cost savings of acute nuclear myocardial perfusion imaging in low risk patients with suspected acute coronary syndrome: A prospective single blinded study. BMC Emergency Medicine, 2009, 9, 12.	1.9	18
138	Hepatic contrast medium enhancement at computed tomography and its correlation with various body size measures. Acta Radiologica, 2012, 53, 601-606.	1.1	18
139	Telomere length and LINE1 methylation is associated with chromosomal aberrations in peripheral blood. Genes Chromosomes and Cancer, 2013, 52, 1-10.	2.8	18
140	Predictors of chronic pain intensity, spread, and sensitivity in the general population: A two-year follow-up study from the SWEPAIN cohort. Journal of Rehabilitation Medicine, 2019, 51, 183-192.	1.1	18
141	Iodixanol 320 Results in Better Renal Tolerance and Radiodensity than Do Gadolinium-based Contrast Media: Arteriography in Ischemic Porcine Kidneys. Radiology, 2008, 247, 88-97.	7.3	17
142	Bone loss after childhood acute lymphoblastic leukaemia: an observational study with and without GH therapy. European Journal of Endocrinology, 2011, 164, 695-703.	3.7	17
143	Survey context and question wording affects self reported annoyance due to road traffic noise: a comparison between two cross-sectional studies. Environmental Health, 2012, 11, 14.	4.0	17
144	Positive psychological well-being predicts lower severe pain in the general population: a 2-year follow-up study of the SwePain cohort. Annals of General Psychiatry, 2019, 18, 8.	2.7	17

#	Article	IF	CITATIONS
145	App-based COVID-19 syndromic surveillance and prediction of hospital admissions in COVID Symptom Study Sweden. Nature Communications, 2022, 13, 2110.	12.8	17
146	Unexpected sensitization routes and general frequency of contact allergies in an elderly stented Swedish population. Contact Dermatitis, 2007, 56, 338-343.	1.4	16
147	Serum cystatin C: A useful marker of kidney function in very old people. Scandinavian Journal of Clinical and Laboratory Investigation, 2009, 69, 606-611.	1.2	16
148	Asthma incidence in children growing up close to traffic: a registry-based birth cohort. Environmental Health, 2013, 12, 91.	4.0	15
149	Neurophysiological recovery 5 years after carpal tunnel release in patients with diabetes. Muscle and Nerve, 2017, 56, E59-E64.	2.2	15
150	The Southern Sweden Adolescent Allergy-Cohort: Prevalence of allergic diseases and cross-sectional associations with individual and social factors. Journal of Asthma, 2019, 56, 227-235.	1.7	15
151	Assessment of selection bias due to dropouts in the follow-up of the Scania Public Health Cohort. Scandinavian Journal of Public Health, 2021, 49, 457-464.	2.3	15
152	Impact of winter holiday and government responses on mortality in Europe during the first wave of the COVID-19 pandemic. European Journal of Public Health, 2021, 31, 272-277.	0.3	15
153	Associations between Contact Allergy to Epoxy Resin and Fragrance Mix. Acta Dermato-Venereologica, 2004, 84, 151-153.	1.3	15
154	Validation of a new plasma cystatin C-based formula and the Modification of Diet in Renal Disease creatinine-based formula for determination of glomerular filtration rate. Scandinavian Journal of Urology and Nephrology, 2009, 43, 242-249.	1.4	14
155	Cardiac output measured by electrical velocimetry in the CT suite correlates with coronary artery enhancement: A feasibility study. Acta Radiologica, 2010, 51, 895-902.	1.1	14
156	An artificial neural network to safely reduce the number of ambulance ECCs transmitted for physician assessment in a system with prehospital detection of ST elevation myocardial infarction. Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine, 2012, 20, 8.	2.6	14
157	The analgesic effect of oxygen during percutaneous coronary intervention (the OXYPAIN Trial). Acute Cardiac Care, 2013, 15, 63-68.	0.2	14
158	Contact allergy to oxidized linalool and oxidized limonene: Patch testing in consecutive patients with dermatitis. Contact Dermatitis, 2022, 86, 15-24.	1.4	14
159	Selection of Influential Genetic Markers Among a Large Number of Candidates Based on Effect Estimation Rather than Hypothesis Testing. Epidemiology, 2008, 19, 302-308.	2.7	13
160	Long-term course of Mycobacterium tuberculosis infection in Swedish birth cohorts during the twentieth century. International Journal of Tuberculosis and Lung Disease, 2011, 15, 736-740.	1.2	13
161	Performance of GFR Estimating Equations Stratified by Measured or Estimated GFR: Implications for Interpretation. American Journal of Kidney Diseases, 2015, 66, 1107-1108.	1.9	13
162	The association between pain characteristics, pain catastrophizing and health care use – Baseline results from the SWEPAIN cohort. Scandinavian Journal of Pain, 2017, 16, 122-128.	1.3	13

#	Article	IF	CITATIONS
163	Intellectual Disability and Psychotic Disorders in Children: Association With Maternal Severe Mental Illness and Exposure to Obstetric Complications in a Whole-Population Cohort. American Journal of Psychiatry, 2018, 175, 1232-1242.	7.2	13
164	The impact of occupational and personal factors on musculoskeletal pain - a cohort study of female nurses, sonographers and teachers. BMC Musculoskeletal Disorders, 2020, 21, 621.	1.9	13
165	Evaluation of the creatinine-based chronic kidney disease in children (under 25Âyears) equation in healthy children and adolescents. Pediatric Nephrology, 2022, 37, 2213-2216.	1.7	13
166	Myosin heavy chain isoforms influence surface EMG parameters: a study of the trapezius muscle in cleaners with and without myalgia and in healthy teachers. European Journal of Applied Physiology, 2002, 87, 481-488.	2.5	12
167	Histomorphological changes after renal X-ray arteriography using iodine and gadolinium contrast media in an ischemic porcine model. Acta Radiologica, 2007, 48, 1109-1119.	1.1	12
168	Work stress, worries, and pain interact synergistically with modelled traffic noise on cross-sectional associations with self-reported sleep problems. International Archives of Occupational and Environmental Health, 2011, 84, 211-224.	2.3	12
169	Skin exposure to the rubber accelerator diphenylguanidine in medical gloves—An experimental study. Contact Dermatitis, 2019, 81, 9-16.	1.4	12
170	The Modified CKiD Study Estimated GFR Equations for Children and Young Adults Under 25 Years of Age: Performance in a European Multicenter Cohort. American Journal of Kidney Diseases, 2022, 80, 807-810.	1.9	12
171	Variability in diagnostic accuracy can be estimated using simple population weighting. Journal of Clinical Epidemiology, 2009, 62, 54-57.	5.0	11
172	Neighborhood environment and physical activity among young children: A cross-sectional study from Sweden. Scandinavian Journal of Public Health, 2015, 43, 283-293.	2.3	11
173	Assessing heterogeneous effects and their determinants via estimation of potential outcomes. European Journal of Epidemiology, 2019, 34, 823-835.	5.7	11
174	Associations among housing accessibility, housing-related control beliefs and independence in activities of daily living: a cross-sectional study among younger old in Sweden. Journal of Housing and the Built Environment, 2020, 35, 867-877.	1.8	11
175	Prospects for improved glomerular filtration rate estimation based on creatinine—results from a transnational multicentre study. CKJ: Clinical Kidney Journal, 2020, 13, 674-683.	2.9	11
176	Longitudinal association between housing accessibility and activities of daily living: the role of self-efficacy and control in people ageing with Parkinson's disease. BMC Geriatrics, 2020, 20, 181.	2.7	11
177	Revival of ecological studies during the COVID-19 pandemic. European Journal of Epidemiology, 2021, 36, 1225-1229.	5.7	11
178	Prolactin insufficiency but normal thyroid hormone levels after cranial radiotherapy in longâ€ŧerm survivors of childhood leukaemia. Clinical Endocrinology, 2013, 79, 71-78.	2.4	10
179	IgE sensitization in a cohort of adolescents in southern Sweden and its relation to allergic symptoms. Clinical and Molecular Allergy, 2019, 17, 6.	1.8	10
180	Association of coronary calcium score with endothelial dysfunction and arterial stiffness. Atherosclerosis, 2020, 313, 70-75.	0.8	10

#	Article	IF	CITATIONS
181	Early-life social and health determinants of adult socioeconomic position: associations and trends across generations. Journal of Epidemiology and Community Health, 2020, 74, 412-420.	3.7	10
182	Correcting for selective participation in cohort studies using auxiliary register data without identification of non-participants. Scandinavian Journal of Public Health, 2021, 49, 449-456.	2.3	10
183	Reweighting a Swedish health questionnaire survey using extensive population register and self-reported data for assessing and improving the validity of longitudinal associations. PLoS ONE, 2021, 16, e0253969.	2.5	10
184	Cytogenetic and morphologic subgroups of myelodysplastic syndromes in relation to occupational and hobby exposures. Scandinavian Journal of Work, Environment and Health, 2003, 29, 378-387.	3.4	10
185	Ranking of genome-wide association scan signals by different measures. International Journal of Epidemiology, 2009, 38, 1364-1373.	1.9	9
186	A childâ€centered health dialogue for the prevention of obesity in child health services in Sweden – A randomized controlled trial including an economic evaluation. Obesity Science and Practice, 2022, 8, 77-90.	1.9	9
187	Influence of polymorphic metabolic enzymes on biotransformation and effects of diphenylmethane diisocyanate. International Archives of Occupational and Environmental Health, 2008, 81, 429-441.	2.3	8
188	Health-related quality of life 5Âyears after carpal tunnel release among patients with diabetes: a prospective study with matched controls. BMC Endocrine Disorders, 2014, 14, 85.	2.2	8
189	Accuracy diagrams: a novel way to illustrate uncertainty of estimated GFR. Scandinavian Journal of Clinical and Laboratory Investigation, 2017, 77, 199-204.	1.2	8
190	A new approach for investigation of person–environment interaction effects in research involving health outcomes. European Journal of Ageing, 2019, 16, 237-247.	2.8	8
191	A new tool for predicting the probability of chronic kidney disease from a specific value of estimated GFR. Scandinavian Journal of Clinical and Laboratory Investigation, 2010, 70, 327-333.	1.2	7
192	Ability of risk scores to predict a low complication risk in patients admitted for suspected acute coronary syndrome. Emergency Medicine Journal, 2012, 29, 644-649.	1.0	7
193	The risk of cancer among persons with a history of injecting drug use in Sweden – a cohort study based on participants in a needle exchange program. Acta Oncológica, 2012, 51, 51-56.	1.8	7
194	Development of a clinical scoring system for assessment of immunosuppression in patients with tuberculosis and HIV infection without access to CD4 cell testing – results from a cross-sectional study in Ethiopia. Global Health Action, 2014, 7, 23105.	1.9	7
195	Accuracy of GFR estimating equations in a large Swedish cohort: implications for radiologists in daily routine and research. Acta Radiologica, 2017, 58, 367-375.	1.1	7
196	Severe COVIDâ€19 in people 55 and older during the first year of the pandemic in Sweden. Journal of Internal Medicine, 2022, 292, 641-653.	6.0	7
197	Exploring inter-rater reliability and measurement properties of environmental ratings using kappa and colocation quotients. Environmental Health, 2014, 13, 86.	4.0	6
198	Socioeconomic differences in swimming ability among children in Malmö, southern Sweden: Initial results from a community-level intervention. Scandinavian Journal of Public Health, 2020, 48, 495-501.	2.3	6

#	Article	IF	CITATIONS
199	How boys and testicles wander to surgery: a nationwide cohort study of surgical delay in Sweden. BMJ Paediatrics Open, 2020, 4, e000741.	1.4	6
200	Hand strength and dexterity in individuals with hand eczema. Journal of the European Academy of Dermatology and Venereology, 2020, 34, 2856-2862.	2.4	6
201	A Nationwide Cohort Study of Outcome after Pediatric Appendicitis. European Journal of Pediatric Surgery, 2021, 31, 191-198.	1.3	6
202	The value of combining individual and small area sociodemographic data for assessing and handling selective participation in cohort studies: Evidence from the Swedish CardioPulmonary bioImage Study. PLoS ONE, 2022, 17, e0265088.	2.5	6
203	Evaluation of occupational and leisure time exposure assessment in a population-based case control study on leukaemia. International Archives of Occupational and Environmental Health, 2001, 74, 533-540.	2.3	5
204	Incorporating Group-Level Exposure Information in Case-Control Studies With Missing Data on Dichotomous Exposures. Epidemiology, 2004, 15, 494-503.	2.7	5
205	Risk predictions for individual patients from logistic regression were visualized with bar–line charts. Journal of Clinical Epidemiology, 2012, 65, 335-342.	5.0	5
206	Estimating GFR prior to contrast medium examinations—what the radiologist needs to know!. European Radiology, 2016, 26, 425-435.	4.5	5
207	Child-Centred Health Dialogue for primary prevention of obesity in Child Health Services – a feasibility study. Scandinavian Journal of Public Health, 2021, 49, 384-392.	2.3	5
208	Practical and methodological issues in register-based research. Scandinavian Journal of Public Health, 2017, 45, 3-4.	2.3	4
209	How Valid Are GFR Estimation Results From the CKD-EPI Databases?. American Journal of Kidney Diseases, 2018, 71, 446.	1.9	4
210	Commonly used estimates of the genetic contribution to disease are subject to the same fallacies as bad luck estimates. European Journal of Epidemiology, 2019, 34, 987-992.	5.7	4
211	Proposed Classification of Incision Complications: Analysis of a Prospective Study on Elective Open Lower-Limb Revascularization. Surgical Infections, 2020, 21, 384-390.	1.4	4
212	A novel framework for classification of selection processes in epidemiological research. BMC Medical Research Methodology, 2020, 20, 155.	3.1	4
213	Exploring Associations of Housing, Relocation, and Active and Healthy Aging in Sweden: Protocol for a Prospective Longitudinal Mixed Methods Study. JMIR Research Protocols, 2021, 10, e31137.	1.0	4
214	Can the validity of a cohort be improved by reweighting based on register data? Evidence from the Swedish MDC study. BMC Public Health, 2020, 20, 1918.	2.9	4
215	Model specification and unmeasured confounders in partially ecologic analyses based on group proportions of exposed. Scandinavian Journal of Work, Environment and Health, 2005, 31, 184-190.	3.4	4
216	Offending Trajectories in Violent Offenders: Criminal History and Early Life Risk Factors. International Journal of Offender Therapy and Comparative Criminology, 2023, 67, 270-290.	1.2	4

#	Article	IF	CITATIONS
217	An efficient sampling strategy for selection of biobank samples using risk scores. Scandinavian Journal of Public Health, 2017, 45, 41-44.	2.3	3
218	Machine learning compared with ruleâ€in/ruleâ€out algorithms and logistic regression to predict acute myocardial infarction based on troponin T concentrations. Journal of the American College of Emergency Physicians Open, 2021, 2, e12363.	0.7	3
219	What makes children learn how to swim? – health, lifestyle and environmental factors associated with swimming ability among children in the city of MalmA¶, Sweden. BMC Pediatrics, 2022, 22, 32.	1.7	3
220	Surveillance of COVID-19 vaccine effectiveness: a real-time case–control study in southern Sweden. Epidemiology and Infection, 2022, 150, 1-15.	2.1	3
221	Estimating Attributable Fraction in Partially Ecologic Case-Control Studies. Epidemiology, 2002, 13, 459-466.	2.7	2
222	Efficiency of two-phase methods with focus on a planned population-based case-control study on air pollution and stroke. Environmental Health, 2007, 6, 34.	4.0	2
223	Automatic individualized contrast medium dosage during hepatic computed tomography by using computed tomography dose index volume (CTDIvol). European Radiology, 2014, 24, 1959-1963.	4.5	2
224	Letter to the Editor and Rebuttal. Journal of Occupational and Environmental Hygiene, 2002, 17, 329-330.	0.4	1
225	Comments on â€~Practical experiences on the necessity of external validation' by I. R. König, J. D. Malley, C. Weimar, H. . Diener and A. Ziegler, <i>Statistics in Medicine</i> , DOI: 10.1002/sim.3069. Statistics in Medicine, 2008, 27, 2737-2738.	1.6	1
226	Ability of emergency physicians to diagnose acute coronary syndrome on the ECG of acute chest pain patients. Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine, 2015, 23, .	2.6	1
227	Some Clarifying Points Regarding Controversies in Contrast Material–induced Acute Kidney Injury. Radiology, 2016, 279, 982-984.	7.3	1
228	Multiple-Biomarker Panel Estimated GFR Is Not Optimal or Cost-Effective. American Journal of Kidney Diseases, 2021, 77, 823.	1.9	1
229	274Early adversity scale for schizophrenia (EAS-SZ) constructed and validated using linked register data. International Journal of Epidemiology, 2021, 50, .	1.9	1
230	Development and initial validation of a multivariable predictive Early Adversity Scale for Schizophrenia (EAS-Sz) using register data to quantify environmental risk for adult schizophrenia diagnosis after childhood exposure to adversity. Psychological Medicine, 0, , 1-11.	4.5	1
231	HOUSING-RELATED CONTROL BELIEFS IN THE ASSOCIATION OF HOUSING ACCESSIBILITY AND ACTIVITIES OF DAILY LIVING. Innovation in Aging, 2018, 2, 577-577.	0.1	0
232	Prediction of acute myocardial infarction or death in acute chest pain patients with machine learning models or first troponin T alone. European Heart Journal, 2021, 42, .	2.2	0
233	GREEN NEIGHBORHOOD QUALITY IS ASSOCIATED WITH PHYSICAL ACTIVITY BEHAVIOR AND SELF-RATED HEALTH STATUS IN SCANIA, SOUTHERN SWEDEN. ISEE Conference Abstracts, 2011, 2011, .	0.0	0
234	Intrauterine exposure to perfluorinated compounds and overweight at age 4: A case-control study. , 2020, 15, e0230137.		0

#	Article	IF	CITATIONS
235	Intrauterine exposure to perfluorinated compounds and overweight at age 4: A case-control study. , 2020, 15, e0230137.		0
236	Intrauterine exposure to perfluorinated compounds and overweight at age 4: A case-control study. , 2020, 15, e0230137.		0
237	Intrauterine exposure to perfluorinated compounds and overweight at age 4: A case-control study. , 2020, 15, e0230137.		0