

Jonas Björk

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8082795/publications.pdf>

Version: 2024-02-01

237
papers

10,689
citations

31976

53
h-index

43889

91
g-index

257
all docs

257
docs citations

257
times ranked

12523
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 1 | Offending Trajectories in Violent Offenders: Criminal History and Early Life Risk Factors. <i>International Journal of Offender Therapy and Comparative Criminology</i> , 2023, 67, 270-290. | 1.2 | 4 |
| 2 | A child-centered health dialogue for the prevention of obesity in child health services in Sweden – A randomized controlled trial including an economic evaluation. <i>Obesity Science and Practice</i> , 2022, 8, 77-90. | 1.9 | 9 |
| 3 | High level of protection against COVID-19 after two doses of BNT162b2 vaccine in the working age population – first results from a cohort study in Southern Sweden. <i>Infectious Diseases</i> , 2022, 54, 128-133. | 2.8 | 37 |
| 4 | Contact allergy to oxidized linalool and oxidized limonene: Patch testing in consecutive patients with dermatitis. <i>Contact Dermatitis</i> , 2022, 86, 15-24. | 1.4 | 14 |
| 5 | Performance of creatinine-based equations to estimate glomerular filtration rate with a methodology adapted to the context of drug dosage adjustment. <i>British Journal of Clinical Pharmacology</i> , 2022, 88, 2118-2127. | 2.4 | 24 |
| 6 | Evaluation of the creatinine-based chronic kidney disease in children (under 25 years) equation in healthy children and adolescents. <i>Pediatric Nephrology</i> , 2022, 37, 2213-2216. | 1.7 | 13 |
| 7 | What makes children learn how to swim? – health, lifestyle and environmental factors associated with swimming ability among children in the city of Malmö, Sweden. <i>BMC Pediatrics</i> , 2022, 22, 32. | 1.7 | 3 |
| 8 | Surveillance of COVID-19 vaccine effectiveness: a real-time case-control study in southern Sweden. <i>Epidemiology and Infection</i> , 2022, 150, 1-15. | 2.1 | 3 |
| 9 | The value of combining individual and small area sociodemographic data for assessing and handling selective participation in cohort studies: Evidence from the Swedish CardioPulmonary biomage Study. <i>PLoS ONE</i> , 2022, 17, e0265088. | 2.5 | 6 |
| 10 | The Modified CKiD Study Estimated GFR Equations for Children and Young Adults Under 25 Years of Age: Performance in a European Multicenter Cohort. <i>American Journal of Kidney Diseases</i> , 2022, 80, 807-810. | 1.9 | 12 |
| 11 | Risk of severe COVID-19 from the Delta and Omicron variants in relation to vaccination status, sex, age and comorbidities – surveillance results from southern Sweden, July 2021 to January 2022. <i>Eurosurveillance</i> , 2022, 27, . | 7.0 | 73 |
| 12 | App-based COVID-19 syndromic surveillance and prediction of hospital admissions in COVID Symptom Study Sweden. <i>Nature Communications</i> , 2022, 13, 2110. | 12.8 | 17 |
| 13 | COVID-19 vaccine effectiveness against severe disease from SARS-CoV-2 Omicron BA.1 and BA.2 subvariants – surveillance results from southern Sweden, December 2021 to March 2022. <i>Eurosurveillance</i> , 2022, 27, . | 7.0 | 36 |
| 14 | Severe COVID-19 in people 55 and older during the first year of the pandemic in Sweden. <i>Journal of Internal Medicine</i> , 2022, 292, 641-653. | 6.0 | 7 |
| 15 | A Nationwide Cohort Study of Outcome after Pediatric Appendicitis. <i>European Journal of Pediatric Surgery</i> , 2021, 31, 191-198. | 1.3 | 6 |
| 16 | Estimation of the glomerular filtration rate in children and young adults by means of the CKD-EPI equation with age-adjusted creatinine values. <i>Kidney International</i> , 2021, 99, 940-947. | 5.2 | 32 |
| 17 | Assessment of selection bias due to dropouts in the follow-up of the Scania Public Health Cohort. <i>Scandinavian Journal of Public Health</i> , 2021, 49, 457-464. | 2.3 | 15 |
| 18 | Development and Validation of a Modified Full Age Spectrum Creatinine-Based Equation to Estimate Glomerular Filtration Rate. <i>Annals of Internal Medicine</i> , 2021, 174, 183-191. | 3.9 | 157 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | A directed acyclic graph for interactions. <i>International Journal of Epidemiology</i> , 2021, 50, 613-619. | 1.9 | 26 |
| 20 | Correcting for selective participation in cohort studies using auxiliary register data without identification of non-participants. <i>Scandinavian Journal of Public Health</i> , 2021, 49, 449-456. | 2.3 | 10 |
| 21 | Child-Centred Health Dialogue for primary prevention of obesity in Child Health Services – a feasibility study. <i>Scandinavian Journal of Public Health</i> , 2021, 49, 384-392. | 2.3 | 5 |
| 22 | Impact of winter holiday and government responses on mortality in Europe during the first wave of the COVID-19 pandemic. <i>European Journal of Public Health</i> , 2021, 31, 272-277. | 0.3 | 15 |
| 23 | Machine learning compared with rule-based algorithms and logistic regression to predict acute myocardial infarction based on troponin T concentrations. <i>Journal of the American College of Emergency Physicians Open</i> , 2021, 2, e12363. | 0.7 | 3 |
| 24 | Multiple-Biomarker Panel Estimated GFR Is Not Optimal or Cost-Effective. <i>American Journal of Kidney Diseases</i> , 2021, 77, 823. | 1.9 | 1 |
| 25 | Reweighting a Swedish health questionnaire survey using extensive population register and self-reported data for assessing and improving the validity of longitudinal associations. <i>PLoS ONE</i> , 2021, 16, e0253969. | 2.5 | 10 |
| 26 | 274Early adversity scale for schizophrenia (EAS-SZ) constructed and validated using linked register data. <i>International Journal of Epidemiology</i> , 2021, 50, . | 1.9 | 1 |
| 27 | Exploring Associations of Housing, Relocation, and Active and Healthy Aging in Sweden: Protocol for a Prospective Longitudinal Mixed Methods Study. <i>JMIR Research Protocols</i> , 2021, 10, e31137. | 1.0 | 4 |
| 28 | Prediction of acute myocardial infarction or death in acute chest pain patients with machine learning models or first troponin T alone. <i>European Heart Journal</i> , 2021, 42, . | 2.2 | 0 |
| 29 | Revival of ecological studies during the COVID-19 pandemic. <i>European Journal of Epidemiology</i> , 2021, 36, 1225-1229. | 5.7 | 11 |
| 30 | Socioeconomic differences in swimming ability among children in Malmö, southern Sweden: Initial results from a community-level intervention. <i>Scandinavian Journal of Public Health</i> , 2020, 48, 495-501. | 2.3 | 6 |
| 31 | Inguinal Vascular Surgical Wound Protection by Incisional Negative Pressure Wound Therapy. <i>Annals of Surgery</i> , 2020, 271, 48-53. | 4.2 | 34 |
| 32 | Proposed Classification of Incision Complications: Analysis of a Prospective Study on Elective Open Lower-Limb Revascularization. <i>Surgical Infections</i> , 2020, 21, 384-390. | 1.4 | 4 |
| 33 | Associations among housing accessibility, housing-related control beliefs and independence in activities of daily living: a cross-sectional study among younger old in Sweden. <i>Journal of Housing and the Built Environment</i> , 2020, 35, 867-877. | 1.8 | 11 |
| 34 | Association of coronary calcium score with endothelial dysfunction and arterial stiffness. <i>Atherosclerosis</i> , 2020, 313, 70-75. | 0.8 | 10 |
| 35 | How boys and testicles wander to surgery: a nationwide cohort study of surgical delay in Sweden. <i>BMJ Paediatrics Open</i> , 2020, 4, e000741. | 1.4 | 6 |
| 36 | The impact of occupational and personal factors on musculoskeletal pain - a cohort study of female nurses, sonographers and teachers. <i>BMC Musculoskeletal Disorders</i> , 2020, 21, 621. | 1.9 | 13 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | Prospects for improved glomerular filtration rate estimation based on creatinine ² results from a transnational multicentre study. <i>CKJ: Clinical Kidney Journal</i> , 2020, 13, 674-683. | 2.9 | 11 |
| 38 | Early-life social and health determinants of adult socioeconomic position: associations and trends across generations. <i>Journal of Epidemiology and Community Health</i> , 2020, 74, 412-420. | 3.7 | 10 |
| 39 | Longitudinal association between housing accessibility and activities of daily living: the role of self-efficacy and control in people ageing with Parkinson ² 's disease. <i>BMC Geriatrics</i> , 2020, 20, 181. | 2.7 | 11 |
| 40 | Shrunken pore syndrome and mortality: a cohort study of patients with measured GFR and known comorbidities. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2020, 80, 412-422. | 1.2 | 40 |
| 41 | A novel framework for classification of selection processes in epidemiological research. <i>BMC Medical Research Methodology</i> , 2020, 20, 155. | 3.1 | 4 |
| 42 | Intrauterine exposure to perfluorinated compounds and overweight at age 4: A case-control study. <i>PLoS ONE</i> , 2020, 15, e0230137. | 2.5 | 19 |
| 43 | Hand strength and dexterity in individuals with hand eczema. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2020, 34, 2856-2862. | 2.4 | 6 |
| 44 | A novel method for creatinine adjustment makes the revised Lund ² -Malm ² GFR estimating equation applicable in children. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2020, 80, 456-463. | 1.2 | 25 |
| 45 | Can the validity of a cohort be improved by reweighting based on register data? Evidence from the Swedish MDC study. <i>BMC Public Health</i> , 2020, 20, 1918. | 2.9 | 4 |
| 46 | Intrauterine exposure to perfluorinated compounds and overweight at age 4: A case-control study. , 2020, 15, e0230137. | | 0 |
| 47 | Intrauterine exposure to perfluorinated compounds and overweight at age 4: A case-control study. , 2020, 15, e0230137. | | 0 |
| 48 | Intrauterine exposure to perfluorinated compounds and overweight at age 4: A case-control study. , 2020, 15, e0230137. | | 0 |
| 49 | Intrauterine exposure to perfluorinated compounds and overweight at age 4: A case-control study. , 2020, 15, e0230137. | | 0 |
| 50 | Nationwide study of appendicitis in children. <i>British Journal of Surgery</i> , 2019, 106, 1623-1631. | 0.3 | 27 |
| 51 | Experiences of the Urban Green Local Environment as a Factor for Well-Being among Adults: An Exploratory Qualitative Study in Southern Sweden. <i>International Journal of Environmental Research and Public Health</i> , 2019, 16, 2464. | 2.6 | 22 |
| 52 | Commonly used estimates of the genetic contribution to disease are subject to the same fallacies as bad luck estimates. <i>European Journal of Epidemiology</i> , 2019, 34, 987-992. | 5.7 | 4 |
| 53 | Assessing heterogeneous effects and their determinants via estimation of potential outcomes. <i>European Journal of Epidemiology</i> , 2019, 34, 823-835. | 5.7 | 11 |
| 54 | Participation weighting based on sociodemographic register data improved external validity in a population-based cohort study. <i>Journal of Clinical Epidemiology</i> , 2019, 108, 54-63. | 5.0 | 19 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | Positive psychological well-being predicts lower severe pain in the general population: a 2-year follow-up study of the SwePain cohort. <i>Annals of General Psychiatry</i> , 2019, 18, 8. | 2.7 | 17 |
| 56 | Burnout among school teachers: quantitative and qualitative results from a follow-up study in southern Sweden. <i>BMC Public Health</i> , 2019, 19, 655. | 2.9 | 60 |
| 57 | Prognostic performance of preoperative cardiac troponin and perioperative changes in cardiac troponin for the prediction of major adverse cardiac events and mortality in noncardiac surgery: A systematic review and meta-analysis. <i>PLoS ONE</i> , 2019, 14, e0215094. | 2.5 | 33 |
| 58 | IgE sensitization in a cohort of adolescents in southern Sweden and its relation to allergic symptoms. <i>Clinical and Molecular Allergy</i> , 2019, 17, 6. | 1.8 | 10 |
| 59 | Estimating glomerular filtration rate at the transition from pediatric to adult care. <i>Kidney International</i> , 2019, 95, 1234-1243. | 5.2 | 34 |
| 60 | Predictors of chronic pain intensity, spread, and sensitivity in the general population: A two-year follow-up study from the SWEPAIN cohort. <i>Journal of Rehabilitation Medicine</i> , 2019, 51, 183-192. | 1.1 | 18 |
| 61 | Work-related neck and upper limb disorders – quantitative exposure–response relationships adjusted for personal characteristics and psychosocial conditions. <i>BMC Musculoskeletal Disorders</i> , 2019, 20, 139. | 1.9 | 65 |
| 62 | Skin exposure to the rubber accelerator diphenylguanidine in medical gloves – An experimental study. <i>Contact Dermatitis</i> , 2019, 81, 9-16. | 1.4 | 12 |
| 63 | Most gene fusions in cancer are stochastic events. <i>Genes Chromosomes and Cancer</i> , 2019, 58, 607-611. | 2.8 | 33 |
| 64 | Shrunken Pore Syndrome Is Associated With Increased Levels of Atherosclerosis-Promoting Proteins. <i>Kidney International Reports</i> , 2019, 4, 67-79. | 0.8 | 43 |
| 65 | A new approach for investigation of person–environment interaction effects in research involving health outcomes. <i>European Journal of Ageing</i> , 2019, 16, 237-247. | 2.8 | 8 |
| 66 | The Southern Sweden Adolescent Allergy-Cohort: Prevalence of allergic diseases and cross-sectional associations with individual and social factors. <i>Journal of Asthma</i> , 2019, 56, 227-235. | 1.7 | 15 |
| 67 | Validation of standardized creatinine and cystatin C GFR estimating equations in a large multicentre European cohort of children. <i>Pediatric Nephrology</i> , 2019, 34, 1087-1098. | 1.7 | 45 |
| 68 | How Valid Are GFR Estimation Results From the CKD-EPI Databases?. <i>American Journal of Kidney Diseases</i> , 2018, 71, 446. | 1.9 | 4 |
| 69 | Cryptorchidism in Sweden: A Nationwide Study of Prevalence, Operative Management, and Complications. <i>Journal of Pediatrics</i> , 2018, 194, 197-203.e6. | 1.8 | 29 |
| 70 | Wet work exposure and hand eczema among healthcare workers: a cross-sectional study. <i>British Journal of Dermatology</i> , 2018, 178, 452-461. | 1.5 | 105 |
| 71 | Comparison of glomerular filtration rate estimating equations derived from creatinine and cystatin C: validation in the Age, Gene/Environment Susceptibility-Reykjavik elderly cohort. <i>Nephrology Dialysis Transplantation</i> , 2018, 33, 1380-1388. | 0.7 | 37 |
| 72 | HOUSING-RELATED CONTROL BELIEFS IN THE ASSOCIATION OF HOUSING ACCESSIBILITY AND ACTIVITIES OF DAILY LIVING. <i>Innovation in Aging</i> , 2018, 2, 577-577. | 0.1 | 0 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 73 | Intellectual Disability and Psychotic Disorders in Children: Association With Maternal Severe Mental Illness and Exposure to Obstetric Complications in a Whole-Population Cohort. <i>American Journal of Psychiatry</i> , 2018, 175, 1232-1242. | 7.2 | 13 |
| 74 | Hand eczema and occupational contact allergies in healthcare workers with a focus on rubber additives. <i>Contact Dermatitis</i> , 2018, 79, 149-156. | 1.4 | 43 |
| 75 | GFR estimation based on standardized creatinine and cystatin C: a European multicenter analysis in older adults. <i>Clinical Chemistry and Laboratory Medicine</i> , 2018, 56, 422-435. | 2.3 | 34 |
| 76 | Accuracy of GFR estimating equations in a large Swedish cohort: implications for radiologists in daily routine and research. <i>Acta Radiologica</i> , 2017, 58, 367-375. | 1.1 | 7 |
| 77 | Recent hip fracture trends in Sweden and Denmark with age-period-cohort effects. <i>Osteoporosis International</i> , 2017, 28, 139-149. | 3.1 | 60 |
| 78 | Neurophysiological recovery 5 years after carpal tunnel release in patients with diabetes. <i>Muscle and Nerve</i> , 2017, 56, E59-E64. | 2.2 | 15 |
| 79 | Accuracy diagrams: a novel way to illustrate uncertainty of estimated GFR. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2017, 77, 199-204. | 1.2 | 8 |
| 80 | Perception of safety is a prerequisite for the association between neighbourhood green qualities and physical activity: Results from a cross-sectional study in Sweden. <i>Health and Place</i> , 2017, 45, 124-130. | 3.3 | 54 |
| 81 | Estimating glomerular filtration rate (GFR) in children. The average between a cystatin C- and a creatinine-based equation improves estimation of GFR in both children and adults and enables diagnosing Shrunken Pore Syndrome. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2017, 77, 338-344. | 1.2 | 32 |
| 82 | The association between pain characteristics, pain catastrophizing and health care use – Baseline results from the SWEPAIn cohort. <i>Scandinavian Journal of Pain</i> , 2017, 16, 122-128. | 1.3 | 13 |
| 83 | Pain Sensitivity and its Relation to Spreading on the Body, Intensity, Frequency, and Duration of Pain. <i>Clinical Journal of Pain</i> , 2017, 33, 579-587. | 1.9 | 21 |
| 84 | Fever in the Emergency Department Predicts Survival of Patients With Severe Sepsis and Septic Shock Admitted to the ICU*. <i>Critical Care Medicine</i> , 2017, 45, 591-599. | 0.9 | 79 |
| 85 | Population-based incidence rate of inpatient and outpatient surgical procedures in a high-income country. <i>British Journal of Surgery</i> , 2017, 105, 86-95. | 0.3 | 19 |
| 86 | Predicting participation in the population-based Swedish cardiopulmonary bio-image study (SCAPIS) using register data. <i>Scandinavian Journal of Public Health</i> , 2017, 45, 45-49. | 2.3 | 29 |
| 87 | An efficient sampling strategy for selection of biobank samples using risk scores. <i>Scandinavian Journal of Public Health</i> , 2017, 45, 41-44. | 2.3 | 3 |
| 88 | Practical and methodological issues in register-based research. <i>Scandinavian Journal of Public Health</i> , 2017, 45, 3-4. | 2.3 | 4 |
| 89 | A 1-h Combination Algorithm Allows Fast Rule-Out and Rule-In of Major Adverse Cardiac Events. <i>Journal of the American College of Cardiology</i> , 2016, 67, 1531-1540. | 2.8 | 102 |
| 90 | Some Clarifying Points Regarding Controversies in Contrast Material-induced Acute Kidney Injury. <i>Radiology</i> , 2016, 279, 982-984. | 7.3 | 1 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 91 | Road traffic noise, air pollution and myocardial infarction: a prospective cohort study. <i>International Archives of Occupational and Environmental Health</i> , 2016, 89, 793-802. | 2.3 | 30 |
| 92 | Burnout among Swedish school teachers – a cross-sectional analysis. <i>BMC Public Health</i> , 2016, 16, 823. | 2.9 | 71 |
| 93 | Iohexol plasma clearance for measuring glomerular filtration rate in clinical practice and research: a review. Part 1: How to measure glomerular filtration rate with iohexol?. <i>CKJ: Clinical Kidney Journal</i> , 2016, 9, 682-699. | 2.9 | 169 |
| 94 | Iohexol plasma clearance for measuring glomerular filtration rate in clinical practice and research: a review. Part 2: Why to measure glomerular filtration rate with iohexol?. <i>CKJ: Clinical Kidney Journal</i> , 2016, 9, 700-704. | 2.9 | 150 |
| 95 | Cross-sectional associations between occupational factors and musculoskeletal pain in women teachers, nurses and sonographers. <i>BMC Musculoskeletal Disorders</i> , 2016, 17, 35. | 1.9 | 49 |
| 96 | All-cause Mortality in Knee and Hip Osteoarthritis and Rheumatoid Arthritis. <i>Epidemiology</i> , 2016, 27, 479-485. | 2.7 | 36 |
| 97 | Estimating GFR prior to contrast medium examinations – what the radiologist needs to know!. <i>European Radiology</i> , 2016, 26, 425-435. | 4.5 | 5 |
| 98 | Transfusion of sex-mismatched and non-leukocyte-depleted red blood cells in cardiac surgery increases mortality. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2016, 152, 223-232.e1. | 0.8 | 28 |
| 99 | The importance of work organization on workload and musculoskeletal health – Grocery store work as a model. <i>Applied Ergonomics</i> , 2016, 53, 143-151. | 3.1 | 23 |
| 100 | Ability of emergency physicians to diagnose acute coronary syndrome on the ECG of acute chest pain patients. <i>Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine</i> , 2015, 23, . | 2.6 | 1 |
| 101 | Annoyance, Sleep and Concentration Problems due to Combined Traffic Noise and the Benefit of Quiet Side. <i>International Journal of Environmental Research and Public Health</i> , 2015, 12, 1612-1628. | 2.6 | 83 |
| 102 | Controversies in Contrast Material-induced Acute Kidney Injury: Propensity Score Matching of Patients with Different Dose/Absolute Glomerular Filtration Rate Ratios. <i>Radiology</i> , 2015, 277, 633-637. | 7.3 | 19 |
| 103 | Neighborhood environment and physical activity among young children: A cross-sectional study from Sweden. <i>Scandinavian Journal of Public Health</i> , 2015, 43, 283-293. | 2.3 | 11 |
| 104 | New standardized cystatin C and creatinine GFR equations in children validated with inulin clearance. <i>Pediatric Nephrology</i> , 2015, 30, 1317-1326. | 1.7 | 28 |
| 105 | Effects of changing exposure to neighbourhood greenness on general and mental health: A longitudinal study. <i>Health and Place</i> , 2015, 33, 48-56. | 3.3 | 46 |
| 106 | Accuracy of GFR estimating equations combining standardized cystatin C and creatinine assays: a cross-sectional study in Sweden. <i>Clinical Chemistry and Laboratory Medicine</i> , 2015, 53, 403-14. | 2.3 | 75 |
| 107 | Comorbidities, intensity, frequency and duration of pain, daily functioning and health care seeking in local, regional, and widespread pain – a descriptive population-based survey (SwePain). <i>BMC Musculoskeletal Disorders</i> , 2015, 16, 165. | 1.9 | 42 |
| 108 | Performance of GFR Estimating Equations Stratified by Measured or Estimated GFR: Implications for Interpretation. <i>American Journal of Kidney Diseases</i> , 2015, 66, 1107-1108. | 1.9 | 13 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 109 | A Cross-Sectional Study of the Cardiovascular Effects of Welding Fumes. <i>PLoS ONE</i> , 2015, 10, e0131648. | 2.5 | 43 |
| 110 | Exploring inter-rater reliability and measurement properties of environmental ratings using kappa and colocation quotients. <i>Environmental Health</i> , 2014, 13, 86. | 4.0 | 6 |
| 111 | Development of a clinical scoring system for assessment of immunosuppression in patients with tuberculosis and HIV infection without access to CD4 cell testing – results from a cross-sectional study in Ethiopia. <i>Global Health Action</i> , 2014, 7, 23105. | 1.9 | 7 |
| 112 | Health-related quality of life 5 years after carpal tunnel release among patients with diabetes: a prospective study with matched controls. <i>BMC Endocrine Disorders</i> , 2014, 14, 85. | 2.2 | 8 |
| 113 | Carpal Tunnel Release in Patients With Diabetes: A 5-Year Follow-Up With Matched Controls. <i>Journal of Hand Surgery</i> , 2014, 39, 713-720. | 1.6 | 45 |
| 114 | A Clinical Scoring Algorithm for Determination of the Risk of Tuberculosis in HIV-Infected Adults: A Cohort Study Performed at Ethiopian Health Centers. <i>Open Forum Infectious Diseases</i> , 2014, 1, ofu095. | 0.9 | 29 |
| 115 | Current and future impact of osteoarthritis on health care: a population-based study with projections to year 2032. <i>Osteoarthritis and Cartilage</i> , 2014, 22, 1826-1832. | 1.3 | 322 |
| 116 | Automatic individualized contrast medium dosage during hepatic computed tomography by using computed tomography dose index volume (CTDIvol). <i>European Radiology</i> , 2014, 24, 1959-1963. | 4.5 | 2 |
| 117 | The revised Lund-Malmö GFR estimating equation outperforms MDRD and CKD-EPI across GFR, age and BMI intervals in a large Swedish population. <i>Clinical Chemistry and Laboratory Medicine</i> , 2014, 52, 815-24. | 2.3 | 144 |
| 118 | Generation of a New Cystatin C-Based Estimating Equation for Glomerular Filtration Rate by Use of 7 Assays Standardized to the International Calibrator. <i>Clinical Chemistry</i> , 2014, 60, 974-986. | 3.2 | 248 |
| 119 | Measuring GFR: A Systematic Review. <i>American Journal of Kidney Diseases</i> , 2014, 64, 411-424. | 1.9 | 391 |
| 120 | Prolactin insufficiency but normal thyroid hormone levels after cranial radiotherapy in long-term survivors of childhood leukaemia. <i>Clinical Endocrinology</i> , 2013, 79, 71-78. | 2.4 | 10 |
| 121 | Asthma incidence in children growing up close to traffic: a registry-based birth cohort. <i>Environmental Health</i> , 2013, 12, 91. | 4.0 | 15 |
| 122 | Telomere length and LINE1 methylation is associated with chromosomal aberrations in peripheral blood. <i>Genes Chromosomes and Cancer</i> , 2013, 52, 1-10. | 2.8 | 18 |
| 123 | The analgesic effect of oxygen during percutaneous coronary intervention (the OXYPAIN Trial). <i>Acute Cardiac Care</i> , 2013, 15, 63-68. | 0.2 | 14 |
| 124 | Does Allergen-specific Immunotherapy Induce Contact Allergy to Aluminium?. <i>Acta Dermato-Venereologica</i> , 2013, 93, 50-56. | 1.3 | 28 |
| 125 | CD4 Cell Levels during Treatment for Tuberculosis (TB) in Ethiopian Adults and Clinical Markers Associated with CD4 Lymphocytopenia. <i>PLoS ONE</i> , 2013, 8, e83270. | 2.5 | 29 |
| 126 | Ability of risk scores to predict a low complication risk in patients admitted for suspected acute coronary syndrome. <i>Emergency Medicine Journal</i> , 2012, 29, 644-649. | 1.0 | 7 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 127 | Validation of the Lund-Malmö, Chronic Kidney Disease Epidemiology (CKD-EPI) and Modification of Diet in Renal Disease (MDRD) equations to estimate glomerular filtration rate in a large Swedish clinical population. <i>Scandinavian Journal of Urology and Nephrology</i> , 2012, 46, 212-222. | 1.4 | 45 |
| 128 | Hepatic contrast medium enhancement at computed tomography and its correlation with various body size measures. <i>Acta Radiologica</i> , 2012, 53, 601-606. | 1.1 | 18 |
| 129 | Secular Trends in Swedish Hip Fractures 1987-2002. <i>Epidemiology</i> , 2012, 23, 623-630. | 2.7 | 37 |
| 130 | Risk predictions for individual patients from logistic regression were visualized with bar-line charts. <i>Journal of Clinical Epidemiology</i> , 2012, 65, 335-342. | 5.0 | 5 |
| 131 | The risk of cancer among persons with a history of injecting drug use in Sweden - a cohort study based on participants in a needle exchange program. <i>Acta Oncologica</i> , 2012, 51, 51-56. | 1.8 | 7 |
| 132 | A systematic review of risk factors associated with transitioning from regional musculoskeletal pain to chronic widespread pain. <i>European Journal of Pain</i> , 2012, 16, 1084-1093. | 2.8 | 68 |
| 133 | Green qualities in the neighbourhood and mental health - results from a longitudinal cohort study in Southern Sweden. <i>BMC Public Health</i> , 2012, 12, 337. | 2.9 | 189 |
| 134 | Measured and modeled personal and environmental NO2 exposure. <i>Population Health Metrics</i> , 2012, 10, 10. | 2.7 | 22 |
| 135 | Likelihood of acute coronary syndrome in emergency department chest pain patients varies with time of presentation. <i>BMC Research Notes</i> , 2012, 5, 420. | 1.4 | 23 |
| 136 | Perceived green qualities were associated with neighborhood satisfaction, physical activity, and general health: Results from a cross-sectional study in suburban and rural Scania, southern Sweden. <i>Health and Place</i> , 2012, 18, 1374-1380. | 3.3 | 113 |
| 137 | Improved estimation of glomerular filtration rate (GFR) by comparison of eGFR _{cystatin C} and eGFR _{creatinine} . <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2012, 72, 73-77. | 1.2 | 75 |
| 138 | Calibration™ of our patch test reading technique is necessary. <i>Contact Dermatitis</i> , 2012, 66, 180-187. | 1.4 | 56 |
| 139 | Social capital and self-rated health - A study of temporal (causal) relationships. <i>Social Science and Medicine</i> , 2012, 75, 340-348. | 3.8 | 95 |
| 140 | Survey context and question wording affects self reported annoyance due to road traffic noise: a comparison between two cross-sectional studies. <i>Environmental Health</i> , 2012, 11, 14. | 4.0 | 17 |
| 141 | An artificial neural network to safely reduce the number of ambulance ECGs transmitted for physician assessment in a system with prehospital detection of ST elevation myocardial infarction. <i>Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine</i> , 2012, 20, 8. | 2.6 | 14 |
| 142 | Cystatin C, a marker for successful aging and glomerular filtration rate, is not influenced by inflammation. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2011, 71, 145-149. | 1.2 | 72 |
| 143 | Long-term course of Mycobacterium tuberculosis infection in Swedish birth cohorts during the twentieth century. <i>International Journal of Tuberculosis and Lung Disease</i> , 2011, 15, 736-740. | 1.2 | 13 |
| 144 | Cancer Incidence and Mortality in Swedish Sterilant Workers Exposed to Ethylene Oxide: Updated Cohort Study Findings 1972-2006. <i>International Journal of Environmental Research and Public Health</i> , 2011, 8, 2009-2019. | 2.6 | 34 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 145 | Work stress, worries, and pain interact synergistically with modelled traffic noise on cross-sectional associations with self-reported sleep problems. <i>International Archives of Occupational and Environmental Health</i> , 2011, 84, 211-224. | 2.3 | 12 |
| 146 | Relationship between commuting and health outcomes in a cross-sectional population survey in southern Sweden. <i>BMC Public Health</i> , 2011, 11, 834. | 2.9 | 158 |
| 147 | Area-aggregated assessments of perceived environmental attributes may overcome single-source bias in studies of green environments and health: results from a cross-sectional survey in southern Sweden. <i>Environmental Health</i> , 2011, 10, 4. | 4.0 | 49 |
| 148 | The CKD-EPI and MDRD equations to estimate GFR. Validation in the Swedish Lund-Malmö Study cohort. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2011, 71, 129-138. | 1.2 | 45 |
| 149 | Bone loss after childhood acute lymphoblastic leukaemia: an observational study with and without GH therapy. <i>European Journal of Endocrinology</i> , 2011, 164, 695-703. | 3.7 | 17 |
| 150 | Hospital Admissions for Ischemic Stroke: Does Long-Term Exposure to Air Pollution Interact with Major Risk Factors?. <i>Cerebrovascular Diseases</i> , 2011, 31, 284-293. | 1.7 | 22 |
| 151 | Maternal Exposure to Air Pollution and Birth Outcomes. <i>Environmental Health Perspectives</i> , 2011, 119, 553-558. | 6.0 | 60 |
| 152 | Revised equations for estimating glomerular filtration rate based on the Lund-Malmö Study cohort. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2011, 71, 232-239. | 1.2 | 157 |
| 153 | GREEN NEIGHBORHOOD QUALITY IS ASSOCIATED WITH PHYSICAL ACTIVITY BEHAVIOR AND SELF-RATED HEALTH STATUS IN SCANIA, SOUTHERN SWEDEN. <i>ISEE Conference Abstracts</i> , 2011, 2011, . | 0.0 | 0 |
| 154 | Adult asthma and traffic exposure at residential address, workplace address, and self-reported daily time outdoor in traffic: A two-stage case-control study. <i>BMC Public Health</i> , 2010, 10, 716. | 2.9 | 26 |
| 155 | Local steroid injection for moderately severe idiopathic carpal tunnel syndrome: Protocol of a randomized double-blind placebo-controlled trial (NCT 00806871). <i>BMC Musculoskeletal Disorders</i> , 2010, 11, 76. | 1.9 | 20 |
| 156 | Health-related quality of life in diabetic patients with carpal tunnel syndrome. <i>Diabetic Medicine</i> , 2010, 27, 466-472. | 2.3 | 26 |
| 157 | Estimation of Short-Term Effects of Air Pollution on Stroke Hospital Admissions in Southern Sweden. <i>Neuroepidemiology</i> , 2010, 34, 131-142. | 2.3 | 66 |
| 158 | Cardiac output measured by electrical velocimetry in the CT suite correlates with coronary artery enhancement: A feasibility study. <i>Acta Radiologica</i> , 2010, 51, 895-902. | 1.1 | 14 |
| 159 | A new tool for predicting the probability of chronic kidney disease from a specific value of estimated GFR. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2010, 70, 327-333. | 1.2 | 7 |
| 160 | Reduced Energy Expenditure and Impaired Feeding-Related Signals But Not High Energy Intake Reinforces Hypothalamic Obesity in Adults with Childhood Onset Craniopharyngioma. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2010, 95, 5395-5402. | 3.6 | 112 |
| 161 | Cardiovascular Risk, Cardiac Function, Physical Activity, and Quality of Life with and without Long-Term Growth Hormone Therapy in Adult Survivors of Childhood Acute Lymphoblastic Leukemia. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2010, 95, 3726-3735. | 3.6 | 38 |
| 162 | Serum cystatin C: A useful marker of kidney function in very old people. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2009, 69, 606-611. | 1.2 | 16 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 163 | Hypothalamic involvement predicts cardiovascular risk in adults with childhood onset craniopharyngioma on long-term GH therapy. <i>European Journal of Endocrinology</i> , 2009, 161, 671-679. | 3.7 | 78 |
| 164 | Minimizing contrast medium doses to diagnose pulmonary embolism with 80-kVp multidetector computed tomography in azotemic patients. <i>Acta Radiologica</i> , 2009, 50, 181-193. | 1.1 | 53 |
| 165 | Ranking of genome-wide association scan signals by different measures. <i>International Journal of Epidemiology</i> , 2009, 38, 1364-1373. | 1.9 | 9 |
| 166 | In search of the best method to predict acute coronary syndrome using only the electrocardiogram from the emergency department. <i>Journal of Electrocardiology</i> , 2009, 42, 58-63. | 0.9 | 37 |
| 167 | Association between polymorphisms in RMI1, TOP3A, and BLM and risk of cancer, a case-control study. <i>BMC Cancer</i> , 2009, 9, 140. | 2.6 | 43 |
| 168 | Long-term exposure to air pollution and hospital admissions for ischemic stroke. A register-based case-control study using modelled NO _x exposure proxy. <i>BMC Public Health</i> , 2009, 9, 301. | 2.9 | 30 |
| 169 | Negative predictive value and potential cost savings of acute nuclear myocardial perfusion imaging in low risk patients with suspected acute coronary syndrome: A prospective single blinded study. <i>BMC Emergency Medicine</i> , 2009, 9, 12. | 1.9 | 18 |
| 170 | Is contact allergy to disperse dyes and related substances associated with textile dermatitis?. <i>British Journal of Dermatology</i> , 2009, 160, 107-115. | 1.5 | 41 |
| 171 | Does gold concentration in the blood influence the result of patch testing to gold?. <i>British Journal of Dermatology</i> , 2009, 160, 1016-1021. | 1.5 | 23 |
| 172 | There is an association between contact allergy to aluminium and persistent subcutaneous nodules in children undergoing hyposensitization therapy. <i>Contact Dermatitis</i> , 2009, 60, 41-49. | 1.4 | 56 |
| 173 | A correlation found between contact allergy to stent material and restenosis of the coronary arteries. <i>Contact Dermatitis</i> , 2009, 60, 158-164. | 1.4 | 81 |
| 174 | Exploring new possibilities for case-based explanation of artificial neural network ensembles. <i>Neural Networks</i> , 2009, 22, 75-81. | 5.9 | 26 |
| 175 | Smoking as a risk factor for myelodysplastic syndromes and acute myeloid leukemia and its relation to cytogenetic findings: A case-control study. <i>Leukemia Research</i> , 2009, 33, 788-791. | 0.8 | 42 |
| 176 | Variability in diagnostic accuracy can be estimated using simple population weighting. <i>Journal of Clinical Epidemiology</i> , 2009, 62, 54-57. | 5.0 | 11 |
| 177 | Clinical Outcomes of Surgical Release Among Diabetic Patients With Carpal Tunnel Syndrome: Prospective Follow-Up With Matched Controls. <i>Journal of Hand Surgery</i> , 2009, 34, 1177-1187. | 1.6 | 83 |
| 178 | Road traffic noise and hypertension: results from a cross-sectional public health survey in southern Sweden. <i>Environmental Health</i> , 2009, 8, 38. | 4.0 | 102 |
| 179 | Validation of a new plasma cystatin C-based formula and the Modification of Diet in Renal Disease creatinine-based formula for determination of glomerular filtration rate. <i>Scandinavian Journal of Urology and Nephrology</i> , 2009, 43, 242-249. | 1.4 | 14 |
| 180 | Different equations to combine creatinine and cystatin C to predict GFR. Arithmetic mean of existing equations performs as well as complex combinations. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2009, 69, 619-627. | 1.2 | 41 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 181 | Influence of polymorphic metabolic enzymes on biotransformation and effects of diphenylmethane diisocyanate. <i>International Archives of Occupational and Environmental Health</i> , 2008, 81, 429-441. | 2.3 | 8 |
| 182 | Comments on "Practical experiences on the necessity of external validation" by I. R. König, J. D. Malley, C. Weimar, H. Diener and A. Ziegler, <i>Statistics in Medicine</i> , DOI: 10.1002/sim.3069. <i>Statistics in Medicine</i> , 2008, 27, 2737-2738. | 1.6 | 1 |
| 183 | A correlation found between gold concentration in blood and patch test reactions in patients with coronary stents. <i>Contact Dermatitis</i> , 2008, 59, 137-142. | 1.4 | 31 |
| 184 | Normal limits for left ventricular ejection fraction and volumes determined by gated single photon emission computed tomography – a comparison between two quantification methods. <i>Clinical Physiology and Functional Imaging</i> , 2008, 28, 169-173. | 1.2 | 29 |
| 185 | High NT-proBNP Is a Strong Predictor of Outcome in Elderly Heart Failure Patients. <i>The American Journal of Geriatric Cardiology</i> , 2008, 17, 13-20. | 0.6 | 25 |
| 186 | Prevalence of widespread pain and associations with work status: a population study. <i>BMC Musculoskeletal Disorders</i> , 2008, 9, 102. | 1.9 | 121 |
| 187 | Contrast medium dose-to-gfr ratio: a measure of systemic exposure to predict contrast-induced nephropathy after percutaneous coronary intervention. <i>Acta Radiologica</i> , 2008, 49, 658-667. | 1.1 | 119 |
| 188 | Recreational values of the natural environment in relation to neighbourhood satisfaction, physical activity, obesity and wellbeing. <i>Journal of Epidemiology and Community Health</i> , 2008, 62, e2-e2. | 3.7 | 232 |
| 189 | Selection of Influential Genetic Markers Among a Large Number of Candidates Based on Effect Estimation Rather than Hypothesis Testing. <i>Epidemiology</i> , 2008, 19, 302-308. | 2.7 | 13 |
| 190 | Iodixanol 320 Results in Better Renal Tolerance and Radiodensity than Do Gadolinium-based Contrast Media: Arteriography in Ischemic Porcine Kidneys. <i>Radiology</i> , 2008, 247, 88-97. | 7.3 | 17 |
| 191 | The Lund-Malmö creatinine-based glomerular filtration rate prediction equation for adults also performs well in children. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2008, 68, 568-576. | 1.2 | 36 |
| 192 | Prediction of relative glomerular filtration rate in adults: New improved equations based on Swedish Caucasians and standardized plasma creatinine assays. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2007, 67, 678-695. | 1.2 | 70 |
| 193 | Histomorphological changes after renal X-ray arteriography using iodine and gadolinium contrast media in an ischemic porcine model. <i>Acta Radiologica</i> , 2007, 48, 1109-1119. | 1.1 | 12 |
| 194 | Genetic variant of the human homologous recombination-associated gene RMI1 (S455N) impacts the risk of AML/MDS and malignant melanoma. <i>Cancer Letters</i> , 2007, 258, 38-44. | 7.2 | 24 |
| 195 | Efficiency of two-phase methods with focus on a planned population-based case-control study on air pollution and stroke. <i>Environmental Health</i> , 2007, 6, 34. | 4.0 | 2 |
| 196 | High frequency of contact allergy to gold in patients with endovascular coronary stents. <i>British Journal of Dermatology</i> , 2007, 157, 730-738. | 1.5 | 49 |
| 197 | Unexpected sensitization routes and general frequency of contact allergies in an elderly stented Swedish population. <i>Contact Dermatitis</i> , 2007, 56, 338-343. | 1.4 | 16 |
| 198 | Best leads in the standard electrocardiogram for the emergency detection of acute coronary syndrome. <i>Journal of Electrocardiology</i> , 2007, 40, 251-256. | 0.9 | 18 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 199 | Trait anxiety and modeled exposure as determinants of self-reported annoyance to sound, air pollution and other environmental factors in the home. <i>International Archives of Occupational and Environmental Health</i> , 2007, 81, 179-191. | 2.3 | 53 |
| 200 | Standardization of pârcreatinine assays and use of lean body mass allow improved prediction of calculated glomerular filtration rate in adults: A new equation. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2006, 66, 451-468. | 1.2 | 27 |
| 201 | Gadolinium contrast media are more nephrotoxic than iodine media. The importance of osmolality in direct renal artery injections. <i>European Radiology</i> , 2006, 16, 2712-2720. | 4.5 | 39 |
| 202 | Comparison between neural networks and multiple logistic regression to predict acute coronary syndrome in the emergency room. <i>Artificial Intelligence in Medicine</i> , 2006, 38, 305-318. | 6.5 | 101 |
| 203 | A simple statistical model for prediction of acute coronary syndrome in chest pain patients in the emergency department. <i>BMC Medical Informatics and Decision Making</i> , 2006, 6, 28. | 3.0 | 32 |
| 204 | Road traffic noise in southern Sweden and its relation to annoyance, disturbance of daily activities and health. <i>Scandinavian Journal of Work, Environment and Health</i> , 2006, 32, 392-401. | 3.4 | 55 |
| 205 | Constitutional short telomeres are strong genetic susceptibility markers for bladder cancer. <i>Carcinogenesis</i> , 2005, 26, 1263-1271. | 2.8 | 220 |
| 206 | The Utility of the Growth Hormone (GH) Releasing Hormone-Arginine Test for Diagnosing GH Deficiency in Adults with Childhood Acute Lymphoblastic Leukemia Treated with Cranial Irradiation. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2005, 90, 6048-6054. | 3.6 | 39 |
| 207 | Simple Cystatin CârBased Prediction Equations for Glomerular Filtration Rate Compared with the Modification of Diet in Renal Disease Prediction Equation for Adults and the Schwartz and the CounahanârBarratt Prediction Equations for Children. <i>Clinical Chemistry</i> , 2005, 51, 1420-1431. | 3.2 | 413 |
| 208 | A cystatin Cârbased formula without anthropometric variables estimates glomerular filtration rate better than creatinine clearance using the CockcroftârGault formula. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2005, 65, 153-162. | 1.2 | 118 |
| 209 | Model specification and unmeasured confounders in partially ecologic analyses based on group proportions of exposed. <i>Scandinavian Journal of Work, Environment and Health</i> , 2005, 31, 184-190. | 3.4 | 4 |
| 210 | Growth Hormone Deficiency Predicts Cardiovascular Risk in Young Adults Treated for Acute Lymphoblastic Leukemia in Childhood. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2004, 89, 5003-5012. | 3.6 | 138 |
| 211 | Incorporating Group-Level Exposure Information in Case-Control Studies With Missing Data on Dichotomous Exposures. <i>Epidemiology</i> , 2004, 15, 494-503. | 2.7 | 5 |
| 212 | Blood Supply and Oxidative Metabolism in Muscle Biopsies of Female Cleaners With and Without Myalgia. <i>Clinical Journal of Pain</i> , 2004, 20, 440-446. | 1.9 | 68 |
| 213 | Associations between Contact Allergy to Epoxy Resin and Fragrance Mix. <i>Acta Dermato-Venereologica</i> , 2004, 84, 151-153. | 1.3 | 15 |
| 214 | Prevalence of current and chronic pain and their influences upon work and healthcare-seeking: a population study. <i>Journal of Rheumatology</i> , 2004, 31, 1399-406. | 2.0 | 100 |
| 215 | Cytogenetic and morphologic subgroups of myelodysplastic syndromes in relation to occupational and hobby exposures. <i>Scandinavian Journal of Work, Environment and Health</i> , 2003, 29, 378-387. | 3.4 | 10 |
| 216 | Estimating Attributable Fraction in Partially Ecologic Case-Control Studies. <i>Epidemiology</i> , 2002, 13, 459-466. | 2.7 | 2 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 217 | Risk Factors for Cerebrovascular Deaths in Patients Operated and Irradiated for Pituitary Tumors. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2002, 87, 4892-4899. | 3.6 | 92 |
| 218 | Letter to the Editor and Rebuttal. <i>Journal of Occupational and Environmental Hygiene</i> , 2002, 17, 329-330. | 0.4 | 1 |
| 219 | Effects of systematic exposure assessment errors in partially ecologic case-control studies. <i>International Journal of Epidemiology</i> , 2002, 31, 154-160. | 1.9 | 21 |
| 220 | Myosin heavy chain isoforms influence surface EMG parameters: a study of the trapezius muscle in cleaners with and without myalgia and in healthy teachers. <i>European Journal of Applied Physiology</i> , 2002, 87, 481-488. | 2.5 | 12 |
| 221 | Pooled analysis of clinical and cytogenetic features in treatment-related and de novo adult acute myeloid leukemia and myelodysplastic syndromes based on a consecutive series of 761 patients analyzed 1976-1993 and on 5098 unselected cases reported in the literature 1974-2001. <i>Leukemia</i> , 2002, 16, 2366-2378. | 7.2 | 239 |
| 222 | Periampullary adenomas and adenocarcinomas in familial adenomatous polyposis: Cumulative risks and APC gene mutations. <i>Gastroenterology</i> , 2001, 121, 1127-1135. | 1.3 | 235 |
| 223 | Abnormal Nuclear Shape in Solid Tumors Reflects Mitotic Instability. <i>American Journal of Pathology</i> , 2001, 158, 199-206. | 3.8 | 187 |
| 224 | Plasma Levels of Persistent Organohalogenes and Hormone Levels in Adult Male Humans. <i>Archives of Environmental Health</i> , 2001, 56, 138-143. | 0.4 | 138 |
| 225 | Evaluation of occupational and leisure time exposure assessment in a population-based case control study on leukaemia. <i>International Archives of Occupational and Environmental Health</i> , 2001, 74, 533-540. | 2.3 | 5 |
| 226 | Fibre type proportion and fibre size in trapezius muscle biopsies from cleaners with and without myalgia and its correlation with ragged red fibres, cytochrome- c -oxidase-negative fibres, biomechanical output, perception of fatigue, and surface electromyography during repetitive forward flexions. <i>European Journal of Applied Physiology</i> , 2001, 84, 492-502. | 2.5 | 51 |
| 227 | Outcome of primary and secondary ileal pouch-anal anastomosis and ileorectal anastomosis in patients with familial adenomatous polyposis. <i>Diseases of the Colon and Rectum</i> , 2001, 44, 984-992. | 1.3 | 59 |
| 228 | Smoking and acute myeloid leukemia: associations with morphology and karyotypic patterns and evaluation of dose-response relations. <i>Leukemia Research</i> , 2001, 25, 865-872. | 0.8 | 38 |
| 229 | Are occupational, hobby, or lifestyle exposures associated with Philadelphia chromosome positive chronic myeloid leukaemia?. <i>Occupational and Environmental Medicine</i> , 2001, 58, 722-727. | 2.8 | 39 |
| 230 | Mechanical performance and electromyography during repeated maximal isokinetic shoulder forward flexions in female cleaners with and without myalgia of the trapezius muscle and in healthy controls. <i>European Journal of Applied Physiology</i> , 2000, 83, 257-267. | 2.5 | 47 |
| 231 | The prevalences of cytochrome c oxidase negative and superpositive fibres and ragged-red fibres in the trapezius muscle of female cleaners with and without myalgia and of female healthy controls. <i>Pain</i> , 2000, 84, 379-387. | 4.2 | 60 |
| 232 | Smoking and Myelodysplastic Syndromes. <i>Epidemiology</i> , 2000, 11, 285-291. | 2.7 | 71 |
| 233 | Influence of the Consumption of Fatty Baltic Sea Fish on Plasma Levels of Halogenated Environmental Contaminants in Latvian and Swedish Men. <i>Environmental Health Perspectives</i> , 2000, 108, 1035-1041. | 6.0 | 144 |
| 234 | Acute myeloid leukemia and clonal chromosome aberrations in relation to past exposure to organic solvents. <i>Scandinavian Journal of Work, Environment and Health</i> , 2000, 26, 482-491. | 3.4 | 32 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 235 | Epidemiology of Familial Adenomatous Polyposis in Sweden: Changes over Time and Differences in Phenotype between Males and Females. <i>Scandinavian Journal of Gastroenterology</i> , 1999, 34, 1230-1235. | 1.5 | 68 |
| 236 | Growth-Regulatory Effects of Sensory Neuropeptides, Epidermal Growth Factor, Insulin, and Somatostatin on the Non-Transformed Intestinal Epithelial Cell Line IEC-6 and the Colon Cancer Cell Line HT 29. <i>Scandinavian Journal of Gastroenterology</i> , 1993, 28, 879-884. | 1.5 | 110 |
| 237 | Development and initial validation of a multivariable predictive Early Adversity Scale for Schizophrenia (EAS-Sz) using register data to quantify environmental risk for adult schizophrenia diagnosis after childhood exposure to adversity. <i>Psychological Medicine</i> , 0, , 1-11. | 4.5 | 1 |