

Rosario Elida Suman Bretas

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8082822/publications.pdf>

Version: 2024-02-01

89
papers

2,242
citations

236612

25
h-index

243296

44
g-index

89
all docs

89
docs citations

89
times ranked

2818
citing authors

#	ARTICLE	IF	CITATIONS
1	Effect of MWCNT carboxyl functionalization on the shear rheological and electrical properties of HMS-PP/MWCNT foams. <i>Journal of Cellular Plastics</i> , 2021, 57, 210-235.	1.2	5
2	Melt processing of nanocomposites of cellulose nanocrystals with biobased thermoplastic polyurethane. <i>Journal of Applied Polymer Science</i> , 2021, 138, 50343.	1.3	8
3	A Sustainable Recycling Alternative: Electrospun PET-Membranes for Air Nanofiltration. <i>Polymers</i> , 2021, 13, 1166.	2.0	39
4	Dualistic effect of Kraft lignin on the viscoelastic behavior of biodegradable biobased PBSA. <i>Materials Today Communications</i> , 2021, 29, 102847.	0.9	1
5	Structural, optical, and magnetic properties of KBiFe ₂ O ₅ synthesized by a sol-gel method using PVP as additive. <i>International Journal of Applied Ceramic Technology</i> , 2020, 17, 2725-2733.	1.1	4
6	Rheological, mechanical, thermal, and morphological properties of blends poly(butylene) Tj ETQqO O O rgBT /Overlock 10 Tf 50 547 Td (a Polymer Engineering and Science, 2020, 60, 1482-1493.	1.5	19
7	Effects of bismuth/lanthanum-substitution on optical, dielectric and magnetic properties of bismuth-iron titanate. <i>Materials Today Communications</i> , 2020, 24, 101193.	0.9	5
8	Melt-mixed nanocomposites of SIS/MWCNT: rheological, electrical and structural behavior. <i>Polimeros</i> , 2020, 30, .	0.2	0
9	Synthesis of the high dielectric permittivity perovskite (Na _{1/3} Ca _{1/3} Bi _{1/3} Cu ₃ Ti ₄ O ₁₂) by different routes. <i>Ceramics International</i> , 2019, 45, 24642-24650.	2.3	4
10	Potential supercapacitors made of polymer/perovskite composites. <i>AIP Conference Proceedings</i> , 2019, , .	0.3	1
11	Optical and dielectric properties of Nd and Sm-doped Bi ₅ Ti ₃ FeO ₁₅ . <i>Journal of Materials Science: Materials in Electronics</i> , 2019, 30, 16812-16820.	1.1	6
12	S�ntese da perovskita [KNbO ₃] _{0,9} [BaNi _{0,5} Nb _{0,5} O ₃ -�] _{0,1} por combust�o em solu�o. <i>Ceramica</i> , 2019, 65, 45-53.	0.3	2
13	Remarkable change in the broadband electrical behavior of poly(vinylidene fluoride)-multiwalled carbon nanotube nanocomposites with the use of different processing routes. <i>Journal of Applied Polymer Science</i> , 2019, 136, 47409.	1.3	11
14	Poly (Butylene Adipate-Co-Terephthalate) and Poly (�-Caprolactone) and Their Bionanocomposites with Cellulose Nanocrystals: Thermo-Mechanical Properties and Cell Viability Study. <i>Journal of Renewable Materials</i> , 2019, 7, 269-277.	1.1	4
15	Electrical conductivity of electrospun nanofiber mats of polyamide 6/polyaniline coated with nitrogen-doped carbon nanotubes. <i>Materials and Design</i> , 2018, 141, 333-341.	3.3	38
16	Nanofibers of poly(vinylidene fluoride)/copper nanowire: Microstructural analysis and dielectric behavior. <i>European Polymer Journal</i> , 2018, 101, 46-55.	2.6	12
17	Control of the Hydrophilic/Hydrophobic Behavior of Biodegradable Natural Polymers by Decorating Surfaces with Nano- and Micro-Components. <i>Advances in Polymer Technology</i> , 2018, 37, 654-661.	0.8	14
18	Nanocomposites based on renewable thermoplastic polyurethane and chemically modified cellulose nanocrystals with improved mechanical properties. <i>Journal of Applied Polymer Science</i> , 2018, 135, 46736.	1.3	15

#	ARTICLE	IF	CITATIONS
19	Flexible conductive poly(styrene- <i>co</i> -butadiene- <i>co</i> -styrene)/carbon nanotubes nanocomposites: Self-assembly and broadband electrical behavior. <i>Journal of Applied Polymer Science</i> , 2018, 135, 46650.	1.3	12
20	The effect of a hydroxyapatite impregnated PCL membrane in rat subcritical calvarial bone defects. <i>Archives of Oral Biology</i> , 2017, 82, 209-215.	0.8	21
21	Correlation between electrospinning parameters and magnetic properties of BiFeO ₃ nanofibers. <i>Electrospinning</i> , 2017, 1, .	1.6	4
22	Improvement of the short- and long-term mechanical properties of injection-molded poly(etheretherketone) and hydroxyapatite nanocomposites. <i>Journal of Applied Polymer Science</i> , 2017, 134, .	1.3	8
23	Optical Properties of Blown Films of PA6/MMT Nanocomposites. <i>Materials Research</i> , 2017, 20, 53-60.	0.6	12
24	Melt extruded nanocomposites of polybutylene adipate- <i>co</i> -terephthalate (PBAT) with phenylbutyl isocyanate modified cellulose nanocrystals. <i>Journal of Applied Polymer Science</i> , 2016, 133, .	1.3	53
25	Nanocomposites of PBAT and cellulose nanocrystals modified by <i>in situ</i> polymerization and melt extrusion. <i>Polymer Engineering and Science</i> , 2016, 56, 1339-1348.	1.5	37
26	Effect of polymer matrix on rheological and electrical percolation threshold of MWCNTs. <i>AIP Conference Proceedings</i> , 2016, . .	0.3	0
27	High loading of graphene oxide/multi-walled carbon nanotubes into PDLLA: A route towards the design of osteoconductive, bactericidal and non-immunogenic 3D porous scaffolds. <i>Materials Chemistry and Physics</i> , 2016, 177, 56-66.	2.0	12
28	Morphological, thermal, and mechanical properties of poly(ϵ -caprolactone)/poly(ϵ -caprolactone)-grafted-cellulose nanocrystals mats produced by electrospinning. <i>Journal of Applied Polymer Science</i> , 2016, 133, .	1.3	50
29	Supramolecular aromatic interactions to enhance biodegradable film properties through incorporation of functionalized cellulose nanocrystals. <i>Composites Part A: Applied Science and Manufacturing</i> , 2016, 83, 80-88.	3.8	73
30	Nanocomposites of acrylonitrile-butadiene-styrene/montmorillonite/styrene block copolymers: Structural, rheological, mechanical and flammability studies on the effect of organoclays and compatibilizers using statistically designed experiments. <i>Journal of Composite Materials</i> , 2016, 50, 771-782.	1.2	12
31	A new approach for conductive network formation in electrospun poly(vinylidene fluoride) nanofibers. <i>Polymer International</i> , 2015, 64, 1262-1267.	1.6	13
32	Mechanical properties and stem cell adhesion of injection-molded poly(ether ether ketone) and hydroxyapatite nanocomposites. <i>Journal of Applied Polymer Science</i> , 2015, 132, .	1.3	11
33	Influence of chain extender on mechanical, thermal and morphological properties of blown films of PLA/PBAT blends. <i>Polymer Testing</i> , 2015, 43, 27-37.	2.3	295
34	Poly (butylene adipate- <i>co</i> -terephthalate)/hydroxyapatite composite structures for bone tissue recovery. <i>Polymer Degradation and Stability</i> , 2015, 120, 61-69.	2.7	47
35	Natural copaiba oil as antibacterial agent for bio-based active packaging. <i>Industrial Crops and Products</i> , 2015, 70, 134-141.	2.5	51
36	<i>In Vitro</i> and <i>In Vivo</i> Studies of Novel Poly(<i>DL</i> -lactic acid), Superhydrophilic Carbon Nanotubes, and Nanohydroxyapatite Scaffolds for Bone Regeneration. <i>ACS Applied Materials & Interfaces</i> , 2015, 7, 9385-9398.	4.0	57

#	ARTICLE	IF	CITATIONS
37	Novel electrical conductive hybrid nanostructures based on <sc>PA</sc> 6/<sc>MWCNT_{COOH}</sc> electrospun nanofibers and anchored <sc>MWCNT_{COOH}</sc>. Polymer Engineering and Science, 2015, 55, 1263-1272.	1.5	8
38	Novel composites of copper nanowire/PVDF with superior dielectric properties. Polymer, 2014, 55, 226-234.	1.8	146
39	Elaboration and properties of novel biobased nanocomposites with halloysite nanotubes and thermoplastic polyurethane from dimerized fatty acids. Polymer, 2014, 55, 5226-5234.	1.8	46
40	Synergic effect in electrical conductivity using a combination of two fillers in PVDF hybrids composites. European Polymer Journal, 2013, 49, 3318-3327.	2.6	40
41	Influence of shape and surface modification of nanoparticle on the rheological and dynamicâ€mechanical properties of polyamide 6 nanocomposites. Polymer Engineering and Science, 2013, 53, 1512-1528.	1.5	24
42	Effect of compatibilization and reprocessing on the isothermal crystallization kinetics of polypropylene/wood flour composites. Polimeros, 2013, 23, 312-319.	0.2	13
43	Extraction and Characterization of Cellulose Nanowhiskers from Balsa Wood. Macromolecular Symposia, 2012, 319, 191-195.	0.4	26
44	Preparation and characterization of PA6/PAni-TSA nanofibers. Synthetic Metals, 2012, 162, 1537-1545.	2.1	24
45	Influence of the microstructure and mechanical strength of nanofibers of biodegradable polymers with hydroxyapatite in stem cells growth. Electrospinning, characterization and cell viability. Polymer Degradation and Stability, 2012, 97, 2037-2051.	2.7	43
46	Nanocomposites of polyamide 6/residual monomer with organic-modified montmorillonite and their nanofibers produced by electrospinning. Materials Research, 2012, 15, 611-621.	0.6	14
47	Viabilidade celular de nanofibras de polÃmeros biodegradÃveis e seus nanocompÃsitos com argila montmorilonita. Polimeros, 2012, 22, 34-41.	0.2	18
48	Processing and characterization of oriented electrospun poly(vinylidene fluoride) mats. Journal of Polymer Science, Part B: Polymer Physics, 2012, 50, 1304-1311.	2.4	13
49	CaracterizaÃ£o reolÃgica da goma xantana: influÃncia de Ãons metÃlicos univalente e trivalente e temperatura em experimentos dinÃmicos. Polimeros, 2011, 21, 188-194.	0.2	3
50	PreparaÃo e CaracterizaÃo de Nanofibras de NanocompÃsitos de Poliamida 6,6 e Argila Montmorilonita. Polimeros, 2011, 21, 398-408.	0.2	5
51	Effect of EVA as compatibilizer on the mechanical properties, permeability characteristics, lamellae orientation, and long period of blown films of HDPE/clay nanocomposites. Journal of Applied Polymer Science, 2010, 118, 3340-3350.	1.3	24
52	Study of the quiescent and shearâ€induced crystallization kinetics of intercalated PTT/MMT nanocomposites. Journal of Polymer Science, Part B: Polymer Physics, 2010, 48, 113-127.	2.4	17
53	Effect of PBT molecular weight and reactive compatibilization on the dispersedâ€phase coalescence of PBT/SAN blends. Journal of Polymer Science, Part B: Polymer Physics, 2010, 48, 2274-2287.	2.4	11
54	Optical monitoring of the injection molding of intercalated polypropylene nanocomposites. Polymer Engineering and Science, 2010, 50, 1326-1339.	1.5	8

#	ARTICLE	IF	CITATIONS
55	Caracterização de filmes de PVDF- β obtidos por diferentes técnicas. Polimeros, 2009, 19, 183-189.	0.2	12
56	A X-ray study of β -phase and molecular orientation in nucleated and non-nucleated injection molded polypropylene resins. Materials Research, 2009, 12, 455-464.	0.6	42
57	Thermal and structural characterization of nanofibers of poly(vinyl alcohol) produced by electrospinning. Journal of Applied Polymer Science, 2009, 112, 1680-1687.	1.3	36
58	Influence of a terpolymer compatibilizer on the nanostructure of poly(trimethylene Terephthalate)/Overlock 10 Tf 50 627 Td (terephthalate). Polimeros, 2009, 19, 940-949.	1.6	15
59	Characterization of Nano-Structured Poly(D,L-lactic acid) Nonwoven Mats Obtained from Different Solutions by Electrospinning. Journal of Macromolecular Science - Physics, 2009, 48, 1222-1240.	0.4	24
60	Electrospinning and characterization of polyamide 66 nanofibers with different molecular weights. Materials Research, 2009, 12, 181-190.	0.6	59
61	Optical monitoring of polypropylene crystallization during injection molding. Polymer Engineering and Science, 2008, 48, 257-266.	1.5	10
62	Rheological, mechanical and transport properties of blown films of high density polyethylene nanocomposites. European Polymer Journal, 2008, 44, 1346-1357.	2.6	105
63	Avaliação das propriedades reológicas de blendas de PEAD virgem/PEAD reciclado. Polimeros, 2008, 18, 144-151.	0.2	15
64	Interfacial tension of PBT/SAN blends by the drop retraction method. Materials Research, 2008, 11, 165-169.	0.6	16
65	Avaliação da orientação molecular de moldados de polipropileno utilizando figuras de pólo obtidas por difração de raios X. Polimeros, 2007, 17, 28-35.	0.2	6
66	Molecular orientation of extruded PET/LCP blend films. II. X-ray pole figures. Journal of Applied Polymer Science, 2007, 106, 2955-2962.	1.3	1
67	Correlação entre propriedades reológicas e ópticas de filmes tubulares de polietileno linear de baixa densidade com diferentes distribuições de ramificações curtas. Polimeros, 2006, 16, 149-157.	0.2	3
68	Determinação da constante cinética de cristalização não-isotérmica de polipropilenos modificados com ácido acrílico e anidrido maleico. Polimeros, 2006, 16, 305-311.	0.2	5
69	Caracterização térmica e reológica de borracha de pneu desvulcanizada por microondas. Polimeros, 2006, 16, 46-52.	0.2	21
70	Eletrofiliação do poli(álcool vinílico) via solução aquosa. Polimeros, 2006, 16, 286-293.	0.2	18
71	Transient shear and elongational behavior of blends of PET with a LCP. Rheologica Acta, 2006, 45, 268-280.	1.1	6
72	Molecular orientation of extruded PET/LCP blend films. Part I: Polarized infrared spectroscopy. Journal of Applied Polymer Science, 2006, 102, 2241-2248.	1.3	13

#	ARTICLE	IF	CITATIONS
73	Correlations between processing parameters, morphology, and properties of blown films of LLDPE/LDPE blends, part 2: Crystalline and amorphous biaxial orientation by WAXD pole figures. Journal of Applied Polymer Science, 2006, 102, 2760-2767.	1.3	12
74	Correlação entre as propriedades reológicas, térmicas e a morfologia de filmes soprados de LLDPE/LDPE. Polimeros, 2004, 14, 38-45.	0.2	8
75	Characterization of i-PP shear-induced crystallization layers developed in a slit die. Journal of Applied Polymer Science, 2004, 91, 3528-3541.	1.3	32
76	Mechanical, rheological, thermal, and morphological properties of blends based on poly(propylene)/poly(propylene-co-1-octene)/poly(ethylene-co-1-octene). Journal of Applied Polymer Science, 2003, 89, 1690-1695.	1.3	10
77	Reologia de polietileno de alta densidade tenacificado com polietileno elastomérico. Polimeros, 2003, 13, 135-140.	0.2	4
78	Rheological and morphological properties of high-density polyethylene and poly(ethylene-octene) blends. Journal of Applied Polymer Science, 2002, 86, 2240-2246.	1.3	18
79	Evaluation of rheological and mechanical behavior of blends based on polypropylene and metallocene elastomers. Polymer Testing, 2002, 21, 647-652.	2.3	57
80	Rheology of polymer blends: non-linear model for viscoelastic emulsions undergoing high deformation flows. Rheologica Acta, 2001, 40, 538-551.	1.1	45
81	Rheological and thermal properties of binary blends of polypropylene and poly(ethylene-co-1-octene). Journal of Applied Polymer Science, 2001, 79, 1634-1639.	1.3	38
82	An alternative neural network approach to calculate the molecular weight distribution from dynamic rheological properties of i-PP resins. Journal of Applied Polymer Science, 2000, 75, 1416-1423.	1.3	1
83	Simulação do processo de injeção de polipropileno isotático (iPP) utilizando um modelo de cinética de cristalização quiescente. Polimeros, 1997, 7, 62-72.	0.2	0
84	Crystallization kinetics of a PEEK/LCP blend. Journal of Applied Polymer Science, 1995, 55, 233-246.	1.3	38
85	Simulation of the extrusion of HDPE and HDPE/UHMWPE blends. European Polymer Journal, 1993, 29, 769-772.	2.6	3
86	Miscibility and mechanical properties of poly(ether imide)/poly(ether ether ketone)/liquid crystalline polymer ternary blends. Polymer, 1992, 33, 5233-5244.	1.8	101
87	Thermoplastic/carbon fibre composites: Correlation between interphase morphology and dynamic mechanical properties. European Polymer Journal, 1990, 26, 817-821.	2.6	28
88	ESTRUTURAS COMPÓSITAS HÍBRIDAS DE MWCNT/NANOFIBRAS DE NYLON 6 EM EPXI, O, , .		0
89	Flexible and high dielectric permittivity composites of Na ₁ Ca ₃ Bi ₁ Cu ₃ Ti ₄ O ₃ . Polymer Engineering and Science, 0, , .	1.5	1