
Jose Maria ObÃ³n

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8083889/publications.pdf

Version: 2024-02-01



Ιοςε Μλαίλ Οβάβη

#	Article	IF	CITATIONS
1	Prototyping a spinning adsorber submerged filter for continuous removal of wastewater contaminants. Journal of Water Process Engineering, 2022, 45, 102515.	5.6	7
2	Thermographic studies of cocurrent and mixed flow spray drying of heat sensitive bioactive compounds. Journal of Food Engineering, 2020, 268, 109745.	5.2	10
3	Betaxanthin-Rich Extract from Cactus Pear Fruits as Yellow Water-Soluble Colorant with Potential Application in Foods. Plant Foods for Human Nutrition, 2018, 73, 146-153.	3.2	34
4	Sprayâ€drying of pomegranate juice with prebiotic dietary fibre. International Journal of Food Science and Technology, 2016, 51, 633-640.	2.7	24
5	Production of an anthocyanin-rich food colourant from <i>Thymus moroderi</i> and its application in foods. Journal of the Science of Food and Agriculture, 2015, 95, 1283-1293.	3.5	23
6	Comparative Thermal Degradation Patterns of Natural Yellow Colorants Used in Foods. Plant Foods for Human Nutrition, 2015, 70, 380-387.	3.2	38
7	Quantification by UHPLC of total individual polyphenols in fruit juices. Food Chemistry, 2013, 138, 938-949.	8.2	98
8	Juices and Non-Alcoholic Beverages. Comprehensive Analytical Chemistry, 2013, 60, 439-459.	1.3	3
9	Betacyanin and Other Antioxidants Production During Growth of Opuntia stricta (Haw.) Fruits. Plant Foods for Human Nutrition, 2012, 67, 337-343.	3.2	37
10	Red fruit juice quality and authenticity control by HPLC. Journal of Food Composition and Analysis, 2011, 24, 760-771.	3.9	65
11	Determination of Antioxidant Constituents in Cactus Pear Fruits. Plant Foods for Human Nutrition, 2010, 65, 253-259.	3.2	168
12	Production of a red–purple food colorant from Opuntia stricta fruits by spray drying and its application in food model systems. Journal of Food Engineering, 2009, 90, 471-479.	5.2	278
13	Fermentation of Opuntia stricta (Haw.) Fruits for Betalains Concentration. Journal of Agricultural and Food Chemistry, 2008, 56, 4253-4257.	5.2	30
14	Purification of a red-purple food colorant from prickly pears of Opuntia stricta by fermentation with Saccharomyces cerevisiae. Journal of Biotechnology, 2007, 131, S139.	3.8	2
15	The isolation and properties of a concentrated red-purple betacyanin food colourant fromOpuntia stricta fruits. Journal of the Science of Food and Agriculture, 2006, 86, 122-128.	3.5	106
16	Assessment of the TEAC method for determining the antioxidant capacity of synthetic red food colorants. Food Research International, 2005, 38, 843-845.	6.2	50
17	Racemisation of d(+)-carnitine into l(â^')-carnitine by Escherichia coli strains. Process Biochemistry, 2003, 39, 287-293.	3.7	5
18	Color Properties and Stability of Betacyanins fromOpuntiaFruits. Journal of Agricultural and Food Chemistry, 2003, 51, 2772-2776.	5.2	232

Jose Maria Obón

#	Article	IF	CITATIONS
19	Modeling of the biotransformation of crotonobetaine intoL-(â^')-carnitine byEscherichia colistrains. Biotechnology and Bioengineering, 2002, 77, 764-775.	3.3	25
20	Screening and mass-spectral confirmation of betalains in cactus pears. Chromatographia, 2002, 56, 591-595.	1.3	36
21	Title is missing!. Biotechnology Letters, 2002, 24, 1227-1232.	2.2	24
22	L(-)-carnitine production using a recombinant Escherichia coli strain. Enzyme and Microbial Technology, 2001, 28, 785-791.	3.2	15
23	Determination of -Carnitine by Flow Injection Analysis with NADH Fluorescence Detection. Analytical Biochemistry, 2000, 281, 176-181.	2.4	13
24	β-Galactosidase immobilization for milk lactose hydrolysis: a simple experimental and modelling study of batch and continuous reactors. Biochemical Education, 2000, 28, 164-168.	0.1	13
25	High-density Escherichia coli cultures for continuous l (â^)-carnitine production. Applied Microbiology and Biotechnology, 1999, 51, 760-764.	3.6	40
26	Enzymatic Cycling Assay for d-Carnitine Determination. Analytical Biochemistry, 1999, 274, 34-39.	2.4	12
27	Retention and regeneration of native NAD(H) in noncharged ultrafiltration membrane reactors: Application to l-lactate and gluconate production. , 1998, 57, 510-517.		19
28	Stabilization of Glucose Dehydrogenase with Polyethyleneimine in an Electrochemical Reactor with NAD(P)+ Regeneration. Biotechnology Progress, 1997, 13, 557-561.	2.6	16
29	l(â^')-Carnitine production with immobilized Escherichia coli cells in continuous reactors. Enzyme and Microbial Technology, 1997, 21, 531-536.	3.2	17
30	Continuous retention of native NADP(H) in an enzyme membrane reactor for gluconate and glutamate production. Journal of Biotechnology, 1996, 50, 27-36.	3.8	18
31	Comparative thermostability of glucose dehydrogenase from Haloferax mediterranei. Effects of salts and polyols. Enzyme and Microbial Technology, 1996, 19, 352-360.	3.2	38
32	Effects of diffusion limitation on immobilized nitrifying microorganisms at low temperatures. Biotechnology and Bioengineering, 1995, 45, 1-9.	3.3	53
33	Comparative study of reactor performance for the resolution of d,l-amino acids. Process Biochemistry, 1992, 27, 339-346.	3.7	2
34	Correlations Between Enzyme Activity, Water Activity, and Log P in One-Liquid-Phase Systems. Progress in Biotechnology, 1992, , 121-128.	0.2	3
35	pH influence on ethanol production and retained biomass in a passively immobilizedZymomonas mobilis system. Biotechnology Letters, 1988, 10, 437-442.	2.2	6
36	Effect of temperature and long-term operation on passively immobilizedZymomonas mobilis for continuous ethanol production. Biotechnology Letters, 1987, 9, 573-576.	2.2	6