
List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8084003/publications.pdf

Version: 2024-02-01



| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Do Not Resuscitate Tattoos. American Journal of Medicine, 2018, 131, 591. | 0.6 | Ο |
| 2 | The mechanism of blood flow during chest compressions for cardiac arrest is probably influenced by the patient's chest configuration. Acute Medicine & Surgery, 2018, 5, 236-240. | 0.5 | 9 |
| 3 | A Natural Biomarker Deserving Attention. Journal of the American College of Cardiology, 2017, 70, 1477-1478. | 1.2 | 4 |
| 4 | Cardiocerebral and cardiopulmonary resuscitation – 2017 update. Acute Medicine & Surgery, 2017, 4, 227-234. | 0.5 | 12 |
| 5 | Cardiocerebral Resuscitation. Journal of Intensive Care Medicine, 2016, 31, 24-33. | 1.3 | 10 |
| 6 | Chest Compression Only Cardiopulmonary Resuscitation for Primary Cardiac Arrest. Circulation, 2016, 134, 695-697. | 1.6 | 9 |
| 7 | The time dependent association of adrenaline administration and survival from out-of-hospital cardiac arrest. Resuscitation, 2015, 96, 180-185. | 1.3 | 44 |
| 8 | Digoxin: The Art and Science. American Journal of Medicine, 2015, 128, 1272-1274. | 0.6 | 18 |
| 9 | The Time-Sensitive Role of VasopressorsÂDuring Resuscitation ofÂVentricular Fibrillationâ^—. Journal of the American College of Cardiology, 2014, 64, 2368-2370. | 1.2 | 8 |
| 10 | Another step towards the acceptance of chest compression only CPR for primary cardiac arrest. Evidence-based Nursing, 2014, 17, 21-21. | 0.1 | 0 |
| 11 | Statewide Regionalization of Postarrest Care for Out-of-Hospital Cardiac Arrest: Association With Survival and Neurologic Outcome. Annals of Emergency Medicine, 2014, 64, 496-506.e1. | 0.3 | 141 |
| 12 | Sick Sinus Syndrome. Journal of the American College of Cardiology, 2014, 64, 539-540. | 1.2 | 27 |
| 13 | Alternative Approach to Improving Survival of Patients With Out-of-Hospital Primary Cardiac Arrest. Journal of the American College of Cardiology, 2013, 61, 113-118. | 1.2 | 43 |
| 14 | Chest compression-only cardiopulmonary resuscitation performed by lay rescuers for adult out-of-hospital cardiac arrest due to non-cardiac aetiologies. Resuscitation, 2013, 84, 435-439. | 1.3 | 45 |
| 15 | Role of manual and mechanical chest compressions during resuscitation efforts throughout cardiac arrest. Future Cardiology, 2013, 9, 863-873. | 0.5 | 4 |
| 16 | Advancing resuscitation science. Current Opinion in Critical Care, 2012, 18, 221-227. | 1.6 | 3 |
| 17 | Use of cardiocerebral resuscitation or AHA/ERC 2005 Guidelines is associated with improved survival from out-of-hospital cardiac arrest: a systematic review and meta-analysis. BMJ Open, 2012, 2, e001273. | 0.8 | 14 |
| 18 | Compression-only Cardiopulmonary Resuscitation Improves Survival. American Journal of Medicine, 2011, 124, 383-385. | 0.6 | 6 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Epinephrine Improves 24-Hour Survival in a Swine Model of Prolonged Ventricular Fibrillation Demonstrating that Early Intraosseous Is Superior to Delayed Intravenous Administration. Anesthesia and Analgesia, 2011, 112, 884-890. | 1.1 | 41 |
| 20 | Chest Compression–Only CPR by Lay Rescuers and Survival From Out-of-Hospital Cardiac Arrest. JAMA - Journal of the American Medical Association, 2010, 304, 1447. | 3.8 | 389 |
| 21 | Continued breathing followed by gasping or apnea in a swine model of ventricular fibrillation cardiac arrest. BMC Cardiovascular Disorders, 2010, 10, 36. | 0.7 | 19 |
| 22 | Do Modifications of the American Heart Association Guidelines Improve Survival of Patients with Out-of-Hospital Cardiac Arrest?. Circulation, 2009, 119, 2542-2544. | 1.6 | 8 |
| 23 | Passive Oxygen Insufflation Is Superior to Bag-Valve-Mask Ventilation for Witnessed Ventricular Fibrillation Out-of-Hospital Cardiac Arrest. Annals of Emergency Medicine, 2009, 54, 656-662.e1. | 0.3 | 124 |
| 24 | Recent Advances in Cardiopulmonary Resuscitation. Journal of the American College of Cardiology, 2009, 53, 149-157. | 1.2 | 64 |
| 25 | A clarion call for change. Current Opinion in Critical Care, 2009, 15, 181-184. | 1.6 | 2 |
| 26 | Gasping during cardiac arrest. Current Opinion in Critical Care, 2009, 15, 185-188. | 1.6 | 27 |
| 27 | New insights into effective CPR: cardiocerebral resuscitation for primary cardiac arrest. Reviews in Cardiovascular Medicine, 2009, 10, 125-33. | 0.5 | 0 |
| 28 | Cardiocerebral resuscitation. Improving cardiac arrest survival with a new technique. Journal of Emergency Medical Services, 2009, 34, 58-60, 63-5, 67; quiz 69. | 0.0 | 0 |
| 29 | Cardiocerebral Resuscitation Improves Neurologically Intact Survival of Patients With Out-of-Hospital Cardiac Arrest. Annals of Emergency Medicine, 2008, 52, 244-252. | 0.3 | 165 |
| 30 | Response to Letter Regarding Article "Improved Neurological Outcome With Continuous Chest Compressions Compared With 30:2 Compressions-to-Ventilations Cardiopulmonary Resuscitation in a Realistic Swine Model of Out-of-Hospital Cardiac Arrest― Circulation, 2008, 117, . | 1.6 | 1 |
| 31 | Gasping During Cardiac Arrest in Humans Is Frequent and Associated With Improved Survival. Circulation, 2008, 118, 2550-2554. | 1.6 | 215 |
| 32 | Out-of-hospital cardiopulmonary resuscitation: is chest compression enough?. Nature Clinical Practice Cardiovascular Medicine, 2008, 5, 360-361. | 3.3 | 0 |
| 33 | Minimally Interrupted Cardiac Resuscitation by Emergency Medical Services for Out-of-Hospital Cardiac Arrest. JAMA - Journal of the American Medical Association, 2008, 299, 1158. | 3.8 | 437 |
| 34 | Cardiocerebral resuscitation: a better approach to cardiac arrest. Current Opinion in Cardiology, 2008, 23, 579-584. | 0.8 | 13 |
| 35 | Cardiocerebral resuscitation. EMS World, 2008, 37, 41-2, 44, 46 passim. | 0.0 | 0 |
| 36 | Improved Neurological Outcome With Continuous Chest Compressions Compared With 30:2 Compressions-to-Ventilations Cardiopulmonary Resuscitation in a Realistic Swine Model of Out-of-Hospital Cardiac Arrest. Circulation, 2007, 116, 2525-2530. | 1.6 | 199 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | Cardiac arrest—guideline changes urgently needed. Lancet, The, 2007, 369, 882-884. | 6.3 | 55 |
| 38 | Cardiac magnetic resonance imaging investigation of sustained ventricular fibrillation in a swine model—With a focus on the electrical phase. Resuscitation, 2007, 73, 279-286. | 1.3 | 8 |
| 39 | Cardiocerebral resuscitation: the optimal approach to cardiac arrest Cleveland Clinic Journal of Medicine, 2007, 74, S105-S105. | 0.6 | 2 |
| 40 | Cardiocerebral Resuscitation for Cardiac Arrest. American Journal of Medicine, 2006, 119, 6-9. | 0.6 | 79 |
| 41 | Cardiocerebral Resuscitation Improves Survival of Patients with Out-of-Hospital Cardiac Arrest. American Journal of Medicine, 2006, 119, 335-340. | 0.6 | 180 |
| 42 | Single rescuer cardiopulmonary resuscitation: Can anyone perform to the guidelines 2000 recommendations?. Resuscitation, 2006, 71, 34-39. | 1.3 | 26 |
| 43 | An alternative approach to advancing resuscitation science. Resuscitation, 2005, 64, 261-268. | 1.3 | 72 |
| 44 | Magnetic Resonance Imaging During Untreated Ventricular Fibrillation Reveals Prompt Right Ventricular Overdistention Without Left Ventricular Volume Loss. Circulation, 2005, 111, 1136-1140. | 1.6 | 49 |
| 45 | Cardiocerebral Resuscitation. Circulation, 2005, 111, 2134-2142. | 1.6 | 206 |
| 46 | Continuous Cardiac Magnetic Resonance Imaging During Untreated Ventricular Fibrillation. Circulation, 2005, 111, e294. | 1.6 | 8 |
| 47 | Single-rescuer cardiopulmonary resuscitation: â€~two quick breaths'—an oxymoron. Resuscitation, 2004, 62, 283-289. | 1.3 | 87 |
| 48 | Diastolic dysfunction. Journal of Insurance Medicine (New York, N Y), 2004, 36, 292-7. | 0.1 | 4 |
| 49 | A new approach for out-of-hospital CPR: a bold step forward. Resuscitation, 2003, 58, 271-272. | 1.3 | 54 |
| 50 | Importance of Continuous Chest Compressions During Cardiopulmonary Resuscitation. Circulation, 2002, 105, 645-649. | 1.6 | 500 |
| 51 | Survival and neurologic outcome after cardiopulmonary resuscitation with four different chest compression-ventilation ratios. Annals of Emergency Medicine, 2002, 40, 553-562. | 0.3 | 147 |
| 52 | Adverse Hemodynamic Effects of Interrupting Chest Compressions for Rescue Breathing During Cardiopulmonary Resuscitation for Ventricular Fibrillation Cardiac Arrest. Circulation, 2001, 104, 2465-2470. | 1.6 | 663 |
| 53 | Endothelin-1 Vasoconstriction During Swine Cardiopulmonary Resuscitation Improves Coronary Perfusion Pressures but Worsens Postresuscitation Outcome. Circulation, 2000, 101, 2097-2102. | 1.6 | 42 |
| 54 | Patient datasheets and generic evaluation sheets: Tools for improving patient care, patient satisfaction, and chart documentation while decreasing physician frustrations. Clinical Cardiology, 1997, 20, 273-282. | 0.7 | 2 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 55 | Assisted Ventilation Does Not Improve Outcome in a Porcine Model of Single-Rescuer Bystander Cardiopulmonary Resuscitation. Circulation, 1997, 95, 1635-1641. | 1.6 | 183 |
| 56 | Ventricular fibrillation in a swine model of acute pediatric asphyxial cardiac arrest. Resuscitation, 1996, 33, 147-153. | 1.3 | 23 |
| 57 | The Need for Ventilatory Support During Bystander CPR. Annals of Emergency Medicine, 1995, 26, 342-349. | 0.3 | 124 |
| 58 | The optimal technique for electrical cardioversion of atrial fibrillation. Clinical Cardiology, 1994, 17, 79-84. | 0.7 | 60 |
| 59 | Limitations of open-chest cardiac massage after prolonged, untreated cardiac arrest in dogs. Annals of Emergency Medicine, 1991, 20, 761-767. | 0.3 | 41 |
| 60 | The Mechanism of Blood Flow During Closed Chest Cardiac Massage in Humans: Transesophageal Echocardiography Observations. Mayo Clinic Proceedings, 1990, 65, 1432-1440. | 1.4 | 79 |
| 61 | Myocardial perfusion pressure: A predictor of 24-hour survival during prolonged cardiac arrest in dogs. Resuscitation, 1988, 16, 241-250. | 1.3 | 262 |
| 62 | Comparison of epinephrine and phenylephrine for resuscitation and neurologic outcome of cardiac arrest in dogs. Annals of Emergency Medicine, 1987, 16, 11-17. | 0.3 | 36 |
| 63 | Endocardial Catheter Ablation for Refractory Ventricular Tachycardia Associated with Coronary Artery Disease. PACE - Pacing and Clinical Electrophysiology, 1987, 10, 1071-1080. | 0.5 | 10 |
| 64 | Neurologic outcome following successful cardiopulmonary resuscitation in dogs. Resuscitation, 1986, 14, 149-155. | 1.3 | 4 |
| 65 | Effect of epinephrine on defibrillation in ischemic ventricular fibrillation. American Journal of Emergency Medicine, 1985, 3, 285-291. | 0.7 | 42 |
| 66 | Importance of the duration of inadequate coronary perfusion pressure on resuscitation from cardiac arrest. Journal of the American College of Cardiology, 1985, 6, 113-118. | 1.2 | 173 |
| 67 | Defining electromechanical dissociation. Annals of Emergency Medicine, 1984, 13, 830-832. | 0.3 | 36 |
| 68 | Prognostic and therapeutic importance of the aortic diastolic pressure in resuscitation from cardiac arrest. Critical Care Medicine, 1984, 12, 871-873. | 0.4 | 214 |
| 69 | Myocardial Necrosis from Direct Current Countershock. Circulation, 1974, 50, 956-961. | 1.6 | 298 |
| 70 | Digoxin Metabolism in Obesity. Circulation, 1971, 44, 810-814. | 1.6 | 99 |
| 71 | Digoxin Metabolism in the Elderly. Circulation, 1969, 39, 449-453. | 1.6 | 258 |
| | | | |

Cardiocerebral resuscitation: a new approach to out-of-hospital cardiac arrest. , 0, , 747-756.

0