

Rosario Hernández

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8084839/publications.pdf>

Version: 2024-02-01

87
papers

2,303
citations

218677

26
h-index

243625

44
g-index

92
all docs

92
docs citations

92
times ranked

2268
citing authors

#	ARTICLE	IF	CITATIONS
19	Chemically Induced Cryptic Sesquiterpenoids and Expression of Sesquiterpene Cyclases in <i>Botrytis cinerea</i> Revealed New Sporogenic (+)-4-Epi- <i>eremophil-9-en-11-ols</i> . ACS Chemical Biology, 2016, 11, 1391-1400.	3.4	20
20	Unexpected Mild Protection of Alcohols as 2-THF and 2-THP Ethers Catalysed by Cp ₂ TiCl Reveal an Intriguing Role of the Solvent in the Single-Electron Transfer Reaction. European Journal of Organic Chemistry, 2015, 2015, 6333-6340.	2.4	13
21	Biological activity of natural sesquiterpenoids containing a gem-dimethylcyclopropane unit. Natural Product Reports, 2015, 32, 1236-1248.	10.3	58
22	Diastereoselective and enantioselective preparation of nor-mevaldic acid surrogates through desymmetrisation methodology. Enantioselective synthesis of (+) and (âˆ’) nor-mevalonic lactones. Tetrahedron, 2015, 71, 7531-7538.	1.9	3
23	Titanium carbenoid-mediated cyclopropanation of allylic alcohols: selectivity and mechanism. Organic and Biomolecular Chemistry, 2015, 13, 6325-6332.	2.8	11
24	nor-Mevaldic acid surrogates as selective antifungal agent leads against <i>Botrytis cinerea</i> . Enantioselective preparation of 4-hydroxy-6-(1-phenylethoxy)tetrahydro-2H-pyran-2-one. Bioorganic and Medicinal Chemistry, 2015, 23, 3379-3387.	3.0	4
25	The synthesis of 3-hydroxy-2,4,8-trimethyldec-8-enolides and an approach to 3,4-dihydroxy-2,4,6,8-tetramethyldec-8-enolide. Organic and Biomolecular Chemistry, 2015, 13, 465-476.	2.8	3
26	Exploring mutasynthesis to increase structural diversity in the synthesis of highly oxygenated polyketide lactones. Organic and Biomolecular Chemistry, 2014, 12, 5304-5310.	2.8	10
27	Biologically active diterpenes containing a gem-dimethylcyclopropane subunit: an intriguing source of PKC modulators. Natural Product Reports, 2014, 31, 940-952.	10.3	60
28	The Asymmetric Total Synthesis of Cinbotolide: A Revision of the Original Structure. Journal of Organic Chemistry, 2014, 79, 11349-11358.	3.2	11
29	Chemical genetics strategies for identification of molecular targets. Phytochemistry Reviews, 2013, 12, 895-914.	6.5	6
30	A Shared Biosynthetic Pathway for Botcinins and Botrylactones Revealed through Gene Deletions. ChemBioChem, 2013, 14, 132-136.	2.6	13
31	Stereoselective Synthesis and Absolute Configuration Determination of Xylariolide A. European Journal of Organic Chemistry, 2013, 2013, 2420-2427.	2.4	4
32	Phytotoxic Activity and Metabolism of <i>Botrytis cinerea</i> and Structure-Activity Relationships of Isocaryolane Derivatives. Journal of Natural Products, 2013, 76, 1016-1024.	3.0	10
33	Biotransformation of clovane derivatives. Whole cell fungi mediated domino synthesis of rumphellclovane A. Organic and Biomolecular Chemistry, 2012, 10, 3315.	2.8	10
34	Biotransformation of Bioactive Isocaryolanes by <i>Botrytis cinerea</i> . Journal of Natural Products, 2011, 74, 1707-1712.	3.0	14
35	Asymmetric preparation of antifungal 1-(4-chlorophenyl)-1-cyclopropyl methanol and 1-(4-chlorophenyl)-2-phenylethanol. Study of the detoxification mechanism by <i>Botrytis cinerea</i> . Journal of Molecular Catalysis B: Enzymatic, 2011, 70, 61-66.	1.8	7
36	Botrylactone: new interest in an old molecule- review of its absolute configuration and related compounds. Tetrahedron, 2011, 67, 417-420.	1.9	17

#	ARTICLE	IF	CITATIONS
37	Effects of diterpenes from latex of <i>Euphorbia lactea</i> and <i>Euphorbia laurifolia</i> on human immunodeficiency virus type 1 reactivation. <i>Phytochemistry</i> , 2010, 71, 243-248.	2.9	44
38	Enantioselective, chemoenzymatic synthesis, and absolute configuration of the antioxidant (α^*)-gloeosporiol. <i>Tetrahedron</i> , 2010, 66, 8068-8075.	1.9	8
39	Lipase-catalyzed resolution of 5-acetoxy-1,2-dihydroxy-1,2,3,4-tetrahydronaphthalene. Application to the synthesis of (+)-(3R,4S)-cis-4-hydroxy-6-deoxyscytalone, a metabolite isolated from <i>Colletotrichum acutatum</i> . <i>Tetrahedron</i> , 2009, 65, 3392-3396.	1.9	10
40	Global Antifungal Profile Optimization of Chlorophenyl Derivatives against <i>Botrytis cinerea</i> and <i>Colletotrichum gloeosporioides</i> . <i>Journal of Agricultural and Food Chemistry</i> , 2009, 57, 4838-4843.	5.2	10
41	Synthesis and Quantitative Structure-Activity Relationships of Clovane Derivatives against <i>Botrytis cinerea</i> . <i>Journal of Agricultural and Food Chemistry</i> , 2009, 57, 2420-2428.	5.2	22
42	Effect of Substituents on the Ring-Closing Metathesis Reaction in the Synthesis of Functionalized Nonanolactones. <i>Synlett</i> , 2008, 2008, 339-342.	1.8	4
43	Screening Study of Potential Lead Compounds for Natural Product Based Fungicides from <i>Juniperus lucayana</i> . <i>Natural Product Communications</i> , 2008, 3, 1934578X0800300.	0.5	2
44	Biocatalysis Applied to the Synthesis of Pheromones. <i>Current Organic Chemistry</i> , 2007, 11, 693-705.	1.6	9
45	Quantitative Structure-Activity Relationships of Some Benzohydrazides against <i>Botrytis cinerea</i> . <i>Journal of Agricultural and Food Chemistry</i> , 2007, 55, 5171-5179.	5.2	13
46	Isolation of new phenylacetylatingol derivatives that reactivate HIV-1 latency and a novel spirotriterpenoid from <i>Euphorbia officinarum</i> latex. <i>Bioorganic and Medicinal Chemistry</i> , 2007, 15, 4577-4584.	3.0	49
47	Sesquiterpenes from the wood of <i>Juniperus lucayana</i> . <i>Phytochemistry</i> , 2007, 68, 2409-2414.	2.9	29
48	Quantitative structure-activity relationship studies for the prediction of antifungal activity of N-arylbenzenesulfonamides against <i>Botrytis cinerea</i> . <i>Journal of Molecular Graphics and Modelling</i> , 2007, 25, 680-690.	2.4	21
49	Secondary metabolites from species of the biocontrol agent <i>Trichoderma</i> . <i>Phytochemistry Reviews</i> , 2007, 7, 89-123.	6.5	450
50	Metabolites from <i>Eutypa</i> species that are pathogens on grapes. <i>Natural Product Reports</i> , 2006, 23, 108-116.	10.3	18
51	The Antifungal Activity of Widdrol and Its Biotransformation by <i>Colletotrichum gloeosporioides</i> (Penz.) Penz. & Sacc. and <i>Botrytis cinerea</i> Pers.: Fr.. <i>Journal of Agricultural and Food Chemistry</i> , 2006, 54, 7517-7521.	5.2	33
52	Biosynthetic Studies on the Botcinolide Skeleton: New Hydroxylated Lactones from <i>Botrytis cinerea</i> . <i>Journal of Organic Chemistry</i> , 2006, 71, 562-565.	3.2	21
53	Synthesis and free radical scavenging activity of a novel metabolite from the fungus <i>Colletotrichum gloeosporioides</i> . <i>Bioorganic and Medicinal Chemistry Letters</i> , 2006, 16, 5836-5839.	2.2	31
54	The role of botrydienediol in the biodegradation of the sesquiterpenoid phytotoxin botrydial by <i>Botrytis cinerea</i> . <i>Tetrahedron</i> , 2006, 62, 8256-8261.	1.9	18

#	ARTICLE	IF	CITATIONS
55	Biocatalysis Applied to the Synthesis of Agrochemicals. <i>Current Organic Chemistry</i> , 2006, 10, 2037-2054.	1.6	50
56	Antifungal Activity and Biotransformation of Diisophorone by <i>Botrytis cinerea</i> . <i>Journal of Agricultural and Food Chemistry</i> , 2005, 53, 6035-6039.	5.2	20
57	Screening Study of Lead Compounds for Natural Product-Based Fungicides: Antifungal Activity and Biotransformation of 6 β ,7 β -Dihydroxy-1 β -himachalene by <i>Botrytis cinerea</i> . <i>Journal of Agricultural and Food Chemistry</i> , 2005, 53, 6673-6677.	5.2	39
58	Virulence-Toxin Production Relationship in Isolates of the Plant Pathogenic Fungus <i>Botrytis cinerea</i> . <i>Journal of Phytopathology</i> , 2004, 152, 563-566.	1.0	62
59	Screening study for potential lead compounds for natural product-based fungicides: I. Synthesis and in vitro evaluation of coumarins against <i>Botrytis cinerea</i> . <i>Pest Management Science</i> , 2004, 60, 927-932.	3.4	55
60	Two novel steroids from <i>Euphorbia officinarum</i> latex. <i>Natural Product Research</i> , 2004, 18, 177-181.	1.8	15
61	The biodegradation of the phytotoxic metabolite botrydial by its parent organism, <i>Botrytis cinerea</i> . <i>Journal of Chemical Research</i> , 2004, 2004, 441-443.	1.3	21
62	Chemical Transformations on Botryane Skeleton. Effect on the Cytotoxic Activity. <i>Journal of Natural Products</i> , 2003, 66, 344-349.	3.0	37
63	Biotransformation of the fungistatic compound (R)-(+)-1-(4-chlorophenyl)propan-1-ol by <i>Botrytis cinerea</i> . <i>Journal of Molecular Catalysis B: Enzymatic</i> , 2003, 21, 267-271.	1.8	10
64	Studies on biotransformation of (±)-1-(4-chlorophenyl)-2-phenylethanol. <i>Tetrahedron: Asymmetry</i> , 2003, 14, 3755-3760.	1.8	7
65	Studies on the biosynthesis of secobotryane skeleton. <i>Tetrahedron</i> , 2003, 59, 6267-6271.	1.9	10
66	Biotransformations by <i>Colletotrichum</i> species. <i>Tetrahedron: Asymmetry</i> , 2003, 14, 1229-1239.	1.8	56
67	Four New Lactones from <i>Botrytis cinerea</i> . <i>Journal of Natural Products</i> , 2002, 65, 1724-1726.	3.0	32
68	Biotransformation of the fungistatic sesquiterpenoid isoprobopyran-9 β -ol by <i>Botrytis cinerea</i> . <i>Journal of Molecular Catalysis B: Enzymatic</i> , 2002, 16, 249-253.	1.8	10
69	Biocatalytically assisted preparation of antifungal chlorophenylpropanols. <i>Tetrahedron: Asymmetry</i> , 2002, 13, 1681-1686.	1.8	11
70	The putative role of botrydial and related metabolites in the infection mechanism of <i>Botrytis cinerea</i> . <i>Journal of Chemical Ecology</i> , 2002, 28, 997-1005.	1.8	130
71	Novel Rearrangements of Sesquiterpenoid Panasinsane Derivatives under Acidic Conditions. <i>Journal of Organic Chemistry</i> , 2001, 66, 4327-4332.	3.2	11
72	Some key metabolic intermediates in the biosynthesis of botrydial and related compounds. <i>Tetrahedron</i> , 2001, 57, 1929-1933.	1.9	29

#	ARTICLE	IF	CITATIONS
73	Biotransformation of the fungistatic sesquiterpenoids patchoulol, ginsenosol, cedrol and globulol by <i>Botrytis cinerea</i> . <i>Journal of Molecular Catalysis B: Enzymatic</i> , 2001, 11, 329-334.	1.8	30
74	<i>Botrytis</i> Species: An Intriguing Source of Metabolites with a Wide Range of Biological Activities. Structure, Chemistry and Bioactivity of Metabolites Isolated from <i>Botrytis</i> Species.. <i>Current Organic Chemistry</i> , 2000, 4, 1261-1286.	1.6	54
75	Secobotrytriendiol and Related Sesquiterpenoids: A New Phytotoxic Metabolites from <i>Botrytis cinerea</i> . <i>Journal of Natural Products</i> , 2000, 63, 182-184.	3.0	39
76	Biotransformation of (4E,8R)-Caryophyll-4(5)-en-8-ol by <i>Botrytis cinerea</i> . <i>Journal of Natural Products</i> , 2000, 63, 44-47.	3.0	25
77	Novel Rearrangement of an Isocaryolane Sesquiterpenoid under Mitsunobu Conditions. <i>Journal of Organic Chemistry</i> , 2000, 65, 7786-7791.	3.2	30
78	Novel methoxyl and hydroxyl directed pinacol rearrangements of an isocaryolane sesquiterpenoid under Mitsunobu conditions. <i>Tetrahedron Letters</i> , 1999, 40, 6497-6498.	1.4	7
79	Structure-activity relationships of new phytotoxic metabolites with the botryane skeleton from <i>Botrytis cinerea</i> . <i>Tetrahedron</i> , 1999, 55, 2389-2400.	1.9	45
80	Biotransformation of Caryophyllene Oxide by <i>Botrytis cinerea</i> . <i>Journal of Natural Products</i> , 1999, 62, 41-44.	3.0	31
81	Stereochemistry of a rearrangement of B and C rings in clovane skeleton. <i>Tetrahedron</i> , 1998, 54, 1615-1626.	1.9	13
82	Some metabolites of <i>Botrytis cinerea</i> related to botcinolide. <i>Phytochemistry</i> , 1996, 42, 1621-1624.	2.9	26
83	Metabolites from a shake culture of <i>Botrytis cinerea</i> . <i>Phytochemistry</i> , 1995, 38, 647-650.	2.9	42
84	Synthesis of bioactive 7- β -hydroxyeudesmanolides. <i>Tetrahedron</i> , 1994, 50, 10531-10538.	1.9	3
85	An improved synthesis of 3-(1,1-dimethylallyl)coumarins. <i>Tetrahedron</i> , 1993, 49, 1701-1710.	1.9	25
86	A new and efficient route to 3-(1,1-dimethylallyl)coumarins. <i>Tetrahedron Letters</i> , 1991, 32, 3209-3212.	1.4	7
87	^{13}C NMR of coumarins. ^{13}C -prenylated coumarins. <i>Magnetic Resonance in Chemistry</i> , 1990, 28, 732-735.	1.9	11