

# Procolo Di Bonito

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8084896/publications.pdf>

Version: 2024-02-01

21  
papers

633  
citations

623188

14  
h-index

794141

19  
g-index

21  
all docs

21  
docs citations

21  
times ranked

1084  
citing authors

#	ARTICLE	IF	CITATIONS
1	Screening for hypertension in young people with obesity: Feasibility in the real life. Nutrition, Metabolism and Cardiovascular Diseases, 2022, , .	1.1	5
2	Prevalence of Mildly Reduced Estimated GFR by Height- or Age-Related Equations in Young People With Obesity and Its Association with Cardiometabolic Risk Factors. , 2021, 31, 586-592.		7
3	The American Academy of Pediatrics hypertension guidelines identify obese youth at high cardiovascular risk among individuals non-hypertensive by the European Society of Hypertension guidelines. European Journal of Preventive Cardiology, 2020, 27, 8-15.	0.8	16
4	New Diagnostic Criteria for Hypertension in Children and Adolescents: Lights and Shadows. Children, 2020, 7, 196.	0.6	0
5	Elevated blood pressure, cardiometabolic risk and target organ damage in youth with overweight and obesity. Nutrition, Metabolism and Cardiovascular Diseases, 2020, 30, 1840-1847.	1.1	27
6	Non-albuminuric reduced eGFR phenotype in children and adolescents with type 1 diabetes. Diabetes Research and Clinical Practice, 2019, 155, 107781.	1.1	9
7	A new simple formula built on the American Academy of Pediatrics criteria for the screening of hypertension in overweight/obese children. European Journal of Pediatrics, 2019, 178, 1291-1295.	1.3	3
8	Impact of the 2017 Blood Pressure Guidelines by the American Academy of Pediatrics in overweight/obese youth. Journal of Hypertension, 2019, 37, 732-738.	0.3	28
9	Diagnosis, treatment and prevention of pediatric obesity: consensus position statement of the Italian Society for Pediatric Endocrinology and Diabetology and the Italian Society of Pediatrics. Italian Journal of Pediatrics, 2018, 44, 88.	1.0	136
10	Glycemic control and microvascular complications in adults with type 1 diabetes and long-lasting treated celiac disease: A case-control study. Diabetes Research and Clinical Practice, 2018, 143, 282-287.	1.1	9
11	Triglycerides-to-HDL cholesterol ratio as screening tool for impaired glucose tolerance in obese children and adolescents. Acta Diabetologica, 2016, 53, 493-498.	1.2	23
12	Cardiometabolic Phenotype in Children with Obesity. Journal of Pediatrics, 2014, 165, 1184-1189.	0.9	20
13	Glomerular filtration rate and cardiometabolic risk in an outpatient pediatric population with high prevalence of obesity. Obesity, 2014, 22, 585-589.	1.5	25
14	High normal postload plasma glucose, cardiometabolic risk factors and signs of organ damage in obese children. Obesity, 2014, 22, 1860-1864.	1.5	5
15	Cardiovascular Characteristics in Subjects With Increasing Levels of Abnormal Glucose Regulation. Diabetes Care, 2013, 36, 992-997.	4.3	30
16	Usefulness of the High Triglyceride-to-HDL Cholesterol Ratio to Identify Cardiometabolic Risk Factors and Preclinical Signs of Organ Damage in Outpatient Children. Diabetes Care, 2012, 35, 158-162.	4.3	110
17	Fasting Plasma Glucose and Clustering of Cardiometabolic Risk Factors in Normoglycemic Outpatient Children and Adolescents. Diabetes Care, 2011, 34, 1412-1414.	4.3	22
18	Preclinical manifestations of organ damage associated with the metabolic syndrome and its factors in outpatient children. Atherosclerosis, 2010, 213, 611-615.	0.4	19

#	ARTICLE	IF	CITATIONS
19	Association of elevated serum alanine aminotransferase with metabolic factors in obese children: sex-related analysis. <i>Metabolism: Clinical and Experimental</i> , 2009, 58, 368-372.	1.5	53
20	Prehypertension in Outpatient Obese Children. <i>American Journal of Hypertension</i> , 2009, 22, 1309-1313.	1.0	18
21	Carnitine improves peripheral glucose disposal in non-insulin-dependent diabetic patients. <i>Diabetes Research and Clinical Practice</i> , 1991, 14, 191-195.	1.1	68