

Shengli Han

List of Publications by Citations

Source: <https://exaly.com/author-pdf/8084912/shengli-han-publications-by-citations.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

47
papers

681
citations

17
h-index

23
g-index

50
ext. papers

826
ext. citations

3.7
avg, IF

4.07
L-index

#	Paper	IF	Citations
47	Development and characterization of magnetic molecularly imprinted polymers for the selective enrichment of endocrine disrupting chemicals in water and milk samples. <i>Analytical and Bioanalytical Chemistry</i> , 2015 , 407, 1735-44	4.4	46
46	Screening active compounds acting on the epidermal growth factor receptor from Radix scutellariae via cell membrane chromatography online coupled with HPLC/MS. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2012 , 62, 196-202	3.5	41
45	Typical antimicrobials induce mast cell degranulation and anaphylactoid reactions via MRGPRX2 and its murine homologue MRGPRB2. <i>European Journal of Immunology</i> , 2017 , 47, 1949-1958	6.1	40
44	New method of screening allergenic components from Shuanghuanglian injection: with RBL-2H3/CMC model online HPLC/MS system. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2014 , 88, 602-8	3.5	34
43	Chloroquine and hydroxychloroquine as ACE2 blockers to inhibit viropexis of 2019-nCoV Spike pseudotyped virus. <i>Phytomedicine</i> , 2020 , 79, 153333	6.5	31
42	Screening of target compounds from Fructus Piperis using high β adrenoreceptor expression cell membrane chromatography online coupled with high performance liquid chromatography tandem mass spectrometry. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2013 , 81-82, 133-7	3.5	30
41	Combined fibroblast growth factor receptor 4 cell membrane chromatography online with high performance liquid chromatography/mass spectrometry to screen active compounds in Brassica alba. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2013 , 918-925	3.2	29
40	Overview of online two-dimensional liquid chromatography based on cell membrane chromatography for screening target components from traditional Chinese medicines. <i>Journal of Separation Science</i> , 2017 , 40, 299-313	3.4	28
39	Use of the relative release index for histamine in LAD2 cells to evaluate the potential anaphylactoid effects of drugs. <i>Scientific Reports</i> , 2017 , 7, 13714	4.9	26
38	Screening active compounds from Corydalis yanhusuo by combining high expression VEGF receptor HEK293 cell membrane chromatography with HPLC - ESI - IT - TOF - MSn method. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2017 , 136, 134-139	3.5	24
37	Screening epidermal growth factor receptor antagonists from Radix et Rhizoma Asari by two-dimensional liquid chromatography. <i>Journal of Separation Science</i> , 2014 , 37, 1525-32	3.4	24
36	Screening active components acting on α A adrenergic receptors from agrimony using a Sprague-Dawley rat prostate cell membrane chromatography online coupled HPLC/MS method. <i>Analytical Methods</i> , 2012 , 4, 3351	3.2	22
35	Cell membrane chromatography coupled with UHPLC-ESI-MS/MS method to screen target components from Peucedanum praeruptorum Dunn acting on α A adrenergic receptor. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2016 , 1011, 158-62	3.2	21
34	The inhibitory effect of piperine from Fructus piperis extract on the degranulation of RBL-2H3 cells. <i>Phytotherapy</i> , 2014 , 99, 218-26	3.2	20
33	Screening antiallergic components from Carthamus tinctorius using rat basophilic leukemia 2H3 cell membrane chromatography combined with high-performance liquid chromatography and tandem mass spectrometry. <i>Journal of Separation Science</i> , 2015 , 38, 585-91	3.4	20
32	Dual-mixed/CMC model for screening target components from traditional Chinese medicines simultaneously acting on EGFR & FGFR4 receptors. <i>Talanta</i> , 2019 , 192, 248-254	6.2	19
31	Screening anaphylactic components of MaiLuoNing injection by using rat basophilic leukemia-2H3 cell membrane chromatography coupled with HPLC-ESI-TOF-MS. <i>Journal of Separation Science</i> , 2016 , 39, 466-72	3.4	18

30	Screening anti-allergic components of Astragali Radix using LAD2 cell membrane chromatography coupled online with UHPLC-ESI-MS/MS method. <i>Biomedical Chromatography</i> , 2017 , 31, e3806	1.7	17
29	Screening of bioactive components from traditional Chinese medicines using cell membrane chromatography coupled with mass spectrometry. <i>Phytochemical Analysis</i> , 2018 , 29, 341-350	3.4	15
28	Histamine H1 receptor cell membrane chromatography online high-performance liquid chromatography with mass spectrometry method reveals houttuynonate as an activator of the histamine H1 receptor. <i>Journal of Separation Science</i> , 2014 , 37, 3188-94	3.4	15
27	Prostate cell membrane chromatography-liquid chromatography-mass spectrometry for screening of active constituents from <i>Uncaria rhynchophylla</i> . <i>Journal of Chromatographic Science</i> , 2013 , 51, 905-9	1.4	15
26	A high expression Mas-related G protein coupled receptor X2 cell membrane chromatography coupled with liquid chromatography and mass spectrometry method for screening potential anaphylactoid components in kudiezi injection. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2018 , 159, 483-489	3.5	14
25	Screening the anti-allergic components in <i>Saposhnikoviae Radix</i> using high-expression Mas-related G protein-coupled receptor X2 cell membrane chromatography online coupled with liquid chromatography and mass spectrometry. <i>Journal of Separation Science</i> , 2019 , 42, 2351-2359	3.4	12
24	Analysis of allergens in tubeimu saponin extracts by using rat basophilic leukemia 2H3 cell-based affinity chromatography coupled to liquid chromatography and mass spectrometry. <i>Journal of Separation Science</i> , 2014 , 37, 3384-91	3.4	12
23	A Mast Cell-Specific Receptor Is Critical for Granuloma Induced by Intrathecal Morphine Infusion. <i>Journal of Immunology</i> , 2019 , 203, 1701-1714	5.3	11
22	Screening and evaluation of anti-SARS-CoV-2 components from <i>Ephedra sinica</i> by ACE2/CMC-HPLC-IT-TOF-MS approach. <i>Analytical and Bioanalytical Chemistry</i> , 2021 , 413, 2995-3004	4.4	11
21	Characterization of Compounds Acting on the α A Adrenergic Receptor from <i>Caulis spatholobi</i> by Cell Membrane Chromatography with Possible Application for Treatment of Benign Prostatic Hyperplasia. <i>Analytical Letters</i> , 2014 , 47, 1661-1669	2.2	10
20	Screening of allergic components mediated by H(1)R in homoharringtonine injection through H(1)R/CMC-HPLC/MS. <i>Biomedical Chromatography</i> , 2014 , 28, 1607-14	1.7	9
19	Screening allergic components of Yejuhua injection using LAD2 cell membrane chromatography model online with high performance liquid chromatography-ion trap-time of flight-mass spectrum system. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2017 , 1055-1056-119-124	3.2	8
18	Isosalvianolic acid C-induced pseudo-allergic reactions via the mast cell specific receptor MRGPRX2. <i>International Immunopharmacology</i> , 2019 , 71, 22-31	5.8	8
17	Accurate quantification of Hexosaminidase released from laboratory of allergic diseases 2 cells via liquid chromatography tandem mass spectrometry method. <i>Journal of Chromatography A</i> , 2018 , 1578, 106-111	4.5	7
16	Combining Sprague-Dawley rat uterus cell membrane chromatography with HPLC/MS to screen active components from <i>Leonurus artemisia</i> . <i>Pharmaceutical Biology</i> , 2016 , 54, 279-84	3.8	6
15	Screening potential antagonists of epidermal growth factor receptor from <i>Marsdenia tenacissima</i> via cell membrane chromatography model assisted by HPLC-ESI-IT-TOF-MS. <i>Biomedical Chromatography</i> , 2019 , 33, e4569	1.7	6
14	Facile Synthesis of Copper Containing Ordered Mesoporous Polymers via Aqueous Coordination Self-Assembly for Aerobic Oxidation of Alcohols. <i>Industrial & Engineering Chemistry Research</i> , 2019 , 58, 6438-6445	3.9	6
13	Simultaneous identification of the anaphylactoid components from traditional Chinese medicine injections using rat basophilic leukemia 2H3 and laboratory of allergic disease 2 dual-mixed/cell membrane chromatography model. <i>Electrophoresis</i> , 2018 , 39, 1181-1189	3.6	6

12	Cell membrane chromatography coupled online with LC-MS to screen anti-anaphylactoid components from <i>Magnolia biondii</i> Pamp. targeting on Mas-related G protein-coupled receptor X2. <i>Journal of Separation Science</i> , 2020 , 43, 2571-2578	3.4	5
11	A sensitive HPLC-ECD method for detecting serotonin released by RBL-2H3 cells stimulated by potential allergens. <i>Analytical Methods</i> , 2015 , 7, 8918-8924	3.2	3
10	Multi targeted cell membrane chromatography: A comprehensive method for screening the anaphylactoid components from complex samples. <i>Talanta</i> , 2020 , 209, 120539	6.2	3
9	Targeting and Covalently Immobilizing the EGFR through SNAP-Tag Technology for Screening Drug Leads. <i>Analytical Chemistry</i> , 2021 , 93, 11719-11728	7.8	3
8	Investigating interactions between chloroquine/hydroxychloroquine and their single enantiomers and angiotensin-converting enzyme 2 by a cell membrane chromatography method. <i>Journal of Separation Science</i> , 2021 ,	3.4	2
7	Construction of graphene quantum dots-decorated EGFR cell membrane chromatography for screening active components from <i>Peucedanum praeruptorum</i> Dunn. <i>Analytical and Bioanalytical Chemistry</i> , 2021 , 413, 1917-1927	4.4	2
6	Cell membrane chromatography for the analysis of the interaction between chloroquine and hydroxychloroquine with ACE2 receptors. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2021 , 1162, 122469	3.2	1
5	Pseudo-allergic compounds screened from Shengmai injection by using high-expression Mas-related G protein-coupled receptor X2 cell membrane chromatography online coupled with liquid chromatography and mass spectrometry. <i>Journal of Separation Science</i> , 2021 , 44, 1421-1429	3.4	1
4	Liquid Chromatography Tandem Mass Spectrometry Based Label-Free Quantification Method for Assessment of Allergen-Induced Anaphylactoid Reactions. <i>Journal of the American Society for Mass Spectrometry</i> , 2020 , 31, 856-863	3.5	0
3	Magnetic nanoparticles covalently immobilizing epidermal growth factor receptor by SNAP-Tag protein as a platform for drug discovery.. <i>Talanta</i> , 2022 , 240, 123204	6.2	0
2	A paper-based ELISA for rapid sensitive determination of anaphylaxis-related MRGPRX2 in human peripheral blood. <i>Analytical Biochemistry</i> , 2021 , 633, 114392	3.1	0
1	Purification and determination of antibody drugs in bio-samples by EGFR/cell membrane chromatography method.. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2022 , 217, 114808	3.5	0