

Fabrizio Drago

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/8085250/fabrizio-drago-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

124
papers

3,838
citations

26
h-index

60
g-index

134
ext. papers

4,472
ext. citations

3.3
avg, IF

4.57
L-index

#	Paper	IF	Citations
124	Cardiopulmonary Exercise Testing in Repaired Tetralogy of Fallot: Multiparametric Overview and Correlation with Cardiac Magnetic Resonance and Physical Activity Level.. <i>Journal of Cardiovascular Development and Disease</i> , 2022 , 9,	4.2	2
123	Arrhythmogenic Cardiomyopathy: Diagnosis, Evolution, Risk Stratification and Pediatric Population-Where Are We?. <i>Journal of Cardiovascular Development and Disease</i> , 2022 , 9,	4.2	1
122	Koch's triangle voltage mapping for cryoablation of slow pathway in children: preliminary data of a novel high-density technique. <i>Journal of Interventional Cardiac Electrophysiology</i> , 2021 , 1	2.4	
121	Low-voltage bridge strategy to guide cryoablation of typical and atypical atrioventricular nodal re-entry tachycardia in children: mid-term outcomes in a large cohort of patients. <i>Europace</i> , 2021 , 23, 271-277	3.9	1
120	Progressive involvement of cardiac conduction system in paediatric patients with Kearns-Sayre syndrome: how to predict occurrence of complete heart block and sudden cardiac death?. <i>Europace</i> , 2021 , 23, 948-957	3.9	15
119	The role of the electrocardiographic phenotype in risk stratification for sudden cardiac death in childhood hypertrophic cardiomyopathy. <i>European Journal of Preventive Cardiology</i> , 2021 ,	3.9	9
118	The arrhythmic risk in Kearns-Sayre syndrome: still many questions unanswered-Authors'Reply. <i>Europace</i> , 2021 , 23, 981-982	3.9	0
117	Involvement of the cardiac conduction system in Kearns-Sayre syndrome is progressive: Authors'Reply. <i>Europace</i> , 2021 , 23, 980	3.9	
116	Persistent myocardial atrophy despite LV reverse remodeling in Duchenne cardiomyopathy treated by LVAD. <i>Pediatric Transplantation</i> , 2021 , 25, e13890	1.8	
115	3D transvenous radiofrequency ablation of manifest epicardial posterior-septal accessory pathways in children: Can technology innovations improve the outcome?. <i>Cardiology in the Young</i> , 2021 , 1-6	1	0
114	Clinical characteristics and risk of arrhythmic events in patients younger than 12 years diagnosed with Brugada syndrome. <i>Heart Rhythm</i> , 2021 , 18, 1691-1697	6.7	0
113	Heart rate reduction strategy using ivabradine in end-stage Duchenne cardiomyopathy. <i>International Journal of Cardiology</i> , 2019 , 280, 99-103	3.2	9
112	A heterozygous, intragenic deletion of CNOT2 recapitulates the phenotype of 12q15 deletion syndrome. <i>American Journal of Medical Genetics, Part A</i> , 2019 , 179, 1615-1621	2.5	5
111	Left pulmonary artery in 22q11.2 deletion syndrome. Echocardiographic evaluation in patients without cardiac defects and role of Tbx1 in mice. <i>PLoS ONE</i> , 2019 , 14, e0211170	3.7	8
110	SOS1 mutations in Noonan syndrome: Cardiomyopathies and not only congenital heart defects! Report of six patients including two novel variants and literature review. <i>American Journal of Medical Genetics, Part A</i> , 2019 , 179, 2083-2090	2.5	5
109	Hidden Complexity in Routine Adult and Pediatric Arrhythmias Interpretation: The Future of Precision Electrocardiology. <i>Cardiac Electrophysiology Clinics</i> , 2019 , 11, 391-404	1.4	
108	The role of 3D imaging in the follow-up of patients with repaired tetralogy of Fallot. <i>European Review for Medical and Pharmacological Sciences</i> , 2019 , 23, 1698-1709	2.9	13

107	Effects of Dipeptidyl Peptidase-4 Inhibitor Linagliptin on Left Ventricular Dysfunction in Patients with Type 2 Diabetes and Concentric Left Ventricular Geometry (the DYDA 2 Trial). Rationale, Design, and Baseline Characteristics of the Study Population. <i>Cardiovascular Drugs and Therapy</i> , 2019 , 33, 547-555	3.9	3
106	LTBP2-related "Marfan-like" phenotype in two Roma/Gypsy subjects with the LTBP2 homozygous p.R299X variant. <i>American Journal of Medical Genetics, Part A</i> , 2019 , 179, 104-112	2.5	7
105	The Cardiomyopathy Registry of the EURObservational Research Programme of the European Society of Cardiology: baseline data and contemporary management of adult patients with cardiomyopathies. <i>European Heart Journal</i> , 2018 , 39, 1784-1793	9.5	60
104	Clinical Presentation and Natural History of Hypertrophic Cardiomyopathy in RASopathies. <i>Heart Failure Clinics</i> , 2018 , 14, 225-235	3.3	24
103	Arrhythmias in congenital heart disease: a position paper of the European Heart Rhythm Association (EHRA), Association for European Paediatric and Congenital Cardiology (AEPC), and the European Society of Cardiology (ESC) Working Group on Grown-up Congenital heart disease, endorsed by HRS, PACES, APHRS, and SOLAECE. <i>Europace</i> , 2018 , 20, 1719-1753	3.9	120
102	Voltage gradient mapping and electrophysiologically guided cryoablation in children with AVNRT. <i>Europace</i> , 2018 , 20, 665-672	3.9	8
101	Acute and Long-Term Effects of LVAD Support on Right Ventricular Function in Children with Pediatric Pulsatile Ventricular Assist Devices. <i>ASAIO Journal</i> , 2018 , 64, 91-97	3.6	2
100	Improving the role of echocardiography in studying the right ventricle of repaired tetralogy of Fallot patients: comparison with cardiac magnetic resonance. <i>International Journal of Cardiovascular Imaging</i> , 2018 , 34, 399-406	2.5	11
99	Subcutaneous implantable cardioverter-defibrillator: is it ready for use in children and young adults? A single-centre study. <i>Europace</i> , 2018 , 20, 1966-1973	3.9	17
98	Electroanatomic mapping-guided localization of alternative right ventricular septal pacing sites in children. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2018 , 41, 1204-1211	1.6	4
97	Long-term survival and phenotypic spectrum in heterotaxy syndrome: A 25-year follow-up experience. <i>International Journal of Cardiology</i> , 2018 , 268, 100-105	3.2	17
96	Pediatric extracorporeal cardiopulmonary resuscitation settled in an emergency department for a propafenone intentional intoxication. <i>American Journal of Emergency Medicine</i> , 2018 , 36, 2132.e1-2132.e3 ⁹	2.9	1
95	Physiological pacing in young patients with complex congenital heart defects. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2018 , 41, 967	1.6	1
94	Bradyarrhythmias in Repaired Atrioventricular Septal Defects: Single-Center Experience Based on 34 Years of Follow-Up of 522 Patients. <i>Pediatric Cardiology</i> , 2018 , 39, 1590-1597	2.1	4
93	A novel coronary pattern in newborn with d-transposition of the great arteries. <i>Cardiology Journal</i> , 2018 , 25, 540-541	1.4	
92	First evidence of maternally inherited mosaicism in TGFBR1 and subtle primary myocardial changes in Loey's-Dietz syndrome: a case report. <i>BMC Medical Genetics</i> , 2018 , 19, 170	2.1	3
91	Neonatal and Pediatric Arrhythmias: Clinical and Electrocardiographic Aspects. <i>Cardiac Electrophysiology Clinics</i> , 2018 , 10, 397-412	1.4	9
90	Use of a Pediatric Syncope Unit Improves Diagnosis and Lowers Costs: A Hospital-Based Experience. <i>Journal of Pediatrics</i> , 2018 , 201, 184-189.e2	3.6	0

89	Radiofrequency catheter ablation of left-sided accessory pathways in children using a new fluoroscopy integrated 3D-mapping system. <i>Europace</i> , 2017 , 19, 1198-1203	3.9	4
88	Cardiac dysfunction in children and young adults with heart transplantation: A comprehensive echocardiography study. <i>Journal of Heart and Lung Transplantation</i> , 2017 , 36, 559-566	5.8	15
87	3-Dimensional computed tomography imaging of the ring-sling complex with non-operative survival case in a 10-year-old female. <i>Experimental and Therapeutic Medicine</i> , 2017 , 14, 2600-2602	2.1	
86	Rare inversion-duplication case with pure 3qter duplication syndrome including an overlap of the dup(3q) critical region: A case report. <i>Experimental and Therapeutic Medicine</i> , 2017 , 13, 3494-3496	2.1	2
85	What endocardial right ventricular pacing site shows better contractility and synchrony in children and adolescents?. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2017 , 40, 995-1003	1.6	6
84	Isolated left subclavian artery arising from the main pulmonary artery. <i>European Heart Journal Cardiovascular Imaging</i> , 2017 , 18, 716	4.1	1
83	Premature ventricular complexes in children with structurally normal hearts: clinical review and recommendations for diagnosis and treatment. <i>Minerva Pediatrics</i> , 2017 , 69, 427-433	1.5	5
82	Results of remote follow-up and monitoring in young patients with cardiac implantable electronic devices. <i>Cardiology in the Young</i> , 2016 , 26, 53-60	1	2
81	The Need for a Lengthier Cryolesion Can Predict a Worse Outcome in 3D Cryoablation of AV Nodal Slow Pathway in Children. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2016 , 39, 1198-1205	1.6	4
80	Miniaturized Implantable Loop Recorder in Small Patients: An Effective Approach to the Evaluation of Subjects at Risk of Sudden Death. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2016 , 39, 669-74	1.6	9
79	Sinus bradycardia, junctional rhythm, and low-rate atrial fibrillation in Short QT syndrome during 20 years of follow-up: three faces of the same genetic problem. <i>Cardiology in the Young</i> , 2016 , 26, 589-92	1	11
78	Spontaneous thrombosis of the ductus arteriosus in a newborn, complicated by thrombus migration and massive pulmonary embolism. <i>European Heart Journal Cardiovascular Imaging</i> , 2016 , 17, 1026	4.1	2
77	Comparison of cryoablation with 3D mapping versus conventional mapping for the treatment of atrioventricular re-entrant tachycardia and right-sided paraseptal accessory pathways. <i>Cardiology in the Young</i> , 2016 , 26, 931-40	1	4
76	Sports Eligibility After Risk Assessment and Treatment in Children with Asymptomatic Ventricular Pre-excitation. <i>Sports Medicine</i> , 2016 , 46, 1183-90	10.6	7
75	POPDC1(S201F) causes muscular dystrophy and arrhythmia by affecting protein trafficking. <i>Journal of Clinical Investigation</i> , 2016 , 126, 239-53	15.9	55
74	What factors influence parents' perception of the quality of life of children and adolescents with neurocardiogenic syncope?. <i>Health and Quality of Life Outcomes</i> , 2016 , 14, 79	3	16
73	Inappropriate Shocks in a Patient with Subcutaneous ICD and Transvenous Pacemaker: Is it as it Seems?. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2016 , 39, 873-5	1.6	4
72	Paroxysmal atrioventricular block after heart transplantation in children: an early sign of rejection?. <i>Pediatric Transplantation</i> , 2016 , 20, 1164-1167	1.8	5

71	Role of right ventricular three-dimensional electroanatomic voltage mapping for arrhythmic risk stratification of patients with corrected tetralogy of Fallot or other congenital heart disease involving the right ventricular outflow tract. <i>International Journal of Cardiology</i> , 2016 , 222, 422-429	3.2	9
70	First report of image integration of cine-angiography with 3D electro-anatomical mapping of the right ventricle in postoperative tetralogy of Fallot. <i>International Journal of Cardiovascular Imaging</i> , 2015 , 31, 7-9	2.5	1
69	Management of paediatric arrhythmias in Europe. <i>Europace</i> , 2015 , 17, 1879	3.9	2
68	Left ventricular pacing in neonates and infants with isolated congenital complete or advanced atrioventricular block: short- and medium-term outcome. <i>Europace</i> , 2015 , 17, 603-10	3.9	20
67	Ventricular pre-excitation: symptomatic and asymptomatic children have the same potential risk of sudden cardiac death. <i>Europace</i> , 2015 , 17, 617-21	3.9	22
66	The availability and the adherence to pediatric guidelines for the management of syncope in the Emergency Department. <i>Journal of Pediatrics</i> , 2014 , 165, 967-72.e1	3.6	15
65	Cryoablation of AVNRT in children and adolescents: early intervention leads to a better outcome. <i>Journal of Cardiovascular Electrophysiology</i> , 2014 , 25, 398-403	2.7	21
64	Cryoablation of right-sided accessory pathways in children: report of efficacy and safety after 10-year experience and follow-up. <i>Europace</i> , 2013 , 15, 1651-6	3.9	14
63	Pharmacological and non-pharmacological therapy for arrhythmias in the pediatric population: EHRA and AEPC-Arrhythmia Working Group joint consensus statement. <i>Europace</i> , 2013 , 15, 1337-82	3.9	190
62	Percutaneous axillary vein approach in pediatric pacing: comparison with subclavian vein approach. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2013 , 36, 1550-7	1.6	12
61	Cardiac pacing in paediatric patients with congenital heart defects: transvenous or epicardial?. <i>Europace</i> , 2013 , 15, 1280-6	3.9	35
60	"De novo" biventricular pacing in two children with complete atrio-ventricular block and severe ventricular dilatation: early reverse remodeling. <i>International Journal of Cardiology</i> , 2012 , 160, e52-3	3.2	2
59	PACES/HRS expert consensus statement on the management of the asymptomatic young patient with a Wolff-Parkinson-White (WPW, ventricular preexcitation) electrocardiographic pattern: developed in partnership between the Pediatric and Congenital Electrophysiology Society (PACES) and the Heart Rhythm Society (HRS). Endorsed by the governing bodies of PACES, HRS, the	6.7	255
58	Heart rate variability abnormalities in young patients with dilated cardiomyopathy. <i>Pediatric Cardiology</i> , 2012 , 33, 1171-4	2.1	6
57	Long-term outcome of transvenous bipolar atrial leads implanted in children and young adults with congenital heart disease. <i>Europace</i> , 2012 , 14, 1002-7	3.9	17
56	Atrial tachycardias in patients with congenital heart disease: a minimally invasive simplified approach in the use of three-dimensional electroanatomic mapping. <i>Europace</i> , 2011 , 13, 689-95	3.9	30
55	Cryoablation of typical atrioventricular nodal reentrant tachycardia in children: six years experience and follow-up in a single center. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2010 , 33, 475-81	1.6	41
54	Determinants of early dilated cardiomyopathy in neonates with congenital complete atrioventricular block. <i>Europace</i> , 2010 , 12, 1316-21	3.9	16

53	Biventricular pacing in an infant with noncompaction of the ventricular myocardium, congenital AV block, and prolonged QT interval. <i>Journal of Interventional Cardiac Electrophysiology</i> , 2010 , 28, 67-70	2.4	7
52	Profuse oral secretions after propafenone administration in neonates. <i>Journal of Pediatrics</i> , 2010 , 157, 856-7	3.6	1
51	Time to effect during cryomapping: a parameter related to the long-term success of accessory pathways cryoablation in children. <i>Europace</i> , 2009 , 11, 630-4	3.9	14
50	Molecular analysis of PRKAG2, LAMP2, and NKX2-5 genes in a cohort of 125 patients with accessory atrioventricular connection. <i>American Journal of Medical Genetics, Part A</i> , 2009 , 149A, 1574-7	2.5	15
49	Rate-adapting pacing in a 7-year-old boy using ventricular contractility information. <i>Pediatrics International</i> , 2008 , 50, 127-9	1.2	2
48	Supraventricular arrhythmias in noncompaction of left ventricle: is this a frequent complication?. <i>International Journal of Cardiology</i> , 2008 , 127, 255-6	3.2	26
47	New technologies for the transcatheter treatment of arrhythmias. <i>Paediatrics and Child Health (United Kingdom)</i> , 2008 , 18, S36-S38	0.6	
46	Circadian pattern of atrial pacing threshold in the young. <i>Europace</i> , 2008 , 10, 147-50	3.9	3
45	Paroxysmal reciprocating supraventricular tachycardia in infants: electrophysiologically guided medical treatment and long-term evolution of the re-entry circuit. <i>Europace</i> , 2008 , 10, 629-35	3.9	17
44	Transcatheter ablation of supraventricular tachycardias in pediatric patients. <i>Current Pharmaceutical Design</i> , 2008 , 14, 788-93	3.3	2
43	Anticoagulant drugs in noncompaction: a mandatory therapy?. <i>Journal of Cardiovascular Medicine</i> , 2008 , 9, 1095-7	1.9	30
42	Paediatric catheter cryoablation: techniques, successes and failures. <i>Current Opinion in Cardiology</i> , 2008 , 23, 81-4	2.1	8
41	Outcome of young patients with abandoned, nonfunctional endocardial leads. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2008 , 31, 473-9	1.6	44
40	Closed loop stimulation improves ejection fraction in pediatric patients with pacemaker and ventricular dysfunction. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2007 , 30, 33-7	1.6	5
39	Ventricular pacing threshold variations in the young. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2007 , 30, 175-81	1.6	14
38	Ventricular tachycardia in non-compaction of left ventricle: is this a frequent complication?. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2007 , 30, 544-6	1.6	44
37	Atrial threshold variability: implications for automatic atrial stimulation algorithms. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2007 , 30, 1445-54	1.6	21
36	Single-centre experience on endocardial and epicardial pacemaker system function in neonates and infants. <i>Europace</i> , 2007 , 9, 426-31	3.9	36

35	Outcome of single-chamber, ventricular pacemakers with transvenous leads implanted in children. <i>Europace</i> , 2007 , 9, 894-9	3.9	23
34	Treatment of macro-re-entrant atrial tachycardia based on electroanatomic mapping: identification and ablation of the mid-diastolic isthmus. <i>Europace</i> , 2007 , 9, 449-57	3.9	48
33	The total absence of atrial automaticity in a child with sinus node dysfunction. <i>Nature Clinical Practice Cardiovascular Medicine</i> , 2007 , 4, 513-7		
32	Successful radiofrequency ablation of atrial tachycardias in surgically repaired Ebstein's anomaly using the Carto XP system and the QwikStar catheter. <i>Journal of Cardiovascular Medicine</i> , 2007 , 8, 459-62	1.9	2
31	A successfully novel ICD implantation and medical treatment in a child with LQT syndrome and self-limiting ventricular fibrillation. <i>International Journal of Cardiology</i> , 2007 , 118, e108-12	3.2	3
30	Atrioventricular nodal reentrant tachycardia in children. <i>Pediatric Cardiology</i> , 2006 , 27, 454-9	2.1	17
29	Twenty years of paediatric cardiac pacing: 515 pacemakers and 480 leads implanted in 292 patients. <i>Europace</i> , 2006 , 8, 530-6	3.9	92
28	Long term management of atrial arrhythmias in young patients with sick sinus syndrome undergoing early operation to correct congenital heart disease. <i>Europace</i> , 2006 , 8, 488-94	3.9	14
27	Clinical outcome of 193 extracardiac Fontan patients: the first 15 years. <i>Journal of the American College of Cardiology</i> , 2006 , 47, 2065-73	15.1	162
26	Upgrading of VVIR pacemakers with nonfunctional endocardial ventricular leads to VDD pacemakers in adolescents. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2006 , 29, 691-6	1.6	6
25	Lengthier cryoablation and a bonus cryoapplication is associated with improved efficacy for cryothermal catheter ablation of supraventricular tachycardias in children. <i>Journal of Interventional Cardiac Electrophysiology</i> , 2006 , 16, 191-8	2.4	41
24	Long-term reduction of atrial tachyarrhythmia recurrences in patients paced for bradycardia-tachycardia syndrome. <i>Heart Rhythm</i> , 2005 , 2, 1047-57	6.7	8
23	Transvenous cryothermal catheter ablation of re-entry circuit located near the atrioventricular junction in pediatric patients: efficacy, safety, and midterm follow-up. <i>Journal of the American College of Cardiology</i> , 2005 , 45, 1096-103	15.1	73
22	Monitored atrial fibrillation duration predicts arterial embolic events in patients suffering from bradycardia and atrial fibrillation implanted with antitachycardia pacemakers. <i>Journal of the American College of Cardiology</i> , 2005 , 46, 1913-20	15.1	326
21	Beat-to-beat heart rate adaptation in pediatric and late adolescent patients with closed loop rate-responsive pacemakers. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2005 , 28, 212-8	1.6	14
20	Upgrade of single chamber pacemakers with transvenous leads to dual chamber pacemakers in pediatric and young adult patients. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2004 , 27, 1094-8	1.6	14
19	Use of DDDR pacing device in prevention and treatment of tachy-brady syndrome after Mustard procedure. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2004 , 27, 530-2	1.6	8
18	Paroxysmal atrioventricular block in young patients. <i>Pediatric Cardiology</i> , 2004 , 25, 506-12	2.1	16

17	Does chronic pacing affect exercise capacity after Mustard operation for transposition of the great arteries?. <i>Pediatric Cardiology</i> , 2002 , 23, 3-8	2.1	4
16	Exclusion of fluoroscopy during ablation treatment of right accessory pathway in children. <i>Journal of Cardiovascular Electrophysiology</i> , 2002 , 13, 778-82	2.7	108
15	Clinical and molecular characterization of patients with catecholaminergic polymorphic ventricular tachycardia. <i>Circulation</i> , 2002 , 106, 69-74	16.7	937
14	Radiofrequency catheter ablation of idiopathic left ventricular outflow tract tachycardia: utility of intracardiac echocardiography. <i>Journal of Cardiovascular Electrophysiology</i> , 2001 , 12, 529-35	2.7	47
13	Heart rate variability in healthy children and adolescents is partially related to age and gender. <i>International Journal of Cardiology</i> , 2001 , 81, 169-74	3.2	168
12	Fetal tachycardia and chylous ascites. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 1999 , 106, 376-8	3.7	2
11	Amiodarone used alone or in combination with propranolol: a very effective therapy for tachyarrhythmias in infants and children. <i>Pediatric Cardiology</i> , 1998 , 19, 445-9	2.1	36
10	Koch's triangle in pediatric age: correlation with extra- and intracardiac parameters. <i>PACE - Pacing and Clinical Electrophysiology</i> , 1998 , 21, 1576-9	1.6	5
9	Permanent overdrive atrial pacing in the chronic management of recurrent postoperative atrial reentrant tachycardia in patients with complex congenital heart disease. <i>PACE - Pacing and Clinical Electrophysiology</i> , 1997 , 20, 2917-23	1.6	26
8	Reciprocating supraventricular tachycardia in children: low rate at rest as a major factor related to propensity to syncope during exercise. <i>American Heart Journal</i> , 1996 , 132, 280-5	4.9	18
7	Detection of atrial vulnerability by transesophageal atrial pacing and the relation of symptoms in children with Wolff-Parkinson-White syndrome and in a symptomatic control group. <i>American Journal of Cardiology</i> , 1994 , 74, 400-1	3	8
6	Efficacy and safety of ventricular rate responsive pacing in children with complete atrioventricular block. <i>PACE - Pacing and Clinical Electrophysiology</i> , 1994 , 17, 603-10	1.6	20
5	Effect of the enhancement of the cholinergic tone by pyridostigmine on the exercise-induced growth hormone release in man. <i>Journal of Endocrinological Investigation</i> , 1993 , 16, 421-4	5.2	19
4	Early identification of patients at risk for sinus node dysfunction after Mustard operation. <i>International Journal of Cardiology</i> , 1992 , 35, 27-32	3.2	6
3	Detection of atrial tachyarrhythmias by transesophageal pacing and recording at rest and during exercise in children with ventricular preexcitation. <i>American Journal of Cardiology</i> , 1992 , 69, 1098-9	3	4
2	Oral propafenone therapy for children with arrhythmias: efficacy and adverse effects in midterm follow-up. <i>American Heart Journal</i> , 1991 , 122, 1022-7	4.9	29
1	Rehabilitation of children after total correction of tetralogy of Fallot. <i>International Journal of Cardiology</i> , 1990 , 28, 151-8	3.2	23