Thomas Wieland

List of Publications by Citations

Source: https://exaly.com/author-pdf/80868/thomas-wieland-publications-by-citations.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

68 151 41 5,547 h-index g-index citations papers 6.2 6,327 158 5.49 avg, IF L-index ext. citations ext. papers

#	Paper	IF	Citations
151	Enhanced sarcoplasmic reticulum Ca2+ leak and increased Na+-Ca2+ exchanger function underlie delayed afterdepolarizations in patients with chronic atrial fibrillation. <i>Circulation</i> , 2012 , 125, 2059-70	16.7	395
150	Angiopoietin-2 differentially regulates angiogenesis through TIE2 and integrin signaling. <i>Journal of Clinical Investigation</i> , 2012 , 122, 1991-2005	15.9	295
149	Structure of Galphaq-p63RhoGEF-RhoA complex reveals a pathway for the activation of RhoA by GPCRs. <i>Science</i> , 2007 , 318, 1923-7	33.3	173
148	Alterations in cardiac DNA methylation in human dilated cardiomyopathy. <i>EMBO Molecular Medicine</i> , 2013 , 5, 413-29	12	166
147	Role of RyR2 phosphorylation at S2814 during heart failure progression. <i>Circulation Research</i> , 2012 , 110, 1474-83	15.7	158
146	The guanine nucleotide exchange factor p63RhoGEF, a specific link between Gq/11-coupled receptor signaling and RhoA. <i>Journal of Biological Chemistry</i> , 2005 , 280, 11134-9	5.4	152
145	Regulators of G-protein signalling: multifunctional proteins with impact on signalling in the cardiovascular system 2003 , 97, 95-115		108
144	Angiotensin II type 2 receptor inhibits vascular endothelial growth factor-induced migration and in vitro tube formation of human endothelial cells. <i>Circulation Research</i> , 2003 , 93, 438-47	15.7	104
143	Activation of heterotrimeric G proteins by a high energy phosphate transfer via nucleoside diphosphate kinase (NDPK) B and Gbeta subunits. Complex formation of NDPK B with Gbeta gamma dimers and phosphorylation of His-266 IN Gbeta. <i>Journal of Biological Chemistry</i> , 2003 , 278, 722	5.4 20-6	104
142	Paving the Rho in cancer metastasis: Rho GTPases and beyond. <i>Pharmacology & Therapeutics</i> , 2018 , 183, 1-21	13.9	93
141	Dual role of protein kinase C on BK channel regulation. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2010 , 107, 8005-10	11.5	88
140	Direct stimulation of receptor-controlled phospholipase D1 by phospho-cofilin. <i>EMBO Journal</i> , 2007 , 26, 4189-202	13	88
139	Protein kinase D selectively targets cardiac troponin I and regulates myofilament Ca2+ sensitivity in ventricular myocytes. <i>Circulation Research</i> , 2007 , 100, 864-73	15.7	88
138	Expression of ten RGS proteins in human myocardium: functional characterization of an upregulation of RGS4 in heart failure. <i>Cardiovascular Research</i> , 2002 , 55, 778-86	9.9	82
137	The natriuretic peptide/guanylyl cyclasea system functions as a stress-responsive regulator of angiogenesis in mice. <i>Journal of Clinical Investigation</i> , 2009 , 119, 2019-30	15.9	79
136	Activation of heterotrimeric G proteins by a high energy phosphate transfer via nucleoside diphosphate kinase (NDPK) B and Gbeta subunits. Specific activation of Gsalpha by an NDPK B.Gbetagamma complex in H10 cells. <i>Journal of Biological Chemistry</i> , 2003 , 278, 7227-33	5.4	76
135	Anaphylactic shock depends on endothelial Gq/G11. <i>Journal of Experimental Medicine</i> , 2009 , 206, 411-2	0 16.6	75

(2014-2001)

134	The M3 muscarinic acetylcholine receptor expressed in HEK-293 cells signals to phospholipase D via G12 but not Gq-type G proteins: regulators of G proteins as tools to dissect pertussis toxin-resistant G proteins in receptor-effector coupling. <i>Journal of Biological Chemistry</i> , 2001 , 276, 247	5.4 4-9	71	
133	The interaction of nucleoside diphosphate kinase B with Gbetagamma dimers controls heterotrimeric G protein function. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2009 , 106, 16269-74	11.5	64	
132	Inhibition of Rho-dependent kinases ROCK I/II activates VEGF-driven retinal neovascularization and sprouting angiogenesis. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2009 , 296, H893-9	5.2	64	
131	Lipopolysaccharides induced inflammatory responses and electrophysiological dysfunctions in human-induced pluripotent stem cell derived cardiomyocytes. <i>Scientific Reports</i> , 2017 , 7, 2935	4.9	63	
130	Regulation of the extracellular signal-regulated kinase pathway in adult myocardium: differential roles of G(q/11), Gi and G(12/13) proteins in signalling by alpha1-adrenergic, endothelin-1 and thrombin-sensitive protease-activated receptors. <i>Cellular Signalling</i> , 2005 , 17, 655-64	4.9	63	
129	Trio@ Rho-specific GEF domain is the missing Galpha q effector in C. elegans. <i>Genes and Development</i> , 2007 , 21, 2731-46	12.6	61	
128	The role of nucleoside-diphosphate kinase reactions in G protein activation of NADPH oxidase by guanine and adenine nucleotides. <i>FEBS Journal</i> , 1988 , 175, 51-5		61	
127	Angiotensin II modulates VEGF-driven angiogenesis by opposing effects of type 1 and type 2 receptor stimulation in the microvascular endothelium. <i>Cellular Signalling</i> , 2012 , 24, 1261-9	4.9	60	
126	The beta-subunit of G proteins is a substrate of protein histidine phosphatase. <i>Biochemical and Biophysical Research Communications</i> , 2005 , 334, 1115-20	3.4	59	
125	Regulators of G protein signalling: a spotlight on emerging functions in the cardiovascular system. <i>Current Opinion in Pharmacology</i> , 2007 , 7, 201-7	5.1	58	
124	EAdrenergic receptor stimulation causes cardiac hypertrophy via a GÆrk-dependent pathway. <i>Cardiovascular Research</i> , 2012 , 96, 255-64	9.9	57	
123	Modeling Short QT Syndrome Using Human-Induced Pluripotent Stem Cell-Derived Cardiomyocytes. <i>Journal of the American Heart Association</i> , 2018 , 7,	6	56	
122	Regulation of cardiac cAMP synthesis and contractility by nucleoside diphosphate kinase B/G protein beta gamma dimer complexes. <i>Circulation Research</i> , 2007 , 100, 1191-9	15.7	55	
121	NSC23766, a widely used inhibitor of Rac1 activation, additionally acts as a competitive antagonist at muscarinic acetylcholine receptors. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2013 , 347, 69-79	4.7	54	
120	p63RhoGEFa key mediator of angiotensin II-dependent signaling and processes in vascular smooth muscle cells. <i>FASEB Journal</i> , 2010 , 24, 4865-76	0.9	53	
119	Atorvastatin desensitizes beta-adrenergic signaling in cardiac myocytes via reduced isoprenylation of G-protein gamma-subunits. <i>FASEB Journal</i> , 2006 , 20, 785-7	0.9	53	
118	Activation of signal-transducing guanine-nucleotide-binding regulatory proteins by guanosine 5Q[gamma-thio]triphosphate. Information transfer by intermediately thiophosphorylated beta gamma subunits. <i>FEBS Journal</i> , 1991 , 196, 707-16		46	
117	Alignment-Annotator web server: rendering and annotating sequence alignments. <i>Nucleic Acids Research</i> , 2014 , 42, W3-6	20.1	45	

116	Molecular architecture of Galphao and the structural basis for RGS16-mediated deactivation. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2008 , 105, 6243-8	11.5	45
115	Highly invasive melanoma cells activate the vascular endothelium via an MMP-2/integrin WB-induced secretion of VEGF-A. <i>American Journal of Pathology</i> , 2012 , 181, 693-705	5.8	44
114	Srgap3?/? mice present a neurodevelopmental disorder with schizophrenia-related intermediate phenotypes. <i>FASEB Journal</i> , 2012 , 26, 4418-28	0.9	43
113	Palmitoylation and membrane association of the stress axis regulated insert (STREX) controls BK channel regulation by protein kinase C. <i>Journal of Biological Chemistry</i> , 2012 , 287, 32161-71	5.4	41
112	Oxytocin receptors differentially signal via Gq and Gi proteins in pregnant and nonpregnant rat uterine myocytes: implications for myometrial contractility. <i>Molecular Endocrinology</i> , 2007 , 21, 740-52		41
111	p63RhoGEF and GEFT are Rho-specific guanine nucleotide exchange factors encoded by the same gene. <i>Naunyn-Schmiedebergh Archives of Pharmacology</i> , 2004 , 369, 540-6	3.4	41
110	Nucleoside diphosphate kinase as protein histidine kinase. <i>Naunyn-Schmiedebergh</i> Archives of Pharmacology, 2015 , 388, 153-60	3.4	39
109	Interaction of nucleoside diphosphate kinase B with heterotrimeric G protein betagamma dimers: consequences on G protein activation and stability. <i>Naunyn-Schmiedebergh Archives of Pharmacology</i> , 2007 , 374, 373-83	3.4	39
108	Phosphodiesterase 2 Protects Against Catecholamine-Induced Arrhythmia and Preserves Contractile Function After Myocardial Infarction. <i>Circulation Research</i> , 2017 , 120, 120-132	15.7	38
107	The Ca2+-dependent binding of calmodulin to an N-terminal motif of the heterotrimeric G protein beta subunit. <i>Journal of Biological Chemistry</i> , 1997 , 272, 18801-7	5.4	38
106	Melatonin receptor signaling in pregnant and nonpregnant rat uterine myocytes as probed by large conductance Ca2+-activated K+ channel activity. <i>Molecular Endocrinology</i> , 2003 , 17, 2103-15		36
105	Galpha q allosterically activates and relieves autoinhibition of p63RhoGEF. <i>Cellular Signalling</i> , 2010 , 22, 1114-23	4.9	35
104	Receptor-regulated formation of GTP[gamma S] with subsequent persistent Gs-protein activation in membranes of human platelets. <i>FEBS Letters</i> , 1989 , 245, 189-93	3.8	35
103	Atrial natriuretic peptide-mediated inhibition of microcirculatory endothelial Ca2+ and permeability response to histamine involves cGMP-dependent protein kinase I and TRPC6 channels. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2013 , 33, 2121-9	9.4	34
102	Constitutive serum response factor activation by the viral chemokine receptor homologue pUS28 is differentially regulated by Galpha(q/11) and Galpha(16). <i>Cellular Signalling</i> , 2008 , 20, 1528-37	4.9	33
101	Ion Channel Expression and Characterization in Human Induced Pluripotent Stem Cell-Derived Cardiomyocytes. <i>Stem Cells International</i> , 2018 , 2018, 6067096	5	33
100	M2 muscarinic receptors induce airway smooth muscle activation via a dual, Gbetagamma-mediated inhibition of large conductance Ca2+-activated K+ channel activity. <i>Journal of Biological Chemistry</i> , 2008 , 283, 21036-44	5.4	32
99	Pregnancy switches adrenergic signal transduction in rat and human uterine myocytes as probed by BKCa channel activity. <i>Journal of Physiology</i> , 2000 , 524 Pt 2, 339-52	3.9	32

98	ADP receptor-induced activation of guanine-nucleotide-binding proteins in human platelet membranes. <i>FEBS Journal</i> , 1992 , 207, 259-63		30	
97	Managing risks in drug discovery: reproducibility of published findings. <i>Naunyn-Schmiedebergh</i> s <i>Archives of Pharmacology</i> , 2016 , 389, 353-60	3.4	29	
96	Identification of G protein-coupled receptors potently stimulating migration of human transitional-cell carcinoma cells. <i>Naunyn-Schmiedeberghs Archives of Pharmacology</i> , 1997 , 356, 769-76	3.4	29	
95	RGS5 promotes arterial growth during arteriogenesis. <i>EMBO Molecular Medicine</i> , 2014 , 6, 1075-89	12	28	
94	Cell cycle-dependent coupling of the vasopressin V1a receptor to different G proteins. <i>Journal of Biological Chemistry</i> , 2000 , 275, 32543-51	5.4	27	
93	A mammalian Rho-specific guanine-nucleotide exchange factor (p164-RhoGEF) without a pleckstrin homology domain. <i>Biochemical Journal</i> , 2002 , 366, 721-8	3.8	26	
92	Evidence for receptor-regulated phosphotransfer reactions involved in activation of the adenylate cyclase inhibitory G protein in human platelet membranes. <i>FEBS Journal</i> , 1989 , 183, 115-21		26	
91	Essential role of sympathetic endothelin A receptors for adverse cardiac remodeling. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014 , 111, 13499-504	11.5	25	
90	The BTB-Kelch protein KLEIP controls endothelial migration and sprouting angiogenesis. <i>Circulation Research</i> , 2007 , 100, 1155-63	15.7	25	
89	Receptor-stimulated guanine-nucleotide-triphosphate binding to guanine-nucleotide-binding regulatory proteins. Nucleotide exchange and beta-subunit-mediated phosphotransfer reactions. <i>FEBS Journal</i> , 1994 , 221, 25-33		25	
88	Dissociation of guanosine 5Qgamma-thio]triphosphate from guanine-nucleotide-binding regulatory proteins in native cardiac membranes. Regulation by nucleotides and muscarinic acetylcholine receptors. <i>FEBS Journal</i> , 1992 , 204, 725-31		25	
87	Calcium/Calmodulin-Dependent Protein Kinase II Activity Persists During Chronic Adrenoceptor Blockade in Experimental and Human Heart Failure. <i>Circulation: Heart Failure</i> , 2017 , 10, e003840	7.6	24	
86	Endotoxin induces desensitization of cardiac endothelin-1 receptor signaling by increased expression of RGS4 and RGS16. <i>Cardiovascular Research</i> , 2002 , 53, 156-64	9.9	24	
85	Catecholamines facilitate VEGF-dependent angiogenesis via 🛭 -adrenoceptor-induced Epac1 and PKA activation. <i>Oncotarget</i> , 2017 , 8, 44732-44748	3.3	24	
84	Distinct signaling pathways mediate cardiomyocyte phospholipase D stimulation by endothelin-1 and thrombin. <i>Journal of Molecular and Cellular Cardiology</i> , 2002 , 34, 441-53	5.8	23	
83	A phenomenological approach to assessing the effectiveness of COVID-19 related nonpharmaceutical interventions in Germany. <i>Safety Science</i> , 2020 , 131, 104924	5.8	23	
82	Ion Channel Dysfunctions in Dilated Cardiomyopathy in Limb-Girdle Muscular Dystrophy. <i>Circulation Genomic and Precision Medicine</i> , 2018 , 11, e001893	5.2	22	
81	An AKAP-Lbc-RhoA interaction inhibitor promotes the translocation of aquaporin-2 to the plasma membrane of renal collecting duct principal cells. <i>PLoS ONE</i> , 2018 , 13, e0191423	3.7	22	

80	Pasteurella multocida toxin prevents osteoblast differentiation by transactivation of the MAP-kinase cascade via the $G(\eta/11)$ p63RhoGEFRhoA axis. <i>PLoS Pathogens</i> , 2013 , 9, e1003385	7.6	21
79	Regulator of G-protein signalling 3 redirects prototypical Gi-coupled receptors from Rac1 to RhoA activation. <i>Cellular Signalling</i> , 2007 , 19, 1229-37	4.9	21
78	Interaction of small G proteins with photoexcited rhodopsin. FEBS Letters, 1990, 263, 195-8	3.8	21
77	Hyperthermia Influences the Effects of Sodium Channel Blocking Drugs in Human-Induced Pluripotent Stem Cell-Derived Cardiomyocytes. <i>PLoS ONE</i> , 2016 , 11, e0166143	3.7	21
76	G protein-coupled receptor kinase 2 promotes cardiac hypertrophy. <i>PLoS ONE</i> , 2017 , 12, e0182110	3.7	20
75	Nucleoside diphosphate kinase B deficiency causes a diabetes-like vascular pathology via up-regulation of endothelial angiopoietin-2 in the retina. <i>Acta Diabetologica</i> , 2016 , 53, 81-9	3.9	20
74	Dopamine and lipophilic derivates protect cardiomyocytes against cold preservation injury. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2014 , 348, 77-85	4.7	20
73	A novel player in cellular hypertrophy: GillP13K-dependent activation of the RacGEF TIAM-1 is required for Endrenoceptor induced hypertrophy in neonatal rat cardiomyocytes. <i>Journal of Molecular and Cellular Cardiology</i> , 2012 , 53, 165-75	5.8	20
72	Role of GDP in formyl-peptide-receptor-induced activation of guanine-nucleotide-binding proteins in membranes of HL 60 cells. <i>FEBS Journal</i> , 1992 , 205, 1201-6		20
71	Nucleoside diphosphate kinase B regulates angiogenesis through modulation of vascular endothelial growth factor receptor type 2 and endothelial adherens junction proteins. <i>Arteriosclerosis, Thrombosis, and Vascular Biology,</i> 2014 , 34, 2292-300	9.4	19
70	The bipartite rac1 Guanine nucleotide exchange factor engulfment and cell motility 1/dedicator of cytokinesis 180 (elmo1/dock180) protects endothelial cells from apoptosis in blood vessel development. <i>Journal of Biological Chemistry</i> , 2015 , 290, 6408-18	5.4	19
69	Through scaffolding and catalytic actions nucleoside diphosphate kinase B differentially regulates basal and Endrenoceptor-stimulated cAMP synthesis. <i>Cellular Signalling</i> , 2011 , 23, 579-85	4.9	19
68	Nucleoside diphosphate kinase B is required for the formation of heterotrimeric G protein containing caveolae. <i>Naunyn-Schmiedeberghs Archives of Pharmacology</i> , 2011 , 384, 461-72	3.4	18
67	The activation of RhoC in vascular endothelial cells is required for the S1P receptor type 2-induced inhibition of angiogenesis. <i>Cellular Signalling</i> , 2013 , 25, 2478-84	4.9	17
66	LARG links histamine-H1-receptor-activated Gq to Rho-GTPase-dependent signaling pathways. <i>Cellular Signalling</i> , 2012 , 24, 652-63	4.9	17
65	Reduced viability of neuronal cells after overexpression of protein histidine phosphatase. <i>Neurochemistry International</i> , 2008 , 53, 132-6	4.4	17
64	G-protein betagamma-subunits contribute to the coupling specificity of the beta2-adrenergic receptor to G(s). <i>Naunyn-Schmiedebergh</i> Archives of Pharmacology, 2002 , 365, 231-41	3.4	17
63	Nucleoside Diphosphate Kinase-C Suppresses cAMP Formation in Human Heart Failure. <i>Circulation</i> , 2017 , 135, 881-897	16.7	16

(2006-2000)

62	Polarity exchange at the interface of regulators of G protein signaling with G protein alpha-subunits. <i>Journal of Biological Chemistry</i> , 2000 , 275, 28500-6	5.4	16	
61	Contribution of nucleoside diphosphokinase to guanine nucleotide regulation of agonist binding to formyl peptide receptors. <i>European Journal of Pharmacology</i> , 1991 , 208, 17-23		16	
60	A cellular model of Brugada syndrome with SCN10A variants using human-induced pluripotent stem cell-derived cardiomyocytes. <i>Europace</i> , 2019 , 21, 1410-1421	3.9	15	
59	Mechanism and functional impact of CD40 ligand-induced von Willebrand factor release from endothelial cells. <i>Thrombosis and Haemostasis</i> , 2015 , 113, 1095-108	7	15	
58	Alterations in reversible protein histidine phosphorylation as intracellular signals in cardiovascular disease. <i>Frontiers in Pharmacology</i> , 2015 , 6, 173	5.6	15	
57	GrinchGEFa novel Rho-specific guanine nucleotide exchange factor. <i>Biochemical and Biophysical Research Communications</i> , 2005 , 335, 1280-6	3.4	15	
56	High energy phosphate transfer by NDPK B/Gbetagammacomplexesan alternative signaling pathway involved in the regulation of basal cAMP production. <i>Journal of Bioenergetics and Biomembranes</i> , 2006 , 38, 197-203	3.7	15	
55	Interleukin-1beta mediates endotoxin- and tumor necrosis factor alpha-induced RGS16 protein expression in cultured cardiac myocytes. <i>Naunyn-Schmiedebergh Archives of Pharmacology</i> , 2003 , 368, 360-5	3.4	15	
54	Epac1 links prostaglandin E2 to Etatenin-dependent transcription during epithelial-to-mesenchymal transition. <i>Oncotarget</i> , 2016 , 7, 46354-46370	3.3	15	
53	Reversible histidine phosphorylation in mammalian cells: a teeter-totter formed by nucleoside diphosphate kinase and protein histidine phosphatase 1. <i>Methods in Enzymology</i> , 2010 , 471, 379-402	1.7	14	
52	Hypertension-evoked RhoA activity in vascular smooth muscle cells requires RGS5. <i>FASEB Journal</i> , 2018 , 32, 2021-2035	0.9	14	
51	p63RhoGEF regulates auto- and paracrine signaling in cardiac fibroblasts. <i>Journal of Molecular and Cellular Cardiology</i> , 2015 , 88, 39-54	5.8	13	
50	Studying Brugada Syndrome With an SCN1B Variants in Human-Induced Pluripotent Stem Cell-Derived Cardiomyocytes. <i>Frontiers in Cell and Developmental Biology</i> , 2019 , 7, 261	5.7	13	
49	Drug Testing in Human-Induced Pluripotent Stem Cell-Derived Cardiomyocytes From a Patient With Short QT Syndrome Type 1. <i>Clinical Pharmacology and Therapeutics</i> , 2019 , 106, 642-651	6.1	12	
48	Nucleoside diphosphate kinase B-activated intermediate conductance potassium channels are critical for neointima formation in mouse carotid arteries. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2015 , 35, 1852-61	9.4	12	
47	Identification of intracellular proteins and signaling pathways in human endothelial cells regulated by angiotensin-(1-7). <i>Journal of Proteomics</i> , 2016 , 130, 129-39	3.9	11	
46	Inflammation leads through PGE/EP signaling to HDAC5/MEF2-dependent transcription in cardiac myocytes. <i>EMBO Molecular Medicine</i> , 2018 , 10,	12	11	
45	Role of the monomeric GTPase Rho in hematopoietic progenitor cell migration and transplantation. <i>European Journal of Immunology</i> , 2006 , 36, 180-9	6.1	11	

44	Differential coupling of m-cholinoceptors to Gi/Go-proteins in failing human myocardium. <i>Journal of Molecular and Cellular Cardiology</i> , 2003 , 35, 1241-9	5.8	11
43	RhoGEF17, a Rho-specific guanine nucleotide exchange factor activated by phosphorylation via cyclic GMP-dependent kinase I\(\textstyle{\textstyle{1000000000000000000000000000000000000	4.9	10
42	Nucleoside diphosphate kinase B regulates angiogenic responses in the endothelium via caveolae formation and c-Src-mediated caveolin-1 phosphorylation. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2017 , 37, 2471-2484	7.3	10
41	Signalling components involved in the coupling of alpha 1-adrenoceptors to phospholipase D in neonatal rat cardiac myocytes. <i>Naunyn-Schmiedebergl</i> s <i>Archives of Pharmacology</i> , 2002 , 365, 468-76	3.4	10
40	Receptor-stimulated dissociation of GTP[S] from Gi-proteins in membranes of HL-60 cells. <i>Cellular Signalling</i> , 1993 , 5, 425-33	4.9	10
39	Dynamics of Gq-protein-p63RhoGEF interaction and its regulation by RGS2. <i>Biochemical Journal</i> , 2014 , 458, 131-40	3.8	9
38	Translocation of microfilament-associated inhibitory guanine-nucleotide-binding proteins to the plasma membrane in myeloid differentiated human leukemia (HL-60) cells. <i>FEBS Journal</i> , 1996 , 235, 670	0-6	9
37	Altered guanine nucleoside triphosphate binding to transducin by cholera toxin-catalysed ADP-ribosylation. <i>Cellular Signalling</i> , 1994 , 6, 487-92	4.9	9
36	Flatten the Curve! Modeling SARS-CoV-2/COVID-19 Growth in Germany at the County Level		8
35	The orphan receptor GPRC5B modulates inflammatory and fibrotic pathways in cardiac fibroblasts and mice hearts. <i>Biochemical and Biophysical Research Communications</i> , 2019 , 514, 1198-1203	3.4	7
34	O-GlcNAcylation of FoxO1 mediates nucleoside diphosphate kinase B deficiency induced endothelial damage. <i>Scientific Reports</i> , 2018 , 8, 10581	4.9	7
33	Competition for Gidimers mediates a specific cross-talk between stimulatory and inhibitory G protein Bubunits of the adenylyl cyclase in cardiomyocytes. <i>Naunyn-Schmiedebergh Archives of Pharmacology</i> , 2013 , 386, 459-69	3.4	7
32	RhoA Activation Sensitizes Cells to Proteotoxic Stimuli by Abrogating the HSF1-Dependent Heat Shock Response. <i>PLoS ONE</i> , 2015 , 10, e0133553	3.7	7
31	Reduced expression of Rho guanine nucleotide dissociation inhibitor-alpha modulates the cytotoxic effect of busulfan in HEK293 cells. <i>Anti-Cancer Drugs</i> , 2007 , 18, 333-40	2.4	7
30	Receptor-induced translocation of activated guanine-nucleotide-binding protein alpha i subunits to the cytoskeleton in myeloid differentiated human leukemia (HL-60) cells. <i>FEBS Journal</i> , 1996 , 239, 752-	8	7
29	Regulation of heterotrimeric G-protein signaling by NDPK/NME proteins and caveolins: an update. <i>Laboratory Investigation</i> , 2018 , 98, 190-197	5.9	7
28	Nucleoside Diphosphate Kinase B Contributes to Arrhythmogenesis in Human-Induced Pluripotent Stem Cell-Derived Cardiomyocytes from a Patient with Arrhythmogenic Right Ventricular Cardiomyopathy. <i>Journal of Clinical Medicine</i> , 2020 , 9,	5.1	6
27	Can a GDP-liganded G-protein be active?. <i>Molecular Pharmacology</i> , 2005 , 68, 559-62	4.3	6

26	REAT: A Regional Economic Analysis Toolbox for R. <i>Region</i> , 2019 , 6, R1-R57	1.2	6
25	A systemic Pasteurella multocida toxin aggravates cardiac hypertrophy and fibrosis in mice. <i>Cellular Microbiology</i> , 2015 , 17, 1320-31	3.9	5
24	Flatten the Curve!. Region, 2020, 7, 43-83	1.2	5
23	Market Area Analysis for Retail and Service Locations with MCI. <i>R Journal</i> , 2017 , 9, 298	3.3	5
22	The WD40 repeat protein, WDR36, orchestrates sphingosine kinase-1 recruitment and phospholipase C-lactivation by G-coupled receptors. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 2020 , 1865, 158704	5	3
21	Further intracellular proteins and signaling pathways regulated by angiotensin-(1-7) in human endothelial cells. <i>Data in Brief</i> , 2017 , 10, 354-363	1.2	2
20	cAMP guided his way: a life for G protein-mediated signal transduction and molecular pharmacology-tribute to Karl H. Jakobs. <i>Naunyn-Schmiedeberghs Archives of Pharmacology</i> , 2019 , 392, 887-911	3.4	2
19	Serum of patients with acute myocardial infarction prevents inflammation in iPSC-cardiomyocytes. <i>Scientific Reports</i> , 2019 , 9, 5651	4.9	2
18	PA Delivers the Tumor Metastasis Suppressor Protein NDPK-A/NME1 into Breast Cancer Cells. <i>International Journal of Molecular Sciences</i> , 2020 , 21,	6.3	2
17	Role of the Ang2-Tie2 Axis in Vascular Damage Driven by High Glucose or Nucleoside Diphosphate Kinase B Deficiency. <i>International Journal of Molecular Sciences</i> , 2020 , 21,	6.3	2
16	Change points in the spread of COVID-19 question the effectiveness of nonpharmaceutical interventions in Germany		2
15	RhoGEF17-An Essential Regulator of Endothelial Cell Death and Growth. <i>Cells</i> , 2021 , 10,	7.9	2
14	A Hurdle Model Approach of Store Choice and Market Area Analysis in Grocery Retailing. <i>Papers in Applied Geography</i> , 2018 , 4, 370-389	0.7	2
13	Specificity and diversity in Gi/o-mediated signaling: how the heart operates the RGS brake pedal. <i>Circulation Research</i> , 2006 , 98, 585-6	15.7	1
12	The orphan receptor GPRC5B activates pro-inflammatory signaling in the vascular wall via Fyn and NF B <i>Biochemical and Biophysical Research Communications</i> , 2022 , 592, 60-66	3.4	1
11	Dissecting G-Mediated Plasma Membrane Translocation of Sphingosine Kinase-1. <i>Cells</i> , 2020 , 9,	7.9	1
10	Involvement of NDPK-B in Glucose Metabolism-Mediated Endothelial Damage via Activation of the Hexosamine Biosynthesis Pathway and Suppression of O-GlcNAcase Activity. <i>Cells</i> , 2020 , 9,	7.9	1
9	Mediation of FoxO1 in Activated Neuroglia Deficient for Nucleoside Diphosphate Kinase B during Vascular Degeneration. <i>Neuroglia (Basel, Switzerland)</i> , 2018 , 1, 280-291		1

8	Glucosamine protects against neuronal but not vascular damage in experimental diabetic retinopathy. <i>Molecular Metabolism</i> , 2021 , 54, 101333	8.8	1
7	Identifying the Determinants of Store Choice in a Multi-Channel Environment: A Hurdle Model Approach. <i>Papers in Applied Geography</i> ,1-29	0.7	O
6	Regional Ronomische Disparit Een im Spiegel vom Raumtypisierungen. Standort, 2018 , 42, 152-163	0.3	O
5	Chronic isoprenaline/phenylephrine vs. exclusive isoprenaline stimulation in mice: critical contribution of alpha-adrenoceptors to early cardiac stress responses <i>Basic Research in Cardiology</i> , 2022 , 117, 15	11.8	Ο
4	Stinn, Thomas (2017): Die Gesundheitsregion als zukunftsfliges Konzept filllidliche Rume: Raumrelevante Handlungsstrategien im Kontext regionaler Gesundheitsversorgung. Raumforschung Und Raumordnung Spatial Research and Planning, 2018, 76, 371-373	0.5	
3	Cytoskeletal inhibitors impair Ca2+ elevations via neuropeptide Y and other Gi-coupled receptors. <i>European Journal of Pharmacology</i> , 1996 , 309, 87-94	5.3	
2	Neiberger, C./Hahn, B. (Hrsg.): Geographische Handelsforschung. Berlin: Springer Spektrum (2020). 314 S <i>Zeitschrift Fur Wirtschaftsgeographie</i> , 2020 , 64, 247-248	1.2	
1	RGS3L allows for an M muscarinic receptor-mediated RhoA-dependent inotropy in cardiomyocytes <i>Basic Research in Cardiology</i> , 2022 , 117, 8	11.8	