

Thomas Wieland

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/80868/thomas-wieland-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

151
papers

5,547
citations

41
h-index

68
g-index

158
ext. papers

6,327
ext. citations

6.2
avg, IF

5.49
L-index

#	Paper	IF	Citations
151	The orphan receptor GPRC5B activates pro-inflammatory signaling in the vascular wall via Fyn and NFB.. <i>Biochemical and Biophysical Research Communications</i> , 2022 , 592, 60-66	3.4	1
150	RGS3L allows for an M muscarinic receptor-mediated RhoA-dependent inotropy in cardiomyocytes.. <i>Basic Research in Cardiology</i> , 2022 , 117, 8	11.8	
149	Chronic isoprenaline/phenylephrine vs. exclusive isoprenaline stimulation in mice: critical contribution of alpha-adrenoceptors to early cardiac stress responses.. <i>Basic Research in Cardiology</i> , 2022 , 117, 15	11.8	0
148	RhoGEF17-An Essential Regulator of Endothelial Cell Death and Growth. <i>Cells</i> , 2021 , 10,	7.9	2
147	Glucosamine protects against neuronal but not vascular damage in experimental diabetic retinopathy. <i>Molecular Metabolism</i> , 2021 , 54, 101333	8.8	1
146	The WD40 repeat protein, WDR36, orchestrates sphingosine kinase-1 recruitment and phospholipase C- β activation by G-coupled receptors. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 2020 , 1865, 158704	5	3
145	PA Delivers the Tumor Metastasis Suppressor Protein NDPK-A/NME1 into Breast Cancer Cells. <i>International Journal of Molecular Sciences</i> , 2020 , 21,	6.3	2
144	Role of the Ang2-Tie2 Axis in Vascular Damage Driven by High Glucose or Nucleoside Diphosphate Kinase B Deficiency. <i>International Journal of Molecular Sciences</i> , 2020 , 21,	6.3	2
143	Nucleoside Diphosphate Kinase B Contributes to Arrhythmogenesis in Human-Induced Pluripotent Stem Cell-Derived Cardiomyocytes from a Patient with Arrhythmogenic Right Ventricular Cardiomyopathy. <i>Journal of Clinical Medicine</i> , 2020 , 9,	5.1	6
142	Flatten the Curve!. <i>Region</i> , 2020 , 7, 43-83	1.2	5
141	Neiberger, C./Hahn, B. (Hrsg.): Geographische Handelsforschung. Berlin: Springer Spektrum (2020). 314 S.. <i>Zeitschrift Fur Wirtschaftsgeographie</i> , 2020 , 64, 247-248	1.2	
140	Dissecting G-Mediated Plasma Membrane Translocation of Sphingosine Kinase-1. <i>Cells</i> , 2020 , 9,	7.9	1
139	A phenomenological approach to assessing the effectiveness of COVID-19 related nonpharmaceutical interventions in Germany. <i>Safety Science</i> , 2020 , 131, 104924	5.8	23
138	Involvement of NDPK-B in Glucose Metabolism-Mediated Endothelial Damage via Activation of the Hexosamine Biosynthesis Pathway and Suppression of O-GlcNAcase Activity. <i>Cells</i> , 2020 , 9,	7.9	1
137	A cellular model of Brugada syndrome with SCN10A variants using human-induced pluripotent stem cell-derived cardiomyocytes. <i>Europace</i> , 2019 , 21, 1410-1421	3.9	15
136	cAMP guided his way: a life for G protein-mediated signal transduction and molecular pharmacology-tribute to Karl H. Jakobs. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 2019 , 392, 887-911	3.4	2
135	The orphan receptor GPRC5B modulates inflammatory and fibrotic pathways in cardiac fibroblasts and mice hearts. <i>Biochemical and Biophysical Research Communications</i> , 2019 , 514, 1198-1203	3.4	7

134	Drug Testing in Human-Induced Pluripotent Stem Cell-Derived Cardiomyocytes From a Patient With Short QT Syndrome Type 1. <i>Clinical Pharmacology and Therapeutics</i> , 2019 , 106, 642-651	6.1	12
133	Serum of patients with acute myocardial infarction prevents inflammation in iPSC-cardiomyocytes. <i>Scientific Reports</i> , 2019 , 9, 5651	4.9	2
132	REAT: A Regional Economic Analysis Toolbox for R. <i>Region</i> , 2019 , 6, R1-R57	1.2	6
131	Studying Brugada Syndrome With an SCN1B Variants in Human-Induced Pluripotent Stem Cell-Derived Cardiomyocytes. <i>Frontiers in Cell and Developmental Biology</i> , 2019 , 7, 261	5.7	13
130	Modeling Short QT Syndrome Using Human-Induced Pluripotent Stem Cell-Derived Cardiomyocytes. <i>Journal of the American Heart Association</i> , 2018 , 7,	6	56
129	Ion Channel Dysfunctions in Dilated Cardiomyopathy in Limb-Girdle Muscular Dystrophy. <i>Circulation Genomic and Precision Medicine</i> , 2018 , 11, e001893	5.2	22
128	Paving the Rho in cancer metastasis: Rho GTPases and beyond. <i>Pharmacology & Therapeutics</i> , 2018 , 183, 1-21	13.9	93
127	O-GlcNAcylation of FoxO1 mediates nucleoside diphosphate kinase B deficiency induced endothelial damage. <i>Scientific Reports</i> , 2018 , 8, 10581	4.9	7
126	Stinn, Thomas (2017): Die Gesundheitsregion als zukunftsffähiges Konzept für ländliche Räume: Raumrelevante Handlungsstrategien im Kontext regionaler Gesundheitsversorgung. <i>Raumforschung Und Raumordnung Spatial Research and Planning</i> , 2018 , 76, 371-373	0.5	
125	Inflammation leads through PGE/EP signaling to HDAC5/MEF2-dependent transcription in cardiac myocytes. <i>EMBO Molecular Medicine</i> , 2018 , 10,	12	11
124	An AKAP-Lbc-RhoA interaction inhibitor promotes the translocation of aquaporin-2 to the plasma membrane of renal collecting duct principal cells. <i>PLoS ONE</i> , 2018 , 13, e0191423	3.7	22
123	Hypertension-evoked RhoA activity in vascular smooth muscle cells requires RGS5. <i>FASEB Journal</i> , 2018 , 32, 2021-2035	0.9	14
122	A Hurdle Model Approach of Store Choice and Market Area Analysis in Grocery Retailing. <i>Papers in Applied Geography</i> , 2018 , 4, 370-389	0.7	2
121	Regionalekonomische Disparitäten im Spiegel vom Raumtypisierungen. <i>Standort</i> , 2018 , 42, 152-163	0.3	0
120	Mediation of FoxO1 in Activated Neuroglia Deficient for Nucleoside Diphosphate Kinase B during Vascular Degeneration. <i>Neuroglia (Basel, Switzerland)</i> , 2018 , 1, 280-291		1
119	Regulation of heterotrimeric G-protein signaling by NDPK/NME proteins and caveolins: an update. <i>Laboratory Investigation</i> , 2018 , 98, 190-197	5.9	7
118	Ion Channel Expression and Characterization in Human Induced Pluripotent Stem Cell-Derived Cardiomyocytes. <i>Stem Cells International</i> , 2018 , 2018, 6067096	5	33
117	Further intracellular proteins and signaling pathways regulated by angiotensin-(1-7) in human endothelial cells. <i>Data in Brief</i> , 2017 , 10, 354-363	1.2	2

116	Calcium/Calmodulin-Dependent Protein Kinase II Activity Persists During Chronic β -Adrenoceptor Blockade in Experimental and Human Heart Failure. <i>Circulation: Heart Failure</i> , 2017 , 10, e003840	7.6	24
115	Nucleoside Diphosphate Kinase-C Suppresses cAMP Formation in Human Heart Failure. <i>Circulation</i> , 2017 , 135, 881-897	16.7	16
114	G protein-coupled receptor kinase 2 promotes cardiac hypertrophy. <i>PLoS ONE</i> , 2017 , 12, e0182110	3.7	20
113	Lipopolysaccharides induced inflammatory responses and electrophysiological dysfunctions in human-induced pluripotent stem cell derived cardiomyocytes. <i>Scientific Reports</i> , 2017 , 7, 2935	4.9	63
112	Phosphodiesterase 2 Protects Against Catecholamine-Induced Arrhythmia and Preserves Contractile Function After Myocardial Infarction. <i>Circulation Research</i> , 2017 , 120, 120-132	15.7	38
111	Nucleoside diphosphate kinase B regulates angiogenic responses in the endothelium via caveolae formation and c-Src-mediated caveolin-1 phosphorylation. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2017 , 37, 2471-2484	7.3	10
110	Catecholamines facilitate VEGF-dependent angiogenesis via β -adrenoceptor-induced Epac1 and PKA activation. <i>Oncotarget</i> , 2017 , 8, 44732-44748	3.3	24
109	Market Area Analysis for Retail and Service Locations with MCI. <i>R Journal</i> , 2017 , 9, 298	3.3	5
108	Managing risks in drug discovery: reproducibility of published findings. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 2016 , 389, 353-60	3.4	29
107	Nucleoside diphosphate kinase B deficiency causes a diabetes-like vascular pathology via up-regulation of endothelial angiotensin-2 in the retina. <i>Acta Diabetologica</i> , 2016 , 53, 81-9	3.9	20
106	Identification of intracellular proteins and signaling pathways in human endothelial cells regulated by angiotensin-(1-7). <i>Journal of Proteomics</i> , 2016 , 130, 129-39	3.9	11
105	Epac1 links prostaglandin E2 to β -catenin-dependent transcription during epithelial-to-mesenchymal transition. <i>Oncotarget</i> , 2016 , 7, 46354-46370	3.3	15
104	Hyperthermia Influences the Effects of Sodium Channel Blocking Drugs in Human-Induced Pluripotent Stem Cell-Derived Cardiomyocytes. <i>PLoS ONE</i> , 2016 , 11, e0166143	3.7	21
103	Nucleoside diphosphate kinase as protein histidine kinase. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 2015 , 388, 153-60	3.4	39
102	p63RhoGEF regulates auto- and paracrine signaling in cardiac fibroblasts. <i>Journal of Molecular and Cellular Cardiology</i> , 2015 , 88, 39-54	5.8	13
101	Nucleoside diphosphate kinase B-activated intermediate conductance potassium channels are critical for neointima formation in mouse carotid arteries. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2015 , 35, 1852-61	9.4	12
100	A systemic <i>Pasteurella multocida</i> toxin aggravates cardiac hypertrophy and fibrosis in mice. <i>Cellular Microbiology</i> , 2015 , 17, 1320-31	3.9	5
99	Mechanism and functional impact of CD40 ligand-induced von Willebrand factor release from endothelial cells. <i>Thrombosis and Haemostasis</i> , 2015 , 113, 1095-108	7	15

98	RhoA Activation Sensitizes Cells to Proteotoxic Stimuli by Abrogating the HSF1-Dependent Heat Shock Response. <i>PLoS ONE</i> , 2015 , 10, e0133553	3.7	7
97	Alterations in reversible protein histidine phosphorylation as intracellular signals in cardiovascular disease. <i>Frontiers in Pharmacology</i> , 2015 , 6, 173	5.6	15
96	The bipartite rac1 Guanine nucleotide exchange factor engulfment and cell motility 1/dedicator of cytokinesis 180 (elmo1/dock180) protects endothelial cells from apoptosis in blood vessel development. <i>Journal of Biological Chemistry</i> , 2015 , 290, 6408-18	5.4	19
95	Dopamine and lipophilic derivates protect cardiomyocytes against cold preservation injury. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2014 , 348, 77-85	4.7	20
94	Nucleoside diphosphate kinase B regulates angiogenesis through modulation of vascular endothelial growth factor receptor type 2 and endothelial adherens junction proteins. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2014 , 34, 2292-300	9.4	19
93	Dynamics of Gq-protein-p63RhoGEF interaction and its regulation by RGS2. <i>Biochemical Journal</i> , 2014 , 458, 131-40	3.8	9
92	RGS5 promotes arterial growth during arteriogenesis. <i>EMBO Molecular Medicine</i> , 2014 , 6, 1075-89	12	28
91	Alignment-Annotator web server: rendering and annotating sequence alignments. <i>Nucleic Acids Research</i> , 2014 , 42, W3-6	20.1	45
90	Essential role of sympathetic endothelin A receptors for adverse cardiac remodeling. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014 , 111, 13499-504	11.5	25
89	Competition for Gβγ dimers mediates a specific cross-talk between stimulatory and inhibitory G protein β subunits of the adenylyl cyclase in cardiomyocytes. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 2013 , 386, 459-69	3.4	7
88	The activation of RhoC in vascular endothelial cells is required for the S1P receptor type 2-induced inhibition of angiogenesis. <i>Cellular Signalling</i> , 2013 , 25, 2478-84	4.9	17
87	RhoGEF17, a Rho-specific guanine nucleotide exchange factor activated by phosphorylation via cyclic GMP-dependent kinase II. <i>Cellular Signalling</i> , 2013 , 25, 630-8	4.9	10
86	Pasteurella multocida toxin prevents osteoblast differentiation by transactivation of the MAP-kinase cascade via the G(q/11)-p63RhoGEF-RhoA axis. <i>PLoS Pathogens</i> , 2013 , 9, e1003385	7.6	21
85	Atrial natriuretic peptide-mediated inhibition of microcirculatory endothelial Ca ²⁺ and permeability response to histamine involves cGMP-dependent protein kinase I and TRPC6 channels. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2013 , 33, 2121-9	9.4	34
84	NSC23766, a widely used inhibitor of Rac1 activation, additionally acts as a competitive antagonist at muscarinic acetylcholine receptors. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2013 , 347, 69-79	4.7	54
83	Alterations in cardiac DNA methylation in human dilated cardiomyopathy. <i>EMBO Molecular Medicine</i> , 2013 , 5, 413-29	12	166
82	Highly invasive melanoma cells activate the vascular endothelium via an MMP-2/integrin α5β1-induced secretion of VEGF-A. <i>American Journal of Pathology</i> , 2012 , 181, 693-705	5.8	44
81	Palmitoylation and membrane association of the stress axis regulated insert (STREX) controls BK channel regulation by protein kinase C. <i>Journal of Biological Chemistry</i> , 2012 , 287, 32161-71	5.4	41

80	A novel player in cellular hypertrophy: Gi β PI3K-dependent activation of the RacGEF TIAM-1 is required for β adrenoceptor induced hypertrophy in neonatal rat cardiomyocytes. <i>Journal of Molecular and Cellular Cardiology</i> , 2012 , 53, 165-75	5.8	20
79	β Adrenergic receptor stimulation causes cardiac hypertrophy via a G β Erk-dependent pathway. <i>Cardiovascular Research</i> , 2012 , 96, 255-64	9.9	57
78	LARG links histamine-H1-receptor-activated Gq to Rho-GTPase-dependent signaling pathways. <i>Cellular Signalling</i> , 2012 , 24, 652-63	4.9	17
77	Angiotensin II modulates VEGF-driven angiogenesis by opposing effects of type 1 and type 2 receptor stimulation in the microvascular endothelium. <i>Cellular Signalling</i> , 2012 , 24, 1261-9	4.9	60
76	Enhanced sarcoplasmic reticulum Ca ²⁺ leak and increased Na ⁺ -Ca ²⁺ exchanger function underlie delayed afterdepolarizations in patients with chronic atrial fibrillation. <i>Circulation</i> , 2012 , 125, 2059-70	16.7	395
75	Role of RyR2 phosphorylation at S2814 during heart failure progression. <i>Circulation Research</i> , 2012 , 110, 1474-83	15.7	158
74	Srgap3 ^{-/-} mice present a neurodevelopmental disorder with schizophrenia-related intermediate phenotypes. <i>FASEB Journal</i> , 2012 , 26, 4418-28	0.9	43
73	Angiopoietin-2 differentially regulates angiogenesis through TIE2 and integrin signaling. <i>Journal of Clinical Investigation</i> , 2012 , 122, 1991-2005	15.9	295
72	Through scaffolding and catalytic actions nucleoside diphosphate kinase B differentially regulates basal and β adrenoceptor-stimulated cAMP synthesis. <i>Cellular Signalling</i> , 2011 , 23, 579-85	4.9	19
71	Nucleoside diphosphate kinase B is required for the formation of heterotrimeric G protein containing caveolae. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 2011 , 384, 461-72	3.4	18
70	p63RhoGEF--a key mediator of angiotensin II-dependent signaling and processes in vascular smooth muscle cells. <i>FASEB Journal</i> , 2010 , 24, 4865-76	0.9	53
69	Dual role of protein kinase C on BK channel regulation. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2010 , 107, 8005-10	11.5	88
68	Reversible histidine phosphorylation in mammalian cells: a teeter-totter formed by nucleoside diphosphate kinase and protein histidine phosphatase 1. <i>Methods in Enzymology</i> , 2010 , 471, 379-402	1.7	14
67	Galpha q allosterically activates and relieves autoinhibition of p63RhoGEF. <i>Cellular Signalling</i> , 2010 , 22, 1114-23	4.9	35
66	The interaction of nucleoside diphosphate kinase B with Gbetagamma dimers controls heterotrimeric G protein function. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2009 , 106, 16269-74	11.5	64
65	Inhibition of Rho-dependent kinases ROCK I/II activates VEGF-driven retinal neovascularization and sprouting angiogenesis. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2009 , 296, H893-9	5.2	64
64	Anaphylactic shock depends on endothelial Gq/G11. <i>Journal of Experimental Medicine</i> , 2009 , 206, 411-20	16.6	75
63	The natriuretic peptide/guanylyl cyclase--a system functions as a stress-responsive regulator of angiogenesis in mice. <i>Journal of Clinical Investigation</i> , 2009 , 119, 2019-30	15.9	79

62	Constitutive serum response factor activation by the viral chemokine receptor homologue pUS28 is differentially regulated by Galpha(q/11) and Galpha(16). <i>Cellular Signalling</i> , 2008 , 20, 1528-37	4.9	33
61	Reduced viability of neuronal cells after overexpression of protein histidine phosphatase. <i>Neurochemistry International</i> , 2008 , 53, 132-6	4.4	17
60	Molecular architecture of Galphao and the structural basis for RGS16-mediated deactivation. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2008 , 105, 6243-8	11.5	45
59	M2 muscarinic receptors induce airway smooth muscle activation via a dual, Gbetagamma-mediated inhibition of large conductance Ca ²⁺ -activated K ⁺ channel activity. <i>Journal of Biological Chemistry</i> , 2008 , 283, 21036-44	5.4	32
58	Direct stimulation of receptor-controlled phospholipase D1 by phospho-cofilin. <i>EMBO Journal</i> , 2007 , 26, 4189-202	13	88
57	Regulator of G-protein signalling 3 redirects prototypical Gi-coupled receptors from Rac1 to RhoA activation. <i>Cellular Signalling</i> , 2007 , 19, 1229-37	4.9	21
56	Interaction of nucleoside diphosphate kinase B with heterotrimeric G protein betagamma dimers: consequences on G protein activation and stability. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 2007 , 374, 373-83	3.4	39
55	Structure of Galphaq-p63RhoGEF-RhoA complex reveals a pathway for the activation of RhoA by GPCRs. <i>Science</i> , 2007 , 318, 1923-7	33.3	173
54	Protein kinase D selectively targets cardiac troponin I and regulates myofilament Ca ²⁺ sensitivity in ventricular myocytes. <i>Circulation Research</i> , 2007 , 100, 864-73	15.7	88
53	The BTB-Kelch protein KLEIP controls endothelial migration and sprouting angiogenesis. <i>Circulation Research</i> , 2007 , 100, 1155-63	15.7	25
52	TrioQ Rho-specific GEF domain is the missing Galpha q effector in <i>C. elegans</i> . <i>Genes and Development</i> , 2007 , 21, 2731-46	12.6	61
51	Regulation of cardiac cAMP synthesis and contractility by nucleoside diphosphate kinase B/G protein beta gamma dimer complexes. <i>Circulation Research</i> , 2007 , 100, 1191-9	15.7	55
50	Oxytocin receptors differentially signal via Gq and Gi proteins in pregnant and nonpregnant rat uterine myocytes: implications for myometrial contractility. <i>Molecular Endocrinology</i> , 2007 , 21, 740-52		41
49	Reduced expression of Rho guanine nucleotide dissociation inhibitor-alpha modulates the cytotoxic effect of busulfan in HEK293 cells. <i>Anti-Cancer Drugs</i> , 2007 , 18, 333-40	2.4	7
48	Regulators of G protein signalling: a spotlight on emerging functions in the cardiovascular system. <i>Current Opinion in Pharmacology</i> , 2007 , 7, 201-7	5.1	58
47	Role of the monomeric GTPase Rho in hematopoietic progenitor cell migration and transplantation. <i>European Journal of Immunology</i> , 2006 , 36, 180-9	6.1	11
46	Specificity and diversity in Gi/o-mediated signaling: how the heart operates the RGS brake pedal. <i>Circulation Research</i> , 2006 , 98, 585-6	15.7	1
45	Atorvastatin desensitizes beta-adrenergic signaling in cardiac myocytes via reduced isoprenylation of G-protein gamma-subunits. <i>FASEB Journal</i> , 2006 , 20, 785-7	0.9	53

44	High energy phosphate transfer by NDPK B/Gbetagamma complexes--an alternative signaling pathway involved in the regulation of basal cAMP production. <i>Journal of Bioenergetics and Biomembranes</i> , 2006 , 38, 197-203	3-7	15
43	The beta-subunit of G proteins is a substrate of protein histidine phosphatase. <i>Biochemical and Biophysical Research Communications</i> , 2005 , 334, 1115-20	3-4	59
42	GrinchGEF--a novel Rho-specific guanine nucleotide exchange factor. <i>Biochemical and Biophysical Research Communications</i> , 2005 , 335, 1280-6	3-4	15
41	Regulation of the extracellular signal-regulated kinase pathway in adult myocardium: differential roles of G(q/11), Gi and G(12/13) proteins in signalling by alpha1-adrenergic, endothelin-1 and thrombin-sensitive protease-activated receptors. <i>Cellular Signalling</i> , 2005 , 17, 655-64	4-9	63
40	The guanine nucleotide exchange factor p63RhoGEF, a specific link between Gq/11-coupled receptor signaling and RhoA. <i>Journal of Biological Chemistry</i> , 2005 , 280, 11134-9	5-4	152
39	Can a GDP-liganded G-protein be active?. <i>Molecular Pharmacology</i> , 2005 , 68, 559-62	4-3	6
38	p63RhoGEF and GEFT are Rho-specific guanine nucleotide exchange factors encoded by the same gene. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 2004 , 369, 540-6	3-4	41
37	Angiotensin II type 2 receptor inhibits vascular endothelial growth factor-induced migration and in vitro tube formation of human endothelial cells. <i>Circulation Research</i> , 2003 , 93, 438-47	15-7	104
36	Melatonin receptor signaling in pregnant and nonpregnant rat uterine myocytes as probed by large conductance Ca ²⁺ -activated K ⁺ channel activity. <i>Molecular Endocrinology</i> , 2003 , 17, 2103-15		36
35	Interleukin-1beta mediates endotoxin- and tumor necrosis factor alpha-induced RGS16 protein expression in cultured cardiac myocytes. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 2003 , 368, 360-5	3-4	15
34	Regulators of G-protein signalling: multifunctional proteins with impact on signalling in the cardiovascular system 2003 , 97, 95-115		108
33	Differential coupling of m-cholinoceptors to Gi/Go-proteins in failing human myocardium. <i>Journal of Molecular and Cellular Cardiology</i> , 2003 , 35, 1241-9	5-8	11
32	Activation of heterotrimeric G proteins by a high energy phosphate transfer via nucleoside diphosphate kinase (NDPK) B and Gbeta subunits. Specific activation of Galpha by an NDPK B.Gbetagamma complex in H10 cells. <i>Journal of Biological Chemistry</i> , 2003 , 278, 7227-33	5-4	76
31	Activation of heterotrimeric G proteins by a high energy phosphate transfer via nucleoside diphosphate kinase (NDPK) B and Gbeta subunits. Complex formation of NDPK B with Gbeta gamma dimers and phosphorylation of His-266 IN Gbeta. <i>Journal of Biological Chemistry</i> , 2003 , 278, 7220-6	5-4	104
30	Expression of ten RGS proteins in human myocardium: functional characterization of an upregulation of RGS4 in heart failure. <i>Cardiovascular Research</i> , 2002 , 55, 778-86	9-9	82
29	G-protein betagamma-subunits contribute to the coupling specificity of the beta2-adrenergic receptor to G(s). <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 2002 , 365, 231-41	3-4	17
28	Signalling components involved in the coupling of alpha 1-adrenoceptors to phospholipase D in neonatal rat cardiac myocytes. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 2002 , 365, 468-76	3-4	10
27	Endotoxin induces desensitization of cardiac endothelin-1 receptor signaling by increased expression of RGS4 and RGS16. <i>Cardiovascular Research</i> , 2002 , 53, 156-64	9-9	24

26	A mammalian Rho-specific guanine-nucleotide exchange factor (p164-RhoGEF) without a pleckstrin homology domain. <i>Biochemical Journal</i> , 2002 , 366, 721-8	3.8	26
25	Distinct signaling pathways mediate cardiomyocyte phospholipase D stimulation by endothelin-1 and thrombin. <i>Journal of Molecular and Cellular Cardiology</i> , 2002 , 34, 441-53	5.8	23
24	The M3 muscarinic acetylcholine receptor expressed in HEK-293 cells signals to phospholipase D via G12 but not Gq-type G proteins: regulators of G proteins as tools to dissect pertussis toxin-resistant G proteins in receptor-effector coupling. <i>Journal of Biological Chemistry</i> , 2001 , 276, 2474-9	5.4	71
23	Pregnancy switches adrenergic signal transduction in rat and human uterine myocytes as probed by BKCa channel activity. <i>Journal of Physiology</i> , 2000 , 524 Pt 2, 339-52	3.9	32
22	Cell cycle-dependent coupling of the vasopressin V1a receptor to different G proteins. <i>Journal of Biological Chemistry</i> , 2000 , 275, 32543-51	5.4	27
21	Polarity exchange at the interface of regulators of G protein signaling with G protein alpha-subunits. <i>Journal of Biological Chemistry</i> , 2000 , 275, 28500-6	5.4	16
20	The Ca ²⁺ -dependent binding of calmodulin to an N-terminal motif of the heterotrimeric G protein beta subunit. <i>Journal of Biological Chemistry</i> , 1997 , 272, 18801-7	5.4	38
19	Identification of G protein-coupled receptors potently stimulating migration of human transitional-cell carcinoma cells. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 1997 , 356, 769-76	3.4	29
18	Cytoskeletal inhibitors impair Ca ²⁺ elevations via neuropeptide Y and other Gi-coupled receptors. <i>European Journal of Pharmacology</i> , 1996 , 309, 87-94	5.3	
17	Translocation of microfilament-associated inhibitory guanine-nucleotide-binding proteins to the plasma membrane in myeloid differentiated human leukemia (HL-60) cells. <i>FEBS Journal</i> , 1996 , 235, 670-6		9
16	Receptor-induced translocation of activated guanine-nucleotide-binding protein alpha i subunits to the cytoskeleton in myeloid differentiated human leukemia (HL-60) cells. <i>FEBS Journal</i> , 1996 , 239, 752-8		7
15	Altered guanine nucleoside triphosphate binding to transducin by cholera toxin-catalysed ADP-ribosylation. <i>Cellular Signalling</i> , 1994 , 6, 487-92	4.9	9
14	Receptor-stimulated guanine-nucleotide-triphosphate binding to guanine-nucleotide-binding regulatory proteins. Nucleotide exchange and beta-subunit-mediated phosphotransfer reactions. <i>FEBS Journal</i> , 1994 , 221, 25-33		25
13	Receptor-stimulated dissociation of GTP[S] from Gi-proteins in membranes of HL-60 cells. <i>Cellular Signalling</i> , 1993 , 5, 425-33	4.9	10
12	Dissociation of guanosine 5'γ-thio]triphosphate from guanine-nucleotide-binding regulatory proteins in native cardiac membranes. Regulation by nucleotides and muscarinic acetylcholine receptors. <i>FEBS Journal</i> , 1992 , 204, 725-31		25
11	Role of GDP in formyl-peptide-receptor-induced activation of guanine-nucleotide-binding proteins in membranes of HL 60 cells. <i>FEBS Journal</i> , 1992 , 205, 1201-6		20
10	ADP receptor-induced activation of guanine-nucleotide-binding proteins in human platelet membranes. <i>FEBS Journal</i> , 1992 , 207, 259-63		30
9	Contribution of nucleoside diphosphokinase to guanine nucleotide regulation of agonist binding to formyl peptide receptors. <i>European Journal of Pharmacology</i> , 1991 , 208, 17-23		16

8	Activation of signal-transducing guanine-nucleotide-binding regulatory proteins by guanosine 5[gamma-thio]triphosphate. Information transfer by intermediately thiophosphorylated beta gamma subunits. <i>FEBS Journal</i> , 1991 , 196, 707-16		46
7	Interaction of small G proteins with photoexcited rhodopsin. <i>FEBS Letters</i> , 1990 , 263, 195-8	3.8	21
6	Evidence for receptor-regulated phosphotransfer reactions involved in activation of the adenylate cyclase inhibitory G protein in human platelet membranes. <i>FEBS Journal</i> , 1989 , 183, 115-21		26
5	Receptor-regulated formation of GTP[gamma S] with subsequent persistent Gs-protein activation in membranes of human platelets. <i>FEBS Letters</i> , 1989 , 245, 189-93	3.8	35
4	The role of nucleoside-diphosphate kinase reactions in G protein activation of NADPH oxidase by guanine and adenine nucleotides. <i>FEBS Journal</i> , 1988 , 175, 51-5		61
3	Flatten the Curve! Modeling SARS-CoV-2/COVID-19 Growth in Germany at the County Level		8
2	Change points in the spread of COVID-19 question the effectiveness of nonpharmaceutical interventions in Germany		2
1	Identifying the Determinants of Store Choice in a Multi-Channel Environment: A Hurdle Model Approach. <i>Papers in Applied Geography</i> , 1-29	0.7	0