

Guido Filler

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/8086875/guido-filler-publications-by-year.pdf>

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

289
papers

7,362
citations

44
h-index

72
g-index

345
ext. papers

8,420
ext. citations

3.3
avg, IF

5.93
L-index

#	Paper	IF	Citations
289	Functional Sodium MRI Helps to Measure Corticomedullary Sodium Content in Normal and Diseased Human Kidneys.. <i>Radiology</i> , 2022 , 211238	20.5	0
288	Growth hormone therapy in HHRH. <i>Bone Reports</i> , 2022 , 101591	2.6	0
287	Assessment of Kidney Function in Children, Adolescents, and Young Adults 2021 , 1-27		0
286	PCRRT Expert Committee ICONIC Position Paper on Prescribing Kidney Replacement Therapy in Critically Sick Children With Acute Liver Failure.. <i>Frontiers in Pediatrics</i> , 2021 , 9, 833205	3.4	1
285	Diagnosis of hypertension: Ambulatory pediatric American Heart Association/European Society of Hypertension versus blood pressure load thresholds. <i>Journal of Clinical Hypertension</i> , 2021 , 23, 1947-1956 ³	2.6	4
284	595: Abdominal Compartment Syndrome Secondary to Chronic Constipation in MECP2 Duplication Syndrome. <i>Critical Care Medicine</i> , 2021 , 49, 291-291	1.4	2
283	An Interdisciplinary Approach to Optimize the Care of Transitioning Adolescents and Young Adults with CKD. <i>Blood Purification</i> , 2021 , 50, 684-695	3.1	0
282	Telemedicine for Pediatric Nephrology: Perspectives on COVID-19, Future Practices, and Work Flow Changes. <i>Kidney Medicine</i> , 2021 , 3, 412-425	2.8	1
281	Renal Infarcts-A Perplexing Case in the Middle of the COVID-19 Pandemic. <i>Frontiers in Pediatrics</i> , 2021 , 9, 669453	3.4	3
280	Marginal parent donors-Process and ethics. <i>Pediatric Transplantation</i> , 2021 , 25, e14062	1.8	
279	Adolescent and caregiver attitudes towards telemedicine use in pediatric nephrology. <i>BMC Health Services Research</i> , 2021 , 21, 537	2.9	3
278	Abdominal compartment syndrome secondary to chronic constipation in MECP2 duplication syndrome. <i>BMJ Case Reports</i> , 2021 , 14,	0.9	2
277	Postoperative outcomes of ureteroscopy for pediatric urolithiasis: A secondary analysis of the National Surgical Quality Improvement Program Pediatric. <i>Journal of Pediatric Urology</i> , 2021 , 17, 649.e1-649.e8 ²	1.5	2
276	Renal length z-score for the detection of dysfunction in children with solitary functioning kidney. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2021 , 110, 652-658	3.1	4
275	Diagnosis of Pediatric Hypertension: European Society of Hypertension-Recommended 24-Hour vs. 24-Hour-Day-Night Ambulatory Blood Pressure Thresholds. <i>American Journal of Hypertension</i> , 2021 , 34, 198-206	2.3	2
274	How should we assess renal function in neonates and infants?. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2021 , 110, 773-780	3.1	8
273	Low agreement between kidney volume and kidney length z-scores. <i>Pediatric Nephrology</i> , 2021 , 36, 1525-1532 ³	3.5	3

272	Limitations of Glomerular Filtration Rate Estimation in Pediatric Acute Kidney Injury 2021 , 141-155		
271	Transition from paediatric to adult-focused care: unresolved issues. <i>Nature Reviews Nephrology</i> , 2021 , 17, 705-706	14.9	0
270	Management of severe polyuria in idiopathic Fanconi syndrome. <i>Pediatric Nephrology</i> , 2021 , 36, 3621-3636	3.6	2
269	Survey of Telemedicine by Pediatric Nephrologists During the COVID-19 Pandemic. <i>Kidney International Reports</i> , 2021 , 6, 2316-2322	4.1	5
268	Animal, Human, and Na MRI Imaging Evidence for the Negative Impact of High Dietary Salt in Children. <i>Current Pediatrics Reports</i> , 2021 , 1-8	0.7	0
267	Discrepant changes of urinary cystatin C and other urinary biomarkers in preterm neonates. <i>Jornal De Pediatria</i> , 2021 , 97, 473-475	2.6	
266	Drug Dosing in Abnormal Kidney Function in Children 2021 , 1-15		
265	Transient hyponatremia of prematurity caused by mild Bartter syndrome type II: a case report. <i>BMC Pediatrics</i> , 2020 , 20, 311	2.6	3
264	Estimation of GFR in Patients With Cystic Fibrosis: A Cross-Sectional Study. <i>Canadian Journal of Kidney Health and Disease</i> , 2020 , 7, 2054358119899312	2.3	5
263	What to Do With Renal Cysts in Children?. <i>Urology</i> , 2020 , 140, 138-142	1.6	2
262	Comparative Analysis of American Heart Association and European Society of Hypertension Ambulatory Blood Pressure Thresholds for Diagnosing Hypertension in Children. <i>Kidney International Reports</i> , 2020 , 5, 611-617	4.1	4
261	Consensus guidelines for management of hyperammonaemia in paediatric patients receiving continuous kidney replacement therapy. <i>Nature Reviews Nephrology</i> , 2020 , 16, 471-482	14.9	25
260	Current update and future directions on gut microbiome and nephrolithiasis. <i>Indian Journal of Urology</i> , 2020 , 36, 262-269	0.8	2
259	Lower prevalence of aortic dilatation among preemptive pediatric renal transplant recipients - A cross-sectional cohort study. <i>Pediatric Transplantation</i> , 2020 , 24, e13716	1.8	0
258	Educational review: role of the pediatric nephrologists in the work-up and management of kidney stones. <i>Pediatric Nephrology</i> , 2020 , 35, 383-397	3.2	9
257	The Canadian childhood nephrotic syndrome (CHILDNEPH) study: report on mid-study feasibility, recruitment and main measures. <i>BMC Nephrology</i> , 2019 , 20, 159	2.7	1
256	The effect of increased frequency of hemodialysis on serum cystatin C and β_2 -microglobulin concentrations: A secondary analysis of the frequent hemodialysis network (FHN) trial. <i>Hemodialysis International</i> , 2019 , 23, 297-305	1.7	4
255	Kidney disease and organ transplantation in methylmalonic acidemia. <i>Pediatric Transplantation</i> , 2019 , 23, e13407	1.8	8

254	Chromium: Rise and Shine in Peritoneal Dialysis Patients?. <i>Peritoneal Dialysis International</i> , 2019 , 39, 320-322	2	2
253	Does the Urinary Calcium/Citrate Ratio Add to the Diagnostic Workup of Children at Risk of Kidney Stones? A Cross-Sectional Study. <i>Journal of Child Science</i> , 2019 , 09, e1-e6	0.2	1
252	High depression rates among pediatric renal replacement therapy patients: A cross-sectional study. <i>Pediatric Transplantation</i> , 2019 , 23, e13591	1.8	4
251	Perseverance 2019 , 109-121		
250	Productive Paranoia 2019 , 49-63		
249	Lack of Evidence-Based Guidance 2019 , 13-22		
248	Arterial Hypertension and Unusual Ascending Aortic Dilatation in a Neonate With Acute Kidney Injury: Mechanistic Computer Modeling. <i>Frontiers in Physiology</i> , 2019 , 10, 1391	4.6	9
247	The importance of cardiovascular disease in pediatric transplantation and its link to the kidneys. <i>Pediatric Transplantation</i> , 2018 , 22, e13146	1.8	2
246	Successful Reintroduction of Peritoneal Dialysis After Peritoneal-Pericardial Fistula in a Child: A Case Report. <i>Peritoneal Dialysis International</i> , 2018 , 38, 154-156	2.8	1
245	Generic immunosuppressants. <i>Pediatric Nephrology</i> , 2018 , 33, 1123-1131	3.2	16
244	We have to do more for former paediatric renal transplant recipients!. <i>Transplant International</i> , 2018 , 31, 152-154	3	3
243	Chronic kidney disease stage affects small, dense low-density lipoprotein but not glycated low-density lipoprotein in younger chronic kidney disease patients: a cross-sectional study. <i>CKJ: Clinical Kidney Journal</i> , 2018 , 11, 383-388	4.5	8
242	Does specialist physician supply affect pediatric asthma health outcomes?. <i>BMC Health Services Research</i> , 2018 , 18, 247	2.9	3
241	Innovating to educate paediatric consultant generalists for the new Canadian health care. <i>Paediatrics and Child Health</i> , 2018 , 23, 122-124	0.7	1
240	Nephrological and urological complications of homozygous c.974G>A (p.Arg325Gln) OSGEP mutations. <i>Pediatric Nephrology</i> , 2018 , 33, 2201-2204	3.2	3
239	Low agreement between modified-Schwartz and CKD-EPI eGFR in young adults: a retrospective longitudinal cohort study. <i>BMC Nephrology</i> , 2018 , 19, 194	2.7	7
238	Educational review: measurement of GFR in special populations. <i>Pediatric Nephrology</i> , 2018 , 33, 2037-2046	3.6	24
237	Does Vitamin D Affect Chronic Renal Allograft Function in Pediatric Transplant Patients?. <i>Annals of Transplantation</i> , 2018 , 23, 252-257	1.4	0

236	Effect of ultrafiltration during hemodialysis on hepatic and total-body water: an observational study. <i>BMC Nephrology</i> , 2018 , 19, 356	2.7	5
235	A Cross-Sectional Study of Growth and Metabolic Bone Disease in a Pediatric Global Cohort Undergoing Chronic Hemodialysis. <i>Journal of Pediatrics</i> , 2018 , 202, 171-178.e3	3.6	5
234	Congenital Calvarial Hemangioma. <i>Journal of Craniofacial Surgery</i> , 2018 , 29, 1625-1628	1.2	3
233	The compelling case for therapeutic drug monitoring of mycophenolate mofetil therapy. <i>Pediatric Nephrology</i> , 2017 , 32, 21-29	3.2	25
232	Improving the translation of novel biomarkers to clinical practice: The story of cystatin C implementation in Canada: A professional practice column. <i>Clinical Biochemistry</i> , 2017 , 50, 380-384	3.5	7
231	Barriers to the Implementation of Lipoprotein Apheresis in Canada. <i>Canadian Journal of Cardiology</i> , 2017 , 33, 409-411	3.8	5
230	A Retrospective Study on Mycophenolic Acid Drug Interactions: Effect of Prednisone, Sirolimus, and Tacrolimus With MPA. <i>Therapeutic Drug Monitoring</i> , 2017 , 39, 220-228	3.2	4
229	Setting New Directions for Research in Childhood Nephrotic Syndrome: Results From a National Workshop. <i>Canadian Journal of Kidney Health and Disease</i> , 2017 , 4, 2054358117703386	2.3	2
228	A cross-sectional study measuring vanadium and chromium levels in paediatric patients with CKD. <i>BMJ Open</i> , 2017 , 7, e014821	3	10
227	When CRRT on ECMO Is Not Enough for Potassium Clearance: A Case Report. <i>Canadian Journal of Kidney Health and Disease</i> , 2017 , 4, 2054358117722559	2.3	1
226	A case control analysis investigating risk factors and outcomes for nephrocalcinosis and renal calculi in neonates. <i>Journal of Pediatric Urology</i> , 2017 , 13, 356.e1-356.e5	1.5	4
225	Deviations from the expected relationship between serum FGF23 and other markers in children with CKD: a cross-sectional study. <i>BMC Nephrology</i> , 2017 , 18, 204	2.7	5
224	Idiosyncratic drug reactions and membranous glomerulopathy. <i>BMJ Case Reports</i> , 2017 , 2017,	0.9	1
223	Successful Treatment of Multiple Angiomyolipomas with Sirolimus in a Child. <i>Indian Journal of Nephrology</i> , 2017 , 27, 237-238	0.8	1
222	High prevalence of elevated molybdenum levels in pediatric CKD patients. A cross-sectional and longitudinal study?. <i>Clinical Nephrology</i> , 2017 , 88, 79-85	2.1	4
221	Practice recommendations for the monitoring of renal function in pediatric non-renal organ transplant recipients. <i>Pediatric Transplantation</i> , 2016 , 20, 352-63	1.8	14
220	Minimum mycophenolic acid levels are associated with donor-specific antibody formation. <i>Pediatric Transplantation</i> , 2016 , 20, 34-8	1.8	18
219	Developmental changes of MPA exposure in children. <i>Pediatric Nephrology</i> , 2016 , 31, 975-82	3.2	8

218	Chronic kidney disease and cardiac morbidity [What are the possible links?]. <i>Progress in Pediatric Cardiology</i> , 2016 , 41, 89-95	0.4	6
217	Handling of Drugs in Children with Abnormal Renal Function 2016 , 2267-2293		
216	Are Tacrolimus Pharmacokinetics Affected by Nephrotic Stage?. <i>Therapeutic Drug Monitoring</i> , 2016 , 38, 288-92	3.2	3
215	Assessment of glomerular filtration rate in the neonate: is creatinine the best tool?. <i>Current Opinion in Pediatrics</i> , 2016 , 28, 173-9	3.2	39
214	Seizures Related to Hypomagnesemia: A Case Series and Review of the Literature. <i>Child Neurology Open</i> , 2016 , 3, 2329048X16674834	1.3	16
213	How to estimate glomerular filtration rate (GFR) in pediatric cardiac patients. <i>Progress in Pediatric Cardiology</i> , 2016 , 41, 3-8	0.4	1
212	Online Calculator to Improve Counseling of Short-Term Neonatal Morbidity and Mortality Outcomes at Extremely Low Gestational Age (23-28 Weeks). <i>American Journal of Perinatology</i> , 2016 , 33, 910-7	3.3	3
211	Is Testosterone Detrimental to Renal Function?. <i>Kidney International Reports</i> , 2016 , 1, 306-310	4.1	12
210	Estimation of GFR using Etrace protein in children. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2015 , 10, 401-9	6.9	11
209	The kinetics of cystatin C removal by hemodialysis. <i>American Journal of Kidney Diseases</i> , 2015 , 65, 174-5	7.4	3
208	PTHrP-related Hypercalcaemia in Infancy and Congenital Anomalies of the Kidney and Urinary Tract (CAKUT). <i>Canadian Journal of Kidney Health and Disease</i> , 2015 , 2, 21	2.3	5
207	Convenience Sampling of Children Presenting to Hospital-Based Outpatient Clinics to Estimate Childhood Obesity Levels in Local Surroundings. <i>American Journal of Public Health</i> , 2015 , 105, 1332-5	5.1	0
206	What is the inpatient variability of mycophenolic acid trough levels?. <i>Pediatric Transplantation</i> , 2015 , 19, 669-74	1.8	14
205	Using simplified blood pressure tables to avoid underdiagnosing childhood hypertension. <i>Paediatrics and Child Health</i> , 2015 , 20, 297-301	0.7	6
204	The Importance of Accurately Assessing Renal Function in the Neonate and Infant. <i>Advances in Clinical Chemistry</i> , 2015 , 71, 141-56	5.8	12
203	Handling of Drugs in Children with Abnormal Renal Function- 2015 , 1-28		1
202	The (99m)Tc-DTPA urinary clearance method may be preferable to the plasma disappearance method for assessing glomerular filtration rate in diabetic nephropathy. <i>Nephron Clinical Practice</i> , 2014 , 128, 367-72		1
201	Skeletal findings in the first 12 months following initiation of glucocorticoid therapy for pediatric nephrotic syndrome. <i>Osteoporosis International</i> , 2014 , 25, 627-37	5.3	37

200	Trace elements in dialysis. <i>Pediatric Nephrology</i> , 2014 , 29, 1329-35	3.2	26
199	Beta-trace protein as a marker of GFR--history, indications, and future research. <i>Clinical Biochemistry</i> , 2014 , 47, 1188-94	3.5	31
198	ACE levels may affect cystatin C measurements. <i>Clinical Biochemistry</i> , 2014 , 47, 129-31	3.5	2
197	Comparison of clinical and biochemical markers of dehydration with the clinical dehydration scale in children: a case comparison trial. <i>BMC Pediatrics</i> , 2014 , 14, 149	2.6	13
196	Tandem hemodialysis and plasma exchange. <i>Pediatric Nephrology</i> , 2014 , 29, 2077-82	3.2	10
195	Elevated triglycerides may affect cystatin C recovery. <i>Clinical Biochemistry</i> , 2014 , 47, 676-8	3.5	8
194	Diagnosis by peritoneal scintigraphy of peritoneal dialysis-associated hydrothorax in an infant. <i>Peritoneal Dialysis International</i> , 2014 , 34, 140-3	2.8	7
193	Trace protein may be a more suitable marker of neonatal renal function. <i>Clinical Nephrology</i> , 2014 , 81, 269-76	2.1	22
192	The Health Initiative Program for Kids (HIP Kids): effects of a 1-year multidisciplinary lifestyle intervention on adiposity and quality of life in obese children and adolescents--a longitudinal pilot intervention study. <i>BMC Pediatrics</i> , 2014 , 14, 296	2.6	19
191	No association between cyclosporine levels and dyslipidemia?. <i>Nephro-Urology Monthly</i> , 2014 , 6, e142960.4		
190	Measuring physicians' productivity: a three-year study to evaluate a new remuneration system. <i>Academic Medicine</i> , 2014 , 89, 144-52	3.9	4
189	Using individual DSA titers to assess for accommodation after late humoral rejection. <i>Pediatric Transplantation</i> , 2014 , 18, E109-13	1.8	1
188	The Canadian Childhood Nephrotic Syndrome (CHILDNEPH) Project: overview of design and methods. <i>Canadian Journal of Kidney Health and Disease</i> , 2014 , 1, 17	2.3	15
187	Similar MPA exposure on modified release and regular tacrolimus. <i>Therapeutic Drug Monitoring</i> , 2014 , 36, 353-7	3.2	7
186	Rapid resolution of tacrolimus intoxication-induced AKI with a corticosteroid and phenytoin. <i>Annals of Pharmacotherapy</i> , 2014 , 48, 1525-8	2.9	9
185	Are the children and adolescents with congenital heart disease living in Southwestern Ontario really overweight and obese?. <i>Cardiology in the Young</i> , 2014 , 24, 848-53	1	12
184	What is single needle cannulation hemodialysis: is it adequate?. <i>Blood Purification</i> , 2014 , 38, 13-7	3.1	10
183	Methods of assessing renal function. <i>Pediatric Nephrology</i> , 2014 , 29, 183-92	3.2	70

182	Propranolol therapy for infantile hemangioma is less toxic but longer in duration than corticosteroid therapy. <i>Plastic Surgery</i> , 2014 , 22, 233-6	0.8	2
181	Cyproheptadine for central hypertension?. <i>QScience Connect</i> , 2014 , 12	0.8	
180	Non-invasive measurement of cardiac output in obese children and adolescents: comparison of electrical cardiometry and transthoracic Doppler echocardiography. <i>Journal of Clinical Monitoring and Computing</i> , 2013 , 27, 187-93	2	34
179	Fibroblast growth factor-23 and calcium phosphate product in young chronic kidney disease patients: a cross-sectional study. <i>BMC Nephrology</i> , 2013 , 14, 39	2.7	22
178	The need for ongoing monitoring of adherence to access targets. <i>Pediatric Nephrology</i> , 2013 , 28, 831-2	3.2	0
177	Native kidney BK virus nephropathy associated with acute lymphocytic leukemia. <i>Pediatric Nephrology</i> , 2013 , 28, 979-81	3.2	10
176	Nighttime blood pressure, systolic blood pressure variability, and left ventricular mass index in children with hypertension. <i>Pediatric Nephrology</i> , 2013 , 28, 1275-82	3.2	51
175	Evaluating Canadian children: WHO, NHANES or what?. <i>Journal of Paediatrics and Child Health</i> , 2013 , 49, 282-90	1.3	8
174	Social paediatrics: From Qp serviceQ to the health and well-being of CanadaQ children and youth. <i>Paediatrics and Child Health</i> , 2013 , 18, 351-2	0.7	4
173	Antibody mediated rejection associated with complement factor h-related protein 3/1 deficiency successfully treated with eculizumab. <i>American Journal of Transplantation</i> , 2012 , 12, 2546-53	8.7	53
172	Skeletal findings in children recently initiating glucocorticoids for the treatment of nephrotic syndrome. <i>Osteoporosis International</i> , 2012 , 23, 751-60	5.3	46
171	Ω fatty acids may reduce hyperlipidemia in pediatric renal transplant recipients. <i>Pediatric Transplantation</i> , 2012 , 16, 835-9	1.8	13
170	High prevalence of elevated lead levels in pediatric dialysis patients. <i>Pediatric Nephrology</i> , 2012 , 27, 1551-6	3.6	11
169	Prevention of chronic kidney disease in spina bifida. <i>International Urology and Nephrology</i> , 2012 , 44, 817-23	2.7	72
168	Are fibroblast growth factor 23 concentrations in renal transplant patients different from non-transplanted chronic kidney disease patients?. <i>Pediatric Transplantation</i> , 2012 , 16, 73-7	1.8	8
167	Ontario children have outgrown the Broselow tape. <i>Canadian Journal of Emergency Medicine</i> , 2012 , 14, 25-30	0.6	26
166	Residual renal function calculated from serum cystatin C measurements and knowledge of the weekly standard Kt/V urea. <i>Peritoneal Dialysis International</i> , 2012 , 32, 102-4	2.8	9
165	The usefulness of cystatin C and related formulae in pediatrics. <i>Clinical Chemistry and Laboratory Medicine</i> , 2012 , 50, 2081-91	5.9	37

164	Are the career choices of paediatric residents meeting the needs of academic centres in Canada?. <i>Paediatrics and Child Health</i> , 2012 , 17, 17-20	0.7	10
163	Are Canadian pediatric nephrology patients really overweight?. <i>Clinical Nephrology</i> , 2012 , 78, 359-64	2.1	4
162	Performance of the creatinine-based and the cystatin C-based glomerular filtration rate (GFR) estimating equations in a heterogenous sample of patients referred for nuclear GFR testing. <i>Translational Research</i> , 2011 , 157, 357-67	11	14
161	The challenges of assessing acute kidney injury in infants. <i>Kidney International</i> , 2011 , 80, 567-8	9.9	26
160	Preliminary reference intervals for cystatin C and beta-trace protein in preterm and term neonates. <i>Clinical Biochemistry</i> , 2011 , 44, 1156-1159	3.5	42
159	Challenges in pediatric transplantation: the impact of chronic kidney disease and cardiovascular risk factors on long-term outcomes and recommended management strategies. <i>Pediatric Transplantation</i> , 2011 , 15, 25-31	1.8	48
158	Big mother or small baby: which predicts hypertension?. <i>Journal of Clinical Hypertension</i> , 2011 , 13, 35-41	2.3	44
157	Pediatric aspects of therapeutic drug monitoring of mycophenolic acid in renal transplantation. <i>Transplantation Reviews</i> , 2011 , 25, 78-89	3.3	56
156	Residual renal function assessment with cystatin C. <i>Pediatric Nephrology</i> , 2011 , 26, 333-5	3.2	8
155	Are we ready to use aliskiren in children?. <i>Pediatric Nephrology</i> , 2011 , 26, 473-7	3.2	11
154	Age-related stature and linear body segments in children with X-linked hypophosphatemic rickets. <i>Pediatric Nephrology</i> , 2011 , 26, 223-31	3.2	52
153	Steroid-resistant acute allograft rejection in renal transplantation. <i>Pediatric Nephrology</i> , 2011 , 26, 651-3	3.2	4
152	Should we consider MMF therapy after rituximab for nephrotic syndrome?. <i>Pediatric Nephrology</i> , 2011 , 26, 1759-62	3.2	15
151	The effect of seniority and education on departmental dictation utilization. <i>Health Economics Review</i> , 2011 , 1, 8	2	
150	Impaired GFR is the most important determinant for FGF-23 increase in chronic kidney disease. <i>Clinical Biochemistry</i> , 2011 , 44, 435-7	3.5	29
149	Hyperfiltration affects accuracy of creatinine eGFR measurement. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2011 , 6, 274-80	6.9	48
148	A simple estimate for extracellular volume: too simple?. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2011 , 6, 695-6	6.9	3
147	Cystatin C reduction ratio depends on normalized blood liters processed and fluid removal during hemodialysis. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2011 , 6, 319-25	6.9	20

146	Diagnostic accuracy of cystatin C-based eGFR equations at different GFR levels in children. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2011 , 6, 1599-608	6.9	55
145	Association between clinical risk factors and progression of chronic kidney disease in children. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2010 , 5, 2172-9	6.9	92
144	Cystatin C measurements in the assessment of residual renal function, dialysis adequacy, and beyond. <i>Peritoneal Dialysis International</i> , 2010 , 30, 437-9	2.8	4
143	Chronic renal disease is more prevalent in patients with hemolytic uremic syndrome who had a positive history of diarrhea. <i>Kidney International</i> , 2010 , 78, 598-604	9.9	18
142	Progress in pediatric kidney transplantation. <i>Therapeutic Drug Monitoring</i> , 2010 , 32, 250-2	3.2	12
141	Adherence to waiting-time targets for pediatric nephrology clinic referrals. <i>Pediatric Nephrology</i> , 2010 , 25, 311-6	3.2	4
140	Development of a beta-trace protein based formula for estimation of glomerular filtration rate. <i>Pediatric Nephrology</i> , 2010 , 25, 485-90	3.2	21
139	Rituximab in refractory nephrotic syndrome. <i>Pediatric Nephrology</i> , 2010 , 25, 461-8	3.2	117
138	Variability of the pediatric subspecialty workforce in Canada. <i>Journal of Pediatrics</i> , 2010 , 157, 844-7.e1	3.6	7
137	Pediatric reference intervals for immunoglobulin G and its subclasses with Siemens immunonephelometric assays. <i>Clinical Biochemistry</i> , 2010 , 43, 694-6	3.5	19
136	Random pharmacokinetic profiles of EC-MPS in children with autoimmune disease. <i>Pediatric Rheumatology</i> , 2010 , 8, 1	3.5	6
135	Epidemiology of pediatric urolithiasis. <i>Indian Journal of Urology</i> , 2010 , 26, 516-22	0.8	39
134	Estimating GFR using serum beta trace protein: accuracy and validation in kidney transplant and pediatric populations. <i>Kidney International</i> , 2009 , 76, 784-91	9.9	36
133	Anemia and risk of hospitalization in pediatric chronic kidney disease. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2009 , 4, 48-56	6.9	46
132	Cystatin C levels in functionally anephric patients undergoing dialysis: the effect of different methods and intensities. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2009 , 4, 1606-10	6.9	26
131	Effect of clinical variables and immunosuppression on serum cystatin C and beta-trace protein in kidney transplant recipients. <i>American Journal of Kidney Diseases</i> , 2009 , 54, 922-30	7.4	38
130	Role of mycophenolate mofetil in remission maintenance after a successful response to rituximab. <i>Pediatric Nephrology</i> , 2009 , 24, 423-4	3.2	11
129	Bicarbonate therapy improves growth in children with incomplete distal renal tubular acidosis. <i>Pediatric Nephrology</i> , 2009 , 24, 1509-16	3.2	21

128	Pediatric reference intervals for soluble transferrin receptor and transferrin receptor-ferritin index. <i>World Journal of Pediatrics</i> , 2009 , 5, 122-6	4.6	12
127	Characterization of sirolimus metabolites in pediatric solid organ transplant recipients. <i>Pediatric Transplantation</i> , 2009 , 13, 44-53	1.8	19
126	Intravenous immunoglobulin as rescue therapy for BK virus nephropathy. <i>Pediatric Transplantation</i> , 2009 , 13, 123-9	1.8	32
125	High prevalence of chronic kidney disease in pediatric solid organ transplantation. <i>Pediatric Transplantation</i> , 2009 , 13, 7-10	1.8	6
124	Limited sampling strategies for sirolimus after pediatric renal transplantation. <i>Pediatric Transplantation</i> , 2009 , 13, 1020-6	1.8	5
123	Relationships among serum iron, inflammation, and body mass index in children. <i>Advances in Pediatrics</i> , 2009 , 56, 135-44	2.2	12
122	Monitoring kidney function and renal disease in children following transplant. <i>Pediatric Health</i> , 2009 , 3, 155-163		3
121	Picture of the month: severe zinc deficiency in infancy (acrodermatitis enteropathica-like picture). <i>JAMA Pediatrics</i> , 2009 , 163, 765-6		2
120	Body mass does not have a clinically relevant effect on cystatin C eGFR in children. <i>Nephrology Dialysis Transplantation</i> , 2009 , 24, 470-4	4.3	37
119	Cardiac tamponade in diarrhoea-positive haemolytic uraemic syndrome. <i>Nephrology Dialysis Transplantation</i> , 2009 , 24, 679-81	4.3	20
118	Pediatric urolithiasis: experience at a tertiary care pediatric hospital. <i>Canadian Urological Association Journal</i> , 2008 , 2, 381-6	1.2	30
117	Shorter break-in period is a viable option with tighter PD catheter securing during the insertion. <i>Nephrology</i> , 2008 , 13, 672-6	2.2	23
116	Complications of chronic kidney disease in children post-renal transplantation - a single center experience. <i>Pediatric Transplantation</i> , 2008 , 12, 80-4	1.8	21
115	How to monitor renal function in pediatric solid organ transplant recipients. <i>Pediatric Transplantation</i> , 2008 , 12, 393-401	1.8	35
114	Albuminuria and estimated GFR 5 years after Escherichia coli O157 hemolytic uremic syndrome: an update. <i>American Journal of Kidney Diseases</i> , 2008 , 51, 435-44	7.4	33
113	Pharmacokinetics of mycophenolate mofetil and sirolimus in children. <i>Therapeutic Drug Monitoring</i> , 2008 , 30, 138-42	3.2	44
112	Extracorporeal Therapies for Poisoning 2008 , 1045-1052		1
111	Should prevention of chronic kidney disease start before pregnancy?. <i>International Urology and Nephrology</i> , 2008 , 40, 483-8	2.3	16

110	Remission of steroid-resistant nephrotic syndrome due to focal and segmental glomerulosclerosis using rituximab. <i>International Urology and Nephrology</i> , 2008 , 40, 807-10	2.3	30
109	Novel HGPRT 293 A>G point mutation presenting as neonatal acute renal failure. <i>Pediatric Nephrology</i> , 2008 , 23, 317-21	3.2	5
108	Safety considerations with mycophenolate sodium. <i>Expert Opinion on Drug Safety</i> , 2007 , 6, 445-9	4.1	16
107	Unexpectedly high inter- and inpatient variability of ganciclovir levels in children. <i>Pediatric Transplantation</i> , 2007 , 11, 301-5	1.8	45
106	Sirolimus is not always responsible for new-onset proteinuria after conversion for chronic allograft nephropathy. <i>Pediatric Transplantation</i> , 2007 , 11, 336-9	1.8	2
105	Kanwal K. Kher et al., Clinical Pediatric Nephrology, 2nd edn.. <i>International Urology and Nephrology</i> , 2007 , 39, 1313-1315	2.3	
104	Pediatric nephrology patients are overweight: 20 years experience in a single Canadian tertiary pediatric nephrology clinic. <i>International Urology and Nephrology</i> , 2007 , 39, 1235-40	2.3	21
103	Growth impairment shows an age-dependent pattern in boys with chronic kidney disease. <i>Pediatric Nephrology</i> , 2007 , 22, 420-9	3.2	41
102	How to define anemia in children with chronic kidney disease?. <i>Pediatric Nephrology</i> , 2007 , 22, 702-7	3.2	17
101	A novel equation to estimate glomerular filtration rate using beta-trace protein. <i>Clinical Chemistry</i> , 2007 , 53, 1965-8	5.5	48
100	Incomplete distal renal tubular acidosis affects growth in children. <i>Nephrology Dialysis Transplantation</i> , 2007 , 22, 2879-85	4.3	22
99	Chronic kidney disease stage in renal transplantation classification using cystatin C and creatinine-based equations. <i>Nephrology Dialysis Transplantation</i> , 2007 , 22, 3013-20	4.3	37
98	Is it premature to use calcineurin-inhibitor-free immunosuppression in pediatric renal transplantation?. <i>Nature Clinical Practice Nephrology</i> , 2007 , 3, 16-7		1
97	Reference intervals for anion gap and strong ion difference in pregnancy: a pilot study. <i>Hypertension in Pregnancy</i> , 2007 , 26, 111-9	2	10
96	New trends in immunosuppression for pediatric renal transplant recipients. <i>Current Opinion in Organ Transplantation</i> , 2007 , 12, 509-514	2.5	
95	Optimization of immunosuppressive drug monitoring in children. <i>Transplantation Proceedings</i> , 2007 , 39, 1241-3	1.1	13
94	Calcineurin inhibitors in pediatric renal transplant recipients. <i>Paediatric Drugs</i> , 2007 , 9, 165-74	4.2	29
93	Waiting times in a tertiary paediatric nephrology clinic. <i>Paediatrics and Child Health</i> , 2007 , 12, 15-8	0.7	5

92	Hypercalciuria associated with pediatric prostatic calculi. <i>Canadian Journal of Urology</i> , 2007 , 14, 3577-9	0.8	2
91	Pharmacokinetics of pyridostigmine in a child with postural tachycardia syndrome. <i>Pediatrics</i> , 2006 , 118, e1563-8	7.4	5
90	How to Measure Renal Function in Children - What is the Role of Cystatin C?. <i>Current Pediatric Reviews</i> , 2006 , 2, 225-231	2.8	6
89	Management of severe hypertension in a child with tuberous sclerosis-related major vascular abnormalities. <i>Journal of Hypertension</i> , 2006 , 24, 597-9	1.9	22
88	<i>Pseudomonas aeruginosa</i> infection: an uncommon cause of post-renal obstruction following induction therapy for acute lymphoblastic leukemia. <i>Pediatric Blood and Cancer</i> , 2006 , 46, 512-3	3	2
87	Preventing sensitization with mycophenolate mofetil in a pediatric kidney recipient. <i>Pediatric Transplantation</i> , 2006 , 10, 367-70	1.8	9
86	How to assess for impaired glucose tolerance before transplantation and should these results influence the choice of calcineurin inhibitors?. <i>Pediatric Transplantation</i> , 2006 , 10, 1-4	1.8	8
85	Renal transplantation: Literature review 2004-2005. <i>Pediatric Transplantation</i> , 2006 , 10, 418-428	1.8	1
84	Value of therapeutic drug monitoring of MMF therapy in pediatric transplantation. <i>Pediatric Transplantation</i> , 2006 , 10, 707-11	1.8	32
83	Cyclosporin twice or three times daily dosing in pediatric transplant patients - it is not the same!. <i>Pediatric Transplantation</i> , 2006 , 10, 953-6	1.8	9
82	Influence of commonly used drugs on the accuracy of cystatin C-derived glomerular filtration rate. <i>Pediatric Nephrology</i> , 2006 , 21, 235-8	3.2	32
81	Unexpectedly high exposure to enteric-coated mycophenolate sodium upon once-daily dosing. <i>Pediatric Nephrology</i> , 2006 , 21, 1206-8	3.2	7
80	Plasma exchange using a continuous venovenous hemofiltration machine in children. <i>Blood Purification</i> , 2005 , 23, 440-5	3.1	9
79	Neonatal renal venous thrombosis: clinical outcomes and prevalence of prothrombotic disorders. <i>Journal of Pediatrics</i> , 2005 , 146, 811-6	3.6	93
78	Cystatin C as a marker of GFR--history, indications, and future research. <i>Clinical Biochemistry</i> , 2005 , 38, 1-8	3.5	515
77	Cystatin-C and beta trace protein as markers of renal function in pregnancy. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2005 , 112, 575-8	3.7	54
76	The Cockcroft-Gault formula should not be used in children. <i>Kidney International</i> , 2005 , 67, 2321-4	9.9	61
75	Intra-individual variation of cystatin C and creatinine in pediatric solid organ transplant recipients. <i>Pediatric Transplantation</i> , 2005 , 9, 28-32	1.8	27

74	Four-year data after pediatric renal transplantation: a randomized trial of tacrolimus vs. cyclosporin microemulsion. <i>Pediatric Transplantation</i> , 2005 , 9, 498-503	1.8	83
73	Caregiver attitudes towards gastrostomy removal after renal transplantation. <i>Pediatric Transplantation</i> , 2005 , 9, 574-8	1.8	15
72	Tissue viral DNA is associated with chronic allograft nephropathy. <i>Pediatric Transplantation</i> , 2005 , 9, 598-603	1.8	10
71	Adding sirolimus to tacrolimus-based immunosuppression in pediatric renal transplant recipients reduces tacrolimus exposure. <i>American Journal of Transplantation</i> , 2005 , 5, 2005-10	8.7	35
70	Changing trends in the referral patterns of pediatric nephrology patients. <i>Pediatric Nephrology</i> , 2005 , 20, 603-8	3.2	29
69	Icodextrin re-absorption varies with age in children on automated peritoneal dialysis. <i>Pediatric Nephrology</i> , 2005 , 20, 683-5	3.2	31
68	Estimating glomerular filtration rate in kidney transplantation: a comparison between serum creatinine and cystatin C-based methods. <i>Journal of the American Society of Nephrology: JASN</i> , 2005 , 16, 3763-70	12.7	142
67	Cystatin C inpatient variability in children with chronic kidney disease is less than serum creatinine. <i>Clinical Chemistry</i> , 2005 , 51, 2215-6	5.5	21
66	Pseudo-tumoral eosinophilic cystitis in a 3 year-old girl. <i>Canadian Journal of Urology</i> , 2005 , 12, 2846-8	0.8	3
65	Abbreviated mycophenolic acid AUC from C0, C1, C2, and C4 is preferable in children after renal transplantation on mycophenolate mofetil and tacrolimus therapy. <i>Transplant International</i> , 2004 , 17, 120-125	3	4
64	MDR1 haplotypes derived from exons 21 and 26 do not affect the steady-state pharmacokinetics of tacrolimus in renal transplant patients. <i>British Journal of Clinical Pharmacology</i> , 2004 , 58, 548-53	3.8	65
63	Patients with autosomal dominant polycystic kidney disease hyperfiltrate early in their disease. <i>American Journal of Kidney Diseases</i> , 2004 , 43, 624-8	7.4	48
62	The safety and use of short-acting nifedipine in hospitalized hypertensive children. <i>Pediatric Nephrology</i> , 2004 , 19, 644-50	3.2	31
61	Challenges in the management of infantile factor H associated hemolytic uremic syndrome. <i>Pediatric Nephrology</i> , 2004 , 19, 908-11	3.2	37
60	To what extent does the understanding of pharmacokinetics of mycophenolate mofetil influence its prescription. <i>Pediatric Nephrology</i> , 2004 , 19, 962-5	3.2	15
59	Abbreviated mycophenolic acid AUC from C0, C1, C2, and C4 is preferable in children after renal transplantation on mycophenolate mofetil and tacrolimus therapy. <i>Transplant International</i> , 2004 , 17, 120-5	3	37
58	Resolution of severe, adolescent-onset hypophosphatemic rickets following resection of an FGF-23-producing tumour of the distal ulna. <i>Bone</i> , 2004 , 34, 905-11	4.7	54
57	Age-dependency of mycophenolate mofetil dosing in combination with tacrolimus after pediatric renal transplantation. <i>Transplantation Proceedings</i> , 2004 , 36, 1327-31	1.1	34

56	Mutations in human complement regulator, membrane cofactor protein (CD46), predispose to development of familial hemolytic uremic syndrome. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2003 , 100, 12966-71	11.5	345
55	Treatment of nephrotic syndrome in children and controlled trials. <i>Nephrology Dialysis Transplantation</i> , 2003 , 18 Suppl 6, vi75-8	4.3	15
54	One hundred percent patient and kidney allograft survival with simultaneous liver and kidney transplantation in infants with primary hyperoxaluria: a single-center experience. <i>Transplantation</i> , 2003 , 76, 1458-63	1.8	85
53	Confirmation of the ATP6B1 gene as responsible for distal renal tubular acidosis. <i>Pediatric Nephrology</i> , 2003 , 18, 105-9	3.2	40
52	Pharmacokinetics of mycophenolate mofetil for autoimmune disease in children. <i>Pediatric Nephrology</i> , 2003 , 18, 445-9	3.2	59
51	Should the Schwartz formula for estimation of GFR be replaced by cystatin C formula?. <i>Pediatric Nephrology</i> , 2003 , 18, 981-5	3.2	341
50	Quantitative tissue polymerase chain reaction for Epstein-Barr virus in pediatric solid organ recipients. <i>American Journal of Kidney Diseases</i> , 2003 , 41, 212-9	7.4	10
49	Is there really an increase in non-minimal change nephrotic syndrome in children?. <i>American Journal of Kidney Diseases</i> , 2003 , 42, 1107-13	7.4	100
48	Glomerular filtration rate as a putative surrogate end-point for renal transplant clinical trials in children. <i>Pediatric Transplantation</i> , 2003 , 7, 18-24	1.8	40
47	Is decreased bone mineral density in pediatric transplant recipients really a problem?. <i>Pediatric Transplantation</i> , 2003 , 7, 342-4	1.8	10
46	Tissue HHV6 and 7 determination in pediatric solid organ recipients--a pilot study. <i>Pediatric Transplantation</i> , 2003 , 7, 458-63	1.8	12
45	Measuring glomerular filtration rate with cystatin C and beta-trace protein in children with spina bifida. <i>Journal of Urology</i> , 2003 , 169, 2312-5	2.5	71
44	Evidence-based immunosuppression after pediatric renal transplantation--a dream?. <i>Transplantation Proceedings</i> , 2003 , 35, 2125-7	1.1	4
43	Randomized trial of tacrolimus versus cyclosporin microemulsion in renal transplantation. <i>Pediatric Nephrology</i> , 2002 , 17, 141-9	3.2	185
42	Additive antiproteinuric effect of ACE inhibitor and losartan in IgA nephropathy. <i>Pediatric Nephrology</i> , 2002 , 17, 302-4	3.2	30
41	G protein beta3 subunit 825T genotype is not associated with differing outcome in pediatric renal transplant recipients. <i>Pediatric Transplantation</i> , 2002 , 6, 141-6	1.8	4
40	Universal approach to pharmacokinetic monitoring of immunosuppressive agents in children. <i>Pediatric Transplantation</i> , 2002 , 6, 411-8	1.8	58
39	The emerging role of gene polymorphisms determining outcome after solid-organ transplantation. <i>Pediatric Transplantation</i> , 2002 , 6, 12-4	1.8	3

38	Cystatin C should be measured in pediatric renal transplant patients!. <i>Pediatric Transplantation</i> , 2002 , 6, 357-60	1.8	14
37	Combination of ceftriaxone and acyclovir - an underestimated nephrotoxic potential?. <i>Pediatric Nephrology</i> , 2002 , 17, 633-7	3.2	41
36	The transplanted child: New immunosuppressive agents and the need for pharmacokinetic monitoring. <i>Paediatrics and Child Health</i> , 2002 , 7, 525-32	0.7	6
35	One-year glomerular filtration rate predicts graft survival in pediatric renal recipients: a randomized trial of tacrolimus vs cyclosporine microemulsion. <i>Transplantation Proceedings</i> , 2002 , 34, 1935-8	1.1	20
34	Trace Protein, Cystatin C, β -Microglobulin, and Creatinine Compared for Detecting Impaired Glomerular Filtration Rates in Children. <i>Clinical Chemistry</i> , 2002 , 48, 729-736	5.5	177
33	Beta-trace protein, cystatin C, beta(2)-microglobulin, and creatinine compared for detecting impaired glomerular filtration rates in children. <i>Clinical Chemistry</i> , 2002 , 48, 729-36	5.5	60
32	Analysis of cognitive and motor functioning during pubertal development: a new approach. <i>Journal of Physiological Anthropology and Applied Human Science</i> , 2001 , 20, 111-8		7
31	Renin angiotensin system gene polymorphisms in pediatric renal transplant recipients. <i>Pediatric Transplantation</i> , 2001 , 5, 166-73	1.8	23
30	Acute renal failure in children: aetiology and management. <i>Paediatric Drugs</i> , 2001 , 3, 783-92	4.2	20
29	Effect of cyclosporine on mycophenolic acid area under the concentration-time curve in pediatric kidney transplant recipients. <i>Therapeutic Drug Monitoring</i> , 2001 , 23, 514-9	3.2	50
28	Effect of adding Mycophenolate mofetil in paediatric renal transplant recipients with chronic cyclosporine nephrotoxicity. <i>Transplant International</i> , 2000 , 13, 201-206	3	30
27	Effect of adding Mycophenolate mofetil in paediatric renal transplant recipients with chronic cyclosporine nephrotoxicity. <i>Transplant International</i> , 2000 , 13, 201-6	3	13
26	Treatment of FSGS with plasma exchange and immunadsorption. <i>Pediatric Nephrology</i> , 2000 , 14, 965-9	3.2	22
25	Bioimpedance and inferior vena cava diameter for assessment of dialysis dry weight. <i>Pediatric Nephrology</i> , 2000 , 14, 903-7	3.2	28
24	Does growth hormone therapy harmonize distorted morphology and body composition in chronic renal failure?. <i>Pediatric Nephrology</i> , 2000 , 15, 229-35	3.2	22
23	Tacrolimus reversibly reduces insulin secretion in paediatric renal transplant recipients. <i>Nephrology Dialysis Transplantation</i> , 2000 , 15, 867-71	4.3	76
22	Glucose metabolism in children with renal failure: oral or intravenous glucose tolerance. <i>Experimental and Clinical Endocrinology and Diabetes</i> , 2000 , 108, 253-8	2.3	3
21	Acute renal failure in an infant associated with cytotoxic <i>Aeromonas sobria</i> isolated from patient stool and from aquarium water as suspected source of infection. <i>Journal of Clinical Microbiology</i> , 2000 , 38, 469-70	9.7	24

20	Functional Characterization of the Molecular Defects Causing Nephrogenic Diabetes Insipidus in Eight Families. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2000 , 85, 1703-1710	5.6	47
19	Limited sampling strategy for mycophenolic acid area under the curve. <i>Therapeutic Drug Monitoring</i> , 2000 , 22, 169-73	3.2	101
18	Routine Workflow for Use of Urine Strips and Urine Flow Cytometer UF-100 in the Hospital Laboratory,1. <i>Clinical Chemistry</i> , 1999 , 45, 1305-1307	5.5	16
17	Non-random distribution of mutations in the PHEX gene, and under-detected missense mutations at non-conserved residues. <i>European Journal of Human Genetics</i> , 1999 , 7, 615-9	5.3	52
16	Abbreviated cyclosporine AUCs on Neoral--the search continues!. <i>Pediatric Nephrology</i> , 1999 , 13, 98-102	3.2	43
15	Diagnostic sensitivity of serum cystatin for impaired glomerular filtration rate. <i>Pediatric Nephrology</i> , 1999 , 13, 501-5	3.2	77
14	Long-term prognosis of hemolytic uremic syndrome and effective renal plasma flow. <i>Pediatric Nephrology</i> , 1999 , 13, 672-7	3.2	43
13	Evaluation of pediatric nephropathies by a computerized Urine Protein Expert System (UPES). <i>Pediatric Nephrology</i> , 1999 , 13, 900-6	3.2	19
12	Compound deletion of the rhoGAP C1 and V2 vasopressin receptor genes in a patient with nephrogenic diabetes insipidus. <i>Human Mutation</i> , 1999 , 14, 163-74	4.7	22
11	Slowly deteriorating insulin secretion and C-peptide production characterizes diabetes mellitus in infantile cystinosis. <i>European Journal of Pediatrics</i> , 1998 , 157, 738-42	4.1	20
10	V2 vasopressin receptor dysfunction in nephrogenic diabetes insipidus caused by different molecular mechanisms. <i>Human Mutation</i> , 1998 , 12, 196-205	4.7	63
9	Prophylactic oral ganciclovir after renal transplantation-dosing and pharmacokinetics. <i>Pediatric Nephrology</i> , 1998 , 12, 6-9	3.2	25
8	Reversible diabetes mellitus during growth hormone therapy in chronic renal failure. <i>Pediatric Nephrology</i> , 1998 , 12, 405-7	3.2	12
7	Nierenersatztherapie von osteuropäischen Kindern und Jugendlichen in Westeuropa Psychosoziale, medizinische und organisatorische Aspekte. <i>Monatsschrift Fur Kinderheilkunde</i> , 1998 , 146, 133-138	0.2	
6	Glucose tolerance and insulin secretion in children before and during recombinant growth hormone treatment. <i>Hormone Research in Paediatrics</i> , 1998 , 50, 32-7	3.3	6
5	Are Cystatin C and β -Microglobulin Better Markers than Serum Creatinine for Prediction of a Normal Glomerular Filtration Rate in Pediatric Subjects?. <i>Clinical Chemistry</i> , 1997 , 43, 1077-1078	5.5	92
4	Which cyclosporin formulation?. <i>Lancet, The</i> , 1996 , 348, 1176-7	4.0	12
3	Hypophosphataemic rickets in children and adults. <i>Nephrology Dialysis Transplantation</i> , 1996 , 11, 1918-1919	1.5	19

- 2 Neutrophil activation in the haemolytic uraemic syndrome: free and complexed elastase in plasma. *Pediatric Nephrology*, **1992**, 6, 50-3 3.2 49
- 1 Urine glycosaminoglycans in congenital and acquired nephrotic syndrome. *Kidney International*, **1991**, 40, 280-4 9.9 6